

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
6A/10378545	D.255855	INSTRUMENT PANELS, ASSEMBLY.....	—	—		
	—	Altimeter, cabin, Mk21, at stbd. longeron (Mod. 1430)	1		A.	
	A.249238	Bracket, mounting, for MK21 altimeter (Mod. 1430)....	1			
	A.221827	Bracket, mounting, for bomb and RP, panel.....	1	L.72		
	A.230814	Bracket, mounting, for ARC34 or 52 control,.....	1	L.72		
26VA/6044412	A.230815	port (Mod. 807)				
	—	Bracket, mounting, for ARC34 or 52, control,.....	1	L.72		
	—	starboard (Mod. 807)				
	Std.2045/17/26	Clip, sleeved (Mod. 850).....	1	S.510	C.	6
	11303	Clip, sleeved (Mod. 850).....	1	S.510	C.	6
29G/1034156	9851	Cover, windscreen reflection, group (Mod. 767).....	1	Comm'l.Stl.	B.	
	—	Hook.....	2	H.T.S.		
	Carr N.608	Socket, "lift-the dot".....	9	—	C.	
	1034153	Washer, back.....	9	—	C.	
	5L/9951273	Filament, 3.5W (Mod. 850).....	2	—	B.	
6A/1983016	—	Flange, adaptor, for Mk.21 altimeter (Mod. 1430).....	1		C.	
	9946	Indicator, aileron neutral position (Mod. 782).....	1	L.72		FC.1
	A.237842	Lamp, mounting, assembly (Mod. 850).....	—	—		
	10475	Cover.....	1	—	C.	FC.1
	10476	Mounting, lamp, group.....	1	—	B.	FC.1
23	A.237841	Block, terminal.....	1	—		
	A.237838	Bracket, lamp, mounting.....	1	—		
	F.237836	Plate, base.....	1	L.72		FC.1
	F.237835	Lead, bonding.....	1	—		4
	Std.1285/3/DE	Mounting, for port panel.....	6	Rubber	C.	FC.1
8543	F.218495	Mounting control unit, transmitter/receiver.....	1			
	D.331659	(Mod. 1430)				
	D.331659/1	Angle, mounting (Make from 28FP/4069846).....	1		LM	
	F.333489	Angle (Make from 30B/9611218).....	1		LM	
	A.333488	Indicator (Make from 30B/9611212).....	1		LM	
3857	F.331629	Packing (Make from 30B/9611216).....	1		LM	
	F.331630	Packing (Make from 30B/9611218).....	1		LM	
	F.331631	Packing (Make from 30B/9611220).....	1		LM	
	F.333309	Packing (Make from 5F/9400955).....	1		LM	
	Std.1606/44/C24	Screw.....	2		C.	
3863	Std.1606/45/C24	Screw.....	1		C.	
	C.331655	Sidewall assy.	1		LM	
	C.331655/2	Angle, mounting (Make from 28FP/4069846)	1		LM	
	F.331632	Packing (Make from 30B/9611216).....	1		LM	
	C.331655/1	Sidewall, detail (Make from 30B/9611218).....	1		LM	
26VA/6039011	Std.1509/23/020	Tube, distance.....	1		C.	
	D.235428	MOUNTING, PANEL, ASSEMBLY (MOD.779).....	—	—		
	8718	Bracket, for anti-vibration mounting.....	3	—	C.	FC.1
	5373	Bracket, for anti-vibration mounting.....	2	—	C.	FC.1
	8719	Bracket, for anti-vibration mounting.....	1	—	C.	FC.1
10105	A.232304	Bracket, mounting, outboard, group (Mod. 779)	1	—		
	F.232305	Stud (Mod. 779).....	1	DTD.487	C.	FC.1
	F.235357	Stud (Mod. 779).....	1	DTD.487	C.	FC.1
	A.235358	Bracket, mounting, inboard, group (Mod. 779).....	1	—		
	F.235357	Stud (Mod. 779).....	1	DTD.487	C.	FC.1
27H/4605586	F.211792	Mounting, anti-vibration.....	8	—	B.	
	—	Mounting, anti-vibration, non-magnetic.....	8	—	B.	
	3868	Washer, at anti-vibration mounting.....	24	DTD.610	C.	FC.1
	F.168524	Packing, at tailchute lamp (Mod. 850).....	1	LFS.21		
	F.240020					

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
		1 2 3 4 5				
	C.231205	Panel, control, for bomb and RP, group (Mod. 747)	1	—	—	
	C.231237	Cable, A. 13 (See Cable Chart) (Pre Mod. 1366)	1	—	—	
8706	F.214078	Cover, spring, inboard, group	1	—	C.	FC.1
5K/9573173	AGS.1765	Cover, spring	1	—	C.	
8707	F.214079	Cover, spring, outboard, group	1	—	C.	FC.1
5K/9573173	AGS.1765	Cover, spring	1	—	C.	
8708	F.214077	Flap, switch, group	1	—	C.	FC.1
	F.214087	Channel (Make from Std.1530/11)	1	DTD.364		
	F.214084	Flap	1	Casting		
	F.214286	Pin	1	S.1.B		
	F.214085	Spring	1	Sp.St.		
	F.228684	Guard, switch	1	L.72		
20323	F.253282	Guard, switch	1	—	C.	
5CW/1039506	Rotax ZA/2402/1	Guard, switch locking	1	—	B.	
	B.231206	Panel, switch mounting, group (Pre Mod 1366)	1	—		
	Std.1569.C	Nut, side, anchor	1	—		5
	F.234602	Plate, guard	1	—		
1178	Std.1606/44/B12	Screw, retaining switch	4	Brass	C.	5
1637	Std.1606/44/B14	Screw, retaining switch	2	Brass	C.	5
5829	Std.1606/44/A14	Screw, retaining switch	8	Brass	C.	5
4661	Std.1606/45/B12	Screw, retaining switch (7 off Pre Mod. 1365)	9	Brass	C.	5
4660	Std.1606/45/B14	Screw, retaining switch	1	Brass	C.	5
5CW/4671815	Rotax D.5435	Switch, selector, arrester hook (Mod. 747)	1	—	A.	
		(Mod. 1365)				
5CW/1102662	Rotax D.0701	Switch, D.C. push	2	—	C.	
5CW/1047696	—	Switch	1	—	C.	
5CW/4405115	Rotax D.10007	Switch, D.P., 3-way	1	—	C.	
5D/4341029	EL.38780	Switch, D.P., selector	1	—	C.	
5CW/1047693	—	Switch, S.P. c/o N.C.P.	1	—	C.	
	D.324328	PANEL FLYING, ASSEMBLY (Mod. 1378)	1	—		
6A/6201976	Kollsman	Altimeter, Mk. 29B, Servo controlled (Mod. 1378)	1	—	A.	
—	D.222342	Cable, F.12 group (See Cable Chart)	1	—	—	
—	B.224703	Cable, F.60 group (See Cable Chart)	1	—	—	
20310	Std.2044/6/052	Ferrule	1	—	C.	6
—	A.323141	Cable, F.202 group (See Cable Chart)	1	—		
		(Mod. 1378)				
6A/7002039	Smiths Std.1503	Clamp, at flap indicator	1	—	C.	
3735	Std.840/16	Clip, securing cable, 7/16" wide x 22 s.w.g.	2	L.72	MR/C	4
		x 1.6" long				
26VA/6041139	Std.2045/28/22	Clip, sleeved	1	—	C.	6
6A/1061012	—	Connector, static and pressure	2	—	C.	
6A/5546	—	Indicator, turn and slip, Mk. 3	1	—	A.	
6A/4338386	—	Indicator, artificial horizon, Mk. 4	1	—	A.	
or						
6A/4338332	—	Indicator, artificial horizon, Mk. 4	1	—	A.	
6A/4333224	—	Indicator, air speed, Mk. 12A	1	—	A.	
6A/4339155	—	Indicator, rate of climb, Mk. 3Q	1	—	A.	
6A/4337748	Smiths 587.F.L.	Indicator, tail plane position	1	—	A.	
6A/4338243	Smiths 19 H.S.D.	Indicator, flap position (Mod. 769)	1	—	A.	
5CZ/4340381	Dowty C.5165.Y	Indicator, magnetic	2	—	A.	
	Mk. 2					
	A.216487	Label	1	L.72		
11111	F.223732	Label	2	L.72	C.	
	A.230888	Label	1	L.72		
	D.278034	LIGHTING, PILLAR, ON FLYING INSTRUMENT	—	—		
		PANEL, ASSEMBLY (Mod. 1302)				
5CZ/1053795	—	Block, terminal, 3-way, type 'B'	1	—	B.	
	F.222196	Bracket, mounting, for terminal block	2	L.72		
5L/9959118	—	Filament, 28 volt, 0.04 amp	26	—	C.	
5CW/4405594	Rotax N.65290	Grommet	21	—	C.	

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CX/1143222	Thorn 80/10/1236					Light, bridge, type 'L'	1	—	C.	
6220-99-1083088	Thorn 80/10/1193					Light, bridge, type 'B'	1	—	C.	
5CX/1143214	Thorn 80/10/1192					Light, bridge, type 'C'	5	—	C.	
5CX/1143215	Thorn 80/10/1190					Light, bridge, type 'D'	1	—	C.	
6220-99-4330351	Thorn 80/10/1191					Light, bridge, type 'F'	1	—	C.	
5CX/1143218	Thorn 80/10/1189					Light, bridge, type 'G'	1	—	C.	
5CX/1143219	Thorn 80/10/1194					Light, bridge, type 'H'	1	—	C.	
5CX/1143869	Thorn 80/10/0855					Light, pillar	2	—	C.	
—	F.286983					Plate, adapter, for light bridge (Mod. 1302)	1	—		
—	F.323142					Plate, label (Mod. 1378)	1	—		
1637	Std.1606/44/B14					Screw, securing blanking plate	1	Brass	C.	5
3839	Std.1606/44/B16					Screw, securing bridge light	1	Brass	C.	5
1720	Std.1606/44/B24					Screw, securing bridge light	1	Brass	C.	5
4179	Std.1606/44/B20					Screw, securing bridge light	2	Brass	C.	5
9446	Std. 1606/44/A20					Screw, securing dimmer switch	6	Brass	C.	5
6356	Std.1606/44/B32					Screw, securing bridge light	4	Brass	C.	5
3840	Std.1606/44/B28					Screw, securing bridge light	4	Brass	C.	5
7970	Std.1606/44/B36					Screw, securing bridge light	10	Brass	C.	5
9447	Std.1606/44/C28					Screw, securing bridge light	2	Brass	C.	5
9448	Std.1606/44/C32					Screw, securing bridge light	6	Brass	C.	5
1506463	Std.1606/44/C36					Screw, securing bridge light	4	Brass	C.	5
5830	Std.1606/45/A14					Screw, securing terminal block	2	Brass	C.	5
9450	Std.1606/45/A18					Screw, securing terminal block	2	Brass	C.	5
5CW/4405520	—					Switch, dimmer, 75 ohms	2	—	C.	
5K/5866	Ross Courtney 00					Tag	2	—	C.	
5F/	—					Tubing, P.V.C. 1-1/2—2-1/2 m/m i/d	QR	—	C.	
7100	Std.915/B10					Washer, 4 B.A.	2	DTD.610	C.	4
1940	Std.1231/1					Lug, locking	1	S.510	C.	4
6A/4333270	—					Machmeter, Mk.3A	1	—	A.	
	D.324328/1					Panel, group (Mod. 1378)	1	—		
	D.324327					Panel	1	L.72		FC.1
3601	A.191177/5					Pipe, pressure, A.S.I. to machmeter	1	T.9	C.	
	A.208536/25					Pipe, static, altimeter to static connector (Mod.1378)	1	L.54		
8712	A.208536/3					Pipe, static, machmeter to A.S.I.	1	L.54	C.	
	A.208536/19					Pipe, static, machmeter to altimeter	1	L.54		
9740	A.208536/5					Pipe, static, rate of climb indicator to A.S.I.	1	L.54	C.	
	A.208536/24					Pipe, pressure, machmeter to pressure connector (Mod. 1378)	1	L.54		
	F.277633					Plate, blanking (Mod. 1302)	1	L.72		
6A/6204138	Kollsman					Plate, mooring	1	—	C.	
	L.84380-00-100									
1178	Std.1606/44/B12					Screw, roundhead, 4 B.A.	2	Brass	C.	5
4179	Std.1606/44/B20					Screw, securing switch, roundhead, 4 B.A.	2	Brass	C.	5
3857	Std.1606/44/C24					Screw, roundhead, 2 B.A.	4	Brass	C.	5
3859	Std.1606/45/B10					Screw, countersunk, 4 B.A.	4	Brass	C.	5
4660	Std.1606/45/B14					Screw, countersunk head, 4 B.A.	3	Brass	C.	5
3860	Std.1606/45/B20					Screw, countersunk, 4 B.A.	4	Brass	C.	5
3861	Std.1606/45/B24					Screw, countersunk, 4 B.A.	19	Brass	C.	5
3863	Std.1606/45/C24					Screw, countersunk, 2 B.A.	4	Brass	C.	5
4116	Std.1606/45/C28					Screw, countersunk, 2 B.A.	4	Brass	C.	5
3865	Std.1606/45/C32					Screw, countersunk, 2 B.A.	4	Brass	C.	5
8714	Std.1606/45/C44					Screw, countersunk, 2 B.A.	2	Brass	C.	5
9951	Std.2095/208/B20					Screw, C/S, unified thread)	4	—	C.	
9952	Std.2095/208/B24					Screw, C/S, unified thread)	8	—	C.	
9953	Std.2095/208/B28					Screw, C/S, unified thread) For use only (Mod. 811)) when instruments	8	—	C.	
9955	Std.2095/208/D24					Screw, C/S, unified thread) have unified	4	—	C.	
9956	Std.2095/208/D28					Screw, C/S, unified thread) threads	4	—	C.	
9957	Std.2095/208/D32					Screw, C/S, unified thread) (Mod. 811))	4	—	C.	

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. ON	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5F/	—					Sleeve, helsyn EP x 1/2"	2	—	C.	
5F/9454141	NY.18007A					Strapping	QR	—	C.	
5F/9138822	NY.3342					Stud	QR	—	C.	
5CW/1047697	—					Switch, D.P. change-over no centre position	1	—	B.	
5CW/1047693	—					Switch, S.P., C/O	1	—	B.	
6A/4676148	—					Tachometer, engine speed, Mk. 10A	1	—	A.	
						(Alt. to 6A/5796)				
6A/5796	—					Tachometer, engine speed (Alt. to 6A/4676148)	1	—	A.	
6A/4333344	—					Thermometer, exhaust gas	1	—	A.	
5CW/1055544	Rotax N. 100397/1					Transfer, "ON"	1	—	C.	
5CW/1055545	Rotax N.100397/2					Transfer, "OFF"	1	—	C.	
	Std.1509/12/032					Tube, distance, 5/16" o/d x 17 s.w.g. x 0.32" long....	2	T.4		4
	Std.1509/23/065					Tube, distance, 5/16" o/d x 17 s.w.g. x 0.65" long....	4	T.4		4
6B/4343642	—					Unit, gyro, type "B"	1	—	A.	
4162	Std.915/B/22					Washer, 4 B.A.	12	DTD.610	C.	4
	D.255854					PANEL, CENTRE, ASSEMBLY	—	—		
6A/4695406	—					Accelerometer, Mk. 2	1	—	A.	
	F.247492					Block, spacer	1	LFS.21		
	A.221637					Bracket, mounting, for circuit breaker	1	L.72		
609806	A.221638					Bracket, mounting, for circuit breaker	1	L.72	C.	
5CY/9992777	—					Breaker, circuit, type "A", 25 amps.	2	—	A.	
	C.259932					Cable, assembly (F.40, F.62 and F.65)	1	—	—	
	D.255957					Cable, F.40, group (See Cable Chart)	1	—	—	
	D.259931					Cable, F.62, group (See Cable Chart)	1	—	—	
23	—					Cable, F.65, group, (see Cable Chart)	1	—	—	
						(Mod. 1430)				
	A.261148					Cable, F.204, group (See Cable Chart)	1	—	—	
11310	Std.2045/33/22					Clip, sleeved	1	—	C.	6
11209	Std.2045/34/22					Clip, sleeved	1	—	C.	6
11078	F.257143					Cover, dolly	1	Neoprene	C.	
5CY/4520	—					Cover, circuit-breaker	2	—	C.	
5CX/4330149	Std.1512/29					Disc, identification, warning lamp	1	—	C.	4
5L/9951284	—					Filament, 28V., 3.5W.	1	—	C.	
5L/9951273	—					Filament, 28V., 3.5W.	4	—	C.	
23	5L/9959118					Filament, 28V., .04A	1	—	C.	
6A/4333787	Smiths AG/38					Gauge, fuel contents	1	—	A.	
6A/4333788	Smiths AG/39					Gauge, fuel contents	1	—	A.	
10490	F.240266					Guard, switch (Mod. 850)	1	L.72	C.	FC.1
9671	F.226393					Guard, switch	1	—	C.	
5CW/4405369	Honeywell 5P.A.3					Guard, switch	1	—	C.	
5CZ/6403825	Dowty					Indicator, magnetic	1	—	A.	
	C.5165Y Mk.62									
10Q/4280389	—					Indicator, Tacan, type 9547	1	—	A.	
5CZ/4340430	Dowty C.5165Y Mk.1B					Indicator, magnetic	2	—	A.	
5CZ/4340381	Dowty C.5165Y Mk.2B					Indicator, magnetic	2	—	B.	
	F.232534					Indicator, group	2	—		
5L/9959215	Hivac Ltd.					Filament, 24V., No.2, 2.4W.	1	—	C.	
	F.240355					Label (Mod. 850)	—	S.98.B		
5CX/1059365	Rotax H.2703					Lamp, warning, type "A"	1	—	B.	
5CX/1085815	Rotax H.2702					Lamp, warning	3	—	B.	
	D.255973					LIGHTING, PILLAR, ON CENTRE INSTRUMENT, PANEL, ASSEMBLY	—	—		
5CZ/1053795	—					Block, terminal, type "B", No. 1, 3-way	1	—	C.	
	F.222196					Bracket, mounting, for terminal block	1	L.72		
5L/9959118	—					Filament, 28V., 0.04 amps.	18	—	C.	
5CW/4405594	Rotax N.65290					Grommet	3	—	C.	
5CX/1143215	Thorn 80/10/1190					Light, bridge, type "D" (Mod. 732)	2	—	C.	
5CX/1143869	Thorn 80/10/0855 (Red)					Light, pillar, (Mod. 732)	14	—	C.	

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	9451	Std.1606/44/A24				Screw, roundhead, 6 B.A.	6	Brass	C.	5
	9450	Std.1606/45/A18				Screw, countersunk, 6 B.A.	4	Brass	C.	5
	3840	Std.1606/44/B28				Screw, roundhead, 4 B.A.	4	Brass	C.	5
5CW/4405520	—	—				Switch, dimmer, 75 ohms	2	—	C.	
1940	Std.1231/1					Lug, locking	1	—	C.	4
	C.255853					Panel	1	L72		FC.1
	F.247493					Plate, cable clamp	1	L.72		
	A.331636					Plate, adaptor, for SSR lamp and anti-collision switch (Mod. 1430)	1			
	F.232409					Screen, night	1	—	—	
1639	Std.1606/44/A6					Screw, roundhead, 6 B.A.	4	Brass	C.	5
1637	Std.1606/44/B14					Screw, roundhead, 4 B.A. (5 off Mk.8B)	3	Brass	C.	5
3837	Std.1606/44/B10					Screw, roundhead, 4 B.A.	6	Brass	C.	5
4661	Std.1606/45/B12					Screw, countersunk, 4 B.A.	21	Brass	C.	5
3860	Std.1606/45/B20					Screw, adaptor plate (Mod. 1430)	4		C.	
23 3861	Std.1606/45/B24					Screw, countersunk, 4 B.A. (11 off Mk. 7B)	15	Brass	C.	5
8717	Std.1606/45/B28					Screw, countersunk, 4 B.A.	4	Brass	C.	5
12409	Std.1606/45/Z12					Switch, countersunk, 8 B.A.	2	Brass	C.	5
5CW/4405115	Rotax D.10007					Switch, D.P., 3-way, spring return one-way	1	—	C.	
5CW/1047698	—					Switch, D.P., change-over c/off	1	—	C.	
5CW/2007871	Dowty C.5152Y Mk.2					Switch, push, type "A"	1	—	C.	
23 5CW/1097575	Page C180/C7					Switch, push-button, SSR failure	1	—	C.	
5CW/4405748	—					Switch, fire warning, push	1	—	C.	
5CW/1047690	—					Switch, S.P., "ON-OFF"	3	—	C.	
5CW/1047691	—					Switch, S.P. c/o—centre off	1	—	C.	
5CW/1047696	—					Switch, D.P. c/o—centre off	1	—	C.	
5CW/1047699	—					Switch, D.P., change-over	1	—	C.	
5CW/4408080	Honeywell 2TL1-3D					Switch, D.P.	1	—	C.	
5CW/4400057	Dowty C.5162Y Mk.7					Switch, type C, without flange	1	—	C.	
5CW/4671815	Rotax D.5435					Switch, selector, spring return to centre off	1	—	A.	
5CW/4408726	—					Switch, S.P. c/o (Mod. 1312)	1	—	C.	
5CW/13757	Honeywell 2TL1-3G					Switch, anti-collision light (Mod. 1430)	1	—	C.	
5CW/1055544	Rotax N.100397/1					Transfer, "ON"	6	—	C.	
5CW/1055545	Rotax N.100397/2					Transfer, "OFF"	6	—	C.	
5CW/4405550	Rotax N.100397/5					Transfer, "OPEN"	1	—	C.	
5CW/4405551	Rotax N.100397/11					Transfer, "OPEN"	1	—	C.	
5CW/4405587	Rotax N.100397/39					Transfer, "ENG"	2	—	C.	
5CW/4405563	Rotax N.10039/43					Transfer, "OUT"	2	—	C.	
5CW/4405760	Rotax N.147415/1					Transfer, "JETTISON"	1	—	C.	
5CW/4405761	Rotax N.147415/2					Transfer, "STREAM"	1	—	C.	
10L/4280401	—					Tube, distance	1	T.4		4
6137	F.207675					Unit, control, Tacan, type 9273	1	—	A.	
5CW/11817	—					Washer, resilient	4	Rubber	C.	
	—					Window, red	1	—	C.	
	D.324326					PANEL, STARBOARD, ASSEMBLY (MOD.1378)	—	—		
6A/1146374	Kollsman					Altimeter, Mk.30A, servo encoding (Mod. 1378)	1	—	A.	
5CZ/1053795	—					Block, terminal, type "B" 3-way	1	—	C.	
—	A.232441					Bracket, mounting, terminal block	1	—		
—	C.235432					Cable, F.t1, electric (See Cable Chart)	—	—		
11208	Std.2045/15/26					Clip, sleeved	2	S.510 or S.511	C.	6
6B/4343779	—					Compass, repeater, Mk. 2	1	—	A.	
6A/1061012	—					Connector, static and pressure	2	—	C.	
5L/9959118	—					Filament, 28V., 04A	18	—	B.	
5CW/4405594	Rotax 65290					Grommet	9	—	C.	

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6A/4333224	—					Indicator, air speed, Mk. 12A	1	—	A.	
6A/4338293	—					Indicator, artificial horizon Mk. 6 (C) miniature	1	—	A.	
5CZ/1031243	—					Indicator, magnetic	1	—	A.	
5CZ/4340381	—					Indicator, magnetic	2	—	A.	
6A/5546	—					Indicator, "turn and slip" Mk. 3	1	—	A.	
6A/4339155	—					Indicator, rate of climb Mk. 3 (Q)	1	—	A.	
11111	F.223732					Label, "turn and slip" indicator	1	59	C.	
5CX/1143214	Thorn 80/10/1192					Light, bridge, type "C"	5	—	B.	
5CX/1143219	Thorn 80/10/1194					Light, bridge, type "H"	1	—	B.	
5CX/1143869	Thorn 80/10/0855					Light, pillar, red	4	—	B.	
1940	Std.1231/1					Lug, locking	1	—	C.	4
6A/4333270	—					Machmeter, Mk.3A	1	—	A.	
—	C.324325					Panel, instrument	1	L.72	—	FC.1
—	A.232436/14					Pipe, pressure, pitot connector to tee union on	1	—	LM	
—	A.232436/2					machmeter (Make from 30B/1054948) (Mod. 1378)	1	—	LM	
—	A.232436/9					Pipe, pressure, tee union on machmeter to elbow on A.S.I. (Make from 30B/1054948)	1	—	LM	
—	A.232436/10					Pipe, static, connector to tee union on rate of climb indicator (Mod. 1233) (Make from 30B/1054948)	1	—	LM	
—	A.232436/5					Pipe, static tee union on rate of climb indicator to tee union (Mod. 1233) (Make from 30B/1054948)	1	—	LM	
—	A.232436/6					Pipe, static, tee union to elbow on A.S.I. (Make from 30B/1054948)	1	—	LM	
—	A.232436/12					Pipe, static, tee union to tee union on machmeter (Make from 30B/1054948)	1	—	LM	
—	A.232436/12					Pipe, static, tee union on machmeter to elbow on altimeter (Make from 30B/1054948) (Mod. 1378)	1	—	LM	
6A/6204138	Kollsman					Plate, mooring (Mod. 1378)	1	—	C.	
9446	L.84380-00-100					Screw, roundhead, 6 B.A.	3	Brass	C.	5
1720	Std.1606/44/A20					Screw, roundhead, 4 B.A.	2	Brass	C.	5
3840	Std.1606/44/B22					Screw, roundhead, 4 B.A.	2	Brass	C.	5
6356	Std.1606/44/B24					Screw, roundhead, 4 B.A.	2	Brass	C.	5
7970	Std.1606/44/B28					Screw, roundhead, 4 B.A.	1	Brass	C.	5
5385	Std.1606/44/B30					Screw, roundhead, 4 B.A.	2	Brass	C.	5
5830	Std.1606/44/B32					Screw, roundhead, 4 B.A.	2	Brass	C.	5
3859	Std.1606/44/B36					Screw, roundhead, 4 B.A.	2	Brass	C.	5
4660	Std.1606/44/B40					Screw, roundhead, 4 B.A.	3	Brass	C.	5
3860	Std.1606/44/B44					Screw, roundhead, 4 B.A.	2	Brass	C.	5
3861	Std.1606/45/A14					Screw, countersunk, 4 B.A.	2	Brass	C.	5
8717	Std.1606/45/B10					Screw, countersunk, 4 B.A.	2	Brass	C.	5
9951	Std.1606/45/B14					Screw, countersunk, 4 B.A.	1	Brass	C.	5
9953	Std.1606/45/B20					Screw, countersunk, 4 B.A.	1	Brass	C.	5
13030	Std.1606/45/B24					Screw, countersunk, 4 B.A.	2	Brass	C.	5
10682	Std.1606/45/B26					Screw, countersunk, 4 B.A.	2	Brass	C.	5
5F/	Std.1606/45/B28					Screw, countersunk, 4 B.A. (6 off Pre Mod. 1376)	4	Brass	C.	5
5CW/4405520	Std.2095/208/B20					Screw, unified thread	1	Brass	C.	
5CW/1047693	Std.2095/208/B28					Screw, unified thread	2	Brass	C.	
7100	Std.2095/209/B28					Screw, unified thread	2	Brass	C.	
—	Std.2095/209/B36					Screw, unified thread	2	—	C.	
—	Std.2095/209/B44					Screw, unified thread	2	—	C.	
—	Hellermann					Sleeve, heli-syn HT.20 x 1"	2	—	C.	
—	—					Switch, dimmer, type "R", 75 ohms	1	—	C.	
—	—					Switch, SP c/o, no centre position	1	—	B.	
—	Std.1509/12/032					Tube, distance	2	—	C.	4
—	Std.915/B10					Washer	1	—	C.	4
—	B.232298					PANEL, SIDE, STARBOARD, ASSEMBLY	—	—	—	
—	B.212346					Bracket, mounting	1	—	—	
—	D.212119					Cable, F.36, group (See Cable Chart)	1	—	—	
11227	Std.2045/21/24					Clip, sleeved, securing cable	1	—	C.	6
—	B.232299					Panel, group	1	L.72	—	FC.1
—	F.212983					Plate, stop	1	L.72	—	
4179	Std.1606/44/B20					Screw, roundhead, 4 B.A.	2	Brass	C.	5
1720	Std.1606/44/B24					Screw, roundhead, 4 B.A.	1	Brass	C.	5
3839	Std.1606/44/B16					Screw, roundhead, 4 B.A.	1	Brass	C.	5
7970	Std.1606/44/B36					Screw, roundhead, 4 B.A.	1	Brass	C.	5
5CW/4400336	Dowty C.5183.Y					Switch, undercarriage selector	1	—	A.	
—	Mk.4D					—	—	—	—	
5CW/4706417	Dowty C.5148.Y					Switch, flaps selector (Mod. 1353)	1	—	A.	
—	Mk.55					—	—	—	—	

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.261117	PANEL, SIDE, PORT, ASSEMBLY					—	—		
	A.209888	Bracket, for u/c position indicator					1	L.72		
6098187	B.192562	Bracket, mounting for u/c switch					1	S.510	C.	
—	D.216678	Cable, F.13, group (See Cable Chart)					1	—	—	
—	C.216681	Cable, F.68, group (See Cable Chart)					1	—	—	
5CX/4330148	Std.1512/28	Disc, identification					1	—	C.	4
5L/9951286	—	Filament, 28V., 2.5W					9	—	C.	
5L/9951273	—	Filament, 28V., 3.5W					2	—	C.	
	F.212280	Housing					1	S.510		
5CX/4330226	Dowty C.1224Y Mk. 8	Indicator, undercarriage, position, type "D1"					1	—	B.	
5CZ/4340381	Dowty C.5165 Mk. 2	Indicator, magnetic, elevator power					1	—	B.	
5CZ/4340340	Dowty C.5165 Mk. 1	Indicator, magnetic, air brake					1	—	B.	
	A.216486	Label					1	L.72		
20409	F.216265	Label					1	L.72	C.	
5CX/4330099	Smiths 38 C.F.P.	Lamp, undercarriage warning, iris type					1	—	B.	
5CX/1085815	Rotax H.1104	Lamp, hydraulic pressure warning					1	—	B.	
	B.215011	Panel					1	L.72		FC.1
	F.236326	Plate, blanking, at switch position					1	L.72		
1178	Std.1606/44/B12	Screw, roundhead, 4 B.A.					2	Brass	C.	5
3839	Std.1606/44/B16	Screw, roundhead, 4 B.A.					2	Brass	C.	5
4179	Std.1606/44/B20	Screw, roundhead, 4 B.A.					6	Brass	C.	5
3860	Std.1606/45/B20	Screw, countersunk, 4 B.A.					3	Brass	C.	5
5CW/4680628	Dowty C.1223.Y Mk. 27	Switch, flap lever (Mod. 1353)					1	—	A.	
5CW/1047697	—	Switch, D.P., change over, N.C.P.					1	—	B.	
5CW/4400504	Dowty C.5182Y Mk. 8D	Switch, undercarriage					1	—	A.	
5CW/1055544	Rotax N.100397/1	Transfer, "ON"					1	—	C.	
5CW/1055545	Rotax N.100397/2	Transfer, "OFF"					1	—	C.	
27QA/1011352	Dowty SP.900/9	Ring, "O", sealing					1	—	C.	
1178	Std.1606/44/B12	Screw, roundhead, 4 B.A.					1	Brass	C.	5
	Std.1606/44/B18	Screw, roundhead, 4 B.A.					4	Brass	C.	5
4614	Std.1606/44/C16	Screw, roundhead, 2 B.A.					2	Brass	C.	5
3856	Std.1606/44/C20	Screw, roundhead, 2 B.A.					4	Brass	C.	5
23	3861	Screw					3	—	C.	
	D.256199	Shield, glare, centre, group					1	—		
6656	Std.2088/2	Strip, sealing					1	Rubber	C.	
29G/4658548	Carr. 882	Stud 2 B.A., securing reflection cover					3	—	C.	
	C.234817	Shield, glare, port, group (AS.920-23)					1	—		
	C.221847	Shield, glare, port, group (Pre Mod. 803)					1	—		
	C.221847/2	Strip, retaining (Local Manufacture)					1	L.72		
6656	Std.2088/2	Strip, sealing					1	Rubber	C.	
29G/4658548	Carr. 882	Stud 2 B.A., securing reflection cover					3	—	C.	
12211	C.234316	Shield, glare, starboard, group					1	—	B.	
	F.235484	Plate, blanking					1	L.72		
5245	Std.1606/44/A10	Screw, roundhead, 6 B.A.					2	Brass	C.	5
3837	Std.1606/44/B10	Screw, roundhead, 4 B.A.					4	Brass	C.	5
	C.223945/2	Strip, retaining					1	L.72		
6656	Std.2088/2	Strip, sealing					1	Rubber	C.	
29G/4658548	Carr. 882	Stud 2 B.A., securing reflection cover					3	—	C.	
	A.223946	Shield, glare, side					1	—		
	B.331645	Shield, glare, top, control unit (Mod. 1430)					1	—	LM	
	B.331645/2	Clamp (Make from 30B/9611218)					1	—	LM	
	B.331645/1	Plate, top (Make from 30B/9611218)					1	—	LM	
	Std.2088/2	Strip, sealing (Make from 26VA/6046969)					AR	—	LM	
	Std.1509/3/026	Tube, distance					3	T.4		4
	Std.1509/3/076	Tube, distance					3	T.4		4
	Std.1509/2/060	Tube, distance					1	T.4		4
9777	F.231121	Washer, at port panel mountings					3	DTD.5009/ C or D	C.	FC.1

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

