

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	E.229945	ANCILLARY EQUIPMENT, ASSEMBLY					—	—		
21	2726 A.195020	Adapter, union for pressure gauge pipe					1	L.168	MR/C	GA.3
21	4Q/4230852 —	Adapter, head, Mk. 102					3	—	A.	
21	4Q/4230806 —	Adapter, head, Mk. 42					1	—	B.	
	105G/11 —	Adapter					1	—	B.	
	95527 A.208035	Adapter, for external air supply, group					1	—	B.	GA.4
	A.208029	Adapter					1	Brass		
	95723 BEN/SA.179	Plug, half, ferrule, "Instantair", 3/8"					1	—	C.	
	1731 F.193381	Ring, sealing					1	Rubber	C.	GA.4
	E.229601	ANCILLARY EQUIPMENT (ARMAMENT					—	—		
		INSTALLATION), ASSEMBLY								
	95674 D.226308	Adapter, for ammunition box trolley, group (To be used in conjunction with Arm Gun Trolley 4G/5455)					1	—	B.	GA.9
21	28FP/4062333 Aviation Dev. A.611	Pin, pin					1	—	C.	
	95675 C.226309	Adapter, for gun trolley (To be used in conjunction with Arm Gun Trolley 4G/5455)					1	—	B.	GA.9
	95676 C.223647	Attachment, gun lifting, group					1	—	B.	GA.9
	28FP/9708379 Aviation Dev. A.623	Pin, pin					1	—	C.	
	95677 B.223910	Brace, for gun hoist					1	—	B.	
	95678 D.224222	Cradle, gun, group (To be used in conjunction with Arm Gun Trolley 4G/5455)					1	—	B.	GA.6
	95679 F.224221	Spigot					2	H.T.S.	C.	GA.6
	95680 A.223952	Extension, for gun hoist, group					1	—	B.	GA.10
	95681 Mollart Eng. Type 0.1	Ball, joint union, 5/16" bore x 7/16" deep					1	—	C.	
	95682 F.223912	Drive					1	62.B	C.	GA.10
	28FP/9469298 Aviation Dev. A.407	Pin, pin					1	—	C.	
	95683 B.224119	Hoist, lifting, group					1	—	A.	GA.9
	95684 B.223577	Bracket, mounting, group					1	—	B.	GA.9
21	28X/9511235 —	Cable, 3 cwt., 16" long					2	W.11	C.	
	95685 F.223613	Nut					1	S.95.B	C.	GA.9
	28FP/ AS.2434/45	Pin, quick release (Alt. to BLS.4R39S)					2	—	C.	
	Aviation Dev. BLS.4R.39S	Pin, quick release (Alt. to AS.2434/45)					2	—		
	95686 F.223616	Spring					1	Sp. St.	C.	
	C.226234	Gearbox, group					1	—		
	95687 F.226524	Bush					1	BSS.369	C.	
	95688 A.223654	Bush					1	BSS.369	C.	
	95689 A.223655	Bush					1	BSS.369	C.	
	95690 A.223656	Bush					2	BSS.369	C.	
	95691 A.223658	Bush					1	BSS.369	C.	
	95692 A.223710	Cable					1	—		
	95693 B.226110	Casing					1	Casting	B.	
	95694 Salter & Co. 5100/43	Circlip, 7/16" extension					2	—	C.	
	95695 A.226340	Cover					1	L.72	C.	
	95696 B.223715	Drum, split					1	L.65.C	C.	
	95697 B.223716	Drum, split					1	L.65.C	C.	
	95698 F.226392	Gasket					1	Klingerit	C.	
	95699 F.223678) F.223679) A.223677)	Gear box, worm and spindle, group					1 set	—	B.	

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95700	B.226233					Plate, end	1	Casting	C.	
2A/9500491	Ransome & Marles FT.3/8"					Race, thrust	1	—	C.	
95701	B.226230) B.226231)					Shrouds, half, for drum	1 set	—	C.	
95702	A.223697					Spindle, drive	1	S.80.B	C.	
95703	F.223662					Washer, serrated	2	S.154	C.	
95704	F.223663					Washer, shim	1	Brass	C.	
95705	F.226235					Washer, shim	2	Brass	C.	
95707	E.223262					Tube, support, for hoist, group	1	—	B.	GA.9
	AS.2434/44					Pin, quick release (Alt. to BLS.4R.39S)	1	—	C.	
	Aviation Dev. BLS.4R.39S					Pin, quick release (Alt. to 28FP/4069997)	1	—	C.	
95708	A.223263					Spigot, group	1	—	C.	GA.9
	Std.1996/9					Chain	1	—	5	
9136	—					Ring, split type, 3/4" dia.	1	Steel	C.	
4G/	—					Trolley, Aden, Gun	1	—	A.	
4GB/4409989	—					Arm, towing, unit Mk. II	1	—	A.	
95612	D.218657					Arm, towing, adapter group	1	—	A.	GA.9
6133	Std.1996/7					Chain	2	—	C.	5
	F.218535					Collar	2	M.S. S.S.4		
	F.218534					Drawbolt	2	H.T.S. Bar		
	B.218532					Hook	2	H.T.S. Bar		
28FP/9433677	Aviation Dev. A.619					Pin	2	—	C.	
	F.218536					Spring	2	Sp. St.		
	Dunlop TW.49A					Wheel (10" x 3" pneumatic tyre) (Alt. to 4GB/4409944)	2	—	A.	
23	4GB/4409944					Wheel (Alt. to TW.49A)	2	—	A.	
23	4GB/4409935					Arm, forward steering	1	—	A.	
	95220	A.201222				Bar, levelling, longitudinal	1	S.1	B.	GA.4
	95736	D.231154				Base, clinometer to tailplane	1	—	B.	GA.10
	95633	D.228419				Board, elevator checking (Mod. 713)	1	—	B.	GA.10
	4Q/1050356	—				Body, jack, 5 ton, hydraulic	3	—	A.	
	20089	Blundel Rules BK/871				Computer, weight and C.G. (c/w case) (Mod. 821)	1	—	A.	
	D.219659					Container, for gun barrel alignment tool	1	—		
95604	B.213633					Covers, blanking, for air intake, group	1 pr.	—	B.	GA5
	C.213621					Cover, blanking, for intake, port, group	1	—		
	C.213622					Cover, blanking, for intake, starboard, group	1	—		
95922	C.200079					Bung, top, port	1	—	C.	
95923	C.200080					Bung, top, starboard	1	—	C.	
95924	C.200081					Bung, bottom, port	1	—	C.	
95925	C.200082					Bung, bottom, starboard	1	—	C.	
95782	A.192941					Catch, port	1	—	C.	
95783	A.192942					Catch, starboard	1	—	C.	
1506470	F.193287					Eye-bolt	2	M.S.	C.	
95786	F.193285					Lever	2	M.S.	C.	
95787	F.193286					Link	2	M.S.	C.	
95788	F.193288					Plunger	2	M.S.	C.	
95785	A.194620					Spindle	2	M.S.	C.	
95789	F.184342					Spring	2	Sp. St.	C.	
9138	—					Key, ring, 1-1/4" dia.	1	Steel	C.	
95065	A.164139					Pennant (alt. to 26VA/6043980)	1	—	C.	GA.2
26VA/6043980	S.60/18					Pennant (Alt. to 26FX/95065)	1	—	C.	
20281	B.214194/2					Strap, complete with eyelets	1	Webbing	C.	
	B.274018					Cover, A.D.D. Probe group (Mod. 1301)	1	—		
	Std.1996/6					Chain (Make from 29H/9488796)	2	Brass	LM	
	Std.2169					Label	1	—	—	
26VA/6042890	F.264364					Link	2	Brass	C.	
95065	A.164139					Pennant (Alt. to 26VA/6043980)	1	—	C.	
26VA/6043980	S.60/18					Pennant (Alt. to 26FX/95065)	1	—	C.	
	F.274019					Pin	2	Brass		
	—					Ring, key 5/8" dia.	1	Steel		

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	95217	C.200177	Cover, for centre fuselage ducts, port				1	—	B.	GA.5
	95218	C.200178	Cover, for centre fuselage ducts, starboard				1	—	B.	GA.5
	95552	C.218417	Cover, sealing, for jet pipe, group				1	—	B.	GA.5
26VA/9488796	Std.1996/12		Chain				1	Brass	C.	5
	95065	A.164139	Pennant (Alt. to 26VA/6043980)				1	—	C.	GA.2
26VA/6043980	S.60/18		Pennant (Alt. to 26FX/95065)				1	—	C.	
	9371	—	Ring, split, 5/8" o/d x 1/2" i/d				2	Steel	C.	
	95727	C.230908	Cover, protective for trunking J.B., starboard				1	—	B.	GA.6
	95726	C.230909	Cover, protective for trunking J.B., port				1	—	B.	GA.6
	95022	D.194044	Cradle, inboard, for wing trestling, group				2	—	B.	GA.6
	6133	Std.1996/7	Chain, 7" long				2	Brass	C.	5
	—	F.180683	Lever (Make from 30A/2516 QR)				2	S.1	LM	
	—	Aerolex	Pin, quick release (Use 28FP/4062327)				2	Steel	—	
	—	F.48/7/513								
	95023	D.194045	Cradle, outboard, for wing trestling, group				2	—	B.	GA.6
	6133	Std.1996/7	Chain, 7" long				2	Brass	C.	5
	—	A.180683	Lever (Make from 30A/2516 QR)				2	S.1	LM	
	—	Aerolex	Pin, quick release (Use 28FP/4062327)				2	Steel	—	
	—	F.48/7/513								
	95740	C.229500	Cradle, tail trestling, group				1	—	B.	
	6133	Std.1996/7	Chain				4	Brass	C.	5
	95512	F.180694	Eyebolt				2	S.1	C.	
	—	A.180683	Lever (Make from 30A/2516 QR)				4	S.1	LM	
	—	B.229501	Link, group				1	—	—	
21	6133	Std.1996/7	Chain				4	Brass	C.	5
	95632	F.159909	Eyebolt				1	S.95.B	C.	
	—	Aerolex	Pin, quick release (Use 28FP/9703072)				1	Steel	—	
	—	F.48/7/615								
	9136	—	Ring, split, type, 3/4" dia.				1	Steel	C.	
	—	Aerolex	Pin, quick release (Use 28FP/4062327)				4	—	—	
	—	F.48/7/513								
	—	—	Ring, split, type, 3/4" dia.				8	Steel	—	
	95729	E.230827	Equipment, gun alignment, group (Complete in box)				1	—	A.	GA.10
	—	E.230828	Box				1	—	—	
	95730	C.21534	Bearer, port				1	—	B.	
	95731	C.215355	Bearer, starboard				1	—	B.	
	95732	A.215371	Cross-tube				1	T.26	B.	
	95609	B.205914	Extension, jacking, main wheel, group				1	—	B.	GA.2
	—	F.192139	Pin				1	S.1	—	
	—	F.176122	Plug				1	S.1	—	
	—	F.176124	Spring				1	DTD.239	—	
	95058	A.191552	Extractor, for front spar joint pin				1	—	B.	GA.3
	95059	A.191655	Extractor, for rear spar joint pin				1	—	B.	GA.3
	95140	B.198963	Extractor, for main spar wing joint bush				1	—	B.	GA.3
	95141	C.198962	Extractor, for rear spar wing joint bush				1	—	B.	GA.3
	95303	Dunlop A.10054	Extractor, for main wheel				1	—	A.	
	95032	Dunlop A.5826	Extractor, for nose wheel				1	—	A.	
21	27G/4618368	Dunlop A.10039	Fixture, brake alignment				1	—	A.	
	95792	D.232208	Fixture, flying controls rigging				1	—	A.	
	95644	C.224263	Gauge, incidence, for main plane, group				1	—	B.	GA.4
	—	F.192067	Bar, contract				1	BSS.251	—	
	95007	B.201624	Gauge, incidence, for tail plane				1	—	B.	GA.4
	95006	A.192534	Gauge, dihedral, main plane				1	—	B.	GA.4
	—	A.231118	Gauge, feeler for aileron hydrobooster adjustment (See G.E. Mod. 684)				1	—	LM	
	—	A.231119	Gauge, feeler for aileron hydrobooster adjustment (See G.E. Mod. 684)				1	—	LM	
	95860	A.249091	GAUGE, FOR UNDERCARRIAGE LEVER SETTING, REAR LOCK, GROUP (Mod. 1021)				1	—	B.	GA.8
21	26VA/9488796	Std.1996/12	Chain				2	Brass	C.	5
	—	F.249045	Gauge, rear lock				1	Cast Steel	—	
	95871	F.249580	Nut, knurled				1	B.11	C.	
	95065	A.164139	Pennant (Alt. to 26VA/6043980)				1	—	C.	
26VA/6043980	S.60/18		Pennant (Alt. to 26FX/95065)				1	—	C.	
	9136	—	Ring, key, 3/4" dia.				3	Steel	C.	
	95870	F.249044	Screw, knurled				2	S.94.B	C.	

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description	No. Of	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	95861 A.249092	GAUGE, FOR UNDERCARRIAGE LEVER SETTING, FRONT LOCK, GROUP (Mod. 1021)	1	—	B.	
21	26VA/9488796 Std.1996/12	Chain	2	Brass	C.	5
	95871 F.249046	Gauge, front lock	1	Cast Steel	C.	
	95065 F.249580	Nut, knurled	1	B.11	C.	
	9136 A.164139	Pennant (Alt. to 26VA/6043980)	1	—	C.	
	26VA/6043980 S.60/18	Pennant (Alt. to 26FX/95065)	1	—	C.	
	9136 —	Ring, key, 3/4" dia.	3	Steel	C.	
	95870 F.249044	Screw, knurled	3	S.94.B	C.	
	95508 A.210921	Gauge, setting, undercarriage, nosewheel down	1	—	B.	GA.4
	95513 B.214835	Gauge, setting, for micro switch, nosewheel up	1	—	B.	GA.4
	95793 C.235557	Gauge, checking hood lock micro switch	1	—	B.	
		adjustment (Mod. 869)				
	C.221206	GROUND LOCKING GEAR, FOR FLYING	—	—		
		CONTROLS, ASSEMBLY				
	95137 C.189263	Ground locking gear, for aileron, group	2	—	B.	GA.7
	6133 Std.1996/7	Chain, 7" long	1	Brass	C.	5
	95155 A.111811	Cord, shock absorber	2	F.16	C.	GA.7
21	— A.208394	Pennant (Make from 26FX/95065)	1	—	—	
	C.206419	Plate, locking	1	S.510	—	
	9136 —	Ring, split type, 3/4" dia.	2	Steel	C.	
	95514 A.189264	Strap	1	F.52 or F.111	C.	GA.7
	95138 C.192836	Ground, locking gear, for elevator, group	2	—	B.	GA.7
	95068 A.192835	Cord, tension	2	F.16	C.	GA.7
21	95139 B.189267	Ground locking gear, for rudder, group	1	—	B.	GA.7
	95069 A.193038	Bolt, wing	1	S.92.B & S.510	C.	GA.7
	6133 Std.1996/7	Chain, 7" long	2	Brass	C.	5
	— A.208394	Pennant (Make from 26FX/95065)	1	—	—	
	9136 —	Ring, split type, 3/4" dia.	4	—	C.	
21	95605 B.219222	Ground, locking gear, for cockpit controls, group	1	—	B.	GA.7
	A.88468	Bolt	2	S.1	—	
	A.192829	Bracket	1	S.510 Rubber	—	
	A.200724	Bracket, for aileron locking	1	—	—	
	B.219222/1	Cable, front (complete with hooks and thimbles)	2	W.2	—	
	B.219222/2	Cable, rear (complete with hooks, thimbles and bracket)	2	W.2	—	
21	A.188484	Cap	1	S.510	—	
21	6133 Std.1996/7	Chain, 7" long	1	Brass	C.	5
	Std.1996/9	Chain, 9" long	1	—	—	5
	A.200718	Cap, for aileron locking	1	—	—	
	F.186679	Eye-bolt	1	S.1	—	
	F.221163	Hook	2	—	—	
	— A.208393	Pennant (Make from 26FX/95065)	1	—	—	
	F.318145	Plate (Alt. to 28Y/9707225, 2 off)	4	—	—	
	9136 —	Ring, split type, 5/8" dia.	2	Steel	—	
	95616 B.214206	Ring, split type, 3/4" dia.	2	Steel	C.	
	12586 A.214436	Ground lock, for nose wheel, group	1	—	B.	GA.7
	B.214435	Adjuster	1	—	C.	
	12585 B.214435/1	Bar, clamping, group	1	—	—	
	6133 Std.1996/7	Seating	2	LFB.82	C.	
	95072 A.193720	Chain, 7" long	2	Brass	C.	5
	— Aerolex	Pennant	1	—	C.	GA.7
	F.48/7/508	Pin, quick release (Use 28FP/9521098)	1	—	—	
	9136 —	Ring, split type, 3/4" dia.	3	Steel	C.	
	A.204974	Guard, for spigot in wheel bay	1	—	—	
	95617 A.218961	Guard, safety, for air intake, port, group	1	—	B.	GA.5
	95618 A.218962	Guard, safety, for air intake, starboard, group	1	—	B.	GA.5
	95782 A.192941	Catch, assembly, port	1	—	C.	
	95783 A.192942	Catch, assembly, starboard	1	—	C.	
	1506470 F.193287	Eye-bolt	2	M.S.	C.	
	95786 F.193285	Lever	2	M.S.	C.	
	95757 F.193286	Link	2	M.S.	C.	
	95788 F.193288	Plunger	2	M.S.	C.	
	A.194621	Spindle	2	M.S.	—	
	95789 F.184342	Spring	2	Sp. St.	C.	
	11389 C.218224	Strut, bracing	2	—	C.	

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
95086	A.194464						1	—	B.	GA.3
95421	A.214536						1	EN.33 & S.510	B.	GA.4
95728	D.227026						1	—	B.	GA.8
95733	B.227016						1	—	B.	GA.8
4Q/1054121	S.872						1	—	A.	
95390	A.212332						1	T.26 & S.510	B.	GA.3
—	F.223909						1	—	—	
95603	D.213985						2	—	B.	GA.5
95306	A.201030						1	—	C.	GA.7
95307	A.201031						2	—	C.	GA.7
4GD/4661338	—						2	—	B.	
95607	B.208925						1	—	B.	GA.2
6133	Std.1996/7						2	Brass	C.	5
—	Aerolex						2	—	—	
	F.48/7/508									
9136	—						4	Steel	C.	
95606	B.205909						2	—	B.	GA.2
6133	Std.1996/7						2	—	C.	5
—	Aerolex						2	—	—	
	F.48/7/509									
9136	—						4	Steel	C.	
95608	A.205912						1	—	B.	GA.2
6133	Std.1996/7						1	—	C.	5
	B.205911						1	Casting	—	
95065	A.164139						1	—	C.	GA.2
26VA/6043980	S.60/18						1	—	—	
—	Aerolex						1	—	—	
	F.48/7/830									
	D.193482						—	—	—	
95203	F.159908						1	—	B.	GA.5
6133	Std.1996/7						1	Brass	C.	5
95632	F.159909						1	S.95.B	C.	
95065	A.164139						1	—	C.	GA.2
26VA/6043980	S.60/18						1	—	C.	
9137	—						2	—	C.	
4GB/4409986	—						1	—	A.	
95205	A.176437						2	—	B.	GA.5
6133	Std.1996/7						3	Brass	C.	5
95071	F.176436						1	T.45 & S.510	C.	GA.5
95065	A.164139						1	—	C.	GA.2
26VA/6043980	S.60/18						1	—	C.	
—	Aerolex						1	—	—	
	F.48/7/512									
9136	—						4	Steel	C.	
95204	A.176434						1	—	B.	GA.5
6133	Std.1996/7						2	Brass	C.	5
95065	A.164139						1	—	C.	GA.2
26VA/6043980	S.60/18						1	—	C.	
—	Aerolex						1	—	—	
	F.48/7/830									
9136	—						3	Steel	C.	

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.191909	PICKETING AND REARWARD TOWING, ASSEMBLY (S.O.O. for embalmed aircraft only)					—	—		
95203	F.159908	Bolt, picketing, for rear fuselage, group					1	—	B.	GA.5
6133	Std.1996/7	Chain, 7" long					1	Brass	C.	5
95632	F.159909	Eye-bolt					1	S.95.B	C.	
95065	A.164139	Pennant (Alt. to 26VA/6034980)					1	—	C.	GA.2
26VA/6034980	S.60/18	Pennant (Alt. to 26FX/95065)					1	—	C.	
9137	—	Ring, split type, 1" dia.					2	—	C.	
4GB/4409986	—	Bridle, rearward towing					1	—	A.	
	B.191910	Fitting, picketing and rearward towing, at main undercarriage, group					2	—		GA.5
6133	Std.1996/7	Chain, 7" long					3	Brass	C.	5
95071	F.176436	Collar					1	M.S.P. & M.S.T.	C.	GA.5
95065	A.164139	Pennant (Alt. to 26VA/6034980)					1	—	C.	GA.2
26VA/6034980	S.60/18	Pennant (Alt. to 26FX/95065)					1	—	C.	
—	Aerolex	Pin, quick release (Use 28FP/4062326)					1	—	—	
	F.48/7/512									
9137	—	Ring, split type, 1" dia.					5	Comm.	C.	
	A.191716	Fitting, picketing, at nose undercarriage, group					1	—		GA.5
6133	Std.1996/7	Chain, 7" long					2	Brass	C.	5
95065	A.164139	Pennant (Alt. to 26VA/6034980)					1	—	C.	GA.2
26VA/6034980	S.60/18	Pennant (Alt. to 26FX/95065)					1	—	C.	
—	Aerolex	Pin, quick release (Use 28FP/4062669)					1	—	—	
	F.48/7/830									
9137	—	Ring, split type, 1" dia.					2	Comm.	C.	
95309	A.204865	Piece, distance, for use at front fuselage attachment nuts					1	M.S.B.	C.	GA.8
	C.231753	PIPE, DE-FUELLING EQUIPMENT, FOR "WHEELS UP", ASSEMBLY					—	—		
95797	C.231754	Pipe, group					1	—	B.	GA.7
	B.207509	Handle, for coupling					1	Comm.		
	F.209903	Nut, special					4	M.S.		
	A.231679	Pipe					1	—		
	C.207508	Pipe, defuelling					1	—		
	Avica	Pipe, flexible, 1-1/2"					1	—		
	1/12/72/AA									
21	27FR/4677550	Flight Valve, coupling, refuelling (Alternative to FC.110)					1	—	A.	
	Refuelling									
	C.0724000/1									
21	27F/6457327	Avery Hardoll Valve, coupling, refuelling, group (Alternative to C.0724000/1)					1	—	A.	
	F.C.110 Mk.2									
95046	B.191737	Rail, for engine, between frames 34 and 37, group					1	—	B.	GA.6
6133	Std.1996/7	Chain, 7" long					1	Brass	C.	5
	Std.1996/14	Chain					1	Brass		
13260	F.199939	Label					1	—	C.	
—	Aerolex	Pin, quick release (Use 28FP/4062328)					1	—	—	
	F.48/7/514									
13126	B.191737/3	Plate, indicator					1	Comm. M.S.B.	C.	
13259	B.191737/1	Ring, retaining adjustable, stop					1	Comm.	C.	
9137	—	Ring, split type, 1" dia.					4	M.S. Wire	C.	
9378	B.176010	Stop, adjustable					1	S.95.B	C.	GA.6
5P/4383671	—	Rectifier, metal transportable, type 37					1	—	A.	

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95029	C.191636	Sleeve, locking, for main undercarriage, group					2	—	B.	GA.7
6133	Std.1996/7	Chain, 7" long					1	Brass	C.	5
95721	F.191640	Eye-bolt					2	M.S.	C.	
	F.191638	Flange					1	M.S.		
95072	A.193720	Pennant					1	—	C.	GA.7
9136	—	Ring, split type, 3/4" dia.					2	Steel	C.	
	F.191639	Shim					4	M.S.		
95011	D.188575	Sling, lifting, for complete aircraft, group					1	—	B.	GA.2
95070	F.188573	Bolt, fork, for attachment of sling to aircraft					4	S.95.B	C.	GA.2
95074	A.188570	Bolt, fork, for attaching spreader strut to link					4	S.95.B	C.	GA.2
	D.188575/1	Cable, 100/110 ton					4	BS.302		
	B.188566	Link, between spreader strut and aircraft attachment bolt					4	Stpg.		
	A.188726	Link, slinging, group					1	—		
	F.187729	Pin					2	S.94.B		
	F.187728	Roller					1	S.1		
9137	—	Ring, split type, 1" dia.					1	Steel	C.	
	A.188572	Shackle, at sling to spreader strut attachment					4	Stpg.		
	B.188565	Shackle, at sling to top link, attachment					2	Stpg.		
	B.188567	Strut, spreader, front and rear, group					2	—		
6133	Std.1996/7	Chain, 7" long					2	Brass	C.	5
—	Aeroflex	Pin, quick release (Use 28FP/1433446)					2	—	—	
	F.48/7/813									
9136	—	Ring, split type, 3/4" dia.					4	—	C.	
	B.188568	Strut, spreader, side					2	—		
	Std.1672	Tally					1	—		
95877	E.248990	Sling, salvaging (Fuselage only less engine)					1	—	B.	GA.6
95070	F.188573	Bolt, fork, for attachment sling to aircraft					2	S.95.B	C.	GA.2
	D.206951/1	Cable, rear					2	BS.302		
	D.206951/2	Cable, forward					2	BS.302		
	F.200603	Label					1	Brass		
	B.248992	Link, forward, between spreader strut and aircraft attachment bolts					2	—		
	B.253320	Link, rear, between spreader strut and aircraft bolts					2	—		
	A.207187	Link, slinging, group					1	—		
	F.187729	Pin					2	S.94.B		
	F.187728	Roller					1	S.1		
	F.200667	Piece, distance					4	—		
9138	—	Ring, split type, 1-1/4" dia.					2	—	C.	
	B.194418	Shackle, at sling to top link attachment					2	Stmpg.		
	B.250173	Shackle, at sling to spreader strut attachment, rear, stbd.					1	Stmpg.		
	B.250174	Shackle, at sling to spreader strut attachment, rear, port					1	Stmpg.		
	B.250175	Shackle, at sling to spreader strut, front, stbd.					1	Stmpg.		
	B.250176	Shackle, at sling to spreader strut, front, port					1	Stmpg.		
	A.248993	Spigot, assembly					2	—		
	B.248991	Strut, spreader, side					2	—		
	A.200598	Strut, forward					1	—		
	A.200599	Strut, rear					1	—		
	Std.1676	Tally					1	—		

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
95370	D.206952	Sling, for salvaging (Fuselage only with engine), group (S.O.O.)	1	—	B.	GA.2
95070	F.188573	Bolt, fork, for attaching sling to aircraft	4	S.95.B	C.	GA.2
95074	A.188570	Bolt, fork, for attaching spreader strut to link	4	S.154	C.	GA.2
	D.206952/1	Cable, forward	2	BS.302		
	D.206952/2	Cable, rear	2	BS.302		
	F.194575	Label	1	Brass		
	B.188566	Link, between spreader strut and aircraft attachment bolts	2	—		
	A.194422	Link, slinging, group	1	—		
	F.187729	Pin	2	S.94.B		
	F.187728	Roller	1	S.1		
	F.194423	Piece, distance	2	M.S.		
	F.194424	Piece, distance	2	M.S.		
	F.194425	Piece, distance	2	M.S.		
9138	—	Ring, split type, 1-1/4" dia.	2	Steel	C.	
	B.194418	Shackle, at sling to top link attachment	2	Stmpg.		
	A.207182	Shackle, at sling, for spreader strut attachment, rear	2	Stmpg.		
	A.207183	Shackle, at sling, for spreader strut attachment, forward	2	Stmpg.		
	B.188567	Strut, spreader, front and rear, group	2	—		
6133	Std.1996/7	Chain, 7" long	2	Brass	C.	5
—	Aerolex	Pin, quick release (Use 28FP/143344E)	2	—	—	
	F.48/813					
9136	—	Ring, split type, 3/4" dia.	4	Steel	C.	
	B.188568	Strut, spreader, side	2	—		
95610	D.222260	Sling, lifting, for windscreen, group	1	—	B.	GA.10
	D.222261	Bracket	1	S.95.B		
	D.222260/1	Cable, forward, 80-90 ton	1	BS.302		
	D.222260/2	Cable, rear, 80-90 ton	2	BS.302		
	Std.1996/6	Chain	3	Brass		5
	F.222262	Eye-bolt	2	S.95.B		
—	Aerolex	Pin, quick release (Use 28FP/9703070)	3	—	—	
	F.48/7/815					
	—	Ring, split type, 1/2" dia.	4	Steel		
	—	Shackle, 10 cwt., small dee	3	BS.825		
	C.220362	SLINGING AND TRESTLING, FRONT FUSELAGE, ASSEMBLY	—	—		
95614	C.220363	Beam, at rear trestle, group	1	—	B.	GA.1
6133	Std.1996/7	Chain, 7" long	6	Brass	C.	5
95812	F.220356	Eye-bolt	2	S.1	C.	GA.1
	F.221280	Hook	1	M.S.		
	F.221281	Hook	1	M.S.		
	A.230751	Lever	4	S.1		
	F.221241	Pin	2	BSS.250.B		
—	Aerolex	Pin, quick release (Use 28FP/4062327)	4	—	—	
	F.48/7/513					
9136	—	Ring, split type, 3/4" dia.	8	Steel	C.	
95052	A.189921	Clip, at nose, wheel leg	2	S.510 & L.16	C.	GA.1
95613	C.220364	Cradle, front, group	1	—	B.	GA.1
	Std.1996/6	Chain	5	Brass		5
95812	F.220356	Eye-bolt	2	S.2	C.	
	A.230751	Lever	4	S.1		
—	Aerolex	Pin, quick release (Use 28FP/4062327)	4	—	—	
	F.48/7/513					
—	Aerolex	Pin, quick release (Use 28FP/4062332)	1	—	—	
	F.48/7/609					
9136	—	Ring, split type, 3/4" dia.	5	Steel	C.	

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
21	A.230750					Link, at nose wheel leg	1	S.1 & S.510		GA.1
	95611 C.220365					Sling, lifting, group	1	—	B.	GA.1
	C.220365/1					Cable, forward, top portion 110-120 ton	2	BS.302		
	C.220365/2					Cable, rear, top portion	2	BS.302		
	C.220365/3					Cable, forward, bottom portion, 110-120 ton	2	BS.302		
	C.220365/4					Cable, rear, bottom portion, 110-120 ton	2	BS.302		
	F.220358					Piece, distance	8	S.1		
21	F.220357					Plate, link	8	S.510		
	B.220359					Ring, lifting	1	S.92.B		
	B.220360					Strut, forward, group	2	—		
	95615 B.220361					Strut, bracing, between front and rear trestle,	2	—	B.	GA.1
						group				
21	Std.1996/6					Chain	2	Brass		5
	— Aerolex					Pin, quick release (Use 28FP/9482444)	2	—	—	
	F.48/7/1023									
	9136 —					Ring, split type, 3/4" dia.	2	Steel	C.	
4GB/	—					Trestle, U.J. No. 1	2	—	A.	
	B.190381					SLINGING AND TRESTLING, CENTRE	—	—		
						FUSELAGE, ASSEMBLY				
	95020 C.190377					Cradle, group	2	—	B.	GA.1
	6133 Std.1996/7					Chain, 7" long	4	Brass	C.	5
	— A.180683					Lever (Make from 30A/2512 QR)	4	S.1	LM	
21	— Aerolex					Pin, quick release (Use 28FP/4062327)	4	—	—	
	F.48/7/513									
	9136 —					Ring, split type, 3/4" dia.	4	Steel	C.	
	95049 C.190378					Sling, lifting, group	1	—	B.	GA.1
	C.190378/1					Cable, aft, 100-110 ton	1	BS.302		
	C.190378/2					Cable, forward, 100-110 ton	1	BS.302		
	F.190386					Plate, link	4	M.S.		
	B.190380					Plate, link, group	4	—		
	6133 Std.1996/7					Chain, 7" long	1	Brass	C.	5
21	— Aerolex					Pin, quick release (Use 28FP/1433446)	1	—	—	
	F.48/7/813									
	9136 —					Ring, split type, 3/4" dia.	1	Steel	C.	
	F.190384					Pin, forked	2	S.1		
	F.186238					Ring, lifting	1	S.92B.		
	B.190379					Strut, upper, group	1	—		
	A.190383					Strut, lower, group	2	—		
4GB/	—					Trestle, U.J., No. 1	2	—	A.	
	C.229924					SLINGING AND TRESTLING, REAR FUSELAGE	—	—		
						(WITHOUT TAIL UNIT), ASSEMBLY				
	95041 C.190878					Cradle, front, group	1	—	B.	GA.1
	6133 Std.1996/7					Chain, 7" long	4	Brass	C.	5
	95512 F.180694					Eye-bolt	2	S.1	C.	
	— A.180683					Lever (Make from 30A/2512 QR)	4	S.1	—	
21	— Aerolex					Pin, quick release (Use 28FP/4062327)	4	—	—	
	F.48/7/513									
	9136 —					Ring, split type, 3/4" dia.	4	Steel	C.	

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.232866					Cradle, rear, group	1	—		GA.1
6133	Std.1996/7					Chain	4	Brass	C.	5
95512	F.180694					Eye-bolt	2	S.1	C.	
—	A.180683					Lever (Make from 30A/2516 QR)	4	S.1	—	
	B.229501					Link, group	1	—		
6133	Std.1996/7					Chain, 7" long	1	Brass	C.	5
95632	F.159909					Eye-bolt	1	S.95.B	C.	
—	Aerolex					Pin, quick release (Use 28FP/9703072)	1	Steel	—	
	F.48/7/615									
9136	—					Ring, split type, 3/4" dia.	1	Steel	C.	
—	Aerolex					Pin, quick release (Use 28FP/4062327)	4	—	—	
	F.48/7/513									
9136	—					Ring, split type, 3/4" dia.	4	Steel	C.	
95366	C.206953					Sling, lifting, group	1	—	B.	GA.1
	B.189219					Ring, lifting	1	S.92.B		
95825	C.206953/2					Shackle	4	BS.825	C.	
95368	B.206954					Strut, bracing, group	2	—	B.	GA.1
6133	Std.1996/7					Chain, 7" long	2	Brass	C.	5
—	Aerolex					Pin, quick release (Use 28FP/9482444)	2	—	—	
	F.48/7/1023									
9136	—					Ring, split type, 3/4" dia.	2	Steel	C.	
4GB/	—					Trestle, U.J., No. 1	2	—	A.	
	C.229924					SLINGING AND TRESTLING, REAR FUSELAGE,	—	—		
						ASSEMBLY (with tail unit)				
95367	B.207188					Sling, lifting, group	1	—	B.	GA.1
	C.189220					Frame, spreader, for sling	1	T.6 & S.510		
	C.206953/5					Label (Make from F.167591)	1	—		
9138	—					Ring, split type, 1-1/4" dia.	2	Steel	C.	
	C.207226					Sling, upper, group	1	—		
	B.189219					Ring, lifting	1	S.92.B		
	B.189217					Sling, lower rear, group	2	—		
	B.189217/1					Cable, 100-110 ton, 13/32" dia.	1	BS.302		
6133	Std.1996/7					Chain, 7" long	1	Brass	C.	5
95075	F.188901					Eye-bolt	1	S.95.B	C.	GA.1
—	Aerolex					Pin, quick release (Use 28FP/4062670)	1	—	—	
	F.48/7/1017									
9138	—					Ring, split type, 1-1/4" dia.	1	Steel	C.	
	B.189217/2					Shackle, 1 ton narrow jaw	2	BS.825		
	B.189218					Sling, lower front, group	2	—		
	B.189218/1					Cable, 100-110 ton, 13/32" dia.	1	BS.302		
6133	Std.1996/7					Chain, 7" long	1	Brass	C.	5
95075	F.188901					Eye-bolt	1	S.95.B	C.	GA.1
—	Aerolex					Pin, quick release (Use 28FP/4062670)	1	—	—	
	F.48/7/1017									
9138	—					Ring, split type, 1-1/4" dia.	1	Steel	C.	
	B.189217/2					Shackle, 1 ton narrow jaw	2	BS.825		
95741	C.229925					Trolley, removal for tail unit, group	1	—	A.	GA.1
	D.200062					Aftend, group	1	—		
	D.200062/12					Bush, for runner wheel	2	Bronze		
95868	C.189645					Jack, screw, group	1	—	B.	
	C.189645/2					Bush	1	BSS.369		
	B.S.768/1938					Grub-screw, 2 B.A., 0.38" long	2	—		
	C.189645/5					Nut	1	M.S.		
95076	C.189645/1					Shaft, screwed	1	M.S.	C.	GA.1

EQUIPMENT—ANCILLARY

Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.200062/16					Nut, wheel attachment	4	M.S.		
13223	D.189637					Piece, distance, for wheel spindle	4	S.21.B	C.	
95077	D.189638					Spindle	2	S.21.B	C.	GA.1
95078	Dunlop					Wheel (complete with solid tyre)	2	—	B.	GA.1
	WDM564									
	D.200062/11					Wheel, runner	2	M.S.		
	B.200212					Arm, towing	1	—		
	C.229925/1					Bolt, attaching side frame	1	—		
	C.229925/2					Bolt, attaching side frame	1	—		
	C.229926					Cradle	1	—		
	B.200059					Frame, side	2	—		
	D.200061					Forward end, group	1	—		
2A/9500503	Skefco 08					Bearing, thrust race	2	—	C.	
11207	D.189642					Bush, for castor fork spindle	2	Bronze	C.	
	D.200062/2					Bush, for runner wheel	2	Bronze		
95868	C.189645					Jack, screw, group	1	—	B.	
	C.189645/2					Bush	1	BSS.369		
6098385	BS.968/1938					Grub, screw, 2 B.A., 0.38" long	2	M.S.		
95076	C.189645/5					Nut	1	M.S.	C.	
	C.189645/1					Shaft, screwed	1	M.S.	C.	GA.1
	D.200061/16					Nut, wheel attachment	4	M.S.		
13223	D.189637					Piece, distance, for wheel spindle	4	S.21.B	C.	
95077	D.189638					Spindle	2	S.21.B	C.	GA.1
95078	Dunlop					Wheel (complete with solid tyre)	2	—	B.	GA.1
	WDM564									
	D.200062/11					Wheel, runner	2	M.S.		
95928	F.200236					Lug, for tee-bar	4	M.S.	C.	
8601	C.190463					Strap, attachment, group	1	—	C.	GA.1
	A.179741					Bolt, with plate, group	1	—		
	F.179739					Bolt	1	S.1		
	A.179741/1					Collar	1	S.1		
13029	A.200232					Tie-bar	2	—	C.	
95014	C.188900					Sling, for outer wings, group	1	—	A.	GA.2
	C.188900/1					Cable, forward, 100—110 ton, 5/16" dia.	1	BS.302		
	C.188900/2					Cable, rear, 100—110 ton, 5/16" dia.	1	BS.302		
	C.188900/4					Cable, outboard, 100—110 tons, 5/16" dia.	1	BS.302		
21 6133	Std.1996/7					Chain, 7" long	3	Brass	C.	5
95075	F.188901					Eye-bolt	3	S.95.B	C.	GA.1
21 —	Aerolex					Pin, quickrelease (Use 28FP/4062670)	3	—	—	
	F.48/7/1017									
9138	—					Ring, split type, 1-1/4" dia.	3	Steel	C.	
	F.186238					Ring, lifting	1	S.92.B		
	C.188900/3					Shackle, 1 ton narrow jaw type	3	BS.825		
95222	C.199388					Sling, outer wing, for chord vertical lifting	1	—	B.	GA.2
	C.199388/1					Cable, 100—110 ton, 5/16" dia., complete with	4	BS.302		
						lifting ring				
	C.199388/2					Leather strip, 1/16" thick	4	—		
	B.189219					Ring, lifting	1	S.92.B		
	A.199389					Screw, anchorage	4	—		
	F.199390					Thimble	4	—		
95016	B.190526					Sling, for tail plane, fin and rudder	1	—	B.	GA.2
	B.190526/1					Cable, 100—110 ton, 5/16" dia.	2	BS.302		
6133	Std.1996/7					Chain, 7" long	4	Brass	C.	5

EQUIPMENT—ANCILLARY


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
95520	F.190527					Pin	1	H.T.S.	C.	
95519	F.199873					Pin	1	—	C.	
—	Aerolex					Pin, quick release (Use 28FP/4062334)	2	—	—	
	F.48/7/612									
	F.180478					Ring, lifting (Alt. to F.313999)	1	S.92.B		
	F.313999					Ring, lifting (Alt. to F.180478)	1	—		
9138	—					Ring, split type, 1-1/4" dia.	2	Steel	C.	
	—					Sling, for "Avon" engine	1	—		
95720	B.229927					Sling, hood	1	—	B.	GA.10
95087	A.194634					Spanner, for Dunlop brake, adjustment	1	Comm'l.	B.	GA.3
95311	A.209612					Spanner, for flap hinge bolts	1	—	B.	GA.8
95228	BRITTOOL					Spanner, for rear fuselage transport joint nuts	1	—	B.	
	Z.4948									
95085	A.194578					Spanner, for inverted flight valve connector	1	EN.33	B.	GA.3
95081	B.194717					Spanner, for refuelling valve, forward	1	T.26 & S.510	B.	GA.3
	95645	B.224080				Spanner, crutching, for inboard and outboard pylons	1	—	B.	GA.3
	95226	A.201955				Spanner, special, for main fuel delivery joint	1	EN.33	B.	GA.8
	95163	A.197766				Spanner, for hydraulic system, .605" — .610" A/F	1	S.21 & S.510	B.	GA.3
	95165	A.197767				Spanner, for hydraulic system, .825" — .830" A/F	1	S.21 & S.510	B.	GA.3
	95166	A.197768				Spanner, for hydraulic system, 1.015" — 1.020" A/F	1	S.21 & S.510	B.	GA.3
	95706	A.222402				Spanner, for gun installation	1	S.510	B.	GA.3
	95715	A.227530				Spanner, dial, for aileron booster unit adjustment	1	—	B.	GA.4
						(Mod. 703)				
	95164	F.199124				Spanner, for hydraulic system	1	—	B.	GA.3
	95304	F.199406				Spanner, for elevator outer hinge, .925" A/F	1	M.S. or EN.351	B.	GA.8
	95305	F.199407				Spanner, for elevator outer hinge, .715" A/F	1	M.S.	B.	GA.8
	95308	B.204866				Spanner, for front fuselage attachment nuts	1	S.15	B.	GA.8
	95425	A.190295				Spanner, for fuel system	1	Comm'l.	B.	GA.8
	95503	B.209815				Spanner, wing fuel system	1	EN.33	B.	GA.8
	95504	B.209816				Spanner, wing fuel system	1	EN.33	B.	GA.8
		F.261597				Stud, for main u/c locks	8	H.T.S.		
		F.261598				Spigot, adjustment block for main u/c locks	2	M.S.		
	95143	F.198704				Spigot, levelling, removable, group	2	—	B.	GA.3
	6133	Std.1996/7				Chain, 7" long	1	Brass	C.	5
	95065	A.164139				Pennant (Alt. to 26VA/6034980)	1	—	C.	GA.2
26VA/6034980	S.60/18					Pennant (Alt. to 26FX/95065)	1	—	C.	
	9136	—				Ring, split type, 3/4" dia.	1	Steel	C.	
	95234	B.199253				Strut, bracing, for gun package removal, group	1	—	B.	GA.4
		F.199257				Block, trunnion	1	S.1		
	95234	F.199255				Bolt, fork	1	M.S.B.	C.	
		A.199254				Fork-end	1	S.1.B		
		F.199256				Pin, trunnion	1	M.S.B.		
	95725	B.230207				Strut, jury, for hood, group	1	—	B.	GA.10
		F.230212				Block	1	M.S.		
		Std.1551/1/145				Bolt	1	—		5
		F.230210				Fork-end	1	M.S.		
		F.230211				Fork-end	1	M.S.		
		F.230209				Hook	1	M.S.		
21	28FP/4070077	Aviation Dev.				Pin, pip	1	—	C.	
		A.515								
		A.230208				Strut	1	T.45		


EQUIPMENT-ANCILLARY


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
95427	C.208502	Test Equipment, for Fuel System, group					1	—	B.	GA.2
	B.211191	(Mod. 385 S.O.O.)					1	—		
1731	B.211191	Adapter, for spine connection, group					1	—		
	F.193381	Ring, sealing					1	Rubber	C.	
	C.212514	Box, for test equipment					1	—		
	B.207700	Box, control, group					1	—		
	I.V. Pressure SK.342/1	Controller, I.V. (Alt. to CU.345)					1	—		
	I.V. Pressure CU.345	Controller, I.V. (Alt. to SK.342/1)					1	—		
	Std.1371.C	Coupling					1	DTD.423		
	B.207700/1	Hose, 3/8" i/d x 12 ft. long					1	—		
	F.207701	Nipple, special					1	L.65.C		
	Ben Patents	Plug, instantair					1	—	C.	
95723	BEN/SA.179									
95757	A.207899	Bang, for forward vent pipe, group					1	—	B.	
	A.194466	Bolt					1	—		
21	—	Chain (Make from 29H/9488796)					1	Brass	LM	5
95665	A.194464/1	Gland					1	—	C.	
	F.208459	Label					1	L.72		
	9137	Ring, split type 1" dia.					2	Steel	C.	
	F.194467	Ring, locking					1	—		
	A.207818	Cover, blanking, for refuelling pressure relief valve, group					2	—		
21	—	Chain (Make from 29H/9488796)					1	Brass	LM	5
	A.207800	Clamp					1	M.S.		
	A.207817	Net, wing					1	—		
	A.207818/2	Pennant					1	—		
	F.207793	Plunger, group					1	—		
	27QA/5	Ring, seal					1	—	C.	
21	28R/1061088	Ring, retaining					2	—	C.	
	—	Ring, split type, 1" dia.					2	Steel	C.	
	95080	Tool, for undercarriage up-lock					1	—	B.	GA.3
	95223	Tool, for assembly of transport joint spigot					1	—	B.	GA.8
	95516	Tool, for alignment of gun and barrel support, group					1	—	A.	GA.10
	C.215999	Barrel					1	M.S.		
	F.216000	Screw, special					3	EN.33		
	B.215997	Sleeve					1	EN.33		
	A.215998	Spigot					1	EN.33		
	95557	Tool, bearing, rotation					1	M.S.	B.	GA.10
21	4Q/4230819	Trestle Mk. 1					1	—	A.	
21	4Q/4230821	Trestle Mk. 3					2	—	A.	
	4GB/	Trestle, U.J., No. 6					4	—	A.	
	95216	Trolley, removal, for engine unit, group (Mod. GE.51)					1	—	A.	GA.6
	B.200212	Arm, towing					1	—		
	D.200198	Aft-end, group					1	—		
	D.189644	Cellar, wheel attachment					2	M.S.		
	95868	Jack, screw, group					2	—	B.	
	C.189645/2	Bush					1	BSS.369		
	BS.768/1938	Grub-screw, 2 BA x 0.38" long					2	M.S.B.		
6098385	C.189645/5	Nut					1	M.S.B.	C.	
95076	C.189645/1	Shaft, screwed					1	M.S.B.	C.	GA.1
6098387	D.200198/16	Nut, wheel attachment					2	M.S.	C.	
95079	D.189643	Spindle, for wheel					2	S.21.B	B.	GA.6
95078	Dunlop	Wheel, complete with solid tyre					2	—	B.	GA.1
	WDM.564									


EQUIPMENT-ANCILLARY


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6098386	C.200058/1					Bolt, attaching side frames	6	M.S.	C.	
-	C.200058/2					Bolt, attaching side frames	2	M.S.	LM	
						(Make from 29A/9419848)				
	B.200191					Frame, centre	1	-		
	B.200188					Frame, side	2	-		
	D.200197					Forward end, group	1	-		
2A/9500503	Skefko 08					Bearing, thrust race	2	-	C.	
11207	D.189642					Bush, for castor fork spindle	2	Bronze	C.	
95868	C.189645					Jack, screw, group	2	-	B.	
	C.189645/2					Bush	1	BSS.369		
	BS.768/1938					Grub-screw, 2 B.A., 0.38" long	2	M.S.B.		
6098385	C.189645/5					Nut	1	M.S.B.	C.	
95076	C.189645/1					Shaft, screwed	1	M.S.B.	C.	
	D.200197/12					Nut, wheel attachment	4	M.S.		
13223	D.189637					Piece, distance, for wheel spindle	4	S.21.B	C.	
95077	D.189638					Spindle	2	S.21.B	B.	GA.1
95078	Dunlop					Wheel, complete with solid tyre	2	-	B.	
	WDM.564									
6098389	F.200238					Leg, for tie bar	2	M.S.	C.	
6098388	F.200237					Leg, for tie bar	2	M.S.	C.	
	D.200210					Rail, group	1	-		
12940	F.196530					Bolt, at lower rail	1	S.95.B	C.	
	D.200210/16					Bolt, special	2	M.S.		
21 26VA/9488796	Std.1996/12					Chain	2	Brass	C.	5
12939	F.196531					Nut, at lower rail	1	S.95.B	C.	
	Aerolex					Pip, pip (Use 28FP/9432064)	1	-	-	
	F.48/7/817									
9136	-					Ring, split type, 3/4" dia.	2	Steel	C.	
21 -	D.200210/19					Tommy-bar (Make from 30C/9611795)	2	M.S.	LM	
13267	A.200233					Tie-bar	2	-	C.	
4F/1041044	-					Trolley, pressure, cabin testing, Mk. 1C	1	-	A.	
21 4F/4229226	-					Trolley, hydraulic, Mk. 2	1	-	A.	
21 4FZ/4227179	-					Trolley, E/L, servicing and testing, Mk. 1A	1	-	A.	
21 4GD/4399012	-					Trolley, oxygen charging, Mk. 2	1	-	A.	
21 4GD/4399013	-					Trolley, charging, H.P. air, Mk. 2	1	-	A.	
4G/	-					Trolley, for radar, cooling and testing	1	-	A.	
21 4G/2088392	-					Trolley, E.C.U. servicing	1	-	A.	
-	B.214055					Weather covers, assembly	-	-	-	
						(Refer to AP.1086, Section 27D)				














ANCILLARY EQUIPMENT





ANCILLARY EQUIPMENT





ANCILLARY EQUIPMENT





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

