

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
—	—	AIR BRAKE, ASSEMBLY (For further spares see D.204125)					—	—	—	
4320-99- 4188107	Dowty 08673YA02	Jack, hydraulic (Pre Mod. 1363)					1	—	A.	
27QM/4118491	Dowty 08673YA04	Jack, hydraulic (Mod. 1363)					1	—	A.	
22	6A/6208574	AIRSTREAM DIRECTION DETECTOR INSTALLATION (For further details see E.278644)					—	—	—	
22	6A/8210	Generator, 3-tone, Mk.3 (Mod. 1444)					1	—	A.	
—	E.311025	ARRESTER GEAR, ASSEMBLY (Mod. 1363)					—	—	—	
—	C.251669	AUTOSTABILISER, Mk.2, INSTALLATION					—	—	—	
10242	F.235534	DELETED (Mod. 1068) (For further spares see E.222881)					1	—	C.	
10243	F.235533	Clip					2	—	C.	
26VA/6034595	Std. 1509/23/090	Collar, half					QR	—	C.	4
—	F.263078	Tube, distance					—	—	—	
—	C.245785	ENGINE CONTROLS IN FRONT FUSELAGE					—	—	—	
8631	DTD.487/7E	ASSEMBLY (For further spares see F.225930)					—	—	—	
9759	DTD.487/14E	THROTTLE, LINKAGE AND BOX, ASSEMBLY					1	DTD.487	C.	
20267	A.245790	Bolt, 1/4" B.S.F.					1	DTD.487	C.	
20266	A.245786	Bolt, 1/4" B.S.F.					1	—	C.	
8652	F.212264	Lever, bellcrank					1	—	C.	
—	F.245788	Rod, connecting, group					1	—	C.	
20268	F.245792	Bearing, spherical					2	—	C.	
8658	F.212130	Eye, end					1	S.1	C.	
—	—	Spindle, bellcrank, port					1	S.1	C.	
—	—	Spindle, bellcrank, starboard					1	S.1	C.	
—	—	ELECTRICAL EQUIPMENT IN CENTRE FUSELAGE					—	—	—	
—	—	ASSEMBLY (For further spares see G.230755)					—	—	—	
—	—	ADDITIONAL DETAILS (For further spares see D.230770)					—	—	—	
—	C.312053	BOX, junction, arm, No. 1, group					1	—	—	
5E/9467424	—	(Mod. 1366) (For further spares see C.264339)					—	—	—	
5E/9012998	—	Cable, uninyvin 20					QR	—	C.	
22	B.312046/1	Cable, uninyvin 16					QR	—	C.	
5F/	Helsyn	Diagram, wiring					1	Photo	—	
5K/4346693	R.C.2120	Sleeve, H.T. 20 x 1/2"					2	—	C.	
5K/4346711	R.C.2121	Tag					2	—	C.	
—	G.313935	Tag					2	—	C.	
—	—	ELECTRICAL EQUIPMENT IN FRONT FUSELAGE					—	—	—	
6A/1983016	—	ASSEMBLY (AS.1360/48) (For further spares see G.262701)					—	—	—	
—	E.313937	Adaptor, flange, for altimeter, Mk.21 (Mod. 1415)					1	—	C.	
—	F.252142/1	ADDITIONAL DETAILS, ASSEMBLY (For further spares see E.222047)					—	—	—	
—	F.235102/1	Label, TB.82					1	Photo	—	
—	F.240250/1	Label, TB.95					1	Photo	—	
—	—	Label, TB.107					1	Photo	—	

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		ALTERATIONS TO LEG PANEL, PORT					—	—	—	
		(D.237111 modified to A.263071)								
		(For further spares see F.262699)								
	11658	F.243751	Cover				1	—	C.	
		B.252104/1	Diagram, wiring				1	Photo		
	5L/9959125	—	Filament, 4 volt, 0.26 amp.				1	—	C.	
21	6A/1037854	—	Altimeter, cabin, Mk. 21 (Mod. 1415)				1	—	A.	
		C.245765	BOX, FUSE, SECONDARY INSTALLATION				—	—		
			ASSEMBLY							
		C.255508	Box, fuse, secondary group (Mod. 1137)				1	—		
21		703/2/00466	Bar, commoning, 4-way				1	—		
21	5X/4491463	703/2/00465	Bar, commoning, 4-way				1	—	C.	
21	5X/4491463	703/2/00468	Bar, commoning, 4-way				2	—	C.	
21	5X/4491463	703/2/00467	Bar, commoning, 4-way				2	—	C.	
	5X/4491482	703/1/00420	Block, fuse, 4-way				7	—		
		C.245710	Box				1	—		
21	5E/9467424	—	Cable, uninyvin 20				QR	—	C.	
21	5E/9012998	—	Cable, uninyvin 16				QR	—	C.	
21	5E/9993758	—	Cable, uninyvin 12				QR	—	C.	
		C.255510/1	Diagram, wiring				1	—	C.	
21	5X/4491478	703/1/00430	Extractor, fuse				28	—	C.	
21	10H/1047920	—	Fuse, dummy type "S" (5 off Pre Mod. 1365)				4	—	C.	
21	10H/4709559	—	Fuse, type "S", 2.5 amp.				12	—	C.	
21	10H/4709560	—	Fuse, type "S", 5 amp. (7 off Pre Mod. 1365)				8	—	C.	
21	10H/4709561	—	Fuse, type "S", 10 amp.				1	—	C.	
21	10H/9718191	—	Fuse, H.R.C., 10 amp.				1	—	C.	
21	10H/4695448	—	Fuse, type "S", 20 amp.				1	—	C.	
	20260	F.245304	Link, bus-bar				1	—	C.	
		Std.2052/A4	Link, wire, EE/L+/L+				1	—		
		B.245473	Plate, cover				1	—		
	10H/0560130	508/1/40066/320	Plug, 4-way, size 2				1	—	C.	
	10H/0560200	508/1/40076/320	Plug, 25-way, size 3				1	—	C.	
	10H/0560203	508/1/40076/323	Plug, 25-way, size 3				1	—	C.	
	5F/	Hellermann	Sleeve, Helsyn HT30 x 1/2"				4	—	C.	
	5F/	Hellermann	Sleeve, Helsyn HT20 x 1/2"				QR	—	C.	
	20470	F.236210	Spacer				14	BSS.9720	C.	
	5K/4346693	RC.2120	Tag, Q/R, 6 amp.				32	—	C.	
	5K/4346711	RC.2121	Tag, Q/R, 12 amp.				2	—	C.	
	5K/—	RC.2122	Tag, Q/R, 24 amp.				6	—	C.	
		B.244841	Mounting, bottom, suppressor				1	—		
	20259	F.245701	Eyebolt				1	S.1	C.	
	20258	F.245876	Fork, clamping				1	—	C.	
		D.248328	BOX, MAIN FUSE, GROUP				1	—	—	
			(For further spares see D.324018)							
		B.316533/1	Diagram, wiring (Mod. 1380)				1	Photo		
	5X/—	Erma 12104	Terminal, ring tongue, 12 amp.				3	—	C.	
		F.263073	Box, junction No. 2, Installation (Pre Mod. 1366)				—	—	—	
	682	F.188114	Bolt, top fixing				3	S.94	C.	
		E.312052	Box, junction, No. 2, group (Mod. 1366)				1	—		
		E.255507	Box, junction, No. 2, group (Pre Mod. 1366)				1	—		
	8012	F.208578	Adaptor, 12 to 6 amp.				1	Brass	C.	
	5X/1004088	703/2/00244	Block, terminal, 10-way				5	—	C.	
	5X/1002695	703/1/00249	Block, terminal, 20-way				3	—	C.	
		D.245114	Box, detail, group				1	—		
		A.221811	Clamp, cable				1	—		
		B.245123	Plate, cover				1	—		
	13136	F.221810	Plate, stud				2	S.510	C.	
21	5E/9467424	—	Cable, uninyvin 20				QR	—	C.	
21	5E/9012998	—	Cable, uninyvin 16				QR	—	C.	

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
21	5E/9012567	—					QR	—	C.	
	3971	Std.840/19					1	DTD.610	C.	
		D.312043/1					1	Photo		
		D.255509/1					1	Photo		
	5X/4491480	Plessey CZ.24640					2	—	C.	
		Plessey CZ.28000					1	—		
	5X/4491426	Plessey CZ.24646					1	—	C.	
	20310	Std.2044/6/052					1	—	C.	
	20311	Std.2044/7/052					1	—	C.	
	20312	Std.2044/10/076					2	—	C.	
	7990	A.209704					1	—	C.	
	10H/0970060	508/2/07707/200					3	—	C.	
	10H/0970059	508/2/07706/200					1	—	C.	
	10H/0970058	508/2/07705/200					1	—	C.	
	5X/9491421	Plessey Z.22431					1	—	C.	
	5X/—	Hellermann					1	—	C.	
		HV.2855								
		C.245185					1	—		
		A.215438					2	—		
	8690	B.215437					1	L.72	C.	
	28FP/9438813	Dzus AW5/30					2	—	C.	
	8689	F.215416					2	—	C.	
	5X/1004082	703/2/00251					5	—	C.	
	5X/1004083	703/2/00252					1	—	C.	
	5X/1012122	703/2/00259					1	—	C.	
	5X/9400389	703/2/00363					2	—	C.	
	5X/9400385	703/2/00359					1	—	C.	
	10H/0970074	508/1/07636/003					1	—	C.	
	10H/0970067	508/1/07627/003					2	—	C.	
	10H/0970062	508/1/07621/003					1	—	C.	
	10H/9114134	508/1/07623/003					1	—	C.	
		F.232398					1	—		
	7813	F.206916					1	L.72	MR/C	
	7814	F.206917					1	L.72	MR/C	
	7815	F.206918					1	L.72	MR/C	
21	5X/5200911	Plessey CZ.50357					1	—	C.	
21	5X/4500169	Plessey CZ.50360					1	—	C.	
21	5X/4500177	Plessey					12	—	C.	
		508/1/06413								
	10H/0560050	508/1/40060/320					1	—	C.	
	10H/0560150	508/1/40069/320					1	—	C.	
	10H/0560200	508/1/40076/320					1	—	C.	
	10H/0560151	Plessey					1	—	C.	
		508/1/40069/321								
	10W/0113360	—					1	—	C.	
	10H/0970090	508/2/07713/200					1	—	C.	
	10H/0970088	508/2/07708/200					2	—	C.	
	10H/0970239	508/2/07712/200					2	—	C.	
	5X/1005131	508/2/11232/002					278	—	C.	
	5F/	—					QR	—	C.	
	5F/	—					QR	—	C.	
	5F/	—					1	—	C.	
	5F/	—					1	—	C.	
21	5X/4500093	Plessey					1	—	C.	
		2CZ.111238/2								

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10H/0560260	508/1/40043/320				Socket		1	—	C.	
10H/0560220	508/1/40015/320				Socket		2	—	C.	
10H/0560223	508/1/40016/323				Socket		1	—	C.	
10H/0560380	508/1/40056/320				Socket, panel mounting		1	—	C.	
10H/0560381	508/1/40056/321				Socket, panel mounting		1	—	C.	
10H/0560525	508/1/40003/005				Socket		1	—	C.	
10H/0560160	508/1/40006/320				Socket		1	—	C.	
5K/4346693	Ross Courtney No.2120				Tag, quick release, 6 amp.		QR	—	C.	
5K/4346711	Ross Courtney No.2121				Tag, quick release, 12 amp.		QR	—	C.	
5K/—	Ross Courtney No.2122				Tag, quick release, 24 amp.		QR	—	C.	
	A.247382				Bracket		1	L.72		
	G.316561				Box Junction, main trunking, group (Mod. 1380) ... (For further spares see G.257481)	...	1	—		
	5X/ Hellermann 420982-10				Adaptor		1	—	C.	
21	5E/9467424				Cable, uninyvin 20 (Mod. 1366)		QR	—	C.	
21	5E/9008949				Cable, triprensheath, 6 amp. (Mod. 1366)		QR	—	C.	
	5X/ Cannon MS3057-4A				Clamp, cable		1	—	C.	
	5X/ Hellermann 461-10-6S-9156				Connector		1	—	C.	
	D.316529/1				Diagram, wiring (Mod. 1380)		1	Photo		
	D.265580/1				Diagram, wiring (Mod. 1232) (Pre Mod. 1371)		1	Photo		
	Std.2044/3/052				Ferrule (Mod. 1366, 1380)		1	—		
	Std.2044/6/057				Ferrule (Mod. 1366, 1380)		1	—		
	Std.2044/7/061				Ferrule (Mod. 1366, 1380)		1	—		
	Std.2044/8/061				Ferrule (Mod. 1366, 1380)		1	—		
	B.222449				Gafer assy		1	—	C.	
	5X/ Hellermann 419904-10				Grommet, follower		1	—	C.	
	5X/ Plessey 508/2/41077/002				Outlet, angle (Pre Mod. 1366)		1	—	C.	
	5X/ Plessey 508/2/07654/003				Outlet, angle (Mod. 1380)		1	—	C.	
	5X/ Hellermann SR.8468				Sleeve		1	—	C.	
	5F/ —				Sleeve, Helsyn, HT.50 x 1"		4	—	C.	
	5X/ Plessey UKAN9202/14S/ 7S				Socket, 3-pin (Mod. 1376)		1	—	C.	
	5X/ Cannon MS3108S-10SL- 3S				Socket, 90° (Mod. 1376)		1	—	C.	
5X/9462951	Hellermann HC.294				Tag		4	—	C.	
5X/9450396	Hellermann HC.490				Tag (Mod. 1376)		3	—	C.	
—	A.321961				Trunking, sub-assembly (Mod. 1380) (For further spares see E.214995)		1	—	—	
—	C.223856				Cable, F.42, group (See Cable Chart)		1	—	—	
—	B.247162				Cable, F.45, group (See Cable Chart)		1	—	—	

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	A.223429	Cable, F.133, group (See Cable Chart)					1	—	—	
—	B.224966	Cable, F.136, group (See Cable Chart)					1	—	—	
—	B.316545	Cable assy., F.175 (See Cable Chart) (Mod. 1382)					1	—	—	
—	C.316546	Cable assy., F.199 (See Cable Chart) (Mod. 1382)					1	—	—	
5X/	Hellermann 0003-033-000	Cap, protective (Mod. 1382)					1	—	C.	
	A.227880	Channel, mounting, T.B.106					1	—	—	
21	12326	Std.2045/42/22					1	S.510	C.	6
21		Std.2046/33/24					1	—	—	6
21	26VA/6041276	Std.2046/61/20					1	—	C.	6
21	26VA/6041278	Std.2046/65/20					1	—	C.	6
	D.320061	Clipping, details, Fr. 5 (Mod. 1382)					—	—	—	
21	11304	Std.2046/21/24					7	—	C.	6
	C.248617	G.M. COMPASS INSTALLATION, REMOVED					—	—	—	
—	B.238021	Cable, GC.2A, group (See Cable Chart)					1	—	—	
—	B.238022	Cable, GC.2B, group (See Cable Chart)					1	—	—	
—	B.238024	Cable, GC.2C, group (See Cable Chart)					1	—	—	
—	B.238023	Cable, GC.2D, group (See Cable Chart)					1	—	—	
	A.239546	Diagram, wiring					1	Photo	—	
10H/0970091	—	Ring, sealing					1	—	C.	
10H/9472827	—	Socket					1	—	C.	
21	6TD/4550849	Unit, detector, Type A					1	—	A.	
—	E.312378	CONSOLE, CENTRE, GROUP (Mod. 1366)					—	—	—	
		(For further spares see F.262700)								
	E.241201	CONSOLE, CENTRE, GROUP (Pre Mod. 1366)					—	—	—	
		(E.231675 Modified to D.248719)								
		(For further spares see F.262700)								
21	—	F.242935					1	—	LM	
—	C.241561	Cable, form group (See Cable Chart)					1	—	—	
—	B.241203	Console, sub-assembly					—	—	—	
	A.221275	Pivot, fitting					1	L.65.C	—	
5X/	B.T.H.CX.119950	Cover					1	—	C.	
	C.312044/1	Diagram, wiring (Mod. 1366)					1	Photo	—	
	C.261201/1	Diagram, wiring (Pre Mod. 1366)					1	—	—	
20197	F.241204	Label, A.C. supplies					1	L.59	C.	
20199	A.241101	Label, rear panel					1	—	C.	
5A/	Thorn Elec. 80/10/0059	Lamp, holder, 2 colours					1	—	C.	
20198	F.241103	Lighting, panel					1	Plastic	C.	
	C.261896	Panel, relay box access, port					1	L.72	—	
	C.261897	Panel, relay box access, starboard					1	L.72	—	
8694	A.214022/6	Pipe, joint to joint, oxygen					1	L.67	C.	
5CW/6719	—	Relay, type "S", No. 9 (15 off Pre Mod. 1366)					6	—	C.	
21	3839	Std.1606/44/B16					2	B.11	C.	5
21	3859	Std.1606/45/B10					4	B.11	C.	5
21	4661	Std.1606/45/B12					2	B.11	C.	5
		Std.1953/1-3					1 set	—	—	
21	5CW/6209279	—					1	—	C.	
		(Mod. 1366)								
5CW/	Pye 2082	Switch, ganged					1	—	B.	
5CW/1047697	—	Switch, change over, D.P., no centre off					1	—	C.	

HUNTER MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/4407828	—					Switch, S.P.	1	—	C.	
5CW/1047692	—					Switch, S.P.	1	—	C.	
5K/4346693	RC.2120					Tag, Q/R	3	—	C.	
—	—					EQUIPMENT, COCKPIT LIGHTING, ASSEMBLY	—	—	—	
						(For further details see D.313938)				
	F.229943					Bracket, lamp mounting	1	—	—	
22	F.224528					Bracket, lamp mounting on windscreen	1	BS.265	—	
						platform, port				
	A.248912					Cable assy., F.135 (See Cable Chart)	1	—	—	
	A.327163					Cable assy., F.190 (See Cable Chart) (Mod. 1415)	1	—	—	
5L/9951283	—					Filament, 24V., 2.8W., red (Mod. 1415)	1	—	C.	
5CX/1057219	—					Lamp, cockpit, type C (Mod. 1415)	1	—	C	
	A.248821					Plate, mounting, standby lamp	1	—	—	
1720	Std.1606/44/B24					Screw	1	—	C.	5
—	E.313936					EQUIPMENT, IN RADIO BAY, ASSEMBLY	—	—	—	
						(For further spares see E.324307)				
						(Mod. 1366)				
	A.325520					Angle, mtg., top, for circuit breaker (AS.1400/28)	1	—	—	
—	B.240274					Cable assy., F.119 (See Cable Chart)	1	—	—	
	Std.2076/21/24					Clip, sleeved	1	—	—	6
	Std.2076/27/24					Clip, sleeved	2	—	—	6
	E.250896/1					Label, J.B.8, arm	1	Photo	—	
—	E.312380					PANEL, SUPPLY, ASSEMBLY (For further spares ...	—	—	—	
						see E.255988)				
—	D.218970					Cable assy., F.21 (See Cable Chart)	1	—	—	
—	B.224967					Cable assy., F.137 (See Cable Chart)	1	—	—	
—	B.221962					Cable, Form, F.49 (See Cable Chart)	1	—	—	
5E/9467424	—					Cable, uninyvin 20 (Mod. 1381)	A/R	—	C.	
	C.31653/1					Diagram, wiring (Mod. 1380)	1	Photo	—	
22	10H/1047920					Fuse, dummy (Mod. 1396) (Mod. 1441)	A/R	—	C.	
	10H/9718192					Fuse, 5 amp., H.R.C.	A/R	—	C.	
	10H/9718191					Fuse, 10 amp., H.R.C.	A/R	—	C.	
—	A.316779					Relay, "X", assy. (Mod. 1381)	—	—	—	
						(For further spares see A.2235651)				
5E/9467424						Cable, uninyvin 20	A/R	—	C.	
5E/9012998						Cable, uninyvin 16	A/R	—	C.	
5F/	Helsyn					Sleeve, 150 H.T.20 x 3/4"	12	—	C.	
5K/4346693	RC.2120					Tag, 6 amp.	6	—	C.	
5K/4346711	RC.2121					Tag, 12 amp.	6	—	C.	
5F/9545141	Hellermann					Strapping	A/R	—	C.	
	NY.18007A									
5F/9138822	Hellermann					Stud	A/R	—	C.	
	NY.3342									
5K/4346693	RC.2120					Tag, 6 amp. (Mod. 1381)	2	—	C.	
—	—					EQUIPMENT, PORT COCKPIT SHELF, ASSEMBLY	—	—	—	
						(For further spares see C.222221)				
						(ASH.1360/48)				
20265	C.248418					Guard, cable	1	L.59	C.	

HUNTER T. MK. 8B S.O.O.

22
22

Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5X/1931479	—	Grommet					1	—	C.	5
—	A.313940	Indicator, airbrake, assy.					1	—	—	
5CZ/4335556	—	Indicator					1	—	C.	
1637	F.247810	Plate, mounting					1	—	—	
—	Std.1606/44/B14	Screw					2	—	C.	
—	F.252141/1	Label, T.B.1					1	Photo	—	
—	F.223016/1	Label, T.B.4					1	Photo	—	
—	F.332770/1	Label, T.B.7 (Mod. 1442, Mod. 1376)					1	—	—	
—	F.313878/1	Label, T.B.7 (Pre Mod. 1442)					1	Photo	—	
—	F.313714/1	Label, T.B.100					1	Photo	—	
—	—	PANEL, GENERATOR CONTROL, ASSEMBLY					—	—	—	6
—	—	(D.212163 modified to C.248776)					—	—	—	
—	—	(For further spares see D.256020)					—	—	—	
—	—	(and Mod. 1316)					—	—	—	
20475	A.258764	Angle, mounting, relay					1	L.72	C.	
20476	A.258765	Angle, mounting, relay					1	L.72	C.	
—	B.222427	Bracket					1	—	—	
—	D.241409	Cable, assembly and form F.49 (See Cable Chart)					1	—	—	
—	B.242351	Cable, F.150 (See Cable Chart)					1	—	—	
26VA/6043780	Std.2045/18/26	Clip, sleeved					1	S.510	C.	
12326	Std.2045/42/22	Clip, sleeved					1	S.510	C.	4
—	C.242635/1	Diagram, wiring					1	—	—	
10H/0119128	—	Fuse, type, 125 amp. (Mod. 1316)					2	—	C.	
—	F.280435	Plate, link (Mod. 1316)					1	BS.265	—	
5CW/1057538	—	Relay, type 20B, No. 3					2	—	A.	
—	—	(Alternative to 5CW/9499153)					—	—	—	
5CW/9499153	—	Relay, type 10B, No. 15					2	—	A.	
—	—	(Alternative to 5CW/1057583)					—	—	—	
6416186	Std.915/B/16	Washer, 4 B.A.					1	DTD.364	C.	
—	B.296934	PANEL, MISCELLANEOUS SWITCH, PORT					—	—	—	5
20208	A.237468	Bracket, switch mounting					1	—	C.	
—	Std.1606/44/B6	Screw					8	—	—	
5CW/1047700	—	Switch, D.P.					1	—	C.	
5CW/1047699	—	Switch, D.P.					1	—	C.	
5CW/4405585	—	Transfer, "NORMAL"					1	—	C.	
5CW/4405550	—	Transfer, "OPEN"					1	—	C.	
5CW/1056625	—	Transfer, "TEST"					1	—	C.	
4614	Std.1606/44/C16	Screw					3	—	C.	5
—	Std.1953/1-10	Sleeve					3	—	—	
—	Std.1953/1-20	Sleeve					Sets 4	—	—	
5CW/	Smiths KB.562/01	Switch, Altitude					1	—	A.	
10F/9527573	Rotax	Switch					1	—	C.	
5CW/1047697	—	Switch					1	—	C.	
—	—	ELECTRICAL EQUIPMENT IN REAR FUSELAGE,					—	—	—	
—	—	ASSEMBLY (For further spares see E.230735)					—	—	—	
—	—	BLOCK, TERMINAL, Nos. 47 and 48 ASSY.					—	—	—	
—	—	(For further spares see E.230612)					—	—	—	
—	F.230601/1	Label, for T.B.47 (Mod. 1363)					1	Photo	—	6
—	F.230602/1	Label, for T.B.48 (Mod. 1363)					1	Photo	—	
12208	Std.2046/15/26	Clip, for R.39 cable (Mod. 1363)					7	—	—	

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
—	—	TRANSMITTER, DESYNN, ASSEMBLY					—	—	—	
—	—	(For further spares see C.213491)					—	—	—	
—	—	BOX, JUNCTION, ASSEMBLY (For further spares see A.220339)					—	—	—	
—	A.313793/1	Diagram, wiring (Mod. 1376)					1	Photo	—	
—	—	ELECTRICAL INSTALLATION IN PORT WING,					—	—	—	
—	—	ASSEMBLY (For further spares see D.233520)					—	—	—	
21	—	Block, terminal, No. 22 at outer rib, port,					—	—	—	
—	—	assembly (For further spares see A.206158)					—	—	—	
21	6098087 F.299489	Label for T.B.22 (Mod. 1317)					1	—	C.	
—	—	Box, junction, Arm. 3, group (For further spares see B.209176)					—	—	—	
—	B.312095/1	Diagram, wiring (Mod. 1366)					1	Photo	—	
—	—	Box, junction, Arm. 4, group (For further spares see B.208989)					—	—	—	
—	B.312096/1	Diagram, wiring (Mod. 1366)					1	Photo	—	
—	B.312094	Cable, A.15, group (Mod. 1366)					1	—	—	
—	—	(See Cable Chart)					—	—	—	
21	6098085 A.297019	Cable, assy., P.13 (Mod. 1317)					1	—	B.	
—	—	(See Cable Chart)					—	—	—	
—	—	ELECTRICAL INSTALLATION IN STARBOARD WING,					—	—	—	
—	—	ASSEMBLY (For further spares see D.233521)					—	—	—	
—	—	Box, junction, Arm. 5, group (For further spares see B.209177)					—	—	—	
—	B.312097/1	Diagram, wiring (Mod. 1366)					1	Photo	—	
—	—	Box, junction, Arm. 6, group (For further spares see B.208990)					—	—	—	
—	B.312098/1	Diagram, wiring (Mod. 1366)					1	Photo	—	
—	B.312093	Cable, A.14, group (Mod. 1366)					1	—	—	
—	—	(See Cable Chart)					—	—	—	
21	26VA/6041762 Std.2045/26/22	Clip, for thermocouple cables (Mod. 1363)					4	—	C.	6
—	B.321973	FUEL FILTER DE-ICING SYSTEM, REMOVAL					—	—	—	
—	—	(Mod. 1396)					—	—	—	
21	10H/1047920	Fuse, dummy					2	—	C.	
—	6046 F.203116	Plate, blanking					1	—	MR/C	
—	6260 F.204903	Union					1	—	C.	
—	—	FUSELAGE COMPLETE					—	—	—	
11633	D.245894	Nose Piece, group (For further spares see D.207617)					1	—	B.	
20253	A.245856	Bracket, mounting for ram air pipe					1	S.1	C.	
13555	B.327967	Cone, nose (Mod. 1423)					1	—	C.	
—	B.327967/3	Ring, sealing					1	Neoprene	—	
20254	A.245893	Pipe, ram air, group					1	L.54	C.	
933	F.181098	Ring, sealing					1	Felt	C.	
10148	B.235498	Radome (Mod. 868) (Pre Mod. 1423)					1	—	A.	
—	—	FUSELAGE, CENTRE STRUCTURE, ASSEMBLY					—	—	—	
—	—	(For further spares see F.262703)					—	—	—	
—	A.321992	Frame 34, group (Mod. 1380)					1	—	—	
—	—	(For further spares see A.220932)					—	—	—	

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
21	5X/1931479	—				Grommet.....	1	—	C.	
	—	A.313940				Indicator, airbrake, assy.	—	—	—	
	5CZ/4335556	—				Indicator.....	1	—	C.	
		F.247810				Plate, mounting.....	1	—	—	
21	1637	Std.1606/44/B14				Screw.....	2	—	C.	5
		F.252141/1				Label, T.B.1.....	1	Photo	—	
		F.223016/1				Label, T.B.4.....	1	Photo	—	
		F.313878/1				Label, T.B.7.....	1	Photo	—	
		F.313714/1				Label, T.B.100.....	1	Photo	—	
	—	—				PANEL, GENERATOR CONTROL, ASSEMBLY.....	—	—	—	
						(D.212163 modified to C.248776)				
						(For further spares see D.256020)				
						(and Mod. 1316)				
	20475	A.258764				Angle, mounting, relay.....	1	L.72	C.	
	20476	A.258765				Angle, mounting, relay.....	1	L.72	C.	
		B.222427				Bracket.....	1	—	—	
		D.241409				Cable, assembly and form F.49 (See Cable Chart)	1	—	—	
		B.242351				Cable, F.150 (See Cable Chart).....	1	—	—	
21	26VA/6043780	Std.2045/18/26				Clip, sleeved.....	1	S.510	C.	6
21	12326	Std.2045/42/22				Clip, sleeved.....	1	S.510	C.	6
		C.242635/1				Diagram, wiring.....	1	—	—	
	10H/0119128	—				Fuse, type, 125 amp. (Mod. 1316).....	2	—	C.	
		F.280435				Plate, link (Mod. 1316).....	1	BS.265	—	
21	5CW/1057538	—				Relay, type 20B, No. 3.....	2	—	A.	
						(Alternative to 5CW/9499153)				
21	5CW/9499153	—				Relay, type 10B, No. 15.....	2	—	A.	
						(Alternative to 5CW/1057583)				
21	6416186	Std.915/B/16				Washer, 4 B.A.	1	DTD.364	C.	4
	—	B.296934				PANEL, MISCELLANEOUS SWITCH, PORT.....	—	—	—	
	20208	A.237468				Bracket, switch mounting.....	1	—	C.	
21		Std.1606/44/B6				Screw.....	8	—	—	5
	5CW/1047700	—				Switch, D.P.....	1	—	C.	
21	5CW/1047699	—				Switch, D.P.....	1	—	C.	
21	5CW/4405585	—				Transfer, "NORMAL".....	1	—	C.	
	5CW/4405550	—				Transfer, "OPEN".....	1	—	C.	
	5CW/1056625	—				Transfer, "TEST".....	1	—	C.	
21	4614	Std.1606/44/C16				Screw.....	3	—	C.	5
		Std.1953/1-10				Sleeve.....	3	—	—	
		Std.1953/1-20				Sleeve.....	Sets 4	—	—	
	5CW/	Smiths KB.562/01				Switch, Altitude.....	1	—	A.	
21	10F/9527573	Rotax				Switch.....	1	—	C.	
21	5CW/1047697	—				Switch.....	1	—	C.	
	—	—				ELECTRICAL EQUIPMENT IN REAR FUSELAGE,.....	—	—	—	
						ASSEMBLY (For further spares see E.230735)				
						BLOCK, TERMINAL, Nos. 47 and 48 ASSY.	—	—	—	
						(For further spares see E.230612)				
		F.230601/1				Label, for T.B.47 (Mod. 1363).....	1	Photo	—	
		F.230602/1				Label, for T.B.48 (Mod. 1363).....	1	Photo	—	
21	12208	Std.2046/15/26				Clip, for R.39 cable (Mod. 1363).....	7	—	—	6

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
—	—	TRANSMITTER, DESYNN, ASSEMBLY					—	—	—	
—	—	[For further spares see C.213491]					—	—	—	
—	—	BOX, JUNCTION, ASSEMBLY (For further spares see A.220339)					—	—	—	
—	A.313793/1	Diagram, wiring (Mod. 1376)					1	Photo	—	
—	—	ELECTRICAL INSTALLATION IN PORT WING,					—	—	—	
—	—	ASSEMBLY (For further spares see D.233520)					—	—	—	
21	—	Block, terminal, No. 22 at outer rib, port,					—	—	—	
—	—	assembly (For further spares see A.206158)					—	—	—	
21	6098087 F.299489	Label for T.B.22 (Mod. 1317)					1	—	C.	
—	—	Box, junction, Arm. 3, group (For further spares see B.209176)					—	—	—	
—	B.312095/1	Diagram, wiring (Mod. 1366)					1	Photo	—	
—	—	Box, junction, Arm. 4, group (For further spares see B.208989)					—	—	—	
—	B.312096/1	Diagram, wiring (Mod. 1366)					1	Photo	—	
—	B.312094	Cable, A. 15, group (Mod. 1366)					1	—	—	
—	—	(See Cable Chart)					—	—	—	
21	6098085 A.297019	Cable, assy., P.13 (Mod. 1317)					1	—	B.	
—	—	(See Cable Chart)					—	—	—	
—	—	ELECTRICAL INSTALLATION IN STARBOARD WING,					—	—	—	
—	—	ASSEMBLY (For further spares see D.233521)					—	—	—	
—	—	Box, junction, Arm. 5, group (For further spares see B.209177)					—	—	—	
—	B.312097/1	Diagram, wiring (Mod. 1366)					1	Photo	—	
—	—	Box, junction, Arm. 6, group (For further spares see B.208990)					—	—	—	
—	B.312098/1	Diagram, wiring (Mod. 1366)					1	Photo	—	
—	B.312093	Cable, A. 14, group (Mod. 1366)					1	—	—	
—	—	(See Cable Chart)					—	—	—	
21	26VA/6041762 Std.2045/26/22	Clip, for thermocouple cables (Mod. 1363)					4	—	C.	6
—	B.321973	FUEL FILTER DE-ICING SYSTEM, REMOVAL					—	—	—	
—	—	(Mod. 1396)					—	—	—	
21	10H/1047920	Fuse, dummy					2	—	C.	
—	6046 F.203116	Plate, blanking					1	—	MR/C	
—	6260 F.204903	Union					1	—	C.	
—	—	FUSELAGE COMPLETE					—	—	—	
11633	D.245894	Nose Piece, group (For further spares see D.207617)					1	—	B.	
20253	A.245856	Bracket, mounting for ram air pipe					1	S.1	C.	
13555	B.327967	Cone, nose (Mod. 1423)					1	—	C.	
—	B.327967/3	Ring, sealing					1	Neoprene	—	
20254	A.245893	Pipe, ram air, group					1	L.54	C.	
933	F.181098	Ring, sealing					1	Felt	C.	
10148	B.235498	Radome (Mod. 868) (Pre Mod. 1423)					1	—	A.	
—	—	FUSELAGE, CENTRE STRUCTURE, ASSEMBLY					—	—	—	
—	—	(For further spares see F.262703)					—	—	—	
—	A.321992	Frame 34, group (Mod. 1380)					1	—	—	
—	—	(For further spares see A.220932)					—	—	—	

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
18	—	A.263066	FUSELAGE	FRONT STRUCTURE, ASSEMBLY		(For further spares see A.260559)	—	—	—	
*	—	—	Bracket, throttle control bottom support, port, at		frames 7 and 8	(C.212133 modified to A.263068)	1	—	—	
*	—	—	COCKPIT, SIDE WALL, STARBOARD, ASSEMBLY	..	(D.212474 modified to C.263062)		—	—	—	
*	—	A.242841	Guard				1	L.72		
*	—	A.247884	Plate, cover				1	L.72		
*	—	—	DECKING, REAR, ASSEMBLY	(For further spares see E.218671)	...		—	—	—	
*	—	—	Mounting, top, seat structure	(For further spares see D.211670)			—	—	—	
	10706	B.211185	Link (Mod. 1376)				2	—	C.	
	—	—	Frame 1C, rear, reinforced for A.D.C. mounting		(D.207537 modified to D.245739)		1	—	—	
	—	A.248451	Lever, assembly	(Made from A.220638)			4	—		
	1179	A.177021	Union, low pressure bulkhead				1	DTD.364	C.	
	—	—	Frame 3, group	(E.207394 modified to C.248321 and E.245830)	(For further spares see E.207394)		1	—	—	
	—	C.245387	Bracket, mounting				1	—		
	26VA/6041223	Std.1547/50/2	Packing				2	L.72		
	—	Std.1547/25/12	Packing				2	L.72	C.	
	—	Std.537/9	Packing				3	L.72		
	—	—	Frame 7, port side	(E.207171 modified to B.263063)	..		1	—	—	
	—	F.247899	Packing				2	L.72		
	—	—	Frame 14	(E.219111, E.219112 and E.219113 modified to E.248298)			—	—	—	
	20171	A.235296	Angle, outboard, port				1	L.65.C	C.	
	20172	F.235297	Angle, inboard, port				1	L.65.C	C.	
	20173	F.235298	Angle, inboard, starboard				1	L.65.C	C.	
	20174	F.235299	Angle, outboard, starboard				1	L.65.C	C.	
	20170	A.235673	Fitting, spigot				4	L.65.C	C.	
	—	F.235576	Packing				1	Lam. Alum.		
	—	F.235577	Packing				1	Lam. Alum.		
	—	F.235578	Packing				1	Lam. Alum.		
	—	F.235575	Packing				1	Lam. Alum.		
	—	—	Guard, cable, starboard	(C.217792 modified to C.260403)			1	—	—	
	—	—	Guard, cable, port	(C.217791 modified to C.260403)	..		1	—	—	
	—	C.240916	MOUNTINGS, A.C. JUNCTION BOX AND M.R.G. BOX, ASSEMBLY	...			—	—	—	
*	—	A.240786	Angle, bearer				2	—		
*	—	A.242792	Angle, mounting				1	—		
*	—	F.240787	Angle, mounting				1	L.72		
*	—	F.240788	Angle, mounting				1	L.72		
*	—	A.241387	Bracket, switch				1	L.72		
18	—	F.241234	Chained, angle				2	L.72		

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
18										
*	4224	A.241233				Channel, mounting	1	—		
*		Std.1490/C				Packing, radiused for anchor nut	4	DTD.610	MR/C	
*		Std.1933/C/14				Packing, for anchor nut	1	L.72		
*		F.240789				Plate, nut	1	—		
*	7169	Std.915/C/18				Washer, 2 B.A.	4	DTD.364	MR/C	
*	2147	Std.915/C/20				Washer, 2 B.A.	2	DTD.364	C.	
—		E.245279				MOUNTING, AIR DATA COMPUTOR, ASSEMBLY ..	—	—	—	
		D.245278				Base	1	—		
		C.245386				Bracket, mounting	1	—		
	20241	A.245277				Strut	2	—	C.	
—		E.235476				MOUNTING, MASTER REFERENCE GYRO BOTTOM,	—	—	—	
						FRAMES 14 16, ASSEMBLY				
20168	Std.1988/80					Bolt, shoulder	2	S.95	C.	
20167	Std.1639/12/E					Bolt, special, 1/4" B.S.F.	2	S.95	C.	
	E.235476/1					Bracket, mounting, frame 15, port, group	1	—		
	F.211065					Bush	1	BSS.369		
	D.235535					Diaphragm, port, group	1	—		
	D.235536					Diaphragm, starboard, group	1	—		
11593	A.242793					Fairlead	2	LFS.21	C.	
	F.209032					Pin, group	2	—		
	F.209042					Handle	1	S.1		
	F.209041					Nut	1	S.1		
	F.209040					Pin	2	S.80		
11594	F.245384					Packing	QR	L.72	C.	
28FP/9469299	A.409					Pin, pin	2	—	C.	
	C.235447					Platform, mounting, group	1	—		
	6G/4	—				Tray, mounting, type "A"	1	—	C.	
	3953	Std.915/E/22				Washer, 1/4" B.S.F.	4	DTD.364	C.	
	4211	Std.1687/2				Saddle, for cable clip	4	DTD.610	C.	
—	—	—				Platform, windscreen (B.219131 modified to B.247284)	1	—	—	
—	—	—				Strut, bracing at frame 16	1	—	—	
						(A.212711 modified to A.263067)				
	Std.1988/88N					Bolt	1	S.95.B		
	Std.1989/110					Bolt	1	S.95.B		
	Std.1509/25/064					Tube, distance	1	T.4		
—	—					FUSELAGE, REAR STRUCTURE, ASSEMBLY	—	—	—	
						(For further spares see E.223505)				
—	—					Structure, bottom portion, group (For further	—	—	—	
						spares see E.222673)				
—	B.228716/1					Skin, for jack attachment beam	1	—	—	
						(B.203905 modified) (Mod. 1376)				
—	—					Structure, rear extension, group (For further	—	—	—	
						spares see D.263961)				
—	E.311027					Skid, tail, structure, assembly (Mod. 1363)	—	—	—	
						(For further spares see E.232122)				

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	D.247374	GYRO GUN SIGHT INSTALLATION, ASSEMBLY					—	—	—	
		(F.263077 modified)								
		(For further spares see E.212645)								
20261	C.247017	Box, junction, G.G.S., group					1	—	B.	
	A.247020	Board, tag					1	—		
10683	Girdlestone	Cover					1	—	C.	
	M.C.1051/1									
	B.247019	Lid, junction box					1	—		
10684	Girdlestone	Nut					1	—	C.	
	M.C.1050/2									
10H/0560070	508/1/40062/320	Plug, fixed, 4-pin, size 1					1	—	C.	
	5CW/	Relay, type "F", RP.7633, 675 ohms.					1	—	A.	
10W/5905/99/	—	Resistor, variable, 5 ohms., 2.5W					1	—	C.	
	0271053									
10W/5905/99/	—	Resistor, 18 ohms., 15W., style RWV.5K					1	—	C.	
	0112112									
10W/5905/99/	—	Resistor, 30 ohms., 1W., style RWL.1—K					1	—	C.	
	0245106									
10W/5905/99/	—	Resistor, 50 ohms., 1W., style RNL.1—K					1	—	C.	
	0245154									
10W/5905/99/	—	Resistor, 68 ohms., 1W., style RWL.1—K					1	—	C.	
	0245178									
10W/5905/99/	—	Resistor, 150 ohms., 1W., style RWL.1—K					1	—	C.	
	0245242									
10W/5905/99/	—	Resistor, 3.9 ohms., 3W., style RWV.4—J					1	—	C.	
	011/9777									
10H/0560240	508/1/40041/320	Socket, fixed, 3-pin, size 1					1	—	C.	
10H/0560250	508/1/40042/320	Socket, fixed, 4-pin, size 1					1	—	C.	
10H/0560260	508/1/40043/320	Socket, fixed, 6-pin, size 1					1	—	C.	
10H/0560265	508/1/40043/325	Socket, fixed, 6-pin, size 1					1	—	C.	
10H/0560330	508/1/40049/325	Socket, fixed, 12-pin, size 2					1	—	C.	
	12658	Bracket, mounting, port					1	L.72	C.	
	B.247308	Cable, G.S.1 (See Cable Chart)					1	—	—	
	B.246954	Cable, G.S.2 (See Cable Chart)					1	—	—	
	B.246955	Cable, G.S.3 (See Cable Chart)					1	—	—	
	B.246956	Cable, G.S.4 (See Cable Chart)					1	—	—	
	B.246957	Cable, G.S.5 (See Cable Chart)					1	—	—	
	B.246958	Cable, G.S.6 (See Cable Chart)					1	—	—	
	B.246959	Cap, protective					1	—	C.	
10H/0970052	508/1/41030	Cap, protective					3	—	C.	
10H/0970055	508/1/41035	Cap, protective					1	—	C.	
10H/0970056	508/1/41036	Mounting, G.G.S., port, group					1	—	—	
	A.263072	Packing					1	L.72	—	
	F.248129	Regulator, voltage, type 22					1	—	A.	
5UC/4379019	—	Socket, fixed					3	—	C.	
10H/0560240	508/1/40041/320	Socket, fixed					2	—	C.	
10H/0560330	508/1/40049/320	Tube, distance					4	T.4	MR/C	4
21	3792	Unit, control, Mk.12, type S					1	—	A.	
	8B/5013	Unit, control, type S. Mk.12 (8B/4506289 Modified)					1	—	—	
21	B.246953									
—	F.263079	HYDRAULIC INSTALLATION IN FRONT FUSELAGE .					—	—	—	
		(For further spares see E.247205)								
9202	F.212362	Block, pipe clamp at frame 6					2	LFS.21	C.	
	F.327155	Block, clamp					2	—	—	

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
—	D.237719	EMERGENCY AIR GAUGES REPOSITIONED	—	—	—	
20175	F.237785	Block, clamp	2	LFS.21	C.	
20176	F.237784	Block, clamp	1	LFS.21	C.	
20177	F.242012	Block, clamp	1	LFS.21	C.	
	B.237190	Panel, control	1	—		
†	C.211689/347	Pipe, u/c emergency air, tee-piece to union	1	DTD.323	LM	
†	C.211689/348	Pipe, u/c emergency air, union to union	1	DTD.323	LM	
†	C.211689/349	Pipe, u/c emergency air, union to union	1	DTD.323	LM	
†	C.211689/352	Pipe, flap, emergency air, tee-piece to union	1	DTD.323	LM	
†	C.211689/353	Pipe, flap, emergency air, union to union	1	DTD.323	LM	
†	C.211689/354	Pipe, emergency air, union to union	1	DTD.323	LM	
	C.246929	PIPING, HYDRAULIC, ALTERATIONS	—	—		
		(Braking System)				
	F.214260	Angle	1	—		
2056	F.193810	Block, clamp	1	—	C.	
2057	F.193811	Block, clamp	1	—	C.	
20269	F.246928	Block, clamp	1	—	C.	
†	C.211689/404	Pipe, bulkhead to union	1	—	LM	
†	C.211689/405	Pipe, union to gauge	1	—	LM	
†	C.211689/406	Pipe, bulkhead to union	1	—	LM	
†	C.211689/407	Pipe, union to gauge	1	—	LM	
†	C.211689/408	Pipe, bulkhead to union	1	—	LM	
†	C.211689/409	Pipe, union to gauge	1	—	LM	
†	C.211689/410	Pipe, bulkhead to union	1	—	LM	
†	C.211689/411	Pipe, union to gauge	1	—	LM	
†	C.211689/412	Pipe, union to emergency air valve	1	—	LM	
†	C.211689/413	Pipe, union to emergency air valve	1	—	LM	
—	—	PIPING IN COCKPIT REPOSITIONED	—	—	—	
†	C.211689/378	Pipe, flap air, union frame 13, aft of	1	DTD.323	LM	
		union frame 11				
†	C.211689/379	Pipe, flap air, union frame 11 to gauge	1	DTD.323	LM	
†	C.211689/380	Pipe, undercarriage, air, frame 13 aft of	1	DTD.323	LM	
		frame 11				
†	C.211689/381	Pipe, undercarriage, air, union frame 11	1	DTD.323	LM	
		to gauge				
—	E.263058	INTEGRATED FLIGHT, SYSTEM (FULL) WITH	—	—	—	
		TACAN, ASSEMBLY				
—	E.263059	ADDITIONAL DETAILS	—	—	—	
	A.248193	Angle, mounting, for test socket	1	L.72		
10468	Std. 1639-12EX	Bolt, 1/4" B.S.F.	4	S.95.B	C.	5
	C.238306	Box, junction, A.C. No. 2, group	1	—		
	F.238310	Board, tag	1	LFB.82		
	B.238312	Box, detail	1	—		
8670	F.220761	Bush	1	—	C.	
	B.318730/1	Diagram, wiring (Mod. 1382)	1	—		
5X/9491422	Plessey Z.22430	Grommet, No. 2	1	—	C.	
	B.238308	Plate, base	1	L.72		
	F.238311	Plate, insulating	1	BS.2966		
	Chekaleke	Plug, No. 2	2	—		
10H/0560060	508/1/40061/320	Plug, panel unit	1	—	C.	
10H/0560150	508/1/40069/320	Plug, panel unit	1	—	C.	
10H/0560230	508/1/40040/320	Socket, panel unit	1	—	C.	
		† For details see Piping Chart				

† For details see Piping Chart

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10H/0560260	508/1/40043/320					Socket, panel unit	1	—	C.	
10H/0560250	508/1/40042/320					Socket, panel unit	1	—	C.	
	20470 F.236210					Spacer	2	BSS.9720	C.	
	5K/5866 RC.00					Tag, Q/R, 4 B.A.	5	—	C.	
	5731 Std.1509/12/025					Tube, distance	2	T.4	MR/C	
	8673 F.220762					Washer, plastic, 1/2" dia.	1	LFB.82	C.	
21	5975-99-4684123					Box, junction, type 148	1	—	A.	
	A.224675					Bracket, mounting	1	L.72		
	A.224676					Bracket, mounting	1	L.72		
	A.248155					Bracket, mounting for test socket	1	L.72		
10H/0970055	508/1/41035					Cap, protective	1	—	C.	
21	11294 Std.2045/25/24					Clip, sleeved	1	—	C.	6
21	12326 Std.2045/42/22					Clip, sleeved	1	—	C.	6
21	26VA/6044397 Std.2045/49/20					Clip, sleeved	1	—	C.	6
21	11304 Std.2046/21/24					Clip, sleeved	1	—	C.	6
21	20238 Std.2046/30/22					Clip, sleeved	4	—	C.	6
21	20239 Std.2046/31/32					Clip, sleeved	1	—	C.	6
21	26VA/6041267 Std.2046/27/22					Clip, sleeved	2	—	C.	6
21	9735 Std.2046/32/22					Clip, sleeved	1	—	C.	6
21	11793 Std.2046/38/22					Clip, sleeved	3	—	C.	6
21	20240 Std.2046/84/20					Clip, sleeved	1	—	C.	6
	20196 F.248662					Label, attitude indicator	1	L.17	C.	
21	5821-99-2238179					Mounting, type 7545	1	—	A.	
	— D.239381					PIPES, COOLING, INVERTER (INLET),	—	—	—	
						ASSEMBLY				
21	20181 Std.1306/R30					Connection, hose	1	DTD.625A or F.67	C.	4
	20182 A.239385					Connection, pipe	1	—	C.	
	20183 A.239384					Connection, pipe	1	—	C.	
	20178 D.239381/1					Hose, flexible (c/w plugs F.215825)	1	—	C.	
	20179 D.239381/2					Hose, flexible (c/w plugs F.215825)	1	—	C.	
	20180 C.239382					Panel, access	1	—	C.	
	— D.242695					PIPES, COOLING INVERTER (OUTLET)	—	—	—	
						ASSEMBLY				
	20191 D.242578					Pipe, branch, group	1	—	C.	
	11622 F.242732					Ring, sealing	2	Rubazote-X859	C.	
	20192 A.242577					Pipe	1	—	C.	
	20193 C.242576					Pipe	1	—	C.	
	20194 B.242575					Pipe	1	—	C.	
	20195 B.242574					Pipe	1	—	C.	
	F.247611					Plate, adaptor, at frame 13	1	L.72		
21	10AR/4280395					Plate, back	1	—	A.	
	Kelvin Hughes WTA.143574					Plate, blanking	1	—		
	20264 A.248156					Plate, cover	1	—	C.	
	5F/9454141 NY.18007A					Strapping	QR	P.V.C.	C.	
	5F/9138822 NY.3342					Stud	QR	P.V.C.	C.	
	— C.235642-3					SUPPLIES, A.C. GROUPS 1 AND 2, ASSEMBLY	—	—	—	
	B.239257					Bracket, cage form socket	2	L.72		
	F.239479					Bracket, fuse holder	2	L.72		
	— C.241878					Cable, form AC.3 (See Cable Chart)	1	—	—	

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
—	C.241879	Cable, form A.C.1 (See Cable Chart)	1	—	—	
21	11612 F.241922	Clip, cable	2	—	C.	
21	Std.2046/41/22	Clip, sleeved	2	—		6
21	Std.2076/36/22	Clip	1	—		6
21	B.239451	Connector, inverter, type 103A	2	—		
21	5920-99-9114115	Fuse, 4 amp.	2	—	C.	
21	10H/9991395	Fuse, 7 amp.	2	—	C.	
21	10H/0590170	Holder, fuse	4	—	C.	
	20206 A.240538	Holder, relay	1	—	C.	
	A.239026	Inverter, port, group	1	—		
	C.238694	Inlet, air	1	—		
21	5UB/4342693	Inverter, type 103A	1	—	A.	
	1940 Std.1231/1	Lug, locking	2	S.510	C.	4
21	5UB/4342693	Inverter, type 103A, starboard	1	—	A.	
	C.235644	Mounting, panel, port, group	1	—		
	C.235645	Mounting, panel, starboard, group	1	—		
	20202 A.241653	Lever	2	—	C.	
	20201 F.235674	Roller	6	L.65.C		
	20200 A.235788	Spigot	4	L.65.C	C.	
	590 F.188534	Spring	2	Sp.Stl.	C.	
21	Std.1507/1/090	Tube, distance	2	T.26		4
21	Std.1507/2/090	Tube, distance	2	T.26		4
21	Std.1507/24/024	Tube, distance	6	T.26		4
	F.241557	Packing, for relay	4	L.65.C		
21	5UC/4379154	Panel, control, type 15	2	—	C.	
	10F/0530473	Relay, SM5A-M4	1	—	C.	
	5F/8454141	Strapping	QR	P.V.C.	C.	
	5F/9138822	Stud	QR	P.V.C.	C.	
21	5CW/9003770	Switch, starting	2	—	A.	
21	5CW/4405591	Switch, type T1	2	—	B.	
21	26VA/6034610	Tube, distance, 5/16" o/d x 17G x .60" long	2	T.4	C.	4
21	5CW/4402893	Unit, relay, delay	1	—	A.	
	20207 Std.915/U20	Washer	1	DTD.610	C.	4
	20204 F.242280	Washer, rubber	4	Shore 50 Hallite	C.	
	20203 F.235654	Washer, serrated	8	S.510	C.	
21	5826-00-6914896	Transmitter/Receiver RT220/ARN21	1	—	A.	
	5826-00-538-2948	Tray, mounting, MT-928/ARN21	1	—	B.	
	6A/5936	Tray, mounting, computer, type A	1	—	B.	
	6A/6159	Tray, mounting, power supply, type A	1	—	B.	
21	6TD/5937	Tray, mounting, transducer, type B	2	—	B.	
21	Std.1509/3/048	Tube, distance	2	T.4		4
21	4042 Std.1509/23/030	Tube, distance	1	T.4	MR/C	4
21	Std.1509/25/064	Tube, distance	1	T.4		4
21	10D/4306052	Unit, coupling, type 11920	1	—	C.	
	20215 C.239220	Unit, protection, M.R.G., group	1	—	A.	
	F.239525	Board, terminal	1	—		
	B.239219	Box	1	—		
	B.238083	Cable, M.R.G.2 (See Cable Chart)	1	—	—	
	B.238084	Cable, M.R.G.3 (See Cable Chart)	1	—	—	
	5X/9491422	Grommet, No. 2	1	—	C.	
	20214 B.239218	Lid	1	—	C.	
	5X/9400385	Lug	2	—	C.	

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.241656					Plate, mounting	1	L.72		
21	5CW/9499153	—				Relay, 10B No.15)	1	—	C.	
21	5CW/1057583	—				Relay, 20B No.3) Alternatives	1	—	C.	
	5F/	—				Sleeve, Helsyn HT20 x 1"	9	—	C.	
21	10748	Std.1949/11				Sleeve, marker	2	—	C.	5
21		Ross Courtney No. 73				Tag	3	—		
		Ross Courtney No. 01				Tag	5	—		
	5X/9400384	703/2/00358				Terminal	1	—	C.	
21	6G/4506300	—				Unit, power failure, type B	1	—	A.	
21	10A/4702149	—				Washer, check	12	—	C.	
	10A/19430	—				Washer	4	—	C.	
21	4613	Std.1335/C/18				Washer, 2 B.A.	4	L.4	C.	4
21	3777	Std.1335/G/18				Washer, 5/16"	6	L.4	C.	4
21		Std.1546/25/16				Washer, packing	1	DTD.610		4
21	26VA/6039031	Std.1548/30/12				Washer, packing	4	DTD.610	C.	4
21	5826-99-4280400	—				Aerial, type 100B	1	—	A.	
21	6A/4338333	—				Box, inverter control, type B	1	—	B.	
	D.316548					Box, junction AC No. 1, group (Mod. 1382)	1	—		
	A.240753					Angle, fastener	1	L.72		
	B.263995					Angle, mounting, relay, aft	1	—		
	A.263996					Angle, mounting, relay, forward	1	—		
	D.318731/1					Diagram, wiring (Mod. 1382)	1	Photo		
	B.240668					Lid, J.B. No. 1	1	L.59		
	F.263997					Plate, retaining	2	L.72		
	—	D.24876				PLATFORM, WIRING, ASSEMBLY	—	—	—	
	8670	F.220761				Bush	2	LFB.82	C.	
21	5E/9436806	—				Cable, unipren 18	QR	BS.2E21	C.	
21	5E/9012998	—				Cable, uninyvin 16	QR	BS.2E21	C.	
	10AC/	CP. Clare Ltd. RP.9006				Clip, relay, type "F"	4	—	C.	
21	10H/9019668	Belling Lee L.1055/5				Fuse, 5 amp	2	—	C.	
21	5920-99-9402448	Belling Lee L.562/2.5				Fuse, 2.5 amp	19	—	C.	
21	10H/0590111	Belling Lee L.1055/3				Fuse, 3.0 amp	4	—	C.	
	10H/	Belling Lee L.1055/20				Fuse, 20 amp	1	—	C.	
21	10H/9991395	Belling Lee L.562/7				Fuse, 7 amp	1	—	C.	
	10H/	Std. Telephones LP.736720				Holder, base	2	—	C.	
	10H/0590170	Belling Lee L.575				Holder, fuse	24	—	C.	
	10H/0590100	—				Holder, fuse	8	—	C.	
		F.241887				Link, earth	1	BSS.265 Hard		
	10H/0560200	508/1/50076/320				Plug, panel unit	1	—	C.	
	10H/0560130	508/1/40066/320				Plug, panel unit	2	—	C.	
	10H/0560080	508/1/40063/320				Plug, panel unit	2	—	C.	
	10H/0560581	508/1/40063/321				Plug, panel unit	1	—	C.	
	10H/	Std. Telephones LP.733615				Plate, base holder	2	—	C.	

HUNTER T. MK 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
21	5CW/9499152	F.241704					3	L.72		
	5X/1005132	—					1	—	C.	
	5F/	508/2/11230					4	—	C.	
	5F/	Hellermann					20	—	C.	
	5F/	Hellermann					20	—	C.	
	5F/	Hellermann					4	—	C.	
	10H/0560260	508/1/40043/320					2	—	C.	
	10H/0560263	508/1/40043/323					1	—	C.	
	10H/0560265	508/1/40043/325					1	—	C.	
	10H/0560330	508/1/40049/320					1	—	C.	
	10H/0560331	508/1/40049/321					1	—	C.	
	10F/	C.P. Clare Ltd.					4	—	C.	
		R.P.9005								
21	10F/4700167	—					1	—	C.	
	5K/9487868	Ross Courtney					2	—	C.	
		No. 44								
21		Ross Courtney					72	—		
		No. 73								
21	5X/9462745	703/2/00320					22	—	C.	
21	5X/1005121	703/2/00323					2	—	C.	
	5K/4346693	Ross Courtney					3	—	C.	
		R.C.2120								
	5K/	R.C.2122					2	—	C.	
	6A/4333075	—					1	—	C.	
21	6G/4506300	—					3	—	A.	
	8673	F.220762					2	LFB.82	C.	
		C.P. Clare Ltd.								
	10F/	R.P.7641					3	—	B.	
21	5CW/9499152	—					1	—	B.	
21	5CW/1057583	—					5	—	A.	
	10F/	—					2	—	B.	
		D.264144					1	—		
	10F/	Std. Telephones					2	—	C.	
		LP.733614								
	26VA/6039016	Std.1509/23/064					1	T.4	C.	4
		C.248329					1	—		
	—	A.241136					1	—		
		F.241076					1	L.65		
		C.247046/1					1	—		
21	5X/4500831	—					1	—	C.	
	10H/0970095	508/2/07706/200					1	—	C.	
	10H/0970111	508/2/07720/200					1	—	C.	
21	5X/1931479	Plessey Z.22634					1	—	C.	
	20216	A.240496					1	—	C.	
		B.240489					1	—		
	10H/0970065	508/1/07624/003					1	—	C.	
		F.240491					1	L.72		
	20275	B.241001					1	—	C.	
	10H/0560360	508/1/40029/320					1	—	C.	
	10H/0970099	508/2/07755/007					1	—	C.	
		Std.1950/11					1	—		
		Plate, adaptor								
		Relay, 10B, No. 14								
		Sleeve, reducing								
		Sleeve (Helsyn 150) HT20 x 3/4"								
		Sleeve (Helsyn 150) HT30 x 1"								
		Sleeve, (Helsyn 150) (HT75 x 1"								
		Socket, panel unit								
		Socket, panel unit								
		Socket, panel unit								
		Socket, panel unit								
		Socket, panel unit								
		Socket, relay, type F								
		Switch, S.P., type 152								
		Tag								
		Tag								
		Tag, closed end								
		Tag, closed end								
		Tag, quick release (Mod. 1382)								
		Tag, quick release								
		Transformer, 115/26V, type 213 M.V.								
		Unit, power failure, type "B"								
		Washer, plastic, 1/2" o/d x 5/16" i/d								
		Relay, type F.26.5 V/675 ohms								
		Relay, 10B, No. 14								
		Relay, 10B, No. 15								
		Relay, S.M.5A-M								
		Shell, junction box								
		Spring, retainer								
		Tube, distance, 5/16" o/d x 17G x .64"								
		Box, distribution, M.R.G., group								
		Cable, test plug, group (See Cable Chart)								
		Cap, blanking								
		Diagram, wiring								
		Ferrule								
		Gasket, outlet								
		Gasket, union								
		Grpmmet, dummy								
		Lid, Box, M.R.G.								
		Mounting, panel plug								
		Outlet, straight								
		Plate, bridge								
		Platform, terminal wiring								
		Plug								
		Ring, thrust								
		Sleeve, marker								

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5K/	Hellermann					Sleeve, Helsyn, HT, 20 x 3/4"	12	—	C.	
5K/	Hellermann					Sleeve, Helsyn, HT, 30 x 1"	1	—	C.	
5K/	Hellermann					Sleeve, Helsyn, HT, 75. 1"	1	—	C.	
5CZ/1038569	—					Box, lamp dimming	1	—	A.	
—	C.247668					Cable, F.68, group (See Cable Chart)	1	—	—	
7989	A.209702					Ferrule	1	L.65	C.	
20308	F.220736					Ferrule	1	DTD.604	C.	
20309	F.220735					Nut, gland	1	L.65	C.	
—	C.246257					Cable, F.92, group (See Cable Chart)	1	—	—	
8012	F.208578					Adaptor, 6—12 amp.	1	—	C.	
105X/—	AN.3054/4					Nut, cannon, CA.3340/4	1	—	C.	
—	A.245517					Cable, F.172 (See Cable Chart)	1	—	—	
—	B.239687					Cable, A.C.1, group (See Cable Chart)	1	—	—	
20305	F.240573					Barrel, crimping	2	Copper Tube or Bar	C.	
—	B.239688					Cable, A.C.2 (See Cable Chart)	1	—	—	
—	B.239686					Cable, A.C.3 (See Cable Chart)	1	—	—	
20305	F.240573					Barrel, crimping	1	Copper Tube or Bar	C.	
—	B.239689					Cable, A.G.4 (See Cable Chart)	1	—	—	
—	B.239690					Cable, A.G.5 (See Cable Chart)	1	—	—	
—	B.238341					Cable, A.G.6 (See Cable Chart)	1	—	—	
—	B.238342					Cable, A.C.7 (See Cable Chart)	1	—	—	
—	B.246240					Cable, A.D.C.1 (See Cable Chart)	1	—	—	
—	B.246241					Cable, A.D.C.2 (See Cable Chart)	1	—	—	
—	B.246242					Cable, A.D.C.3 (See Cable Chart)	1	—	—	
—	B.246243					Cable, A.D.C.4A (See Cable Chart)	1	—	—	
—	CS.5403/1					Cable, A.D.C.4B (Mod. 1371)	1	—	—	
—	B.246244					Cable, A.D.C.4B (Pre Mod. 1371) (See Cable Chart)	1	—	—	
—	B.246245					Cable, A.D.C.5 (See Cable Chart)	1	—	—	
—	B.246246					Cable, A.D.C.6 (See Cable Chart)	1	—	—	
—	B.246248					Cable, A.D.C.8 (See Cable Chart)	1	—	—	
—	CS.5403/2					Cable, A.D.C.10 (Mod. 1371)	1	—	—	
—	B.246271					Cable, A.D.C.10 (Pre Mod. 1371) (See Cable Chart)	1	—	—	
—	B.238081					Cable, A.T.1 (See Cable Chart)	1	—	—	
—	B.240678					Cable, A.T.2 (See Cable Chart)	1	—	—	
—	B.238021					Cable, G.C.2A (Shown on C.248617) (See Cable Chart)	1	—	—	
—	B.238022					Cable, G.C.2B (Shown on C.248617) (See Cable Chart)	1	—	—	
—	B.238023					Cable, G.C.2D (Shown on C.248617) (See Cable Chart)	1	—	—	
—	B.238024					Cable, G.C.2C (Shown on C.248617) (See Cable Chart)	1	—	—	
—	B.248330					Cable, G.C.2 (See Cable Chart)	1	—	—	
—	B.237910					Cable, G.C.3 (See Cable Chart)	1	—	—	
11657	B.238082					Cable, M.R.G.1 (See Cable Chart)	1	—	B.	
—	B.238085					Cable, M.R.G.4 (See Cable Chart)	1	—	—	
—	B.240719					Cable, M.R.G.5 (See Cable Chart)	1	—	—	
—	B.240680					Cable, M.R.G.6 (See Cable Chart)	1	—	—	
—	B.246250					Cable, N.D.1 (See Cable Chart)	1	—	—	
—	B.246251					Cable, N.D.2 (See Cable Chart)	1	—	—	
—	B.246252					Cable, N.D.4 (See Cable Chart)	1	—	—	
—	B.246253					Cable, N.D.5 (See Cable Chart)	1	—	—	
—	B.246254					Cable, N.D.6 (See Cable Chart)	1	—	—	

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
21	10HB/4133960	B.246255	Cable, N.D.7 (See Cable Chart)				1	—	—	
		B.246256	Cable, N.D.8 (See Cable Chart)				1	—	—	
		B.239248	Cable, T.A.C.4 (Mod. 1371) (See Cable Chart)				1	—	B.	
		—	Cables for further TACAN Cables see E.262692				—	—	—	
	5X/	Plessey	Cap, blanking (Mod. 1382)				1	—	C.	
		508/1/03442/003								
		F.262505	Cap, protective, for Cable F.92 end "E"				1	Neoprene	—	
	10H/0970056	508/1/41036	Cap, protective				QR	—	C.	
	10H/0970057	508/1/41037	Cap, protective				QR	—	C.	
21	26FX/	Std.851/80	Clip, for flexible pipe				1	—	C.	4
21	11209	Std.2045/34/22	Clip, sleeved				2	—	C.	6
21	26VA/6041756	Std.2045/40/22	Clip, sleeved				1	—	C.	6
21	12326	Std.2045/42/22	Clip, sleeved				1	—	C.	6
21	26VA/6041253	Std.2045/46/20	Clip, sleeved				1	—	C.	6
21	11208	Std.2046/15/26	Clip, sleeved				1	—	C.	6
21	20237	Std.2046/23/22	Clip, sleeved				1	—	C.	6
21	26VA/6042337	Std.2046/29/22	Clip, sleeved				2	—	C.	6
21	11384	Std.2046/34/22	Clip, sleeved				2	—	C.	6
21	26VA/6044071	Std.2046/50/20	Clip, sleeved				2	—	C.	6
21		Std.2046/56/22	Clip, sleeved				2	—	—	6
21		Std.2046/72/20	Clip, sleeved				1	—	—	6
21		Std.2076/28/22	Clip, sleeved				1	—	—	6
21	9735	Std.2076/33/22	Clip, sleeved				2	—	C.	6
21	6610-99-	—	Computer, air data, type C				1	—	A.	
	1028918	—								
	20422	B.241501	Connector, Tacan, Mic/Tel. (See Cable Chart)				1	—	B.	
	—	A.241524	Connector, Tacan, Mic/+ (See Cable Chart)				1	—	—	
	—	B.263064	CONNECTORS, BULKHEAD ON FRAME 6,				—	—	—	
			ASSEMBLY (Modified to Mod. 1232)							
	10H/0970055	508/1/41035	Cap, protective				16	—	C.	
	10H/5800517	508/1/40180/320	Plug/socket				2	—	C.	
	10H/9116803	508/1/40181/320	Plug/socket				3	—	C.	
21	10H/6225764	508/1/40182/320	Plug/socket				1	—	C.	
21	5935-99-	508/1/40183/320	Plug/socket				1	—	C.	
	1052650									
	10H/9144105	508/1/40189/321	Plug/socket				1	—	C.	
	10H/9116831	508/1/40189/320	Plug/socket				2	—	C.	
21	10AD/9209080	508/1/40169/320	Socket/Plug				3	—	C.	
		B.263065	CONNECTORS, BULKHEAD ON FRAME 14,				—	—	—	
			ASSEMBLY							
	10H/0970055	508/1/41035	Cap, protective				3	—	C.	
	10H/0970057	508/1/41037	Cap, protective				2	—	C.	
21	5935-99-	508/1/40183/320	Plug/Socket				2	—	C.	
	1052650									
	10H/9116804	508/1/40196/320	Plug/Socket				2	—	C.	
	10H/9116831	508/1/40189/320	Plug/Socket				1	—	C.	
21	10H/4709550	508/1/40176/320	Socket/Plug				1	—	C.	
21	10H/9721991	508/1/40163/320	Socket/Plug				1	—	C.	
21	10H/4308322	508/1/40160/320	Socket/Plug				1	—	C.	
		Elliott	Dummy temperature probe, type SK.563				1	—	—	
		C.244580	Deflector				1	—	—	
	6G/310	—	Frame, mounting, for M.R.G.				1	—	B.	
21	6A/4338630	—	Generator, tachometer, Mk.8				1	—	A.	
21	6G/4506304	—	Gyro, master reference, Mk.1, type E				1	—	A.	

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.237405	MOUNTING, AMPLIFIER, TYPE "A", ASSEMBLY ..					—	—	—	
	6B/2655	Amplifier					1	—	A.	
	6B/3243	Amplifier, type "B"					1	—	A.	
21	6TD/1048470	Amplifier, type "C" (Alternative to 6B/3243)					1	—	A.	
	F.237414	Bracket, bottom					1	—		
	F.237424	Bracket, top					1	—		
	A.245749	Bracket, mounting					1	—		
	A.237310	Bracket, mounting, for amplifier					1	—		
	6B/2726	Plate, mounting, type "A"					1	—	B.	
21	6TD/4550875	Plate, mounting, type "B"					1	—	B.	
	20276	Pipe, cooling, frame 1C to frame 1D					1	—	C.	
	—	C.238191					—	—	—	
		PIPES, COOLING, TACAN, ASSEMBLY					—	—	—	
		(D.213813 modified)								
	F.197334	Angle, for duct cooling clip on frame 2					1	—		
21	4801	Std.840/48					1	DTD.610	MR/C	4
21		Std.840/54					2	DTD.610		4
21	7154	Std.840/55					4	DTD.610	MR/C	4
21		Std.850/97					2	DTD.610		4
21	5415	Std.851/29					1	L.72	MR/C	4
21	11383	Std.851/48					1	L.72	C.	4
21	924	Std.1682/12					4	S.510	C.	5
21	10137	Std.1682/16					4	S.510	C.	5
21	10B/4306498	Coupling, air, straight					1	—	B.	
21	27KD/4631534	Coupling, ground cooling					1	—	C.	
	504300									
	20209	C.241599					1	—	C.	
	10149	F.234308					1	Neoprene	C.	
	—	Std.1306/E25					1	DTD.625A	—	4
		Hose, coupling (Make from 32C/456)						or F.67		
21	3772	Std.1306/G25					1	DTD.625A	MR/C	4
		Hose, coupling						or F.67		
		Std.1306/U30					1	DTD.625A		
		Hose, coupling						or F.67		
21	2144	Std.1231/3					1	S.510	C.	4
		F.213815					1	L.72		
	20212	A.238215					1	—	C.	
	1506435	A.221975					1	—	C.	
		Pipe, cooling inverter					1	—	C.	
		Pipe, cooling inverter					1	—	C.	
	20210	A.238198					1	—	C.	
	20211	B.238199					1	—	C.	
	10132	A.232120					1	—	C.	
		Pipe, 4-way piece to Y branch					1	—		
		A.213787					1	—		
		Pipe, ground cooling connection					1	—		
		F.238200					1	—		
	20213	F.244648					1	—	C.	
	1715	Std.1744/12					6	Silicone	C.	5
	10138	Std.1744/16					2	Silicone	C.	5
		F.238201					2	LFS.21		
		Support, pipe					1	LFS.21		
		F.242249					1	LFS.21		
	8957	B.213716					1	—	B.	
		Valve, non-return, group					1	—		
		A.213173					1	L.59, L.67		
	669	F.185406					1	DTD.364	C.	
		Pin, pivot					1	—		
		F.213175					1	—		
		Plate, valve, group					1	—		
		F.213175/1					1	Rubber		
		F.205324					1	S.95		
	5785	Std.915/C16					1	DTD.610	C.	4
		Washer								

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
21	A.213172					Shroud	1	L.59, L.67		
	671 F.185336					Spring	1	Bronze	C.	
	Std.821115					Washer, cooling pipe to inverter	1	L.4 or L.34		4
	1327 Std.1547/24/12					Washer, profile	8	DTD.610	C.	4
	B.245755					Plate, mounting, for control box	1	L.72		
	9890 A.224242					Plate, nut, bottom aerial	1	—	C.	
	5F/ Hellermann					Sleeve, Helsyn, HT.15 x 3/4"	3	—	C.	
	5F/9454141 NY.18007A					Strapping, 1/2" wide	QR	P.V.C.	C.	
	F.217996					Strip, bonding	4	L.72		
	5F/9138822 NY.3342					Stud	QR	P.V.C.	C.	
	B.247456					Strut, cable support, port	1	—		
	B.247457					Strut, cable support, starboard	1	—		
	5CW/2007871 Dowty					Switch, push button, type "A"	1	—	A.	
	C.5762Y Mk.2									
	5X/9718093 H.C.296B					Terminal, ring tongue	9	—	C.	
21	6A/6610-99-1028884					Transducer, static, type "B"	1	—	C.	
21	6A/6610-99-1028885					Transducer, pitot, static, type "B"	1	—	C.	
21	6TD/4550876					Tray, mounting, type "A", for control unit	1	—	A.	
21	3805 Std.1509/23/100					Tube, distance	4	T.4	MR/C	4
21	6TD/1028898					Unit, power supply, type "C"	1	—	A.	
21	6TD/1048539					Unit, detector, type "B"	1	—	A.	
	9889 A.212860					Washer, sealing bottom aerial	1	—	C.	
	Std.1535/C18					Washer, 2 B.A.	9	L.65		
	— E.246571					INSTRUMENT, PANELS, ASSEMBLY	—	—	—	
						(For further spares see D.255855)				
	A.246589					Angle, switch mounting	1	L.72		
	A.264396					Bracket, mounting (Mod. 1229)	1	—		
21	6A/3221					Computer, offset Tacan, type "B"	1	—	B.	
	3770 Std.1178/8					Clip, support strut	1	—	C.	4
	E.272983					Cover, windscreen reflection (Mod. 1232)	1	—		
	— E.247214					CRATES, FLIGHT INSTRUMENT, ASSEMBLY	—	—	—	
	D.247187					Box, junction, instrument crate, group	1	—		
21	26VA/6043471 B.246964					Channel	1	—		
	Std.2045/20/24					Clip, sleeved	1	S.510	C.	6
21	20242 Std.2045/26/24					Clip, sleeved	1	S.510	C.	6
	20250 B.246963					Cover, junction box	1	L.59	C.	
	A.246965					Plate, end, inboard	1	—		
	A.246966					Plate, end, outboard	1	—		
	C.247152					Plate, terminal	1	—		
	C.247186					Plate, terminal	1	—		
21	10CV/0372373 Ferranti ZS.10A					Rectifier, silicon	1	—	C.	
	F.247453					Clip, instrument panel	3	L.72		
21	20242 Std.2045/26/24					Clip, sleeved	1	S.510	C.	6
	E.246559					Crates, flight instrument, group	1	—		
	20249 F.246382					Block, bearing	5	L.65	C.	
	F.246383					Block, bearing	5	L.65		
	20243 F.251500					Cam, extractor, upper	2	—	C.	
	20244 F.251501					Cam, extractor, lower	3	—	C.	
	A.247526					Duct, cable	1	—		
	20246 F.246198					Indicator, locking	5	S.510	C.	
	F.247265					Spindle, arm locking	5	S.1		
	20247 F.246199					Spring, instrument panel	5	DTD.215	C.	
	20248 F.246478					Spring, instrument panel	5	DTD.215	C.	
	20245 F.246197					Stop, arm	5	—	C.	

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
21	5767	Std.1509/12/030				Tube, distance	5	T.4	MR/C	4
	11600	F.246557				Washer, distance, 3/8" i/d x 3/4" o/d	5	L.65	C.	
	5K/	—				x .140" thick				
	5X/9400384	703/2/00358				Sleeve, HT.20 x 3/4"	2	—	C.	
	5X/9400385	703/2/00359				Terminal	1	—	C.	
21	6B/3244	—				Terminal	1	—	C.	
						Display, navigation, type "B", alternative to	1	—	A.	
						6TD/62047				
21	6TD/6204710	—				Display, navigation, type "C", alternative to 6B/3244	1	—	A.	
21	6TD/1042363	—				Display, height and rate of climb, type "D"	1	—	A.	
		F.248674				Guard, bearing indicator push knob	1	L.72		
21	6TD/4550251	—				Indicator, attitude, type F.4D (Mod. 1329)	1	—	A.	
21		Std.1285/3D.E.				Lead, bonding	1	—		4
	11870	F.232308				Lug, Locking	1	—	C.	
	—	D.245934				MOUNTINGS, PANEL, ASSEMBLY	—	—	—	
	20255	F.245948				Stud	2	S.1	C.	
	20256	F.245950				Washer, retaining	1	L.65	C.	
	20257	F.245951				Washer	3	L.65	C.	
	—	C.312042				PANEL, BOMB AND R.P. ASSEMBLY (mod. 1366)	—	—	—	
	—	C.312051				(For further spares see C.231205)				
		F.256438				Cable assy., A.13 (See Cable Chart)	1	—	—	
		B.312041				Guard, switch	1	—	—	
21	5CW/6191356	Honeywell				Panel, switch mounting, group	1	—	C.	
		2TL1-1A				Switch, D.P.	1	—	C.	
21	5CW/4408140	Honeywell				Switch, D.P.	1	—	C.	
		2TL1-10A								
	5CW/	Honeywell				Switch, D.P.	1	—	C.	
		1TL1-3								
		D.327073				PANEL, INSTRUMENT, CENTRE, ASSEMBLY	—	—	—	
						(Mod. 1415) (For further spares see D.255854)				
		D.246126				PANEL, INSTRUMENT, CENTRE, ASSEMBLY	—	—	—	
						(Pre Mod. 1415) (For further spares see D.255854)				
	5X/1997586	Plessey				Block, terminal, 5-way (Mod. 1415)	1	—	C.	
		703/1/00190								
		A.247646				Cable, F.176, assy (See Cable Chart)	1	—	—	
	—	C.247494				(Mod. 1415)				
		D.247508				Cable, F.40, F.62, F.65, assembly	1	—	—	
		D.247509				Cable, F.40, group (See Cable Chart)	1	—	—	
		B.254857				Cable, F.62, group (See Cable Chart)	1	—	—	
						Cable, F.65, group (See Cable Chart)	1	—	—	
21	5CW/4405619	HV.3711				Cap, sea grey (Pre Mod. 1415)	2	—	C.	
21	5CW/4405620	HV.3710				Cap, sea grey (Pre Mod. 1415)	3	—	C.	
	6A/7002040	—				Clamp, securing (Alt. to 6A/1037233)	2	—	—	
						(3 off Pre Mod.1415)				
	6A/1037233	—				Clamp (Alternative to 6A/7002040)	2	—	C.	
						(Mod. 1415)				
21	5CW/4401527	—				Cover, terminal	1	—	C.	
21	6A/4337783	—				Gauge, jet temperature (Mod. 1415)	1	—	A.	
21	6A/9017400	—				Indicator, exhaust temperature (Pre Mod. 1415) .	1	—	—	
	5L/9951273	Rotax				Lamp, filament (Mod. 1365)	1	—	C.	
		N.56091								
21	5CX/1085815	Rotax				Lamp, warning, type A (Mod. 1365)	2	—	C.	
		H.2702								
	20	C.327075				Panel, detail (Mod. 1415)	1	—	—	
		C.246125				Panel, detail (Pre mod. 1415)	1	L.72	—	

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. On	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	D.246337	PILLAR, LIGHTING CENTRE INSTRUMENT PANEL, ASSEMBLY (For further spares see D.255873)					—	—	—	
5K/1200717	SP40—B10	Grommet					1	—	C.	
	F.195858	Link (Mod.1415)					2	—	C	
5X/1005131	Plessey	Sleeve, reducing (Mod.1415)					2	—	C	
	508/2/11232/002									
	Ross Courtney 01	Tag (Mod.1415)					6	—	—	
21	1178	Screw, roundhead, 4 B.A. (Mod.1415)					3	—	C	5
21	5830	Screw, countersunk, 6 B.A. (Mod.1415)					2	—	C	5
21	4660	Screw, countersunk, 4 B.A. (Mod.1415)					4	—	C	5
21	1943	Screw, countersunk, 4 B.A. (Mod.1415)					2	—	C	5
21	8717	Screw, countersunk, 4 B.A. (Pre Mod.1415)					4	—	C	5
21	5CW/4671815	Rotax					1	—	C.	
	D.5435									
	5CW/4400402	Switch, (Mod.1415)					1	—	C	
21	6A/1054258	Tachometer, Mk.11					1	—	A.	
	10L/	Unit, control, Tacan, type C.866/ARN.21					1	—	A.	
	—	B.245315					—	—	—	
		PANEL, INSTRUMENT, SIDE, PORT, ASSEMBLY ... (For further spares see B.261117)					—	—	—	
	5CZ/1053795	Block, terminal, 3-way, type "B"					1	—	C.	
21	5CX/1143218	Bridge, light, type "G"					1	—	C.	
	—	D.245518					1	—	—	
	—	Cable, F.13, group (See Cable Chart)					1	—	—	
	—	D.245519					1	—	—	
21	6A/7002039	Smiths Std.1503					1	—	C.	
		Std.1503/9					1	—	—	
		Std.1503/12					1	—	—	
	5K/	Rotax N.65290					2	—	C.	
21	6A/4338243	Smiths 19 HSD					1	—	A.	
21	6A/4337748	Smiths 587 FL.					1	—	A.	
		B.245314					1	L.72	—	
21	5CX/1143869	Thorn 80/10/0855					1	—	C.	
21		Std.1606/44/A18					3	B.11	—	5
21	1637	Std.1606/44/B14					1	B.11	C.	5
21	4179	Std.1606/44/B20					6	B.11	C.	5
21	3857	Std.1606/44/C24					1	B.11	C.	5
21	9447	Std.1606/44/C.28					2	B.11	C.	5
21	5CW/4400504	Dowty					1	—	A.	
	C.5182Y Mk.8D									
	5CW/1047693	Switch, no centre "off"					2	—	C.	
21	5CW/4405515	Switch, dimmer, .135 ohms.					1	—	C.	
	28W/1037445	Tap, locking					1	—	C.	
	—	D.316551					—	—	—	
		PANEL, INSTRUMENT, STARBOARD, ASSEMBLY. (Mod.1382) (For further spares see D.324326)					—	—	—	
	6A/6206302	Kollsman					1	—	A	
		Altimeter, Mk.30B, servo encoding					1	—	—	
21	—	C.316550					1	—	—	
	A.232436/11	Pipe (Make from 30B/1054948)					1	—	LM	
	B.327077	PANEL, SUPPLEMENTARY, ASSEMBLY (Mod.1415)					—	—	—	
	—	B.246128					—	—	—	
		PANEL, SUPPLEMENTARY, ASSEMBLY (Pre Mod.1415)					—	—	—	
	6A/8977	Altimeter, Mk.27, stand by (Mod.1415)					1	—	A	
	F.247471	Angle (Pre Mod.1415)					1	L.72	—	
	B.247562	Bracket, mounting					1	—	—	
	5X/1997586	Block, terminal, 5-way (Pre Mod.1415)					1	—	B	
	A.247646	Cable, F.176 (See Cable Chart) (Pre Mod. 1415)					1	—	—	

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	6A/7002040	—				Clamp, (Alternative to 6A/1037233)	1	—	C.	
	6A/1037233	—				Clamp, (Alternative to 6A/7002040)	1	—	C.	
21	26VA/6041140	Std.2045/17/24				Clip, sleeved (Mod. 1415)	1	—	C.	6
	26VA/6043471	Std.2045/20/24				Clip, sleeved (Pre Mod. 1415)	1	—	C.	6
21	6A/4333178	—				Clock, Mk.4B (Alternative to 6A/4332876)	1	—	A.	
						(Pre Mod. 1415)				
21	6A/4332876	—				Clock, type 5CA (Alternative to 6A/4333178)	1	—	A.	
						(Pre Mod. 1415)				
	5L/9959118	—				Filament, 28v., .04A	7	—	B.	
21	5CW/4405594	Rotax N.65290				Grommet, (2 off Pre Mod. 1415)	4	—	C.	
	6A/4338293	—				Horizon, artificial, Mk.6C	1	—	A.	
	6A/4338804	—				Indicator, airspeed, Mk.18	1	—	A.	
21	6TD/1046928	Ferranti				Indicator, direction	1	—	A.	
		FD1 Type A								
	5CX/1143224	Thorn				Light, bridge, type "N" (Mod. 1415)	1	—	C.	
21	5CX/1143215	Thorn 80/10/1190				Light, bridge (Pre Mod. 1415)	1	—	C.	
	5CX/1143214	Thorn 80/10/1192				Light, bridge	1	—	C.	
	5CX/1042172	Thorn 80/10/0855				Light, pillar, red	3	—	C.	
	6015	F.195858				Link (Pre Mod. 1415)	2	—	C.	
21	1940	Std. 1231/1				Lug (Pre Mod. 1415)	1	—	C	4
		B.327076				Panel (Mod. 1415)	1	—		
		B.246127				Panel (Pre Mod. 1415)	1	L.72		
21	5830	Std.1606/45/A14				Screw, countersunk head, 6 B.A.	2	B.11	C.	5
						(Pre Mod. 1415)				
21	3839	Std.1606/44/B16				Screw, roundhead, 4 B.A.	4	B.11	C.	5
						(3 off. Pre Mod. 1415)				
21	3861	Std.1606/45/B24				Screw, countersunk head, 4 B.A.	1	B.11	C.	5
						(Pre Mod. 1415)				
21	6356	Std.1606/44/B32				Screw, roundhead, 4 B.A.	1	B.11	C.	5
21	1943	Std.1606/45/B16				Screw, countersunk head, 4 B.A.	3	B.11	C.	5
						(Pre Mod. 1415)				
21		Std.1606/44/B18				Screw, roundhead, 4 B.A. (Pre Mod. 1415)	1	Brass		5
		Std.2095/208/B18				Screw, countersunk head, 4 B.A.	1	L.65		
		Std.2095/209/B24				Screw, panhead, 4 B.A.	2	L.65		
		Std.2095/208/B56				Screw, countersunk, 4 B.A.	2	Brass		
21	3857	Std.1606/44/C24				Screw, roundhead (Mod. 1415)	3		C.	5
21		Std.1606/44/B24				Screw, roundhead (Mod. 1415)	1			5
	5X/1005131	508/2/11232/002				Sleeve (Pre Mod. 1415)	2	—	C.	
	5CY/4376512	—				Socket, type "R"	1	—	C.	
	5CW/4400402	Pye 523				Switch (Pre Mod. 1415)	1	—	B.	
		R.C01				Tag (Pre Mod. 1415)	6	—		
	5CZ/1038561	—				Potentiometer, control	1	—	A.	
21		Std.1606/32/A10				Screw, 6 B.A.	2	B.11		5
21	1178	Std.1606/44/B12				Screw, 4 B.A.	2	B.11	C.	5
		D.246498				Shield, glare, centre, group	1	—		
	32C/627	—				Sealing, sponge rubber	1	—	C.	
		D.246498/1				Shield, side, L.H.	1	L.72		
		D246498/2				Shield, side, R.H.	1	L.72		
21	5930-99-1035907	—				Shroud, button	1	—	C.	
	A.246605	—				Strut, panel support	1	L.72		
	A.247826	—				Switch, dimmer and mounting, group	1	—		
	F.247648	—				Cable, F.177 (See Cable Chart)	1	—	—	
	5K/—	SP.40-A8				Grommet	1	—	C.	
		F.247770				Mounting	1	L.72		
21		Std.1606/44/A18				Screw, roundhead, 6 B.A.	2	B.11		5
21	9450	Std.1606/45/A18				Screw, countersunk head, 6 B.A.	1	B.11	C.	5
21	5CW/4405515	—				Switch, dimmer, type "R", 135 ohms	1	—	B.	
21	—	D.321963				LIGHT, ANTI-COLLISION, ASSEMBLY (Mod. 1380)	—	—	—	
						(For further spares see D327979)				
	—	B.316525				Cable, C.89, assy. (See Cable Chart)	1	—	—	
	—	B.316526				Cable, C.90, assy. (See Cable Chart)	1	—	—	
	—	B.316527				Cable, C.91, assy. (See Cable Chart)	1	—	—	
	—	B.316511				Cable, C.92, assy. (See Cable Chart)	1	—	—	
	—	B.316512				Cable, F.184, assy. (See Cable Chart)	1	—	—	

HUNTER T. MK. 8B. S.O.O.

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
	—	MAIN PLANE, OUTER, ASSEMBLY	—	—	—	
		(For further spares see D.231793-4)				
6A/1065724	—	Head, pressure, Mk. 10B (Mod. 1317)	1	—	A.	
6098086	F.297221	Spigot, locating pressure head (Mod. 1317)	1	—	C.	
12299	F.266515	Wing, outer, port, group (Mod. 1159)	1	—	A.	
		(For further spares see C.231791 and D.233324)				
12300	F.266516	Wing, outer, starboard, group (Mod. 1159)	1	—	A.	
		(For further spares see C.231792 and D.233325)				
12590	D.258850	Fairing, port, group	1	—	B.	
	D.258851	Fairing, starboard, group	1	—		
11590	D.258850/2	Panel	1	L.72	C.	
12532	Camloc	Receptacle	4	—	C.	
	17R1-1AA					
12533	Camloc	Spring, retaining	4	—	C.	
	17S6-1AA					
12531	Camloc	Stud, assembly	4	—	C.	
	17S1-4AA					
12591	C.258852	Fairing, base, port, group	1	—	B.	
12571	C.258853	Fairing, base, starboard, group	1	—	B.	
	C.258852/1	Base, detail, port	1	L.72		
	C.258853/1	Base, detail, starboard	1	L.72		
	C.258852/2	Packing, port	1	L.65.C		
	C.258853/2	Packing, starboard	1	L.65.C		
	C.258852/3	Packing, port	1	L.65.C		
	C.258853/3	Packing, starboard	1	L.65.C		
		Pitot tube installation, assembly	—	—	—	
		(For further spares see C.199912)				
6098084†	A.297018	Pipe, static, tee piece to static head	1	DTD.253	C.	JH.1
		(Mod. 1317)				
11591	A.258848	Plate, cover	2	L.72	C.	
11592	F.258294	Plate, cover, outer pylon	2	L.72	C.	
	B.206457-8	SKINS, ASSEMBLY	—	—	—	
	D.206446-7	Skin, rivetting, top, between rib "M"	—	—	—	
		and rib "R" assembly				
12301	B.259073	Panel, access, interspar rib "Q" port	1	L.72	C.	KD.2
		(A.206237 modified)				
12302	B.259074	Panel, access, interspar rib "Q" starboard	1	L.72	C.	KD.2
		(A.206237 modified)				
		† For details See piping chart				

† For details See piping chart

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
—	F.263081	OXYGEN INSTALLATION, ASSEMBLY					—	—	—	
		(For further spares see E.218888)								
	20185	F.241682	Block, clamp				2	LFS.21	C.	
	20186	F.241853	Block, clamp				2	LFS.21	C.	
21	3774	Std.1306/N/20	Coupling, flexible, for pipe joint				1	DTD.625A or F.67	C.	4
21	20187	B.241455	Connection, oxygen, L.P. tubing				1	—	C.	
21	11624†	A.212152/6	Pipe, P.R.V. to 3-way connection				1	DTD.253	C.	
21	11625†	A.212152/7	Pipe, 3-way connection to union				1	DTD.253	C.	
21	11626†	A.212152/8	Pipe, 3-way connection to starboard regulator				1	DTD.253	C.	
21	11627†	B.212124/21	Pipe, floor connection to 3-way connection				1	T.51	C.	
21	11628†	B.212124/22	Pipe, 3-way connection to P.V.				1	T.51	C.	
21	11629†	B.212124/23	Pipe, 3-way connection to connection				1	T.51	C.	
		F.241681	Plate, stud				1	—		
—	F.263080	PILOT'S ANTI "G" INSTALLATION, ASSEMBLY					—	—	—	
		(For further spares see E.212575)								
	8987	F.214021	Block, clamp				2	LFS.21	C.	
21		Std.842/25	Clip				2	—		4
21	20188†	A.212659/14	Pipe, joint to joint, starboard				1	DTD.323	C.	
21	20189†	A.212659/15	Pipe, joint to hose, starboard				1	DTD.323	C.	
21	20190†	A.212659/19	Pipe, anti "G" valve to joint, starboard				1	L.54	C.	
21	†	A.212660/14	Pipe, union to 3-way connection				1	DTD.323		
21	†	A.212660/15	Pipe, 3-way connection to reducing valve				1	DTD.323		
21	†	A.212660/16	Pipe, 3-way connection to pressure gauge				1	DTD.323		
—	F.263074	PITOT INSTALLATION, ASSEMBLY					—	—	—	
		(For further spares see E.213422)								
—	D.246987	PITOT INSTALLATION FOR AIR DATA					—	—	—	
		COMPUTER, ASSEMBLY								
		F.247042	Cleat				2	LFS.21		
21	9663	Std.2045/19/24	Clip, sleeved				7	—	C.	6
21	26VA/6041262	Std.2046/19/24	Clip, sleeved				2	—	C.	6
21		Std.2046/60/20	Clip, sleeved				2	—		6
		B.246937	Connection, A.S.I. at frame 6, group				1	—		
	1179	A.177021	Union, bulkhead, L.P.				2	DTD.364	C.	
	†	A.213666/94	Pipe, pressure, bulkhead to tee-piece				1	L.67	LM	
	†	A.213666/95	Pipe, static, bulkhead to tee-piece				1	L.67	LM	
	†	A.213666/46	Pipe, pressure, tee-piece to hose				1	L.67	LM	
	†	A.213666/47	Pipe, static, tee-piece to hose				1	L.67	LM	
	†	A.213666/48	Pipe, pressure, hose to hose				1	L.67	LM	
	†	A.213666/49	Pipe, static, hose to hose				1	L.67	LM	
	†	A.213666/50	Pipe, static, tee-piece to bulkhead				1	L.67	LM	
	†	A.213666/51	Pipe, static, tee-piece to bulkhead				1	DTD.253	LM	
	†	A.213666/52	Pipe, static, tee-piece to hose				1	DTD.253	LM	
	†	A.213666/53	Pipe, pressure, union to tee-piece				1	L.67	LM	
	†	A.213666/54	Pipe, static union to tee-piece				1	L.67	LM	
	†	A.213666/55	Pipe, pressure, tee-piece to bulkhead				1	L.67	LM	
	†	A.213666/56	Pipe, static, tee-piece to bulkhead				1	L.67	LM	
	†	A.213666/57	Pipe, pressure, tee-piece to tee-piece				1	L.67	LM	
	†	A.213666/58	Pipe, static, tee-piece to tee-piece				1	L.67	LM	
	†	A.213666/59	Pipe, pressure, tee-piece to panel				1	DTD.253	LM	
	†	A.213666/60	Pipe, static, tee-piece to panel				1	DTD.253	LM	
	†	A.213666/61	Pipe, pressure, tee-piece to tee-piece				1	L.67	LM	
	†	A.213666/62	Pipe, static, tee-piece to tee-piece				1	L.67	LM	
	†	A.213666/63	Pipe, pressure, tee-piece to pressure switch				1	L.67	LM	
	†	A.213666/64	Pipe, static, tee-piece to pressure switch				1	L.67	LM	
21	†	A.213666/102	Pipe, static tee-piece to hose				1	DTD.253		
			connection (Mod. 1415)							
			† For details see Piping Chart							

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
21	5CW/6905	B.247527	Switch, pressure, group				1	—	A.	LM
		A.247437	Bracket				1	—		
21	—	D.246987/1	Switch, pressure				1	—	LM	LM
		D.246987/2	Tubing, Maricon, 9/16" o/d x .30" i/d x 7"				2	—		
21	—	E.213422/2	long (Make from 32C/679)				1	—	LM	LM
		E.213422/2	Tubing, Maricon, 9/16" o/d x .30" i/d x 3"				2	—		
21	—	D.246987/3	long (Make for 32C/679)				1	—	LM	LM
		D.246987/4	Tubing, Maricon, 9/16" o/d x .30" i/d x 11"				2	—		
21	—	D.246987/5	long (Make from 32C/1050)				1	—	LM	LM
		D.246987/5	(For use with 6A/4664077)				1	—		
21	—	D.246987/6	Tubing, Maricon, 5/8" o/d x 3/8" i/d x 3" long				1	—	LM	LM
		D.246987/6	Tubing, Maricon, 5/8" o/d x 3/8" i/d x 12" long				1	—		
21	10893	Std.1509/12/050	Tubing, Maricon, 5/8" o/d x 3/8" i/d x 19" long				1	—	LM	LM
		Std.1509/12/076	(For use with A.S.I. 6A/7022)				1	—		
21	—	F.263075	Tubing, Maricon, 3/8" i/d x 3/8" o/d				1	DTD.625A	C.	4
		F.263075	(Mod. 1415)				1	—		
21	—	F.263075	Tube, distance				2	T.4	C.	4
		F.263075	Tube, distance				1	T.4		
21	—	F.263075	PRESSURISATION AND AIR CONDITIONING IN				—	—	—	—
		F.263075	FRONT FUSELAGE				—	—		
21	—	F.263075	(For further spares see F.262702)				—	—	—	—
		F.263075	Angle, pipe support				1	L.72	C.	4
21	—	F.247088	Angle, pipe support				1	L.72		
21	—	F.247087	Bracket, pipe support				1	L.72	C.	6
		Std.853/44	Clip, quarter light spray pipe				2	S.510		
21	—	Std.2046/42/220	Clip, sleeved				1	—	C.	6
		Std.2046/50/20	Clip, sleeved				1	—		
21	—	Std.2046/63/20	Clip, sleeved				1	—	C.	6
		Std.2046/63/20	Pipe, branch, frame 8 to valve, port				1	—		
21	—	B.247060	Pipe, quarter light spray, port				1	—	C.	6
		B.247062	Pipe, feet spray, port				1	—		
21	—	B.247063	Pipe, front light spray, port				1	—	C.	6
		B.247064	Pipe, ram, air, frame 1C to frame 3				1	—		
21	—	A.246273	Pipe, H.S.P., frame 8, aft, to frame 12 aft				1	DTD.323	C.	6
		B.213254/53	Pipe, A.S.P., frame 8, aft, to frame 12, aft				1	DTD.323		
21	—	B.213254/54	Pipe, to body spray (Mod. 1382)				1	—	C.	6
		B.319602	PYLON, OUTBOARD, PORT, ASSEMBLY (Mod. 1368)				1	—		
21	—	D.312172	(For further spares see D.264628)				1	—	C.	6
		D.312173	PYLON, OUTBOARD, STARBOARD, ASSEMBLY				1	—		
21	—	D.312173	(Mod. 1368) (For further spares				1	—	C.	6
		D.312173	see D.264629)				1	—		
21	—	A.265260	Bolt, special				8	—	C.	6
		—	Lug, suspension, No. 29, Mk. 2 (Alt. to				2	—		
21	—	12A/2209	12A/9631076)				2	—	C.	6
		12A/2209	Lug, suspension, No. 29, Mk. 1 (Alt. to 12A/2209)				2	—		
21	—	12A/9631076	Lug, suspension, No. 29, Mk. 4 (Alt. to 12A/2209				2	—	C.	6
		12A/9641197	or 12A/9631076)				2	—		
21	—	10241	Plate, sealing				2	—	C.	6
		10241	Pylon, outboard, port, group				1	—		
21	—	B.235438	Pylon, outboard, starboard, group				1	—	C.	6
		C.312170	Bracket, support				2	—		
21	—	C.312171	Cable, PY.33, group (See Cable Chart)				2	—	C.	6
		A.312174	Bracket, plug				1	—		
21	—	B.312112	Plug, type R				1	—	C.	6
		A.312175	Diagram, wiring, port				1	Photo		
21	—	B.312113/1	Diagram, wiring, starboard				1	Photo	C.	6
		B.312114/1	Packing				4	—		
21	—	F.312176	† For details see Piping Chart				—	—	C.	6
		F.312176	† For details see Piping Chart				—	—		

† For details see Piping Chart

HUNTER T. MK. 8B S.O.O.

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	E.313021	RADIO, I.F.F./S.S.R. 1520 INSTALLATION ASSEMBLY (Mod. 1371)					—	—	—	
—	40857	Aerial, lower, installation					1	—	—	
—	41068	Aerial, upper, installation					1	—	—	
—	22086	Blanking, U.H.F. aerial, lower					1	—	—	
—	31858	Block, terminal, 3663/1 and /2, installation					1	—	—	
—	31859	Box, junction, A.D.D., repositioning					1	—	—	
—	31857	Breaks, pressure bulkhead, installation					1	—	—	
32C/1050	—	Channel, rubber					1 ft.	—	C.	
—	22087	Connector, A.D.C., repositioning					1	—	—	
—	CS5401	Connector (Refer to schedule CS.5401)					1	—	—	
—	CS5403	Connector (Refer to schedule CS.5403)					1	—	—	
—	41595	Panel, F.F. inverter, installation					1	—	—	
—	22083	Plate, gunport blanking, installation					1	—	—	
—	13887	Spacer					4	—	—	
—	31856	Stowage, apron harness, installation					1	—	—	
5F/9454141	NY.18007A	Strapping					QR	—	C.	
5F/9138822	NY.3342	Stud					QR	—	C.	
—	41021	Supplies, power and interconnections					1	—	—	
—	22085	Suppressor, gyro gunsight, repositioning					1	—	—	
5F/9401212	—	Tape, cambric					QR	—	C.	
—	40634	Transmitter/Receiver, switch unit ground test					1	—	—	
5F/4349855	—	Tubing, P.V.C.					3 ft	—	C.	
—	41018	Unit, control, installation					1	—	—	
—	E.313857	RADIO, U.H.F. INSTALLATION, ASSEMBLY (Mod. 1371) (For further spares see E.240900)					—	—	—	
10B/5985-99- 222-2399	Chelton Type 16-1	Aerial, U.H.F. (Mod. 1384)					1	—	A.	
—	D.313858	Clipping, U.H.F. cable, assy. (For further spares see D.234380)					—	—	—	
26VA/6041265	Std.2046/23/24	Clip, sleeved					1	—	C.	6
5CW/6209279	—	Switch, S.P., no centre position					3	—	C.	
5CW/1047692	—	Switch, S.P., spring return to off					1	—	C.	
5CW/1047690	—	Switch, S.P.					2	—	C.	
23 10HB/4113639	D233433/6	Connector, radio/mic/tel relay box—intercom box.....					1	—	B.	
—	—	SEAT INSTALLATION, ASSEMBLY (Mod. 1376) (For further spares see E.232664)					—	—	—	
5483	Std.1231/1B	Lug					2	—	MR/C	4
27L/4541347	Martin Baker	Seat, Mk.4 HA, Mk.1					2	—	A.	
—	C.269197	WINDSCREEN WIPER, ASSEMBLY (Mod. 1229) (For further spares see E.236770)					—	—	—	
—	C.269199	Additional items					—	—	—	
A.263630	—	Bracket, group					1	—	—	
F.264373	—	Bearing					1	LSF.21	—	
A.263631	—	Bracket, group					1	—	—	
F.263632	—	Bearing					1	LSF.21	—	
A.263633	—	Joint, universal, group					1	—	—	
F.263650	—	Knob, control					1	L.65.C	—	
F.264368	—	Stop					1	L.65.C	—	
F.263628	—	Tube, control					1	L.62	—	
F.263629	—	Tube, control					1	L.62	—	

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

