

## FUSELAGE—CENTRE PORTION

| Ref. No. | Part No.          | Description                                                  |   |   |   |   | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-------------------|--------------------------------------------------------------|---|---|---|---|---------|------------------------|---------------------|-----------|
|          |                   | 1                                                            | 2 | 3 | 4 | 5 |         |                        |                     |           |
|          | F.262703          | CENTRE FUSELAGE STRUCTURE, ASSEMBLY                          |   |   |   |   | —       | —                      | —                   |           |
|          | D.179303          | ATTACHMENT OF STRINGERS FROM NOSE SPAR TO FRAME 20, ASSEMBLY |   |   |   |   | —       | —                      | —                   |           |
| 960      | F.184105          | Bolt, special, at stringers 'C' and 'H'                      |   |   |   |   | 2       | S.95.B                 | C.                  | JB.3      |
|          | Std.1551/3/125    | Bolt, special, at stringers 'C' and 'H'                      |   |   |   |   | 8       | S.99.B                 |                     |           |
| 3825     | Std.1551/3/105    | Bolt, special, at stringers 'C' and 'H'                      |   |   |   |   | 4       | S.99.B                 | MR/C                | 5         |
|          | A.178936          | Fitting, attachment, at stringers 'C' and 'H'                |   |   |   |   | 4       | S.99.B                 |                     |           |
| 7262     | Std.1718/3        | Nut, special                                                 |   |   |   |   | 12      | —                      | MR/C                | 5         |
| 10607    | F.240458          | Nut, special, for spigot at stringer 'C' (Mod. 1032)         |   |   |   |   | 2       | S.99                   | C.                  |           |
| 963      | F.170740          | Nut, special, at stringer 'H'                                |   |   |   |   | 2       | S.99.B                 | C.                  | JB.3      |
| 10606    | F.240442          | Spigot, at stringer 'C' (Mod. 1032)                          |   |   |   |   | 2       | S.99                   | C.                  |           |
| 962      | A.178929          | Spigot, at stringer 'H'                                      |   |   |   |   | 2       | S.98.B                 | C.                  | JB.3      |
| 961      | F.184104          | Tab, locking, at stringers 'C' and 'H'                       |   |   |   |   | 4       | S.3                    | C.                  | JB.3      |
|          | F.178931          | Tube, distance, at stringers 'C' and 'H'                     |   |   |   |   | 2       | DTD.364                |                     |           |
| 7263     | Std.1208/62/24/20 | Washer, shim, for Std. 1551 bolts                            |   |   |   |   | QR      | Shim Steel             | MR/C                | 4         |
|          | D.179304          | ATTACHMENT OF STRINGERS AT FRAME 21, ASSEMBLY                |   |   |   |   | —       | —                      |                     |           |
| 2418     | F.178919          | Angle, fitting, at stringer 'K'                              |   |   |   |   | 4       | Stamping               | MR/C                | JB.4      |
| 2419     | F.178920          | Angle, fitting, at stringer 'K'                              |   |   |   |   | 4       | Stamping               | MR/C                | JB.4      |
| 3832     | Std.1553/E/65     | Bolt, special, at stringer 'K'                               |   |   |   |   | 8       | S.99.B                 | MR/C                | JB.4      |
| 3833     | Std.1553/E/55     | Bolt, special, at stringer 'K'                               |   |   |   |   | 4       | S.99.B                 | MR/C                | JB.4      |
| 2420     | B.182214          | Fitting, for aircraft slinging bolt                          |   |   |   |   | 2       | Stamping               | MR/C                | JB.2      |
|          | D.179305          | ATTACHMENT OF STRINGERS AT MAIN SPAR, ASSEMBLY               |   |   |   |   | —       | —                      |                     |           |
| 4692     | F.195546          | Angle, attaching hydraulic pipes at stringer 'K', port       |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 4693     | F.195547          | Angle, attaching hydraulic pipes at stringer 'K', starboard  |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 2421     | A.179650          | Angle, fitting, at stringer 'K'                              |   |   |   |   | 4       | Stamping               | MR/C                | JB.4      |
| 2422     | A.178809          | Angle, fitting, at stringer 'K'                              |   |   |   |   | 4       | Stamping               | MR/C                | JB.4      |
| 4447     | Std.1553/J/390    | Bolt, at stringer 'K'                                        |   |   |   |   | 4       | S.99.B                 | MR/C                | JB.4      |
| 2423     | F.179742          | Tube, distance, at stringer 'K'                              |   |   |   |   | 4       | DTD.364                | MR/C                | JB.4      |
| 4691     | Std.1547/26/12    | Washer, profile, at stringer 'J'                             |   |   |   |   | 4       | DTD.610                | MR/C                | 4         |
|          | D.179307          | ATTACHMENT OF STRINGER AT REAR SPAR, ASSEMBLY                |   |   |   |   | —       | —                      |                     |           |
| 3834     | Std.1553/L/320    | Bolt, at stringer 'K'                                        |   |   |   |   | 4       | S.99.B                 | MR/C                | JB.4      |
| 3824     | Std.1551/2/85     | Bolt, at stringer 'K'                                        |   |   |   |   | 8       | S.99.B                 | MR/C                | JB.4      |
| 3825     | Std.1551/3/105    | Bolt, at stringer 'K'                                        |   |   |   |   | 8       | S.99.B                 | MR/C                | JB.4      |
| 3835     | Std.1553/J/300    | Bolt, at stringer 'J'                                        |   |   |   |   | 4       | S.99.B                 | MR/C                | JB.4      |
| 2424     | A.178816          | Fitting, attachment, at stringer 'K'                         |   |   |   |   | 4       | Stamping               | MR/C                | JB.4      |
| 2425     | A.168436          | Fitting, attachment, at stringer 'J'                         |   |   |   |   | 4       | Stamping               | MR/C                | JB.4      |
| 2427     | F.178881          | Tube, distance, at stringer 'K'                              |   |   |   |   | 4       | DTD.364                | MR/C                | JB.4      |
| 2426     | F.178865          | Tube, distance, at stringer 'J'                              |   |   |   |   | 4       | DTD.364                | MR/C                | JB.4      |
| 4691     | Std.1547/26/12    | Washer, profile, at stringer 'H'                             |   |   |   |   | 6       | DTD.610                | MR/C                | 4         |
|          | D.183494          | ATTACHMENT OF STRINGERS, FRAME 33 AND 36, ASSEMBLY           |   |   |   |   | —       | —                      |                     |           |
| 5721     | F.197126          | Stud, earthing, at stringer 'K', frame 35                    |   |   |   |   | 2       | S.94.B                 | MR/C                |           |
| 4619     | Std.1335/E/18     | Washer                                                       |   |   |   |   | 2       | L.4                    | C.                  | 4         |

RESTRICTED

Hunter T. Mk. 8B & C  
Issued with A/L No. 20

## FUSELAGE—CENTRE PORTION

| Ref. No. | Part No.                       | Description                                                   | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|--------------------------------|---------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |                                |                                                               |         |                        |                     |           |
| —        | —                              | Blanking, of gun heating pipes (As shown on Drg. C.248473)    | —       | —                      | —                   | —         |
| 20217    | F.239636                       | Blank, pipe .....                                             | 2       | L.65.C                 | C.                  | —         |
| 20218    | F.248119                       | Blank, pipe .....                                             | 1       | DTD.364                | C.                  | —         |
| 1136     | A.186450                       | Clamp .....                                                   | 1       | —                      | C.                  | —         |
| 2723     | F.184931                       | Bolt, eye .....                                               | 1       | S.94.B                 | C.                  | —         |
| 6526     | F.213079                       | Nut, special .....                                            | 1       | S.95                   | C.                  | —         |
| 2724     | F.185592                       | Washer .....                                                  | 1       | DTD.364                | C.                  | —         |
|          | A.Std. 841/64                  | Clip .....                                                    | 1       | DTD.610                | —                   | —         |
|          | F.264908                       | Disc, rubber .....                                            | 1       | DTD.5509               | —                   | —         |
| 3805     | Std.1509/23/100                | Tube, distance .....                                          | 1       | T.4                    | MR/C                | —         |
|          | D.184380                       | BRACKET, FOR AILERON CONTROL, REAR SPAR TO FRAME 33, ASSEMBLY | —       | —                      | —                   | —         |
|          | B.184389                       | Bracket, mounting, for air supply valve .....                 | 1       | —                      | —                   | —         |
|          | B.220967                       | BRACKETS, FOR BY-PASS VALVE AND FLOW CONTROLLER, ASSEMBLY     | —       | —                      | —                   | —         |
|          | A.212818                       | Bracket .....                                                 | 1       | L.72                   | —                   | —         |
|          | F.212819                       | Bracket .....                                                 | 1       | L.72                   | —                   | —         |
|          | F.212820                       | Bracket .....                                                 | 1       | L.72                   | —                   | —         |
|          | D.184139                       | BRACKET, FOR FLYING CONTROLS, FRAMES 27 TO 28, ASSEMBLY       | —       | —                      | —                   | —         |
|          | B.184140                       | Bracket, port, group .....                                    | 1       | DTD.610                | —                   | —         |
|          | B.184141                       | Bracket, starboard, group .....                               | 1       | DTD.610                | —                   | —         |
| 2428     | F.184144                       | Plate, nut, port .....                                        | 1       | DTD.610                | MR/C                | —         |
| 2429     | F.184145                       | Plate, nut, starboard .....                                   | 1       | DTD.610                | MR/C                | —         |
| 2430     | F.184005                       | Plate, nut .....                                              | 2       | DTD.610                | MR/C                | —         |
|          | D.184002                       | BRACKET FOR FLYING CONTROLS, FRAMES 23 TO 24, ASSEMBLY        | —       | —                      | —                   | —         |
|          | B.184003                       | Bracket, port .....                                           | 1       | DTD.610                | —                   | —         |
|          | B.184004                       | Bracket, starboard .....                                      | 1       | DTD.610                | —                   | —         |
| 2430     | F.184005                       | Plate, nut .....                                              | 2       | DTD.610                | MR/C                | —         |
| 2431     | C.176110                       | Channel, mounting, for engine, port, group .....              | 1       | —                      | MR/C                | JB.6      |
| 2432     | C.176111                       | Channel, mounting, for engine, starboard, group .....         | 1       | —                      | MR/C                | JB.6      |
| 985      | F.176114                       | Block .....                                                   | 2       | S.97                   | C.                  | JB.6      |
| 4025     | F.195141                       | Clamp, half, for wiring ducts .....                           | 4       | LFS.21                 | MR/C                | —         |
| 4186     | Std.841/16                     | Clip, securing, port sediment drain pipe .....                | 1       | DTD.610                | C.                  | 4         |
|          | Std.2046/19/24                 | Clip, securing starboard sediment drain pipe .....            | 1       | —                      | —                   | —         |
|          | D.184861                       | DOORS AND ACCESS PANELS, ASSEMBLY                             | —       | —                      | —                   | —         |
| 4633     | F.197909                       | Bolt, for access panels .....                                 | 74      | S.95                   | C.                  | —         |
| 7835     | Std.1700/4/E                   | Bolt, attaching fuel system access panel .....                | 12      | —                      | C.                  | 5         |
| 3        | D.177203                       | Dopr, access, for gear box, group .....                       | 1       | —                      | A.                  | JB.1      |
| 20 966   | A.188142                       | Hinge .....                                                   | 1       | DTD.166 or S.521       | C.                  | —         |
|          | 965 King Aircraft Corp. C.3099 | Toggle, housing .....                                         | 2       | —                      | C.                  | JB.5      |
| 20223    | B.248620                       | Dopr, access, to engine starter, group .....                  | 1       | —                      | A.                  | JB.5      |
| 4844     | F.203030                       | Angle, for spring clip .....                                  | 1       | LA                     | MR/C                | JB.5      |
|          | F.201721                       | Channel .....                                                 | 1       | L.72                   | —                   | —         |
|          | F.239565                       | Disc .....                                                    | 1       | —                      | —                   | —         |
| 20 981   | A.188500                       | Hinge .....                                                   | 1       | DTD.166 or S.521       | C.                  | —         |

RESTRICTED

FUSELAGE—CENTRE PORTION

| Ref. No.     | Part No.      | Description |   |   |   |                                                                            | No. Off | Material Specification | M.R. Class of Store | Place No. |
|--------------|---------------|-------------|---|---|---|----------------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|              |               | 1           | 2 | 3 | 4 | 5                                                                          |         |                        |                     |           |
| 9360         | C.222422      |             |   |   |   | Lid, aerial box, and stowage for engine starter cartridges, group          | 1       | —                      | B.                  | JB.5      |
| 4252         | C.199786/1    |             |   |   |   | Clip                                                                       | 2       | DTD.610                | C.                  | JB.5      |
| 4253         | C.199786/2    |             |   |   |   | Clip                                                                       | 4       | DTD.610                | C.                  | JB.5      |
|              | B.222420      |             |   |   |   | Lid                                                                        | 1       | DTD.610                |                     |           |
|              | D.228862/1    |             |   |   |   | Plate, blanking                                                            | 1       | L.72                   |                     |           |
|              | F.239563      |             |   |   |   | Plate, blanking                                                            | 1       | L.72                   |                     |           |
| 4599         | A.201719      |             |   |   |   | Stay, support                                                              | 1       | L.72                   | C.                  | JB.5      |
| 5F/9454141   | NY.18007A     |             |   |   |   | Strapping, Hellermann                                                      | QR      | —                      | C.                  |           |
| 5853         | F.202811      |             |   |   |   | Strip, aerial                                                              | 1       | DTD.5518               | C.                  | JB.5      |
| 5F/9138822   | NY.3342       |             |   |   |   | Stud, Hellerman                                                            | QR      | —                      | C.                  |           |
| 965          | K.A.C. C.3099 |             |   |   |   | Toggle, housing                                                            | 2       | —                      | C.                  | JB.5      |
| 28FP/9424333 | Oddie No.219  |             |   |   |   | Washer                                                                     | 2       | —                      | C.                  |           |
| 6743         | C.208737      |             |   |   |   | Duct, access, to engine bleed valve, port                                  | 1       | L.16                   | B.                  | JB.1      |
|              | or            |             |   |   |   |                                                                            |         |                        |                     |           |
| 6744         | C.208939      |             |   |   |   | Duct, access, to engine bleed valve, starboard                             | 1       | L.16                   | B.                  | JB.1      |
|              | or            |             |   |   |   |                                                                            |         |                        |                     |           |
|              | C.208940      |             |   |   |   |                                                                            |         |                        |                     |           |
| 8382         | D.213252      |             |   |   |   | Panel, access to cold air unit and outlet duct, group, port                | 1       | —                      | B.                  | JB.1      |
| 8383         | B.213163      |             |   |   |   | Duct, outlet                                                               | 1       | T.6                    | C.                  |           |
| 8380         | C.213241      |             |   |   |   | Panel, access to cold air unit and outlet duct, group, starboard           | 1       | —                      | B.                  |           |
| 8381         | B.213200      |             |   |   |   | Duct, outlet                                                               | 1       | T.6                    | C.                  |           |
| 4241         | A.199308      |             |   |   |   | Panel, access to engine oil filter                                         | 1       | —                      | C.                  | JB.5      |
| 20380        | A.235014      |             |   |   |   | Panel, access, for fuel pump                                               | 1       | DTD.610                | C.                  | JB.1      |
| 63           | C.179791      |             |   |   |   | Panel, access for fuel system, group                                       | 1       | DTD.610                | B.                  | JB.1      |
| 4448         | F.199061      |             |   |   |   | Cover, for pitot drain valve                                               | 2       | —                      | MR/C                | JB.1      |
| 964          | C.179793      |             |   |   |   | Panel, access, for services                                                | 1       | DTD.610                | B.                  | JB.1      |
| 967          | B.179781      |             |   |   |   | Panel, access to front engine mounting, port                               | 1       | DTD.610                | C.                  | JB.1      |
| 968          | B.179782      |             |   |   |   | Panel, access to front engine mounting, starboard                          | 1       | DTD.610                | C.                  | JB.1      |
| 969          | B.179779      |             |   |   |   | Panel, access to fuel vent connections                                     | 2       | DTD.610                | C.                  | JB.1      |
| 970          | B.179777      |             |   |   |   | Panel, access to fuel level switches                                       | 2       | DTD.610                | C.                  | JB.2      |
| 974          | B.186939      |             |   |   |   | Panel, access to igniter plug, port                                        | 1       | DTD.610                | C.                  | JB.1      |
| 975          | B.186940      |             |   |   |   | Panel, access to igniter plug, starboard                                   | 1       | DTD.610                | C.                  | JB.1      |
| 976          | A.186941      |             |   |   |   | Panel, access to hydraulic filter, port only                               | 1       | DTD.610                | C.                  | JB.1      |
| 977          | F.187455      |             |   |   |   | Panel, access to suction relief valve                                      | 2       | DTD.546                | C.                  | JB.1      |
|              | F.316573      |             |   |   |   | Panel, access to engine, group (E.217116 Modified by C.316562) (Mod. 1380) | 1       | —                      | A.                  | JB.5      |
| 21           | 28E/4061984   |             |   |   |   | Clip, for handle stowage                                                   | 2       | —                      | C.                  |           |
| 21           | 3750          |             |   |   |   | Clip, cable                                                                | 3       | S.154                  | MR/C                | 4         |
| 21           | 5720          |             |   |   |   | Clip, cable                                                                | 1       | S.154                  | MR/C                | 4         |
|              | 984           |             |   |   |   | Hook, securing panel to fuselage                                           | 2       | Stamping               | C.                  | JB.5      |
|              | 983           |             |   |   |   | Lid, for aerial box                                                        | 1       | DTD.610                | C.                  | JB.5      |
|              | 4737          |             |   |   |   | Plate, retaining Terry Clips                                               | 2       | DTD.610                | C.                  | JB.5      |
| 21           | 4211          |             |   |   |   | Saddle (Mod.1380)                                                          | 1       | —                      | C.                  | 5         |
|              | 10795         |             |   |   |   | Seal                                                                       | 1       | Neoprene               | C.                  |           |

## FUSELAGE—CENTRE PORTION

| Ref. No. | Part No.     | Description                                                             |   |   |   |                                                                                                | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|--------------|-------------------------------------------------------------------------|---|---|---|------------------------------------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |              | 1                                                                       | 2 | 3 | 4 | 5                                                                                              |         |                        |                     |           |
| 21       | 4026         | Std.1507/23/080                                                         |   |   |   | Tube, distance, 5/16" o/d x 17 S.W.G. x .8" long (Make from 30A/9610299)                       | 4       | T.26                   | MR/C                | 4         |
| 21       | 4027         | Std.1507/23/060                                                         |   |   |   | Tube, distance, 5/16" o/d x 17 S.W.G. x .6" long (Make from 30A/9610299)                       | 2       | T.26                   | MR/C                | 4         |
| 21       | 28R/1061088  | AS.4573/1                                                               |   |   |   | Ring, retaining screws .....                                                                   | 40      | —                      | C.                  |           |
| —        | C.188170     | DUCTS, FOR ENGINE CONTROLS, ASSEMBLY .....                              |   |   |   |                                                                                                | —       | —                      | —                   |           |
| —        | 3741         | Std.840/20                                                              |   |   |   | Clip, securing, 7/16" wide strip x 22 S.W.G. x 2" long                                         | 21      | DTD.610                | C.                  | 4         |
| —        | 2440         | C.188170/1                                                              |   |   |   | Duct, forward, 1/2" o/d x 22 S.W.G. x 31.8" long                                               | 3       | T.4                    | MR/C                | JB.3      |
| —        | 2441         | C.188170/2                                                              |   |   |   | Duct, centre, 1/2" o/d x 22 S.W.G. x 6" long                                                   | 3       | T.4                    | MR/C                |           |
| —        | 2442         | C.188170/3                                                              |   |   |   | Duct, aft, 1/2" o/d x 22 S.W.G. x 12" long                                                     | 3       | T.4                    | MR/C                |           |
| —        | D.203139     | DUCTS SERVICE, BETWEEN FRAMES 37-40, ASSEMBLY                           |   |   |   |                                                                                                | —       | —                      | —                   |           |
| —        | 1755         | B.191117                                                                |   |   |   | Duct, for electric cables, port .....                                                          | 1       | T.26                   | C.                  | JB.4      |
| —        | 1756         | B.191118                                                                |   |   |   | Duct, for electric cables, starboard .....                                                     | 1       | T.26                   | C.                  | JB.4      |
| —        | 1757         | A.191119                                                                |   |   |   | Duct, for electric cables .....                                                                | 4       | T.26                   | C.                  | JB.4      |
| —        | 1758         | B.191592                                                                |   |   |   | Duct, for electric cables, port .....                                                          | 1       | T.26                   | C.                  | JB.4      |
| —        | 1759         | B.191593                                                                |   |   |   | Duct, for electric cables, starboard .....                                                     | 1       | T.26                   | C.                  | JB.4      |
| —        | B.195155-6   | DUCT, FOR FUEL LEVEL SWITCH CABLES, ASSEMBLY                            |   |   |   |                                                                                                | —       | —                      | —                   |           |
| —        | F.195157     | Duct .....                                                              |   |   |   |                                                                                                | 2       | T.9                    |                     |           |
| —        | 4028         | B.195153                                                                |   |   |   | Duct, for rear fuel tank gauge wiring, port, group (F.194034 Socket to be supplied loose)      | 1       | L.54                   | MR/C                | JB.3      |
| —        | 4029         | B.195154                                                                |   |   |   | Duct, for rear fuel tank gauge wiring, starboard, group (F.194035 Socket to be supplied loose) | 1       | L.54                   | MR/C                |           |
| —        | D.218609     | FAIRINGS AFT OF HOOD, ASSEMBLY .....                                    |   |   |   |                                                                                                | —       | —                      | —                   |           |
| —        | 13341        | E.217482                                                                |   |   |   | Fairing, aft of hood, frame 18 to 24, group                                                    | 1       | —                      | B.                  |           |
| —        | C.219530     | Bracket, mounting, for aerial, port .....                               |   |   |   |                                                                                                | 1       | L.72                   |                     |           |
| —        | C.219531     | Bracket, mounting, for aerial, starboard .....                          |   |   |   |                                                                                                | 1       | L.72                   |                     |           |
| —        | 8898         | E.217482/43                                                             |   |   |   | Panel, access, port .....                                                                      | 1       | L.72                   | C.                  | JB.1      |
| —        | 8899         | E.217482/44                                                             |   |   |   | Panel, access, starboard .....                                                                 | 1       | L.72                   | C.                  | JB.1      |
| —        | 2438         | B.184977                                                                |   |   |   | Landing, rear, port, group .....                                                               | 1       | DTD.610                | MR/C                | JB.2      |
| —        | 2439         | B.184978                                                                |   |   |   | Landing, rear, starboard, group .....                                                          | 1       | DTD.610                | MR/C                | JB.2      |
| 21       | 28FP/4062482 | Dzus. S.5.325                                                           |   |   |   | Spring .....                                                                                   | 3       | —                      | C.                  |           |
| —        | 1754         | B.193293                                                                |   |   |   | Panel, access, for flying controls .....                                                       | 1       | DTD.610                | C.                  | JB.1      |
| —        | 8615         | D.217722                                                                |   |   |   | Spine, forward portion, frame 24 to 26 .....                                                   | 1       | L.72                   | B.                  | JB.1      |
| 21       | D.316208     | Spine, 1st intermediate, frame 26 to 33 (Modified C.217484) (Mod. 1380) |   |   |   |                                                                                                | 1       | L.72                   | B.                  | JB.1      |
| —        | 8617         | C.217755                                                                |   |   |   | Spine, 2nd intermediate, frame 33 to 38 .....                                                  | 1       | L.72                   | B.                  | JB.1      |
| —        | 784511       | C.213452                                                                |   |   |   | Spine, 3rd intermediate, frame 38 to 40, group (0.10" trimming allowance)                      | 1       | L.72                   | B.                  | JB.1      |
| —        | 28FP/4062655 | Dzus EF.5.45B                                                           |   |   |   | Fastener .....                                                                                 | 12      | —                      | C.                  |           |
| —        | C.204438     | FIRE PROTECTION AT FRAME 37, ASSEMBLY .....                             |   |   |   |                                                                                                | —       | —                      | —                   |           |
| —        | 8238         | F.204565                                                                |   |   |   | Plate, blanking .....                                                                          | 1       | L.72                   | MR/C                |           |
| —        | D.202335     | Plate, centre .....                                                     |   |   |   |                                                                                                | 1       | DTD.171                |                     |           |
| 21       | D.202338     | Plate, patch, lower, port .....                                         |   |   |   |                                                                                                | 1       | S.510                  |                     |           |
| 21       | D.202339     | Plate, patch, lower, starboard .....                                    |   |   |   |                                                                                                | 1       | S.510                  |                     |           |
| —        | D.202340     | Plate, side, port .....                                                 |   |   |   |                                                                                                | 1       | DTD.171                |                     |           |
| —        | D.202341     | Plate, side, starboard .....                                            |   |   |   |                                                                                                | 1       | DTD.171                |                     |           |

## FUSELAGE—CENTRE PORTION

| Ref. No. | Part No.    | Description |   |   |   |                                                                     | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-------------|-------------|---|---|---|---------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |             | 1           | 2 | 3 | 4 | 5                                                                   |         |                        |                     |           |
| 4460     | F.189597    |             |   |   |   | Sealing, at stringer "A" . . . . .                                  | 1       | Plastic                | MR/C                |           |
| 4461     | F.189598    |             |   |   |   | Sealing, at stringer "B" . . . . .                                  | 2       | Plastic                | MR/C                | JB.7      |
| 4459     | F.199789    |             |   |   |   | Sealing, at stringer "H", starboard . . . . .                       | 1       | Plastic                | MR/C                |           |
| 7100     | Std.915/B10 |             |   |   |   | Washer, packing . . . . .                                           | 9       | DTD.364                | C.                  | 4         |
| 5785     | Std.915/C16 |             |   |   |   | Washer, packing . . . . .                                           | 4       | DTD.364                | C.                  | 4         |
|          | D.176274    |             |   |   |   | Frame, 18B, top portion . . . . .                                   | 1       | DTD.364                |                     |           |
| 2443     | D.176275    |             |   |   |   | Frame, 18B, lower portion, port . . . . .                           | 1       | DTD.364                | MR/C                | JB.3      |
| 2444     | D.176276    |             |   |   |   | Frame, 18B, lower portion, starboard . . . . .                      | 1       | DTD.364                | MR/C                | JB.3      |
|          | D.219332    |             |   |   |   | Frame, 19, nose spar, group . . . . .                               | 1       | —                      |                     |           |
| 2446     | A.181165    |             |   |   |   | Angle, support, at bottom diaphragm, port . . . . .                 | 1       | DTD.610                | MR/C                | JB.8      |
| 2445     | A.181166    |             |   |   |   | Angle, support, at bottom diaphragm, starboard . . . . .            | 1       | DTD.610                | MR/C                | JB.8      |
| 7289     | A.202682    |             |   |   |   | Angle, support, for junction box . . . . .                          | 1       | —                      |                     |           |
|          | A.181153    |             |   |   |   | Angle, bottom, for skin attachment, port . . . . .                  | 1       | DTD.610                |                     |           |
|          | A.181154    |             |   |   |   | Angle, bottom, for skin attachment, starboard . . . . .             | 1       | DTD.610                |                     |           |
| 4694     | A.195545    |             |   |   |   | Angle, support, at bottom diaphragm . . . . .                       | 1       | DTD.610                | MR/C                |           |
|          | B.181157    |             |   |   |   | Angle, front, at bottom boom attachment, port . . . . .             | 1       | DTD.610                |                     |           |
|          | B.181158    |             |   |   |   | Angle, front, at bottom boom attachment, starboard . . . . .        | 1       | DTD.610                |                     |           |
| 2447     | C.181163    |             |   |   |   | Angle, lower, for tank skin attachment, port . . . . .              | 1       | DTD.610                | MR/C                | JB.8      |
| 2448     | C.181164    |             |   |   |   | Angle, lower, for tank skin attachment, starboard . . . . .         | 1       | DTD.610                | MR/C                | JB.8      |
| 2449     | F.182169    |             |   |   |   | Angle, for stringer attachment, port . . . . .                      | 3       | DTD.610                | MR/C                | JB.8      |
| 2450     | F.182170    |             |   |   |   | Angle, for stringer attachment, starboard . . . . .                 | 3       | DTD.610                | MR/C                | JB.8      |
| 4695     | F.197436    |             |   |   |   | Angle, bracket, securing gun heating pipe . . . . .                 | 1       | DTD.610                | MR/C                |           |
| 2451     | F.182166    |             |   |   |   | Bolt, at bottom boom joint . . . . .                                | 10      | S.2                    | MR/C                | JB.3      |
| 2452     | F.187392    |             |   |   |   | Bracket, at bottom diaphragm . . . . .                              | 1       | DTD.610                | MR/C                | JB.3      |
| 2453     | F.187393    |             |   |   |   | Bracket, at bottom diaphragm . . . . .                              | 1       | DTD.610                | MR/C                | JB.3      |
| 2455     | F.187397    |             |   |   |   | Bracket, at bottom diaphragm . . . . .                              | 1       | DTD.610                | MR/C                | JB.3      |
|          | A.221112    |             |   |   |   | Bracket, mounting, for inertia switch . . . . .                     | 1       | L.72                   |                     |           |
| 2456     | F.187396    |             |   |   |   | Channel, at bottom stiffener . . . . .                              | 1       | DTD.610                | MR/C                |           |
| 2457     | A.181119    |             |   |   |   | Channel, at bottom diaphragm . . . . .                              | 1       | DTD.610                | MR/C                | JB.8      |
| 2459     | A.181145    |             |   |   |   | Channel, reinforcing, bottom, port . . . . .                        | 1       | DTD.610                | MR/C                | JB.8      |
| 2460     | A.181146    |             |   |   |   | Channel, reinforcing, bottom, starboard . . . . .                   | 1       | DTD.610                | MR/C                | JB.8      |
| 2461     | B.181112    |             |   |   |   | Channel, cross, at bottom diaphragm . . . . .                       | 1       | DTD.610                | MR/C                | JB.8      |
| 2462     | A.181120    |             |   |   |   | Channel, at bottom diaphragm . . . . .                              | 1       | DTD.610                | MR/C                | JB.8      |
| 2463     | B.181115    |             |   |   |   | Channel, lower, inner, port . . . . .                               | 1       | DTD.610                | MR/C                | JB.8      |
| 2464     | B.181116    |             |   |   |   | Channel, lower, inner, starboard . . . . .                          | 1       | DTD.610                | MR/C                | JB.8      |
| 2458     | A.181121    |             |   |   |   | Channel, lower, outer . . . . .                                     | 2       | DTD.610                | MR/C                | JB.8      |
| 8230     | D.216907    |             |   |   |   | Diaphragm, bottom, front . . . . .                                  | 1       | DTD.610                | MR/C                | JB.8      |
| 2467     | D.181102    |             |   |   |   | Diaphragm, bottom, rear . . . . .                                   | 1       | DTD.610                | MR/C                | JB.8      |
|          | B.181141    |             |   |   |   | Finishes, bottom, at tank door landing, port . . . . .              | 1       | DTD.364                |                     |           |
|          | B.181142    |             |   |   |   | Finishes, bottom, at tank door landing, starboard . . . . .         | 1       | DTD.364                |                     |           |
| 2468     | B.181167    |             |   |   |   | Landing, for fuel pump access door . . . . .                        | 1       | DTD.610                | MR/C                | JB.8      |
|          | B.181133    |             |   |   |   | Landing, bottom, for tank door . . . . .                            | 2       | DTD.364                |                     |           |
|          | F.212019    |             |   |   |   | Packing, below aerial bracket . . . . .                             | 1       | L.72                   |                     |           |
|          | C.181123    |             |   |   |   | Plate, reinforcing, front, at lower boom joint, port . . . . .      | 1       | DTD.166                |                     |           |
|          | C.181124    |             |   |   |   | Plate, reinforcing, front, at lower boom joint, starboard . . . . . | 1       | DTD.166                |                     |           |
|          | C.181125    |             |   |   |   | Plate, reinforcing, rear, at lower boom joint, port . . . . .       | 1       | DTD.166                |                     |           |
|          | C.181126    |             |   |   |   | Plate, reinforcing, rear, at lower boom joint, starboard . . . . .  | 1       | DTD.166                |                     |           |
| 2469     | B.181106    |             |   |   |   | Stiffener, bottom . . . . .                                         | 1       | DTD.610                | MR/C                | JB.8      |
|          | C.181198    |             |   |   |   | Spigot, fitting, port (Pre Mod. 1327) . . . . .                     | 1       | Stamping               |                     |           |
|          | C.181199    |             |   |   |   | Spigot, fitting, starboard (Pre Mod. 1327) . . . . .                | 1       | Stamping               |                     |           |
|          | C.289511    |             |   |   |   | Spigot, fitting (Mod. 1327) . . . . .                               | 1       | Stamping               |                     |           |
|          | C.289512    |             |   |   |   | Spigot, fitting (Mod. 1327) . . . . .                               | 1       | Stamping               |                     |           |
| 2470     | F.178982    |             |   |   |   | Stud, for fairlead . . . . .                                        | 4       | S.1 & S.3              | MR/C                | JB.8      |

RESTRICTED

Hunter T. Mk. 8B &amp; C

## FUSELAGE—CENTRE PORTION

| Ref. No. | Part No.        |   |   |   |   |                                                                                   | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------|---|---|---|---|-----------------------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |                 | 1 | 2 | 3 | 4 | 5                                                                                 |         |                        |                     |           |
| 2471     | A.182167        |   |   |   |   | Strip, fairing, at bottom boom attachment, port . . . . .                         | 1       | DTD.364                | MR/C                | JB.8      |
| 2472     | A.182168        |   |   |   |   | Strip, fairing, at bottom boom attachment, starboard . . . . .                    | 1       | DTD.364                | MR/C                | JB.8      |
| 2473     | B.181160        |   |   |   |   | Strap, at bottom diaphragm . . . . .                                              | 1       | DTD.610                | MR/C                | JB.8      |
| —        | Std.1509/24/098 |   |   |   |   | Tube, distance, 3/8" x 17 s.w.g. x .98" long . . . . .<br>(Make up from 30B/557)  | 2       | T.4                    |                     |           |
| —        | Std.1509/24/104 |   |   |   |   | Tube, distance, 3/8" x 17 s.w.g. x 1.04" long . . . . .<br>(Make up from 30B/557) | 1       | T.4                    |                     |           |
|          | Std.1549/28/10  |   |   |   |   | Washer, packing . . . . .                                                         | 2       | DTD.610                |                     |           |
|          | D.178147        |   |   |   |   | Frame 20, group . . . . .                                                         | 1       | —                      |                     |           |
|          | A.177464        |   |   |   |   | Angle, port . . . . .                                                             | 2       | DTD.364                |                     |           |
|          | A.177465        |   |   |   |   | Angle, starboard . . . . .                                                        | 2       | DTD.364                |                     |           |
| 2474     | F.177466        |   |   |   |   | Block, distance . . . . .                                                         | 2       | L.F.S.                 | MR/C                | JB.8      |
| 2475     | D.178147/4      |   |   |   |   | Bottom, portion . . . . .                                                         | 1       | DTD.610                | MR/C                | JB.8      |
| 2476     | D.178147/5      |   |   |   |   | Bottom, portion . . . . .                                                         | 1       | DTD.610                | MR/C                | JB.8      |
| 2477     | D.178147/6      |   |   |   |   | Channel . . . . .                                                                 | 2       | DTD.610                | MR/C                | JB.8      |
| 2478     | D.178147/7      |   |   |   |   | Plate, doubling . . . . .                                                         | 2       | DTD.610                | MR/C                | JB.8      |
| 8216     | D.215747        |   |   |   |   | Frame 21, group . . . . .                                                         | 1       | —                      | MR/B                | JB.8      |
| —        | D.215747/4      |   |   |   |   | Angle, port (supply 26FX/2479 for spares) . . . . .                               | 1       | DTD.610                | —                   | JB.8      |
| —        | D.215747/5      |   |   |   |   | Angle, starboard (supply 26FX/2480 for spares) . . . . .                          | 1       | DTD.610                | —                   | JB.8      |
| —        | D.215747/7      |   |   |   |   | Angle, bottom (supply 26FX/2481 for spares) . . . . .                             | 1       | DTD.610                | —                   | JB.8      |
| —        | D.215747/8      |   |   |   |   | Angle (supply 26FX/2482 for spares) . . . . .                                     | 2       | DTD.610                | —                   | JB.8      |
| —        | D.215747/2      |   |   |   |   | Diaphragm, bottom, port (supply 26FX/2484 for<br>spares) . . . . .                | 1       | DTD.610                | —                   | JB.8      |
| —        | D.215747/3      |   |   |   |   | Diaphragm, bottom, starboard (supply 26FX/2485<br>for spares) . . . . .           | 1       | DTD.610                | —                   |           |
| 4696     | C.186837        |   |   |   |   | Plate, reinforcing . . . . .                                                      | 1       | DTD.166                | MR/C                | JB.8      |
| 2486     | B.178914        |   |   |   |   | Stiffener, front . . . . .                                                        | 1       | DTD.610                | MR/C                | JB.8      |
| 2487     | B.178915        |   |   |   |   | Stiffener, rear . . . . .                                                         | 1       | DTD.610                | MR/C                | JB.8      |
|          | E.177458        |   |   |   |   | Frame 22, group . . . . .                                                         | 1       | —                      |                     |           |
| 4699     | F.195550        |   |   |   |   | Angle, for attaching hydraulic pipes . . . . .                                    | 1       | DTD.610                | MR/C                | JB.8      |
| 4695     | F.197436        |   |   |   |   | Bracket, for attaching gun heating pipes . . . . .                                | 1       | DTD.610                | MR/C                |           |
| 4901     | B.177902        |   |   |   |   | Channel . . . . .                                                                 | 2       | DTD.610                | MR/C                | JB.8      |
|          | F.206125        |   |   |   |   | Channel . . . . .                                                                 | 1       | L.72                   |                     |           |
| 8219     | E.177458/9      |   |   |   |   | Diaphragm, bottom portion . . . . .                                               | 1       | DTD.610                | MR/C                | JB.8      |
|          | F.206122        |   |   |   |   | Packing . . . . .                                                                 | 1       | L.72                   |                     |           |
| 2489     | A.178505        |   |   |   |   | Piece, distance . . . . .                                                         | 2       | L.F.S.                 | MR/C                | JB.8      |
|          | B.206108        |   |   |   |   | Piece, bridge aft . . . . .                                                       | 1       | DTD.166                |                     |           |
|          | B.209407        |   |   |   |   | Piece, bridge forward . . . . .                                                   | 1       | DTD.166                |                     |           |
| 8223     | C.215748        |   |   |   |   | Plate, reinforcing . . . . .                                                      | 1       | DTD.610                | MR/C                | JB.8      |
|          | E.177459        |   |   |   |   | Frame 23, group . . . . .                                                         | 1       | —                      |                     |           |
| 4700     | F.195241        |   |   |   |   | Angle, for attaching hydraulic pipes . . . . .                                    | 1       | DTD.610                | MR/C                | JB.8      |
|          | F.206123        |   |   |   |   | Bracket . . . . .                                                                 | 1       | L.65.C                 |                     |           |
| 2491     | B.177903        |   |   |   |   | Channel . . . . .                                                                 | 2       | DTD.610                | MR/C                | JB.8      |
| 8220     | E.177459/9      |   |   |   |   | Diaphragm, bottom portion . . . . .                                               | 1       | DTD.610                | MR/C                | JB.8      |
| 2493     | A.178546        |   |   |   |   | Piece, distance . . . . .                                                         | 2       | L.F.S.                 | MR/C                | JB.8      |
| 8222     | C.215749        |   |   |   |   | Plate, reinforcing . . . . .                                                      | 1       | DTD.610                | MR/C                | JB.8      |
|          | E.177460        |   |   |   |   | Frame 24, group . . . . .                                                         | 1       | —                      |                     |           |
| 2495     | E.177460/4      |   |   |   |   | Diaphragm, bottom portion, port . . . . .                                         | 1       | DTD.610                | MR/C                | JB.8      |
| 2496     | E.177460/5      |   |   |   |   | Diaphragm, bottom portion, starboard . . . . .                                    | 1       | DTD.610                | MR/C                | JB.8      |

RESTRICTED

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No.               | Description                                                        |   |   |   |   | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|------------------------|--------------------------------------------------------------------|---|---|---|---|---------|------------------------|---------------------|-----------|
|          |                        | 1                                                                  | 2 | 3 | 4 | 5 |         |                        |                     |           |
|          | D.177175               | Frame 25, main spar, group .....                                   |   |   |   |   | 1       | —                      |                     |           |
| 2497     | D.177970               | Angle, for tank support skin, port .....                           |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2498     | D.177971               | Angle, for tank support skin, starboard .....                      |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
|          | D.177968               | Angle, for tank support skin, port .....                           |   |   |   |   | 1       | DTD.610                |                     |           |
|          | D.177969               | Angle, for tank support skin, starboard .....                      |   |   |   |   | 1       | DTD.610                |                     |           |
| 2499     | D.177961               | Angle, bottom, for tank support skin .....                         |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2500     | D.177959               | Angle, centre, for tank support skin, port .....                   |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 5722     | B.177827               | Angle, at bottom portion of frame .....                            |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 2501     | D.177960               | Angle, centre, for tank support skin, starboard .....              |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 4703     | F.195554               | Angle, at bottom portion of frame .....                            |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 2502     | D.177182               | Boom, bottom, front .....                                          |   |   |   |   | 1       | DTD.364                | MR/C                | JB.9      |
| 2503     | D.177188               | Boom, bottom, rear .....                                           |   |   |   |   | 1       | DTD.364                | MR/C                |           |
| 7300     | Std.1551/8/310         | Bolt, fork fitting .....                                           |   |   |   |   | 8       | S.99.B                 | MR/C                | 5         |
| 3826     | Std.1551/8/315         | Bolt, fork fitting .....                                           |   |   |   |   | 14      | S.99.B                 | MR/C                | 5         |
| 1762     | F.190266               | Bolt, special, for fire extinguisher mounting .....                |   |   |   |   | 2       | S.95, S.96             | C.                  | JB.9      |
| 3842     | Std.1639/7.N           | Bolt, for fork fitting .....                                       |   |   |   |   | 8       | S.2 or S.11            | MR/C                | 5         |
| 1764     | B.190273               | Bracket, locating, for fire extinguisher mounting ....             |   |   |   |   | 1       | S.3, T.26              | C.                  |           |
| 4697     | A.197977               | Bracket, mounting, for relay or lower portion of .....<br>frame    |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 4698     | A.196361               | Bracket, mounting, for relays at lower portion of .....<br>frame   |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 5723     | F.177893               | Bracket, for attaching stringers .....                             |   |   |   |   | 4       | DTD.610                | MR/C                |           |
| 5724     | F.177894               | Bracket, for attaching stringers .....                             |   |   |   |   | 4       | DTD.610                | MR/C                |           |
| 2504     | A.177433               | Channel, centre, at lower portion of frame .....                   |   |   |   |   | 2       | DTD.610                | MR/C                |           |
| 4704     | F.193326               | Channel, mounting, for J.B.1 .....                                 |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2505     | A.177432               | Channel, outer, at lower portion of frame .....                    |   |   |   |   | 2       | DTD.610                | MR/C                |           |
| 4705     | F.193327               | Channel, mounting, for J.B.1 .....                                 |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2506     | A.177434               | Channel, inner, at lower portion of frame .....                    |   |   |   |   | 2       | DTD.610                | MR/C                |           |
| 2507     | B.177191               | Channel, at bottom centre of frame .....                           |   |   |   |   | 2       | DTD.610                | MR/C                | JB.9      |
| 21       | 28E/4061985            | Clip, centre portion of frame .....                                |   |   |   |   | 2       | —                      | C.                  |           |
|          | 28E/1008744            | Clip, upper portion of frame .....                                 |   |   |   |   | 3       | —                      | C.                  |           |
|          |                        | (Alternative to AS.2295/1)                                         |   |   |   |   |         |                        |                     |           |
|          | 28E/1006928            | Clip, centre portion of frame .....                                |   |   |   |   | 1       | —                      | C.                  |           |
|          |                        | (Alternative to AS.2295/9)                                         |   |   |   |   |         |                        |                     |           |
|          | 28E/9138369            | Clip, centre and upper portion of frame .....                      |   |   |   |   | 3       | —                      | C.                  |           |
|          |                        | (Alternative to AS.2295/8)                                         |   |   |   |   |         |                        |                     |           |
|          | D.177178               | Fork, fitting, top port, bottom starboard .....                    |   |   |   |   | 2       | Stamping               |                     |           |
|          | D.177179               | Fork, fitting, top starboard, bottom port .....                    |   |   |   |   | 2       | Stamping               |                     |           |
|          | E.177177               | Member, cross, for hinge fitting attachment .....                  |   |   |   |   | 2       | Stamping               |                     |           |
| 7302     | Std.1718/8             | Nut, for fork fitting .....                                        |   |   |   |   | 12      | S.1                    | MR/C                | 5         |
| 4706     | F.193436               | Packing, at mounting channel, for J.B.1 .....                      |   |   |   |   | 1       | DTD.610                | MR/C                |           |
|          | A.177710               | Piece, packing, at lower portion of frame .....                    |   |   |   |   | 2       | DTD.610                |                     |           |
| 4436     | B.198017               | Plate, reinforcing, at bottom rear of frame .....                  |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 4437     | B.198018               | Plate, reinforcing, at bottom rear of frame .....                  |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 4033     | B.177184               | Plate, reinforcing, at bottom forward of frame, .....<br>starboard |   |   |   |   | 1       | DTD.546                | MR/C                | JB.9      |
| 2509     | B.177185               | Plate, reinforcing, at bottom forward of frame, port               |   |   |   |   | 1       | DTD.546                | MR/C                | JB.9      |
| 4211     | Std.1687/2             | Saddle .....                                                       |   |   |   |   | 1       | —                      | C.                  | 5         |
| 4707     | Std.915/A/14           | Washer, for relay mounting bracket .....                           |   |   |   |   | 4       | DTD.610                | MR/C                | 4         |
| 21       | Std.1208/<br>125/52/20 | Washer, shim, for bolts, Std. 1551 .....                           |   |   |   |   | QR      | Shim Steel             |                     | 4         |
|          | 2510                   | Web, forward .....                                                 |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
|          | 2511                   | Web, rear .....                                                    |   |   |   |   | 1       | DTD.610                | MR/C                |           |

## FUSELAGE—CENTRE PORTION

| Ref. No. | Part No.   | Description                                                 |   |   |   |   | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|------------|-------------------------------------------------------------|---|---|---|---|---------|------------------------|---------------------|-----------|
|          |            | 1                                                           | 2 | 3 | 4 | 5 |         |                        |                     |           |
|          | E.178765   | Frame 26, group                                             |   |   |   |   | 1       | —                      |                     |           |
| 4702     | F.195553   | Angle, at starboard side of frame, for hydraulic pipes      |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 2512     | B.178772   | Angle, at bottom, diaphragm                                 |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
|          | C.178766   | Angle, for air intake, port                                 |   |   |   |   | 1       | DTD.610                |                     |           |
|          | C.178767   | Angle, for air intake, starboard                            |   |   |   |   | 1       | DTD.610                |                     |           |
| 2513     | E.178765/2 | Diaphragm, bottom                                           |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2514     | A.178778   | Stiffener, at bottom diaphragm, port                        |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2515     | A.178779   | Stiffener, at bottom diaphragm, starboard                   |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 21       | 2470       | Stud for fairlead                                           |   |   |   |   | 4       | S.1 & S.510            | MR/C                |           |
|          | E.179520   | Frame 27, group                                             |   |   |   |   | 1       | —                      |                     |           |
| 2516     | B.179527   | Angle, for tank support skin, port                          |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2517     | B.179528   | Angle, for tank support skin, starboard                     |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2518     | A.179531   | Angle, for tank support skin, port                          |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 2519     | A.179532   | Angle, for tank support skin, starboard                     |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 4708     | F.194971   | Angle, for clipping hydraulic pipes                         |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 4709     | F.194972   | Angle, for clipping hydraulic pipes                         |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 2520     | C.179525   | Channel, centre, port                                       |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2521     | C.179526   | Channel, centre, starboard                                  |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
|          | C.179522   | Channel, outer, port                                        |   |   |   |   | 1       | DTD.610                |                     |           |
|          | C.179523   | Channel, outer, starboard                                   |   |   |   |   | 1       | DTD.610                |                     |           |
| 2522     | E.179520/4 | Diaphragm, bottom, port                                     |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2523     | E.179520/5 | Diaphragm, bottom, starboard                                |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
|          | C.179521   | Diaphragm, centre                                           |   |   |   |   | 1       | DTD.610                |                     |           |
| 21       | 2524       | Plate, joint                                                |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 21       | 2525       | Spigot, locating air intake and centre tank supporting skin |   |   |   |   | 2       | S.510, S.21            | MR/C                | JB.9      |
| 21       | 2526       | Spigot, locating air intake and centre tank supporting skin |   |   |   |   | 2       | S.510, S.21            | MR/C                | JB.9      |
| 21       | 2527       | Spigot, locating air intake and centre tank supporting skin |   |   |   |   | 2       | S.510, S.21            | MR/C                | JB.9      |
| 2528     | A.179533   | Stiffener, at bottom diaphragm, port                        |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2529     | A.179534   | Stiffener, at bottom diaphragm, starboard                   |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
|          | D.200960   | Frame 28, group                                             |   |   |   |   | 1       | —                      |                     |           |
| 2530     | A.177853   | Angle                                                       |   |   |   |   | 2       | DTD.610                | MR/C                | JB.9      |
| 6040     | A.201621   | Angle, joint, port                                          |   |   |   |   | 1       | L.72                   | MR/C                | JB.9      |
| 6041     | A.201620   | Angle, joint, starboard                                     |   |   |   |   | 1       | L.72                   | MR/C                | JB.9      |
| 6042     | A.200873   | Angle, joint, port                                          |   |   |   |   | 1       | L.72                   | MR/C                |           |
| 6043     | A.200872   | Angle, joint, starboard                                     |   |   |   |   | 1       | L.72                   | MR/C                |           |
| 2532     | D.177850/4 | Bottom portion                                              |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2533     | B.177852   | Channel, reinforcing                                        |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
|          | D.200961   | Frame 29, forward portion, group                            |   |   |   |   | 1       | —                      |                     |           |
| 2534     | D.177532/4 | Bottom portion of frame                                     |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
|          | D.177533   | Frame 29, rear portion, group                               |   |   |   |   | 1       | —                      |                     |           |
| 2535     | D.177533/4 | Bottom portion of frame                                     |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2536     | B.177537   | Stiffener, bottom                                           |   |   |   |   | 1       | DTD.610                | MR/C                | JB.4      |
| 2537     | B.177536   | Stiffener, bottom                                           |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
|          | D.177531   | Frame 30, group                                             |   |   |   |   | 1       | —                      |                     |           |
| 2538     | D.177531/4 | Bottom portion                                              |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |

## FUSELAGE-CENTRE PORTION

| Ref. No. | Part No.       | Description                                              |   |   |   |   | No. Off | Material Specification | M.R. Class of Store | Place No. |
|----------|----------------|----------------------------------------------------------|---|---|---|---|---------|------------------------|---------------------|-----------|
|          |                | 1                                                        | 2 | 3 | 4 | 5 |         |                        |                     |           |
|          | D.177547       | Frame 31, group                                          |   |   |   |   | 1       | —                      |                     |           |
| 4710     | F.177681       | Angle                                                    |   |   |   |   | 2       | DTD.610                | C.                  |           |
| 2539     | D.177547/4     | Bottom portion                                           |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 4711     | D.177547/5     | Stiffener, bottom, port                                  |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 4712     | D.177547/6     | Stiffener, bottom, starboard                             |   |   |   |   | 1       | DTD.610                | MR/C                |           |
|          | E.178937       | Frame 32, rear spar, group                               |   |   |   |   | 1       | —                      |                     |           |
| 2540     | A.178974       | Angle, at lower portion of frame                         |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2541     | A.178966       | Angle, for attaching tank skin, port                     |   |   |   |   | 2       | DTD.610                | MR/C                | JB.9      |
| 2542     | A.178967       | Angle, for attaching tank skin, starboard                |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2543     | B.179420       | Angle, at lower portion of frame and inner channel       |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2544     | B.178961       | Angle, for attaching tank skin, port                     |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2545     | A.179456       | Angle, at bottom portion of frame (port only)            |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 2546     | F.178976       | Angle, for attaching tank skin, starboard                |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 986      | A.180777       | Block, for gear box mounting                             |   |   |   |   | 1       | Stamping               | C.                  | JB.9      |
| 987      | A.179999       | Block, for gear box mounting                             |   |   |   |   | 1       | Stamping               | C.                  | JB.9      |
| 3827     | Std.1551/7/265 | Bolt, at top fork fitting                                |   |   |   |   | 2       | S.99.B                 | MR/C                | 5         |
| 3828     | Std.1551/7/270 | Bolt, at top fork fitting                                |   |   |   |   | 1       | S.99.B                 | MR/C                | 5         |
| 84       | Std.1551/7/245 | Bolt, at top fork fitting                                |   |   |   |   | 1       | S.99.B                 | C.                  | 5         |
| 3829     | Std.1551/7/215 | Bolt, at top and bottom fork fittings                    |   |   |   |   | 4       | S.99.B                 | MR/C                | 5         |
| 3830     | Std.1551/7/260 | Bolt, at top and bottom fork fittings                    |   |   |   |   | 3       | S.99.B                 | MR/C                | 5         |
| 3831     | Std.1551/7/205 | Bolt, at top and bottom fork fittings                    |   |   |   |   | 3       | S.99.B                 | MR/C                | 5         |
| 2547     | F.180826       | Bolt, special, at bottom fork fitting                    |   |   |   |   | 2       | S.99.B                 | MR/C                | JB.9      |
| 2548     | B.178955       | Bboom, forward, bottom outer                             |   |   |   |   | 1       | DTD.361                | MR/C                | JB.9      |
| 2549     | B.178956       | Bboom, rear, bottom outer                                |   |   |   |   | 1       | DTD.364                | MR/C                | JB.9      |
| 2550     | D.178943       | Bboom, rear outer, port                                  |   |   |   |   | 1       | DTD.364                | MR/C                | JB.9      |
| 2551     | D.178944       | Bboom, rear outer, starboard                             |   |   |   |   | 1       | DTD.364                | MR/C                | JB.9      |
| 2552     | D.178945       | Bboom, forward, outer, port                              |   |   |   |   | 1       | DTD.364                | MR/C                | JB.9      |
| 2553     | D.178946       | Bboom, forward, outer, starboard                         |   |   |   |   | 1       | DTD.364                | MR/C                | JB.9      |
|          | C.178949       | Bboom, forward, inner, port                              |   |   |   |   | 1       | DTD.364                | —                   |           |
|          | C.178950       | Bboom, rear, inner, port                                 |   |   |   |   | 1       | DTD.364                | —                   |           |
|          | B.178951       | Bboom, forward, inner, starboard                         |   |   |   |   | 1       | DTD.364                | —                   |           |
|          | B.178952       | Bboom, rear, inner, starboard                            |   |   |   |   | 1       | DTD.364                | —                   |           |
| 988      | A.180990       | Bracket, steady, for gear box                            |   |   |   |   | 1       | Stamping               | C.                  | JB.9      |
| 2554     | A.179994       | Channel, at lower portion of frame                       |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2555     | A.179370       | Channel, at lower portion of frame, port                 |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 2556     | A.179373       | Channel, at lower portion of frame, starboard            |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 2557     | A.179374       | Channel, at lower portion of frame                       |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 2558     | A.179993       | Channel, at lower portion of frame                       |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 2559     | A.179990       | Channel, at lower portion of frame                       |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2560     | A.179451       | Channel, at lower portion of frame                       |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 2561     | A.179991       | Channel, at lower portion of frame                       |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
|          | B.178958       | Channel, bottom, inner                                   |   |   |   |   | 1       | DTD.364                | —                   |           |
| 2562     | A.179376       | Channel, below bottom fork fitting                       |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 2563     | A.179995       | Channel, for gear box mounting                           |   |   |   |   | 1       | S.3                    | MR/C                | JB.9      |
| 2564     | A.179996       | Channel, for gear box mounting                           |   |   |   |   | 1       | S.3                    | MR/C                | JB.9      |
| 2565     | A.179997       | Channel, for gear box mounting                           |   |   |   |   | 1       | S.3                    | MR/C                | JB.9      |
| 4206     | B.183479       | Channel, for gear box mounting                           |   |   |   |   | 1       | S.3                    | MR/C                | JB.9      |
| 4713     | A.196973       | Channel, blanking, for sealing at lower portion of frame |   |   |   |   | 1       | DTD.610                | MR/C                | JB.9      |
| 4714     | A.196974       | Channel, blanking, for sealing at lower portion of frame |   |   |   |   | 1       | DTD.610                | MR/C                |           |
|          | A.180534       | Cover, for bolts, upper, port                            |   |   |   |   | 1       | DTD.610                |                     |           |
|          | A.180535       | Cover, for bolts, upper, starboard                       |   |   |   |   | 1       | DTD.610                |                     |           |
|          | A.180536       | Cover, for bolts, lower, port                            |   |   |   |   | 1       | DTD.610                |                     |           |
|          | A.180537       | Cover, for bolts, lower, starboard                       |   |   |   |   | 1       | DTD.610                |                     |           |

## FUSELAGE-CENTRE PORTION

| Ref. No. | Part No.   | Description |   |   |   |                                                          | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|------------|-------------|---|---|---|----------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |            | 1           | 2 | 3 | 4 | 5                                                        |         |                        |                     |           |
|          | C.180497   |             |   |   |   | Fork fitting, lower, port .....                          | 1       | Stamping               |                     |           |
|          | C.180498   |             |   |   |   | Fork fitting, lower, starboard .....                     | 1       | Stamping               |                     |           |
|          | C.180495   |             |   |   |   | Fork fitting, top, port .....                            | 1       | Stamping               |                     |           |
|          | C.180496   |             |   |   |   | Fork fitting, top, starboard .....                       | 1       | Stamping               |                     |           |
| 2566     | F.180092   |             |   |   |   | Packing, at bottom joint plates, port only .....         | 2       | DTD.610                | MR/C                | JB.9      |
| 2567     | A.178971   |             |   |   |   | Plate, joint, at lower portion of frame, port .....      | 2       | DTD.166                | MR/C                | JB.9      |
| 2568     | A.178972   |             |   |   |   | Plate, joint, at lower portion of frame, starboard ..... | 2       | DTD.166                | MR/C                | JB.9      |
| 2569     | A.178973   |             |   |   |   | Plate, joint, at lower portion of frame .....            | 4       | DTD.166                | MR/C                |           |
| 2570     | C.180089   |             |   |   |   | Plate, reinforcing, bottom, forward .....                | 1       | DTD.166                | MR/C                | JB.9      |
| 2571     | C.180090   |             |   |   |   | Plate, reinforcing, bottom, aft .....                    | 1       | DTD.166                | MR/C                | JB.9      |
| 2572     | F.178981   |             |   |   |   | Plate, nut .....                                         | 2       | S.3                    | MR/C                | JB.9      |
|          | C.197248   |             |   |   |   | SEALING, AT REAR SPAR, ASSEMBLY .....                    | —       | —                      |                     |           |
| 4634     | F.197153   |             |   |   |   | Cleat .....                                              | 1       | LFS.21                 | C.                  |           |
| 4635     | F.197154   |             |   |   |   | Cleat .....                                              | 1       | LFS.21                 | C.                  |           |
| 4636     | F.197155   |             |   |   |   | Cleat .....                                              | 1       | LFS.21                 | C.                  |           |
| 4637     | F.197156   |             |   |   |   | Cleat .....                                              | 1       | LFS.21                 | C.                  |           |
| 4638     | F.197157   |             |   |   |   | Cleat .....                                              | 1       | LFS.21                 | C.                  |           |
| 4639     | F.197158   |             |   |   |   | Cleat .....                                              | 1       | LFS.21                 | C.                  |           |
| 4640     | F.197159   |             |   |   |   | Cleat .....                                              | 1       | LFS.21                 | C.                  |           |
| 4641     | F.197160   |             |   |   |   | Cleat .....                                              | 1       | LFS.21                 | C.                  |           |
| 4642     | F.197161   |             |   |   |   | Cleat .....                                              | 1       | LFS.21                 | C.                  |           |
| 4643     | F.197162   |             |   |   |   | Cleat .....                                              | 2       | LFS.21                 | C.                  |           |
| 4644     | F.196784   |             |   |   |   | Plate, clamping .....                                    | 6       | DTD.610                | C.                  |           |
| 4645     | F.197058   |             |   |   |   | Plate, clamping .....                                    | 2       | DTD.610                | C.                  |           |
| 990      | F.180319   |             |   |   |   | Shim, for gear box mounting block .....                  | Q.R.    | Laminated Sheet        | C.                  |           |
| 2470     | F.178982   |             |   |   |   | Stud, for fairlead .....                                 | 3       | S.1 & S.3              | MR/C                |           |
| 989      | F.180664   |             |   |   |   | Washer, special, for gear box steady bracket .....       | 1       | DTD.364                | C                   | JB.9      |
| 2573     | D.178939   |             |   |   |   | Web, forward, port .....                                 | 1       | DTD.610                | MR/C                | JB.9      |
| 2574     | D.178940   |             |   |   |   | Web, forward, starboard .....                            | 1       | DTD.610                | MR/C                | JB.9      |
| 2575     | D.178941   |             |   |   |   | Web, rear, port .....                                    | 1       | DTD.610                | MR/C                | JB.9      |
| 2576     | D.178942   |             |   |   |   | Web, rear, starboard .....                               | 1       | DTD.610                | MR/C                | JB.9      |
|          | B.205513   |             |   |   |   | Frame 33, group .....                                    | 1       | —                      | —                   |           |
| 4874     | F.195549   |             |   |   |   | Angle, supporting hydraulic pipe clipping .....          | 4       | DTD.610                | MR/C                | JB.10     |
| 4785     | F.196959   |             |   |   |   | Bracket, for electrical cables .....                     | 1       | DTD.610                | MR/C                |           |
| 2577     | D.176661/2 |             |   |   |   | Diaphragm, port .....                                    | 1       | DTD.610                | MR/C                | JB.10     |
| 2578     | D.176661/3 |             |   |   |   | Diaphragm, starboard .....                               | 1       | DTD.610                | MR/C                | JB.10     |
| 2579     | F.176665   |             |   |   |   | Plate, reinforcing .....                                 | 2       | DTD.610                | MR/C                | JB.10     |
| 4211     | Std.1687/2 |             |   |   |   | Saddle, securing flame switch cable .....                | 2       | DTD.610                | C.                  | 5         |
|          | A.220932   |             |   |   |   | Frame 34, group .....                                    | 1       | —                      | —                   |           |
| 2589     | F.190388   |             |   |   |   | Angle, mounting, port .....                              | 1       | DTD.610                | MR/C                | JB.10     |
| 2590     | F.190389   |             |   |   |   | Angle, mounting, starboard .....                         | 1       | DTD.610                | MR/C                | JB.10     |
| 2591     | A.190334   |             |   |   |   | Angle, mounting, port .....                              | 1       | DTD.610                | MR/C                | JB.10     |
| 2592     | A.190335   |             |   |   |   | Angle, mounting, starboard .....                         | 1       | DTD.610                | MR/C                | JB.10     |
| 4030     | A.196370   |             |   |   |   | Bracket, support, for by-pass valve .....                | 1       | DTD.610                | MR/C                |           |
| 4785     | F.196959   |             |   |   |   | Bracket, for attaching electrical cables .....           | 1       | DTD.610                | MR/C                |           |
| 8227     | B.214195   |             |   |   |   | Bracket, mounting, for external supply valves .....      | 1       | —                      | MR/C                | JB.10     |
| 4715     | F.197167   |             |   |   |   | Bracket, attaching suppressor cables .....               | 1       | S.3                    | MR/C                |           |
| 2582     | A.177104   |             |   |   |   | Butt strap, outer .....                                  | 2       | DTD.546                | MR/C                | JB.10     |
| 2581     | A.177105   |             |   |   |   | Butt strap, inner .....                                  | 2       | DTD.546                | MR/C                |           |

## FUSELAGE-CENTRE PORTION

| Ref. No. | Part No.        | Description |   |   |   |                                                    | No. Off | Material Specification | M.R. Class of Store | Place No. |
|----------|-----------------|-------------|---|---|---|----------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |                 | 1           | 2 | 3 | 4 | 5                                                  |         |                        |                     |           |
| 2583     | D.177095/6      |             |   |   |   | Channel, bottom                                    | 1       | DTD.364                | MR/C                | JB.10     |
| 2584     | D.177095/1      |             |   |   |   | Diaphragm, port                                    | 1       | DTD.610                | MR/C                | JB.10     |
| 2585     | D.177095/2      |             |   |   |   | Diaphragm forward, starboard                       | 1       | DTD.610                | MR/C                | JB.10     |
| 2586     | D.177095/3      |             |   |   |   | Diaphragm, aft, port                               | 1       | DTD.610                | MR/C                | JB.10     |
| 2587     | D.177095/4      |             |   |   |   | Diaphragm, aft, starboard                          | 1       | DTD.610                | MR/C                | JB.10     |
| 2588     | F.177101        |             |   |   |   | Ferrule, at bearing plate                          | 4       | S.96.B                 | MR/C                |           |
| 2593     | A.179364        |             |   |   |   | Guide, at bottom frame joint                       | 1       | S.3                    | MR/C                |           |
| 993      | F.177106        |             |   |   |   | Nut, at lower portion of frame, for screw jack     | 1       | S.3                    | C.                  | JB.10     |
|          |                 |             |   |   |   | adjusting detachable engine rail                   |         |                        |                     |           |
| 2594     | C.177096        |             |   |   |   | Plate, reinforcing, forward port, aft starboard    | 2       | DTD.610                | MR/C                | JB.10     |
| 2595     | C.177097        |             |   |   |   | Plate, reinforcing, forward port, aft starboard    | 2       | DTD.610                | MR/C                | JB.10     |
| 2596     | A.177100        |             |   |   |   | Plate, joint, at bottom frame joint                | 2       | DTD.610                | MR/C                | JB.10     |
| 2597     | F.177108        |             |   |   |   | Plate, bearing, for engine mounting attachments    | 4       | DTD.610                | MR/C                | JB.10     |
|          | F.196368        |             |   |   |   | Plate, locating frame switch cable                 | 2       | DTD.610                |                     |           |
|          | Std.1509/23/084 |             |   |   |   | Tube, distance, 5/16" o/d x 17 s.w.g. x .84" long  | 4       | T.4                    |                     |           |
|          | Std.1509/3/112  |             |   |   |   | Tube, distance, 5/16" o/d x 17 s.w.g. x 1.12" long | 1       | T.4                    |                     | 4         |
| 3729     | Std.184/11B     |             |   |   |   | Washer, at bearing plate                           | 4       | S.2                    | MR/C                | 4         |
|          | B.220966        |             |   |   |   | Frame 35, group                                    | 1       | -                      | -                   |           |
| 2598     | D.178028/4      |             |   |   |   | Bottom portion of frame, port                      | 1       | DTD.610                | MR/C                | JB.10     |
| 2599     | D.178028/5      |             |   |   |   | Bottom portion of frame, starboard                 | 1       | DTD.610                | MR/C                | JB.10     |
|          | D.178029        |             |   |   |   | Frame 36, group                                    | 1       | -                      | -                   |           |
| 2600     | D.178029/4      |             |   |   |   | Bottom portion of frame, port                      | 1       | DTD.610                | MR/C                | JB.10     |
| 2601     | D.178029/5      |             |   |   |   | Bottom portion of frame, starboard                 | 1       | DTD.610                | MR/C                | JB.10     |
|          | F.219864        |             |   |   |   | Boss, mounting, upper, for hydraulic tank          | 1       | S.3 & S.21             |                     |           |
|          | F.219863        |             |   |   |   | Boss, mounting, lower, for hydraulic tank          | 1       | S.3 & S.21             |                     | JB.10     |
|          | F.219862        |             |   |   |   | Boss, mounting, lower, for hydraulic reservoir     | 1       | M. Steel               |                     |           |
|          | F.219865        |             |   |   |   | Boss, mounting, upper, for hydraulic reservoir     | 1       | M. Steel               |                     |           |
| 4297     | Std.843/11      |             |   |   |   | Clip, securing fuel contents cable                 | 1       | DTD.610                | MR/C                | 4         |
|          | F.219861        |             |   |   |   | Plate, nut, upper, for hydraulic tank              | 1       | -                      |                     | JB.10     |
|          | F.219860        |             |   |   |   | Plate, nut, lower, for hydraulic tank              | 1       | -                      |                     | JB.10     |
| 4211     | Std.1687/2      |             |   |   |   | Saddle, securing cables                            | 1       | DTD.610                | C.                  | 5         |
| 2795     | F.190690        |             |   |   |   | Strip, rubbing                                     | 1       | Ferrobestos            | MR/C                |           |
|          | D.175981        |             |   |   |   | Frame 37, group                                    | 1       | -                      |                     |           |
| 2796     | D.175981/4      |             |   |   |   | Angle, stiffener, port                             | 1       | DTD.610                | MR/C                | JB.10     |
| 2797     | D.175981/5      |             |   |   |   | Angle, stiffener, starboard                        | 1       | DTD.610                | MR/C                | JB.10     |
| 2798     | A.175984        |             |   |   |   | Angle, at bottom of frame                          | 1       | DTD.610                | MR/C                | JB.10     |
|          | A.220498        |             |   |   |   | Bracket, support, for hydraulic oil filter         | 1       | L.72                   |                     | JB.10     |
| 8237     | A.204563        |             |   |   |   | Bracket, for flame switch                          | 1       | L.72                   | MR/C                | JB.10     |
|          | B.191742        |             |   |   |   | Bracket, stiffening                                | 1       | DTD.610                |                     |           |
| 6045     | B.203505        |             |   |   |   | Bracket, stiffening                                | 1       | S.3                    | MR/C                |           |
| 2800     | D.175981/3      |             |   |   |   | Diaphragm, bottom                                  | 1       | DTD.610                | MR/C                | JB.10     |
| 2801     | F.175986        |             |   |   |   | Plate, joint                                       | 2       | DTD.610                | MR/C                | JB.10     |
| 2802     | A.175983        |             |   |   |   | Plate, reinforcing, at bottom of frame             | 1       | DTD.166                | MR/C                | JB.10     |
| 2803     | C.175982        |             |   |   |   | Plate, reinforcing, at lower portion of frame      | 1       | DTD.166                | MR/C                | JB.10     |
|          | F.204568        |             |   |   |   | Plate, reinforcing                                 | 1       | L.72                   |                     |           |
| 4211     | Std.1687/2      |             |   |   |   | Saddle, securing cables                            | 1       | DTD.610                | C.                  | 5         |

## FUSELAGE—CENTRE PORTION

| Ref. No. | Part No.              | Description                                               |   |   |   |   | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------------|-----------------------------------------------------------|---|---|---|---|---------|------------------------|---------------------|-----------|
|          |                       | 1                                                         | 2 | 3 | 4 | 5 |         |                        |                     |           |
|          | D.176012              | Frame 38, group                                           |   |   |   |   | 1       | —                      |                     |           |
| 2804     | D.176012/5            | Angle, lower, centre                                      |   |   |   |   | 1       | DTD.610                | MR/C                | JB.10     |
| 2805     | D.176012/9            | Angle, lower, port                                        |   |   |   |   | 1       | DTD.610                | MR/C                | JB.10     |
| 4036     | D.176012/10           | Angle, lower, starboard                                   |   |   |   |   | 1       | DTD.610                | MR/C                | JB.10     |
| 4008     | F.195286              | Angle, port                                               |   |   |   |   | 1       | DTD.610                | MR/C                | JB.10     |
| 4009     | F.195287              | Angle, starboard                                          |   |   |   |   | 1       | DTD.610                | MR/C                | JB.10     |
| 2806     | D.176012/4            | Bottom portion                                            |   |   |   |   | 1       | DTD.610                | MR/C                | JB.10     |
|          | D.176255              | Frame 39, top portion                                     |   |   |   |   | 1       | DTD.610                |                     |           |
|          | D.176256              | Frame 39, bottom portion, group                           |   |   |   |   | 1       | —                      |                     |           |
| 2807     | D.176256/2            | Angle, lower, port                                        |   |   |   |   | 1       | DTD.610                | MR/C                | JB.10     |
| 2808     | D.176256/3            | Angle, lower, starboard                                   |   |   |   |   | 1       | DTD.610                | MR/C                | JB.10     |
| 2809     | D.176256/1            | Diaphragm, lower                                          |   |   |   |   | 1       | DTD.610                | MR/C                | JB.10     |
| 2810     | B.176254              | Plate, reinforcing                                        |   |   |   |   | 1       | DTD.610                | MR/C                | JB.10     |
|          | F.196368              | Plate, locating flame switch cable                        |   |   |   |   | 1       | DTD.610                |                     |           |
| 4211     | Std 1687/2            | Saddle, securing cables                                   |   |   |   |   | 9       | DTD.610                | C.                  | 5         |
|          | E.175941              | Frame 40A, group                                          |   |   |   |   | 2       | —                      |                     |           |
|          | A.175938              | Angle, attachment, at engine mounting fitting, port       |   |   |   |   | 2       | DTD.364                |                     |           |
|          | A.175939              | Angle, attachment, at engine mounting fittings, starboard |   |   |   |   | 2       | DTD.364                |                     |           |
| 12641    | F.163972              | Angle, at transport joint fittings                        |   |   |   |   | 8       | DTD.364                | C.                  |           |
| 1765     | F.191864              | Angle, at transport joint fittings                        |   |   |   |   | 22      | DTD.364                | C.                  | JB.3      |
| 4716     | A.196782              | Channel, sealing, at bottom portion of frame, port        |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 4717     | A.196783              | Channel, sealing, at bottom portion of frame, starboard   |   |   |   |   | 1       | DTD.610                | MR/C                |           |
| 2811     | E.175941/3            | Diaphragm, forward, starboard                             |   |   |   |   | 1       | DTD.610                | MR/C                | JB.10     |
| 2812     | E.175941/4            | Diaphragm, rear, starboard                                |   |   |   |   | 1       | DTD.610                | MR/C                | JB.10     |
| 2813     | E.175941/5            | Diaphragm, forward, port                                  |   |   |   |   | 1       | DTD.610                | MR/C                | JB.10     |
| 2814     | E.175941/6            | Diaphragm, rear, port                                     |   |   |   |   | 1       | DTD.610                | MR/C                | JB.10     |
| 1003     | B.177308              | Fitting, for rear transport joint                         |   |   |   |   | 4       | Stamping               | C.                  | JB.10     |
| 10041    | B.177306              | Fitting, for rear transport joint                         |   |   |   |   | 7       | Stamping               | C.                  | JB.3      |
| 10051    | B.177307              | Fitting, for rear transport joint                         |   |   |   |   | 4       | Stamping               | C.                  | JB.10     |
|          | B.166524              | Fitting, for engine mounting, at centre of frame          |   |   |   |   | 2       | Stamping               |                     |           |
| 2815     | B.177323              | Lug, for engine rail                                      |   |   |   |   | 1       | Stamping               | MR/C                | JB.6      |
| 2816     | F.175844              | Plate, nut, at bottom centre of frame                     |   |   |   |   | 1       | —                      | MR/C                | JB.10     |
| 2817     | E.175941/9            | Strap                                                     |   |   |   |   | 1       | DTD.601                | MR/C                | JB.10     |
|          | Std.1509/24/150       | Tube, distance, 3/8" o/d x 17 s.w.g. x 1.5" long          |   |   |   |   | 60      | T.4                    |                     |           |
|          | B.196633—4            | MOUNTING, FOR SUPPRESSOR, ASSEMBLY                        |   |   |   |   | —       | —                      |                     |           |
| 4010     | F.196834              | Angle, support, at stringer "K", port                     |   |   |   |   | 2       | DTD.364                | MR/C                | JB.3      |
| 4011     | F.196835              | Angle, support, at stringer "K", starboard                |   |   |   |   | 2       | DTD.364                | MR/C                | JB.3      |
| 4012     | F.196644              | Angle, support, at stringer "J"                           |   |   |   |   | 4       | DTD.364                | MR/C                | JB.3      |
| 4013     | B.196636              | Rail, assembly, port, group                               |   |   |   |   | 1       | —                      | MR/C                | JB.3      |
| 4014     | B.196637              | Rail, assembly, starboard, group                          |   |   |   |   | 1       | —                      | MR/C                | JB.3      |
| —        | Aerolex<br>F.48.7.508 | Pin, quick release (Use 27FP/15)                          |   |   |   |   | 1       | —                      | —                   |           |
|          | C.188601              | MOUNTING, FOR COLD AIR UNIT, ASSEMBLY                     |   |   |   |   | —       | —                      |                     |           |
| 2822     | F.188604              | Angle                                                     |   |   |   |   | 2       | DTD.610                | MR/C                |           |
| 2823     | F.188605              | Angle                                                     |   |   |   |   | 2       | DTD.610                | MR/C                |           |
| 2824     | B.188602              | Channel, inboard                                          |   |   |   |   | 1       | DTD.610                | MR/C                | JB.3      |
| 2825     | B.188603              | Channel, outboard                                         |   |   |   |   | 1       | DTD.610                | MR/C                | JB.3      |
|          | D.233316              | MOUNTING, FOR BOTTOM AERIAL, ASSEMBLY<br>(Mod. 807)       |   |   |   |   | —       | —                      |                     |           |
|          | F.244059              | Bracket, for sediment pipe clip                           |   |   |   |   | 1       | —                      |                     |           |
|          | D.233316/1            | Duct, for cable                                           |   |   |   |   | 1       | L.54                   |                     |           |
|          | F.233318              | Plate, blanking                                           |   |   |   |   | 1       | L.72                   | C.                  |           |
|          | A.233277              | Plate, mounting                                           |   |   |   |   | 1       | —                      |                     |           |

FUSELAGE-CENTRE PORTION

| Ref. No.     | Part No.         | Description                                                   |   |   |   |   | No. Of | Material Specification | M.R. Class of Score | Plate No. |
|--------------|------------------|---------------------------------------------------------------|---|---|---|---|--------|------------------------|---------------------|-----------|
|              |                  | 1                                                             | 2 | 3 | 4 | 5 |        |                        |                     |           |
|              | C.192896         | MOUNTING, FOR HIGH ENERGY IGNITION UNITS, ASSEMBLY            |   |   |   |   | —      | —                      |                     |           |
|              | 5812 A.197467    | Angle, support, lower                                         |   |   |   |   | 1      | DTD.610                | C.                  |           |
|              | 5813 A.197466    | Angle, support, upper                                         |   |   |   |   | 1      | DTD.610                | C.                  |           |
|              | 2827 F.192898    | Bracket, support, at upper mounting                           |   |   |   |   | 2      | DTD.610                | MR/C                |           |
|              | 2829 A.192897    | Bracket, support, at upper mounting                           |   |   |   |   | 1      | DTD.610                | MR/C                | JB.3      |
|              | D.191929         | OUTLET, FOR STARTER EXHAUST, ASSEMBLY                         |   |   |   |   | —      | —                      |                     |           |
| 21           | 1766 A.192787    | Bracket, attachment                                           |   |   |   |   | 1      | S.510                  | C.                  | JB.5      |
| 21           | — Aerolex        | Pin, quick release (Use 28FP/9713920)                         |   |   |   |   | 1      | —                      | —                   |           |
|              | F.48.7 411       |                                                               |   |   |   |   |        |                        |                     |           |
| 21           | 2736 C.195168    | Plate, sealing                                                |   |   |   |   | 1      | S.510                  | C.                  | JB.5      |
|              | 2734 A.195012    | Sleeve, flexible, for sealing starter exhaust                 |   |   |   |   | 1      | Moulded Silicone       | C.                  | JB.5      |
| 21           | 2735 F.191935    | Strip, retaining                                              |   |   |   |   | 1      | S.510                  | MR/C                | JB.5      |
|              | 1768 B.191932    | Tube, exhaust                                                 |   |   |   |   | 1      | —                      | B.                  | JB.5      |
|              | E.201817         | Panel, support, for centre tank, group                        |   |   |   |   | 1      | —                      |                     |           |
|              | 996 F.182738     | Bolt, special                                                 |   |   |   |   | 48     | S.95                   | C.                  | JB.6      |
|              | 8468†† E.220 789 | Panel, support, detachable, for centre tank, port, group      |   |   |   |   | 1      | —                      | B.                  | JB.6      |
|              | 994 B.184014     | Panel, side, port, group                                      |   |   |   |   | 1      | DTD.610                | C.                  | JB.6      |
| 28FP/9144248 | Dzus A4.25       | Fastener                                                      |   |   |   |   | 4      | —                      | C.                  |           |
|              | F.182656         | Plate, joint, top                                             |   |   |   |   | 1      | DTD.610                |                     |           |
|              | F.182657         | Plate, joint, centre                                          |   |   |   |   | 1      | DTD.610                |                     |           |
|              | F.182658         | Plate, joint, centre                                          |   |   |   |   | 1      | DTD.610                |                     |           |
|              | F.182659         | Plate, joint, centre                                          |   |   |   |   | 2      | DTD.610                |                     |           |
| 28FP/9430916 | Dzus S4.200      | Spring                                                        |   |   |   |   | 10     | —                      | C.                  |           |
|              | 8469 E.220790    | Panel, support, detachable, for centre tank, starboard, group |   |   |   |   | 1      | —                      | B.                  | JB.6      |
|              | 995 B.184015     | Panel, side, starboard, group                                 |   |   |   |   | 1      | DTD.610                | C.                  | JB.6      |
| 28FP/9488815 | Dzus A4.30       | Fastener                                                      |   |   |   |   | 2      | —                      | C.                  |           |
| 28FP/1013258 | Dzus A4.35       | Fastener                                                      |   |   |   |   | 2      | —                      | C.                  |           |
|              | F.182657         | Plate, joint, centre                                          |   |   |   |   | 1      | DTD.610                |                     |           |
|              | F.182658         | Plate, joint, centre                                          |   |   |   |   | 1      | DTD.610                |                     |           |
|              | F.182659         | Plate, joint, centre                                          |   |   |   |   | 2      | DTD.610                |                     |           |
| 28FP/9430916 | Dzus S4.200      | Spring                                                        |   |   |   |   | 8      | —                      | C.                  |           |
|              | 8470 C.220791    | Panel, for centre tank detachable support panel, group        |   |   |   |   | 1      | DTD.610                | B.                  |           |
| 28FP/9488815 | Dzus A4.30       | Fastener                                                      |   |   |   |   | 4      | —                      | C.                  |           |
| 28FP/9430916 | Dzus S4.200      | Spring                                                        |   |   |   |   | 3      | —                      | C.                  |           |
|              | 1000 A.183303    | Panel, top, group                                             |   |   |   |   | 1      | DTD.610                | C.                  | JB.6      |
| 28FP/9144248 | Dzus A4.25       | Fastener                                                      |   |   |   |   | 4      | —                      | C.                  |           |
| 21           | 997 F.183770     | Plate, nut, port                                              |   |   |   |   | 1      | S.510                  | C.                  | JB.6      |
| 21           | 998 F.183771     | Plate, nut, starboard                                         |   |   |   |   | 1      | S.510                  | C.                  | JB.6      |
|              | 1001 C.183768    | Ring, sealing, at forward end, port, group                    |   |   |   |   | 1      | DTD.610                | C.                  | JB.6      |
|              | 1002 C.183769    | Ring, sealing, at forward end, starboard, group               |   |   |   |   | 1      | DTD.610                | C.                  | JB.6      |
| 28FP/9488815 | Dzus A4.30       | Fastener                                                      |   |   |   |   | 21     | —                      | C.                  |           |

## FUSELAGE—CENTRE PORTION

| Ref. No. | Part No.        | Description                                            |   |   |   |   | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|----------|-----------------|--------------------------------------------------------|---|---|---|---|---------|------------------------|---------------------|-----------|
|          |                 | 1                                                      | 2 | 3 | 4 | 5 |         |                        |                     |           |
| 9501     | B.213427        | Panel, access, for main fuel tank, port, group .....   |   |   |   |   | 1       | —                      | B.                  | JB.1      |
|          | A.211662        | Bracket, mounting .....                                |   |   |   |   | 1       | DTD.364                |                     |           |
|          | A.211663        | Bracket, mounting .....                                |   |   |   |   | 1       | DTD.364                |                     |           |
| 7836     | C.210032        | Panel, access, for main tank, starboard, group .....   |   |   |   |   | 1       |                        | B.                  | JB.1      |
|          | F.200150        | Bracket, support, for strap .....                      |   |   |   |   | 4       | L.72                   |                     |           |
|          | F.207759        | Guard, cable (Port only) .....                         |   |   |   |   | 1       |                        |                     |           |
|          | A.200163        | Strap .....                                            |   |   |   |   | 2       | Webbing                |                     |           |
| 6046     | F.203116        | Plate, blanking, at frame 37 .....                     |   |   |   |   | 2       | S.510                  | MR/C                |           |
|          | B.176816        | RAIL, FOR ENGINE, ASSEMBLY .....                       |   |   |   |   | —       | —                      |                     |           |
| 2737     | B.166532        | Mounting, for engine rail .....                        |   |   |   |   | 1       | Stamping               | MR/C                | JB.4      |
| 2738     | B.176175        | Rail .....                                             |   |   |   |   | 1       | DTD.364                | MR/C                | JB.6      |
|          | Std.1509/23/034 | Tube, distance, 5/16" o/d x 17 s.w.g. x 0.34" long ... |   |   |   |   | 4       | T.4                    |                     | 4         |
| 3811     | Std.1547/32/12  | Washer, for rear end joint .....                       |   |   |   |   | 2       | DTD.610                | MR/C                | 4         |
| 2739     | A.176169        | Web, forward, port .....                               |   |   |   |   | 1       | DTD.610                | MR/C                | JB.6      |
| 2740     | A.176170        | Web, forward, starboard .....                          |   |   |   |   | 1       | DTD.610                | MR/C                | JB.6      |
| 2741     | A.176171        | Web, centre, port .....                                |   |   |   |   | 1       | DTD.610                | MR/C                | JB.6      |
| 2742     | A.176172        | Web, centre, starboard .....                           |   |   |   |   | 1       | DTD.610                | MR/C                | JB.6      |
| 2743     | A.176173        | Web, aft, port .....                                   |   |   |   |   | 1       | DTD.610                | MR/C                | JB.6      |
| 2744     | A.176174        | Web, aft, starboard .....                              |   |   |   |   | 1       | DTD.610                | MR/C                | JB.6      |
|          | C.189596        | SEALING PLATE, FOR STRINGERS AT FRAMES ...             |   |   |   |   | —       | —                      |                     |           |
|          |                 | 37, ASSEMBLY                                           |   |   |   |   |         |                        |                     |           |
| 4462     | F.189599        | Sealing, at stringer "C" .....                         |   |   |   |   | 2       | Plastic                | MR/C                | JB.10     |
| 4466     | F.189684        | Sealing, at stringer "D" .....                         |   |   |   |   | 2       | Plastic                | MR/C                | JB.10     |
| 4465     | F.189602        | Sealing, at stringer "E" .....                         |   |   |   |   | 2       | Plastic                | MR/C                | JB.10     |
| 4463     | F.189600        | Sealing, at stringer "F" .....                         |   |   |   |   | 2       | Plastic                | MR/C                | JB.10     |
| 4464     | F.189601        | Sealing, at stringer "F" .....                         |   |   |   |   | 2       | Plastic                | MR/C                | JB.10     |
| 4455     | F.189603        | Sealing, at stringer "G" .....                         |   |   |   |   | 2       | Plastic                | MR/C                | JB.10     |
| 4456     | F.189604        | Sealing, at stringer "H", port .....                   |   |   |   |   | 1       | Plastic                | MR/C                | JB.10     |
| 4457     | F.189605        | Sealing, at stringer "J" .....                         |   |   |   |   | 2       | Plastic                | MR/C                |           |
| 4458     | F.189606        | Sealing, at stringer "K" .....                         |   |   |   |   | 2       | Plastic                | MR/C                |           |
| 4015     | F.195812        | Shim, at engine mounting channel, frame 40A .....      |   |   |   |   | 2       | Brass                  | C.                  |           |
|          |                 | Luminium                                               |   |   |   |   |         |                        |                     |           |
|          | E.200955        | SKIN, COVERING, ASSEMBLY .....                         |   |   |   |   | —       | —                      |                     |           |
| 4718     | A.196875        | Bracket, mounting, for engine pump non-return ...      |   |   |   |   | 1       | DTD.610                | MR/C                |           |
|          |                 | valve, between frames 33 and 34                        |   |   |   |   |         |                        |                     |           |
| 6047     | A.201094        | Bracket, mounting, at frame 31 .....                   |   |   |   |   | 3       | L.72                   | MR/C                |           |
| 4648     | F.192047        | Clip, securing hydraulic pipes, between frames 36 ...  |   |   |   |   | 1       | S.84                   | C.                  |           |
|          |                 | and 37                                                 |   |   |   |   |         |                        |                     |           |
| 4649     | F.193862        | Clip, securing hydraulic pipes, between frames 33 ...  |   |   |   |   | 2       | S.84                   | C.                  |           |
|          |                 | and 34                                                 |   |   |   |   |         |                        |                     |           |
|          | D.179787        | DUCT, COOLER EXIT, PORT, SUB-ASSEMBLY ...              |   |   |   |   | —       | —                      |                     |           |
|          |                 | (Pre Mod. 804)                                         |   |   |   |   |         |                        |                     |           |
|          | E.234967        | DUCT, COOLER, EXIT, PORT, SUB-ASSEMBLY ...             |   |   |   |   | —       | —                      |                     |           |
|          |                 | (S.O.O.) (Mod. 804)                                    |   |   |   |   |         |                        |                     |           |
|          | D.179788        | DUCT, COOLER EXIT, STARBOARD, .....                    |   |   |   |   | —       | —                      |                     |           |
|          |                 | SUB-ASSEMBLY (Pre Mod. 804)                            |   |   |   |   |         |                        |                     |           |
|          | E.234968        | DUCT, COOLER EXIT, STARBOARD, .....                    |   |   |   |   | —       | —                      |                     |           |
|          |                 | SUB-ASSEMBLY (S.O.O.) (Mod. 804)                       |   |   |   |   |         |                        |                     |           |
|          | B.180907        | Duct, fixed, port .....                                |   |   |   |   | 1       | L.16                   |                     |           |
|          | B.180908        | Duct, fixed, starboard .....                           |   |   |   |   | 1       | L.16                   |                     |           |
| 10141    | C.233307        | Duct, exit (S.O.O.) (Mod. 804) .....                   |   |   |   |   | 2       | —                      | C.                  |           |
| 10142    | C.233317        | Fairing, for exit duct (S.O.O.) (Mod. 804) .....       |   |   |   |   | 2       | L.59                   | C.                  |           |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No.            | Description |   |   |   |                                                        | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|---------------------|-------------|---|---|---|--------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |                     | 1           | 2 | 3 | 4 | 5                                                      |         |                        |                     |           |
|          | A.180727            |             |   |   |   | Landing, for panel, port .....                         | 1       | DTD.610                |                     |           |
|          | A.180728            |             |   |   |   | Landing, for panel, starboard .....                    | 1       | DTD.610                |                     |           |
| 1010     | B.180863            |             |   |   |   | Panel, port .....                                      | 1       | DTD.610                | C.                  | JB.6      |
| 1011     | B.180864            |             |   |   |   | Panel, starboard .....                                 | 1       | DTD.610                | C.                  | JB.6      |
| 1012     | C.189378            |             |   |   |   | Panel, louvred, for cooler duct exit .....             | 2       | S.3 & DTD.610          | B.                  | JB.6      |
|          |                     |             |   |   |   | (Pre Mod. 804)                                         |         |                        |                     |           |
|          | King Aircraft Corp. |             |   |   |   |                                                        |         |                        |                     |           |
| 3843     | C.3903/1            |             |   |   |   | Fitting, attachment .....                              | 4       | —                      | C.                  | JB.5      |
|          | King Aircraft Corp. |             |   |   |   |                                                        |         |                        |                     |           |
| 3844     | C.3903/2            |             |   |   |   | Fitting, attachment .....                              | 1       | —                      | C.                  | JB.5      |
|          | King Aircraft Corp. |             |   |   |   |                                                        |         |                        |                     |           |
| 3845     | C.3903/3            |             |   |   |   | Fitting, attachment .....                              | 1       | —                      | C.                  | JB.5      |
|          | C.187577            |             |   |   |   | Intake, for cooling air, bottom port, group .....      | 1       | —                      |                     |           |
|          | C.187578            |             |   |   |   | Intake, for cooling air, bottom starboard, group ..... | 1       | —                      |                     |           |
| 1007     | C.188060            |             |   |   |   | Duct .....                                             | 2       | S.3                    | C.                  | JB.1      |
| 2745     | C.180542            |             |   |   |   | Landing, for front engine mountings .....              | 1       | DTD.610                | MR/C                | JB.2      |
|          |                     |             |   |   |   | access panel, port                                     |         |                        |                     |           |
| 2746     | C.180543            |             |   |   |   | Landing, for front engine mountings .....              | 1       | DTD.610                | MR/C                | JB.2      |
|          |                     |             |   |   |   | access panel, starboard                                |         |                        |                     |           |
| 2747     | C.186937/1          |             |   |   |   | Landing, for igniter plugs access panel, .....         | 1       | DTD.610                | MR/C                | JB.2      |
|          |                     |             |   |   |   | port (Known as C.186937/A)                             |         |                        |                     |           |
| 21       | 6048                |             |   |   |   | Landing, for hydraulic filter access panel, .....      | 1       | DTD.610                | MR/C                | JB.2      |
|          |                     |             |   |   |   | starboard (Known as C.186937/B)                        |         |                        |                     |           |
| 21       | 2748                |             |   |   |   | Landing, for igniter plugs access panel, .....         | 1       | DTD.610                | MR/C                | JB.2      |
|          |                     |             |   |   |   | port (Known as C.186938/A)                             |         |                        |                     |           |
|          | B.204979            |             |   |   |   | LEVELLING, POINTS, SUB-ASSEMBLY .....                  | —       | —                      |                     |           |
| 11381    | B.184598            |             |   |   |   | Bearing, aft, levelling point .....                    | 2       | Stamping               | C.                  |           |
|          | A.184835            |             |   |   |   | Bracket, bearing, forward levelling .....              | 1       | S.3 & S.21             |                     |           |
|          |                     |             |   |   |   | point, port                                            |         |                        |                     |           |
|          | A.184836            |             |   |   |   | Bracket, bearing, forward levelling .....              | 1       | S.3 & S.21             |                     |           |
|          |                     |             |   |   |   | point, starboard                                       |         |                        |                     |           |
|          | King Aircraft Corp. |             |   |   |   |                                                        |         |                        |                     |           |
| 1024     | C.3100              |             |   |   |   | Lever and catch pin .....                              | 6       | —                      | C.                  | JB.5      |
| 2749     | A.186459            |             |   |   |   | Mounting, for suction relief valve .....               | 2       | —                      | MR/C                | JB.3      |
| 6049     | F.197018            |             |   |   |   | Mounting, for terminal blocks .....                    | 2       | DTD.610                | MR/C                |           |
| 1023     | F.173505            |             |   |   |   | Nut, retaining, for fuel tank .....                    | 16      | S.3 & S.21             | C.                  | JB.2      |
| 2750     | A.187454            |             |   |   |   | Plate, reinforcing, for suction relief valve .....     | 2       | DTD.546                | MR/C                | JB.2      |
| 2751     | C.184586            |             |   |   |   | Plate, reinforcing, port .....                         | 1       | DTD.546 & DTD.610      | MR/C                | JB.2      |
| 2752     | C.184587            |             |   |   |   | Plate, reinforcing, starboard .....                    | 1       | DTD.546 & DTD.610      | MR/C                | JB.2      |
|          | C.199414            |             |   |   |   | PLATE, REINFORCING, FOR OIL FILLER .....               | —       | —                      |                     |           |
|          |                     |             |   |   |   | ACCESS DOOR, ASSEMBLY                                  |         |                        |                     |           |
| 6050     | C.199414/2          |             |   |   |   | Angle .....                                            | 1       | DTD.166                | MR/C                |           |
| 4242     | Std.1231/7          |             |   |   |   | Lug .....                                              | 1       | S.3                    | C.                  | 4         |
| 6051     | C.199414/3          |             |   |   |   | Packing .....                                          | 1       | L.72                   | MR/C                |           |
| 6052     | C.199414/1          |             |   |   |   | Plate, reinforcing .....                               | 1       | L.72                   | MR/C                | JB.5      |

## FUSELAGE—CENTRE PORTION

| Ref. No. | Part No.                          | Description |   |   |   |                                                                        | No. Off | Material Specification | M.R. Class of Store | Place No. |
|----------|-----------------------------------|-------------|---|---|---|------------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |                                   | 1           | 2 | 3 | 4 | 5                                                                      |         |                        |                     |           |
| 5711     | A.197762                          |             |   |   |   | Plate, reinforcing, for relief valve support tube . . . . .            | 4       | DTD.610                | MR/C                |           |
| 1009     | F.184599                          |             |   |   |   | Ring, reinforcing . . . . .                                            | 1       | DTD.610                | C.                  | JB.2      |
| 4211     | Std.1687/2<br>King Aircraft Corp. |             |   |   |   | Saddle, for clipping fuel contents cable . . . . .                     | 4       | DTD.610                | C                   | 5         |
| 1025     | D.3060/2                          |             |   |   |   | Screw, locking . . . . .                                               | 6       | —                      | C.                  | JB.5      |
| 9402     | A.221538                          |             |   |   |   | Sealing, for hydraulic reservoir access . . . . .                      | 1       | Rubber                 | C.                  | JB.2      |
|          | E.183424                          |             |   |   |   | SKIN, COVERING, TOP PORTION, . . . . .<br>SUB-ASSEMBLY                 | —       | —                      |                     |           |
| 2756     | A.192906                          |             |   |   |   | Bracket, mounting, for tank pressurising . . . . .<br>connection       | 1       | DTD.610                | MR/C                | JB.2      |
| 2757     | B.193594                          |             |   |   |   | Bracket, mounting, between frames 39 and 40A . . .                     | 1       | DTD.610                | MR/C                | JB.2      |
| 11155    | A.220936                          |             |   |   |   | Bracket, mounting, for cable joint (Mod. 629) . . . .                  | 1       | L.72                   | C.                  |           |
|          | C.188312-3                        |             |   |   |   | LANDING, FOR BLEED VALVE EXHAUST, . . . . .<br>ASSEMBLY                | —       | —                      |                     |           |
| 2753     | B.188314                          |             |   |   |   | Landing, port . . . . .                                                | 1       | DTD.610                | MR/C                | JB.2      |
| 2754     | B.188315                          |             |   |   |   | Landing, starboard . . . . .                                           | 1       | DTD.610                | MR/C                | JB.2      |
| 2755     | C.181728                          |             |   |   |   | Landing, for fuel level switch access panel, port . .                  | 2       | DTD.610                | MR/C                | JB.2      |
| —        | F.205515                          |             |   |   |   | Sealing, at transport joint, frame 18 . . . . .<br>(Make from 32C/574) | 2       | Rubber                 | —                   |           |
|          | E.183421                          |             |   |   |   | SKIN COVERING, BOTTOM PORTION, . . . . .<br>SUB-ASSEMBLY               | —       | —                      |                     |           |
| 6053     | A.204966                          |             |   |   |   | Angle, stiffening . . . . .                                            | 1       | L.72                   | MR/C                |           |
|          | A.215063                          |             |   |   |   | Bracket, mounting, for fuel filter de-icing solenoid .                 | 1       | —                      |                     |           |
| 4719     | A.197061                          |             |   |   |   | Bracket, for cable C3 and C4, also TS3 and TS4 . .                     | 1       | DTD.610                | MR/C                |           |
| 4600     | F.201722                          |             |   |   |   | Catch, for starter access door stay . . . . .                          | 1       | L.72                   | C.                  |           |
| 2758     | F.189545                          |             |   |   |   | Connection, for centre fuel tank drain pipes . . . .                   | 1       | L.16 & L.54            | MR/C                | JB.5      |
| 1773     | A.192320                          |             |   |   |   | Connection, end, for overboard drain and starter . .<br>exhaust outlet | 1       | T.35                   | C.                  | JB.5      |
| 3370     | F.184563                          |             |   |   |   | Landing, for fuel pump access panel, port . . . . .                    | 1       | DTD.610                | MR/C                | JB.5      |
| 3371     | F.184564                          |             |   |   |   | Landing, for fuel pump access panel, starboard . . .                   | 1       | DTD.610                | MR/C                | JB.5      |
|          | A.182100                          |             |   |   |   | Landing, at stringer 'M' . . . . .                                     | 1       | DTD.610                |                     |           |
|          | A.183429                          |             |   |   |   | Landing, for gearbox access door . . . . .                             | 1       | DTD.610                |                     |           |
|          | A.183430                          |             |   |   |   | Landing, for gearbox access door . . . . .                             | 1       | DTD.610                |                     |           |
| 2759     | A.183418                          |             |   |   |   | Landing, for engine access door, frame 34, . . . . .<br>starboard      | 1       | L.72                   | MR/C                | JB.5      |
| 2760     | A.183419                          |             |   |   |   | Landing, for engine access door, frame 34, port . .                    | 1       | L.72                   | MR/C                | JB.5      |
| 2761     | A.183428                          |             |   |   |   | Landing, for engine access door, frame 37 . . . . .                    | 1       | L.72                   | MR/C                | JB.5      |
| 4275     | B.183416                          |             |   |   |   | Landing, for engine access door, frame 34 and 37, .<br>port            | 1       | DTD.610                | MR/C                | JB.5      |
| 2762     | B.183417                          |             |   |   |   | Landing, for engine access door, frame 34 and 37, .<br>starboard       | 1       | DTD.610                | MR/C                | JB.5      |
| 2763     | B.183431                          |             |   |   |   | Landing, for engine starter access door . . . . .                      | 1       | DTD.610                | MR/C                |           |
| 1774     | B.188562/A                        |             |   |   |   | Pipe, drain, for combustion chamber and turbine, .<br>group            | 1       | —                      | C.                  | JB.6      |
|          | B.188562/2                        |             |   |   |   | Consisting of:—<br>Bracket, support . . . . .                          | 1       | DTD.263 or<br>DTD.265  |                     |           |
|          | B.188562/1                        |             |   |   |   | Pipe, 5/8" o/d x 22 S.W.G. . . . .                                     | 1       | DTD.253                |                     |           |
|          | B.188562/3                        |             |   |   |   | Ring . . . . .                                                         | 1       | DTD.283 or<br>DTD.265  |                     |           |

## FUSELAGE-CENTRE PORTION

| Ref. No. | Part No.     | Description |   |   |   |                                                                                                       | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|--------------|-------------|---|---|---|-------------------------------------------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |              | 1           | 2 | 3 | 4 | 5                                                                                                     |         |                        |                     |           |
|          | B.192037     |             |   |   |   | PLATFORM, FOR STARTER EXHAUST, . . . . .<br>OUTLET, SUB-ASSEMBLY                                      | -       | -                      |                     |           |
| 1775     | B.191931     |             |   |   |   | Platform . . . . .                                                                                    | 1       | S.3                    | C.                  | JB.5      |
| 1776     | A.192788     |             |   |   |   | Ring, guide . . . . .                                                                                 | 1       | DTD.571                | C.                  | JB.5      |
| 2764     | C.182823     |             |   |   |   | Plate, reinforcing, at frames 22 and 24, port . . . . .                                               | 1       | DTD.610                | MR/C                | JB.5      |
| 2156     | C.182824     |             |   |   |   | Plate, reinforcing, at frames 22 and 24, starboard . . . . .                                          | 1       | DTD.610                | MR/C                | JB.5      |
| 2157     | C.182692     |             |   |   |   | Plate, reinforcing, at frames 37 and 40, port . . . . .                                               | 1       | DTD.546                | MR/C                | JB.5      |
| 2158     | C.182693     |             |   |   |   | Plate, reinforcing, at frames 37 and 40 . . . . .                                                     | 1       | DTD.546                | MR/C                | JB.5      |
| 2765     | F.194029     |             |   |   |   | Plate, nut, at main spar . . . . .                                                                    | 2       | S.3                    | MR/C                |           |
| 2159     | C.183432     |             |   |   |   | Plate, joint, for bottom main skin to rear spar, . . . . .<br>port                                    | 1       | DTD.610                | MR/C                |           |
| 2160     | C.183433     |             |   |   |   | Plate, joint, for bottom main skin to rear spar, . . . . .<br>starboard                               | 1       | DTD.610                | MR/C                |           |
|          | A.182101     |             |   |   |   | Plate, gusset, at frame 31 . . . . .                                                                  | 1       | DTD.610                |                     |           |
| 2161     | F.189753     |             |   |   |   | Ring, reinforcing, between frames 27 and 28 . . . . .                                                 | 1       | DTD.610                | MR/C                |           |
| 183311   | E.183421/1   |             |   |   |   | Skin, bottom, between frame 27 and rear spar . . . . .                                                | 1       | DTD.610                | C.                  | JB.1      |
| 183411   | E.183421/2   |             |   |   |   | Skin, bottom, between frames 37 and 40A . . . . .                                                     | 1       | DTD.610                | B.                  | JB.1      |
| 2162     | E.183421/3   |             |   |   |   | Skin, bottom at main spar . . . . .                                                                   | 1       | DTD.610                | C.                  | JB.1      |
| 2163     | E.183421/4   |             |   |   |   | Skin, bottom, at frame 34 . . . . .                                                                   | 1       | DTD.610                | C.                  | JB.1      |
| 2164     | B.184367     |             |   |   |   | Stringer, 'L', aft of frame 29, port . . . . .                                                        | 1       | DTD.610                | MR/C                | JB.4      |
| 2165     | B.184368     |             |   |   |   | Stringer, 'L', aft of frame 29, starboard . . . . .                                                   | 1       | DTD.610                | MR/C                | JB.4      |
| 2166     | B.184366     |             |   |   |   | Stringer 'M', frame 29 to rear spar . . . . .                                                         | 1       | DTD.610                | MR/C                | JB.4      |
|          | F.184369     |             |   |   |   | Stringers, for bottom skin, between frames 27 . . . . .<br>and 28                                     | 3       | DTD.610                |                     |           |
|          | F.184370     |             |   |   |   | Stringers, for bottom skin, between frames 28 . . . . .<br>and 29                                     | 3       | DTD.610                |                     |           |
|          | D.186527     |             |   |   |   | TOGGLE, ATTACHMENTS, AT DOOR . . . . .<br>OPENINGS, SUB-ASSEMBLY                                      | -       | -                      |                     |           |
| 5855     | A.205075     |             |   |   |   | Cable, retaining engine access panel . . . . .                                                        | 1       | -                      | C.                  | JB.7      |
| 2167     | A.188887     |             |   |   |   | Fitting, hinge, for engine access door . . . . .                                                      | 1       | Stamping               | MR/C                | JB.7      |
| 2168     | A.188888     |             |   |   |   | Fitting, hinge, for engine access door . . . . .                                                      | 1       | Stamping               | MR/C                |           |
| 2171     | A.189447     |             |   |   |   | Stiffener, for gearbox access door . . . . .                                                          | 1       | L.72                   | MR/C                |           |
| 2172     | A.189446     |             |   |   |   | Stiffener, for engine starter access door . . . . .                                                   | 1       | L.72                   | MR/C                |           |
| 2147     | Std.915/C/20 |             |   |   |   | Washer, at 'King Aircraft' attachment fittings . . . . .                                              | 6       | DTD.610                | C.                  | 4         |
| 2173     | E.183420/1   |             |   |   |   | Skin, top, nose spar to main spar, port . . . . .<br>(Alternative to D203702/1, Ref. 26FX/7558)       | 1       | DTD.546                | MR/B                | JB.2      |
| 2174     | E.183420/2   |             |   |   |   | Skin, top nose spar to main spar, starboard . . . . .<br>(Alternative to D203702/2, Ref. 26FX/7559)   | 1       | DTD.546                | MR/B                | JB.2      |
| 1825     | E.183420/3   |             |   |   |   | Skin, side, nose spar to frame 21, port . . . . .<br>(Alternative to D203702/3, Ref. 26FX/7560)       | 1       | DTD.546                | C.                  | JB.2      |
| 1826     | E.183420/4   |             |   |   |   | Skin, side, nose spar to frame 21, starboard . . . . .<br>(Alternative to D203702/4, Ref. 26FX/7561)  | 1       | DTD.546                | C.                  | JB.2      |
| 1827     | E.183420/5   |             |   |   |   | Skin, side, frame 21 to main spar, port . . . . .<br>(Alternative to D203702/5, Ref. 26FX/7562)       | 1       | DTD.546                | C.                  | JB.2      |
| 1828     | E.183420/6   |             |   |   |   | Skin, side, frame 21 to main spar, starboard . . . . .                                                | 1       | DTD.546                | C.                  | JB.2      |
| 4529     | E.200955/1   |             |   |   |   | Skin, top, main spar to rear spar, port . . . . .                                                     | 1       | DTD.546                | B.                  | JB.2      |
| 4530     | E.200955/2   |             |   |   |   | Skin, top, main spar to rear spar, starboard . . . . .                                                | 1       | DTD.546                | B.                  | JB.2      |
| 4531     | E.200955/3   |             |   |   |   | Skin, side, main spar to rear spar, port . . . . .                                                    | 1       | DTD.546                | B.                  | JB.2      |
| 4532     | E.200955/4   |             |   |   |   | Skin, side, main spar to rear spar, starboard . . . . .                                               | 1       | DTD.546                | B.                  | JB.2      |
| 2177     | E.183420/13  |             |   |   |   | Skin, top, rear spar to frame 40A, port . . . . .<br>(Alternative to E201049/1, Ref. 26FX/7541)       | 1       | DTD.610                | MR/B                | JB.2      |
| 2178     | E.183420/14  |             |   |   |   | Skin, top, rear spar to frame 40A, starboard . . . . .<br>(Alternative to E201049/2, Ref. 26FX/7542)  | 1       | DTD.610                | MR/B                | JB.2      |
| 1831     | E.183420/15  |             |   |   |   | Skin, side, rear spar to frame 40A, port . . . . .<br>(Alternative to E201049/3, Ref. 26FX/7543)      | 1       | DTD.610                | B.                  |           |
| 1832     | E.183420/16  |             |   |   |   | Skin, side, rear spar to frame 40A, starboard . . . . .<br>(Alternative to E201049/4, Ref. 26FX/7544) | 1       | DTD.610                | B.                  | JB.2      |
| 9401     | F.221636     |             |   |   |   | Socket, for engine oil filter drain pipe . . . . .                                                    | 2       | S.3 & T.26             | C.                  |           |

## FUSELAGE—CENTRE PORTION

| Ref. No. | Part No.                 | Description |   |   |   |                                                                                    | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|--------------------------|-------------|---|---|---|------------------------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |                          | 1           | 2 | 3 | 4 | 5                                                                                  |         |                        |                     |           |
|          | C.205785-6               |             |   |   |   | STOP, FOR UNDERCARRIAGE FAIRING DOOR ... AND SEQUENCE VALVE MOUNTING, SUB-ASSEMBLY | —       | —                      |                     |           |
| 5177††   | B.201691                 |             |   |   |   | Bracket, forward, port (8 morse No. 21 holes ... (omitted))                        | 1       | L.72                   | C.                  | JB.2      |
| 5178††   | B.201692                 |             |   |   |   | Bracket, forward, starboard (8 morse No. 21 ... (holes))                           | 1       | L.72                   | C.                  | JB.2      |
| 5179††   | B.201693                 |             |   |   |   | Bracket, aft, port (8 morse No. 21 holes)                                          | 1       | L.72                   | C.                  | JB.2      |
| 5180††   | B.201694                 |             |   |   |   | Bracket, aft, starboard (8 morse No. 21 holes)                                     | 1       | L.72                   | C.                  | JB.2      |
| 5815     | A.189625                 |             |   |   |   | Bracket, mounting, for sequence valve, port                                        | 1       | DTD.610                | C.                  | JB.2      |
| 5816     | A.189626                 |             |   |   |   | Bracket, mounting, for sequence valve, starboard                                   | 1       | DTD.610                | C.                  | JB.2      |
| 5732     | A.201677                 |             |   |   |   | Bracket, reinforcing, port                                                         | 1       | S.3                    | MR/C                | JB.2      |
| 5733     | A.201678                 |             |   |   |   | Bracket, reinforcing, starboard                                                    | 1       | S.3                    | MR/C                | JB.2      |
| 5734     | C.201673                 |             |   |   |   | Bracket, lower, forward, port                                                      | 1       | L.72                   | MR/C                | JB.2      |
| 5735     | C.201674                 |             |   |   |   | Bracket, lower, forward, starboard                                                 | 1       | L.72                   | MR/C                | JB.2      |
| 5736     | C.201675                 |             |   |   |   | Bracket, lower, aft, port                                                          | 1       | L.72                   | MR/C                | JB.2      |
| 5737     | C.201676                 |             |   |   |   | Bracket, lower, aft, starboard                                                     | 1       | L.72                   | MR/C                | JB.2      |
| 5738     | A.202891                 |             |   |   |   | Bracket, guide, port                                                               | 1       | DTD.364 & St. St.      | MR/C                | JB.2      |
| 5739     | A.202892                 |             |   |   |   | Bracket, guide, starboard                                                          | 1       | DTD.364 & St. St.      | MR/C                | JB.2      |
| 1021     | A.189619 )<br>A.192328 ) |             |   |   |   | Lever, operating sequence valve, port                                              | 1       | —                      | C.                  | JB.2      |
| 1022     | A.189620 )<br>A.192329 ) |             |   |   |   | Lever, operating sequence valve, starboard                                         | 1       | —                      | C.                  | JB.2      |
| 1014     | F.189628                 |             |   |   |   | Rod, operating                                                                     | 2       | S.95.B                 | C.                  | JB.2      |
| 1013     | F.189627                 |             |   |   |   | Screw, special                                                                     | 2       | S.95.B                 | C.                  | JB.2      |
| 4650     | F.198997                 |             |   |   |   | Screw, special, for stop adjustment                                                | 2       | S.95.B                 | C.                  | JB.2      |
| 1015     | F.189629                 |             |   |   |   | Stop, at top of operating rod                                                      | 2       | S.95.B                 | C.                  | JB.2      |
| 4651     | F.196854                 |             |   |   |   | Stud, special                                                                      | 2       | S.3 & S.21             | C.                  | JB.2      |
| 1016     | F.187086                 |             |   |   |   | T-nut                                                                              | 2       | S.94.B                 | C.                  | JB.2      |
|          | Std.1507/23/032          |             |   |   |   | Tube, distance, 5/16" o/d x 17 S.W.G. x 0.32" long                                 | 2       | T.26                   |                     |           |
|          | C.207585/1               |             |   |   |   | Tube, distance (may be made from 1567/23/060)                                      | 2       | T.26                   |                     |           |
| 20       | 6098048                  |             |   |   |   | Washer, for guide bracket                                                          | 6       | DTD.364                | C.                  | 4         |
|          | 2179                     |             |   |   |   | Strap, bottom, at frame 34                                                         | 1       | DTD.610                | MR/C                | JB.4      |
|          | 2180                     |             |   |   |   | Strap, reinforcing, at frame 21, bottom portion                                    | 1       | DTD.546                | MR/C                | JB.4      |
|          | 2183                     |             |   |   |   | Strap, reinforcing, at rear spar, bottom portion                                   | 1       | DTD.546                | MR/C                | JB.4      |
|          | 2181                     |             |   |   |   | Strap, reinforcing, at main spar, bottom portion, port                             | 1       | DTD.546                | MR/C                | JB.4      |
|          | 2182                     |             |   |   |   | Strap, reinforcing, at main spar, bottom portion, starboard                        | 1       | DTD.546                | MR/C                | JB.4      |
|          | C.197867                 |             |   |   |   | TRAY, DRIP, FOR HYDRAULIC RESERVOIR, ASSEMBLY                                      | —       | —                      |                     |           |
|          | F.197869                 |             |   |   |   | Socket                                                                             | 1       | S.3 & T.26             |                     |           |
|          | B.197868                 |             |   |   |   | Tray, drip                                                                         | 1       | L.59 & L.54            |                     |           |
|          | B.199734                 |             |   |   |   | Vent-pipe, for wheel case breather, group                                          | 1       | —                      |                     |           |
| 5817     | A.193564                 |             |   |   |   | Sleeve                                                                             | 1       | T.45 & S.3             | C.                  | JB.7      |
| 1753     | A.192205                 |             |   |   |   | Spring                                                                             | 1       | Sp. St.                | C.                  | JB.7      |
| 1752     | A.192204                 |             |   |   |   | Vent-pipe                                                                          | 1       | S.3                    | C.                  | JB.7      |

## FUSELAGE-CENTRE PORTION

| Ref. No. | Part No.   | Description                                                        |   |   |   |   | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|------------|--------------------------------------------------------------------|---|---|---|---|---------|------------------------|---------------------|-----------|
|          |            | 1                                                                  | 2 | 3 | 4 | 5 |         |                        |                     |           |
|          | E.182426   | SKIN, SUPPORTING, FOR AIR INTAKE AND CENTRE FUEL TANK, ASSEMBLY    |   |   |   |   | —       | —                      |                     |           |
| 4720     | F.194933   | Angle, for attaching hydraulic pipes                               |   |   |   |   | 1       | DTD.610                | MR/C                |           |
|          | E.180947   | BREECHES-PIECE, ASSEMBLY                                           |   |   |   |   | —       | —                      |                     |           |
| 2184     | B.189308   | Ring, retaining sealing rubber at frame 29, aft                    |   |   |   |   | 1       | DTD.610                | MR/C                | JB.6      |
| 6758     | A.213115   | Ring, sealing, at frame 28, aft                                    |   |   |   |   | 1       | Rubber                 | C.                  | JB.6      |
| 10925    | B.181795   | Trailing edge, top                                                 |   |   |   |   | 1       | L.16                   | MR/C                |           |
| 10926    | B.181796   | Trailing edge, bottom                                              |   |   |   |   | 1       | L.16                   | MR/C                |           |
| 2185     | C.178230   | Diaphragm, at frame 28, group                                      |   |   |   |   | 1       | —                      | MR/B                | JB.7      |
|          | B.178235   | Angle, port                                                        |   |   |   |   | 1       | DTD.546                |                     |           |
|          | B.178236   | Angle, starboard                                                   |   |   |   |   | 1       | DTD.546                |                     |           |
|          | B.178231   | Diaphragm                                                          |   |   |   |   | 1       | DTD.610                |                     |           |
|          | B.186121   | Ring, supporting, port                                             |   |   |   |   | 1       | DTD.610                |                     |           |
|          | B.186122   | Ring, supporting, starboard                                        |   |   |   |   | 1       | DTD.610                |                     |           |
| 2186     | B.177538   | Member, bottom, for frame 29, forward                              |   |   |   |   | 1       | DTD.166                | MR/C                | JB.7      |
| 2187     | B.177539   | Member, bottom, for frame 29, aft                                  |   |   |   |   | 1       | DTD.166                | MR/C                | JB.7      |
| 6054     | A.204325   | Packing, at frame 29                                               |   |   |   |   | 1       | L.72                   | MR/C                |           |
| 2188     | B.182435   | Stiffener, bottom, for frame 30                                    |   |   |   |   | 1       | DTD.610                | MR/C                | JB.7      |
| 2189     | C.182434   | Stiffener, bottom, for frame 31                                    |   |   |   |   | 1       | DTD.610                | MR/C                | JB.7      |
|          | E.200962   | SKINS, FOR CENTRE FUEL TANK, SUB-ASSEMBLY                          |   |   |   |   | —       | —                      |                     |           |
| 4533     | E.200962/3 | Skin, forward bottom, port                                         |   |   |   |   | 1       | DTD.610                | B.                  | JB.3      |
| 4534     | E.200962/4 | Skin, forward bottom, starboard                                    |   |   |   |   | 1       | DTD.610                | B.                  | JB.3      |
| 2605     | E.182428/7 | Skin, aft bottom, port                                             |   |   |   |   | 1       | DTD.610                | MR/B                | JB.3      |
| 2606     | E.182428/8 | Skin, aft bottom, starboard                                        |   |   |   |   | 1       | DTD.610                | MR/B                | JB.3      |
|          | D.182430   | SKINS, LOWER, FOR CENTRE FUEL TANK AND PILOTS' FLOOR, SUB-ASSEMBLY |   |   |   |   | —       | —                      |                     |           |
| 2607     | B.182441   | Angle, between frames 28 and 32                                    |   |   |   |   | 1       | DTD.610                | MR/C                | JB.7      |
| 7086     | B.182443   | Angle, between frames 28 and 32                                    |   |   |   |   | 1       | DTD.610                | MR/C                | JB.7      |
| 2608     | B.182437   | Ceiling, between frames 27 and 28, port                            |   |   |   |   | 1       | DTD.610                | MR/C                | JB.7      |
| 2609     | B.182438   | Ceiling, between frames 27 and 28, starboard                       |   |   |   |   | 1       | DTD.610                | MR/C                | JB.7      |
| 2610     | D.182430/1 | Diaphragm, forward, port                                           |   |   |   |   | 1       | DTD.610                | MR/C                | JB.7      |
| 2611     | D.182430/2 | Diaphragm, aft, port                                               |   |   |   |   | 1       | DTD.610                | MR/C                | JB.7      |
| 7084     | D.182431/1 | Diaphragm, forward, starboard                                      |   |   |   |   | 1       | DTD.610                | MR/C                | JB.7      |
| 7085     | D.182431/2 | Diaphragm, aft, starboard                                          |   |   |   |   | 1       | DTD.610                | MR/C                | JB.7      |
| 2612     | D.182430/3 | Floor, forward                                                     |   |   |   |   | 1       | DTD.610                | MR/C                | JB.7      |
| 2613     | D.182430/4 | Floor, aft                                                         |   |   |   |   | 1       | DTD.610                | MR/C                | JB.7      |
| 2614     | B.182439   | Trough, port                                                       |   |   |   |   | 1       | DTD.610                | MR/C                | JB.7      |
| 2615     | B.182440   | Trough, starboard                                                  |   |   |   |   | 1       | DTD.610                | MR/C                | JB.7      |
|          | D.180824-5 | SKIN, SUPPORTING, FORWARD FUEL TANK, ASSEMBLY                      |   |   |   |   | —       | —                      |                     |           |
|          | D.180829   | Skin, supporting centre wall, for front fuel tank port, group      |   |   |   |   | 1       | —                      |                     |           |
|          | D.180830   | Skin, supporting centre wall, for front fuel tank starboard, group |   |   |   |   | 1       | —                      |                     |           |
| 4721     | F.195551   | Angle, attaching hydraulic pipes                                   |   |   |   |   | 1       | DTD.610                | MR/C                | JB.7      |
| 2616     | D.180829/8 | Angle, for diaphragm, port                                         |   |   |   |   | 1       | DTD.610                | MR/C                | JB.7      |
| 2617     | D.180830/8 | Angle, for diaphragm, starboard                                    |   |   |   |   | 1       | DTD.610                | MR/C                | JB.7      |

## FUSELAGE-CENTRE PORTION

| Ref. No. | Part No.   | Description |   |   |   |                                                                    | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|------------|-------------|---|---|---|--------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |            | 1           | 2 | 3 | 4 | 5                                                                  |         |                        |                     |           |
| 4722     | F.197468   |             |   |   |   | Bracket, mounting, for transfer pressure switch . . .              | 1       |                        | MR/C                | JB.7      |
|          |            |             |   |   |   | balance pipes                                                      |         |                        |                     |           |
| 2618     | A.180855   |             |   |   |   | Channel, supporting diaphragm . . . . .                            | 1       | Rolled                 | MR/C                | JB.7      |
|          |            |             |   |   |   |                                                                    |         | Section                |                     |           |
| 2619     | B.180845   |             |   |   |   | Diaphragm, bottom aft . . . . .                                    | 1       | DTD.610                | MR/C                | JB.7      |
| 8821     | B.215750   |             |   |   |   | Diaphragm, bottom forward, port . . . . .                          | 1       | DTD.610                | MR/C                | JB.7      |
| 2621     | B.180844   |             |   |   |   | Diaphragm, bottom forward, starboard . . . . .                     | 1       | DTD.610                | MR/C                | JB.7      |
| 2622     | F.182567   |             |   |   |   | Plate, reinforcing, bottom portion . . . . .                       | 2       | DTD.610                | MR/C                | JB.7      |
| 2623     | A.193269   |             |   |   |   | Plate, reinforcing, bottom portion . . . . .                       | 1       | DTD.610                | MR/C                | JB.7      |
| 2624     | F.192312   |             |   |   |   | Plate, reinforcing, bottom portion, port . . . . .                 | 1       | DTD.610                | MR/C                | JB.7      |
| 2625     | F.192313   |             |   |   |   | Plate, reinforcing, bottom portion, starboard . . . . .            | 1       | DTD.610                | MR/C                | JB.7      |
| 4211     | Std.1687/2 |             |   |   |   | Saddle, attaching electrical cables (port only) . . . . .          | 3       | DTD.610                | C.                  | 5         |
| 2626     | B.178521   |             |   |   |   | Stringer, "J", nose spar to frame 21, port . . . . .               | 1       | DTD.364                | MR/C                | JB.4      |
| 2627     | B.178522   |             |   |   |   | Stringer, "J", nose spar to frame 21, starboard . . . . .          | 1       | DTD.364                | MR/C                | JB.4      |
| 2628     | C.178523   |             |   |   |   | Stringer, "J", frame 21 to main spar, port . . . . .               | 1       | DTD.364                | MR/C                | JB.4      |
| 2629     | C.178524   |             |   |   |   | Stringer, "J", frame 21 to main spar, starboard . . . . .          | 1       | DTD.364                | MR/C                | JB.4      |
| 2630     | C.178641   |             |   |   |   | Stringer, "J", main spar to rear spar, port . . . . .              | 1       | DTD.364                | MR/C                | JB.4      |
| 2631     | C.178642   |             |   |   |   | Stringer, "J", main spar to rear spar, starboard . . . . .         | 1       | DTD.364                | MR/C                | JB.4      |
| 2632     | B.179961   |             |   |   |   | Stringer, "J", rear spar to frame 40, port . . . . .               | 2       | DTD.364                | MR/C                | JB.4      |
| 2634     | D.179963   |             |   |   |   | Stringer, "K", between rear spar and frame 40A, port . . . . .     | 1       | DTD.364                | MR/C                | JB.4      |
| 2635     | D.179964   |             |   |   |   | Stringer, "K", between rear spar and frame 40A, . . . . .          | 1       | DTD.364                | MR/C                | JB.4      |
|          |            |             |   |   |   | starboard                                                          |         |                        |                     |           |
| 2636     | B.178525   |             |   |   |   | Stringer, "K", between nose spar and frame 21, port . . . . .      | 1       | DTD.364                | MR/C                | JB.4      |
| 2637     | B.178526   |             |   |   |   | Stringer, "K", between nose spar and frame 21, . . . . .           | 1       | DTD.364                | MR/C                | JB.4      |
|          |            |             |   |   |   | starboard                                                          |         |                        |                     |           |
| 2638     | C.178527-8 |             |   |   |   | Stringer, "K", between frame 21 and main spar, port . . . . .      | 2 prs.  | DTD.364                | MR/C                | JB.4      |
| 2640     | C.178643   |             |   |   |   | Stringer, "K", main spar to rear spar, starboard . . . . .         | 2       | DTD.364                | MR/C                | JB.4      |
| 2641     | D.179965   |             |   |   |   | Stringer, "L", between frames 37 and 40A, port . . . . .           | 1       | DTD.364                | MR/C                | JB.4      |
| 2642     | D.179966   |             |   |   |   | Stringer, "L", between frames 37 and 40A, starboard . . . . .      | 1       | DTD.364                | MR/C                | JB.4      |
|          | A.220709   |             |   |   |   | Strut, frame 19, at wireless bay cross member . . . . .            | 1       | L.72                   |                     |           |
|          | D.180631   |             |   |   |   | STRUCTURE, SUPPORTING, FOR FUEL TANK, . . . . .                    | —       | —                      |                     |           |
|          |            |             |   |   |   | ASSEMBLY                                                           |         |                        |                     |           |
| 4675     | F.180854   |             |   |   |   | Bracket . . . . .                                                  | 2       | DTD.364                | MR/C                | JB.11     |
| 4676     | C.180832   |             |   |   |   | Channel . . . . .                                                  | 1       | DTD.610                | MR/C                | JB.11     |
| 4677     | C.180833   |             |   |   |   | Channel . . . . .                                                  | 1       | DTD.610                | MR/C                | JB.11     |
| 4678     | C.180834   |             |   |   |   | Channel . . . . .                                                  | 1       | DTD.610                | MR/C                | JB.11     |
| 4679     | C.180835   |             |   |   |   | Channel . . . . .                                                  | 1       | DTD.610                | MR/C                | JB.11     |
| 4680     | B.180846   |             |   |   |   | Member, inter-costal, port . . . . .                               | 1       | —                      | MR/C                | JB.11     |
| 4681     | B.180847   |             |   |   |   | Member, inter-costal, starboard . . . . .                          | 1       | —                      | MR/C                | JB.11     |
| 4682     | A.180848   |             |   |   |   | Member, inter-costal frames 21-22, port . . . . .                  | 1       | DTD.610                | MR/C                | JB.11     |
| 4683     | A.180849   |             |   |   |   | Member, inter-costal frames 21-22, starboard . . . . .             | 1       | DTD.610                | MR/C                | JB.11     |
| 4684     | A.180850   |             |   |   |   | Member, inter-costal frames 22-23, port . . . . .                  | 1       | DTD.610                | MR/C                | JB.11     |
| 4685     | A.180851   |             |   |   |   | Member, inter-costal frames 22-23, starboard . . . . .             | 1       | DTD.610                | MR/C                | JB.11     |
| 4686     | A.180852   |             |   |   |   | Member, inter-costal frames 23-25, port . . . . .                  | 1       | DTD.610                | MR/C                | JB.11     |
| 4687     | A.180853   |             |   |   |   | Member, inter-costal frames 23-25, starboard . . . . .             | 1       | DTD.610                | MR/C                | JB.11     |
| 4688     | C.180840   |             |   |   |   | Plate, fuel pump, mounting . . . . .                               | 2       | DTD.610                | MR/C                | JB.11     |
| 4689     | C.180841   |             |   |   |   | Plate, recuperator mounting, port . . . . .                        | 1       | DTD.610                | MR/C                | JB.11     |
| 4690     | C.180842   |             |   |   |   | Plate, recuperator mounting, starboard . . . . .                   | 1       | DTD.610                | MR/C                | JB.11     |
|          | Chekaleke  |             |   |   |   |                                                                    |         |                        |                     |           |
| 8431     | No. 5      |             |   |   |   | Plug . . . . .                                                     | 16      | —                      | C.                  |           |
|          | or         |             |   |   |   |                                                                    |         |                        |                     |           |
| 8432     | No. 6      |             |   |   |   |                                                                    |         |                        |                     |           |
| 4652     | Std.1299/3 |             |   |   |   | Stud, securing guard and clips, for attaching electrical . . . . . | 21      | S.95.B                 | C.                  | 4         |
|          |            |             |   |   |   | cables                                                             |         |                        |                     |           |

FUSELAGE—CENTRE PORTION

| Ref. No. | Part No.     | Description                                                                                 | No.<br>Off | Material<br>Specification | M.R.<br>Class<br>of<br>Store | Plate<br>No. |
|----------|--------------|---------------------------------------------------------------------------------------------|------------|---------------------------|------------------------------|--------------|
|          |              | 1 2 3 4 5                                                                                   |            |                           |                              |              |
|          | E.221248-9   | STUB-WING, ASSEMBLY .....                                                                   | 1          | —                         |                              |              |
|          | C.222754-5   | DUCT IN STUB-WING, ASSEMBLY .....                                                           | —          | —                         |                              |              |
|          | F.216328     | Angle; attachment, port .....                                                               | 1          | L.72                      |                              |              |
|          | F.216329     | Angle; attachment, starboard .....                                                          | 1          | L.72                      |                              |              |
|          | A.216330     | Bracket, support, port .....                                                                | 1          | L.72                      |                              |              |
|          | A.216331     | Bracket, support, starboard .....                                                           | 1          | L.72                      |                              |              |
| 21       | Std.841/39   | Clip, support, attaching duct to angle, at rib<br>No. 1, 7/16" wide x 22 S.W.G. x 3.9" long | 2          | DTD.610                   |                              | 4            |
| 21       | Std.1188/1   | Clip, attaching duct to bracket at rib No. 2 .....                                          | 2          | DTD.610                   | C.                           |              |
|          | F.216332     | Duct, for D.M.E. aerial .....                                                               | 2          | L.67                      |                              |              |
|          | D.179488     | Fillet, for wing aft of rear spar, port, group .....                                        | 1          | —                         |                              |              |
|          | D.179489     | Fillet, for wing of rear spar, starboard, group .....                                       | 1          | —                         |                              |              |
| 2645     | B.181497     | Angle; for seal retaining, top port .....                                                   | 1          | DTD.610                   | MR/C                         | JB.2         |
| 2646     | B.181498     | Angle; for seal retaining, top starboard .....                                              | 1          | DTD.610                   | MR/C                         | JB.2         |
| 2647     | B.181499     | Angle; for seal retaining, bottom port .....                                                | 1          | DTD.610                   | MR/C                         | JB.2         |
| 2648     | B.181500     | Angle; for seal retaining, bottom starboard .....                                           | 1          | DTD.610                   | MR/C                         | JB.2         |
| 2649     | A.188212     | Angle; for seal retaining, top forward, port .....                                          | 1          | DTD.610                   | MR/C                         | JB.2         |
| 2650     | A.188213     | Angle; for seal retaining, top forward, starboard .....                                     | 1          | DTD.610                   | MR/C                         | JB.2         |
| 2651     | A.188214     | Angle; for seal retaining, bottom forward, port .....                                       | 1          | DTD.610                   | MR/C                         | JB.2         |
| 2652     | A.188215     | Angle; for seal retaining, bottom forward, .....                                            | 1          | DTD.610                   | MR/C                         | JB.2         |
|          |              | starboard                                                                                   |            |                           |                              |              |
| 1027     | D.179488/A   | Fillet, top, removable, port .....                                                          | 1          | DTD.610                   | B.                           | JB.1         |
| 1028     | D.179488/B   | Fillet, bottom, forward, removable, port .....                                              | 1          | DTD.610                   | B.                           | JB.1         |
| 1029     | B.179488/C   | Fillet, bottom, aft, removable, port .....                                                  | 1          | DTD.610                   | B.                           | JB.1         |
| 1030     | D.179489/A   | Fillet, top, removable, starboard .....                                                     | 1          | DTD.610                   | B.                           | JB.1         |
| 1031     | D.179489/B   | Fillet, bottom, forward, removable, starboard .....                                         | 1          | DTD.610                   | B.                           | JB.1         |
| 1032     | D.179489/C   | Fillet, bottom, aft, removable, starboard .....                                             | 1          | DTD.610                   | B.                           | JB.1         |
|          | D.179488/27  | Fillet, fixed end, port .....                                                               | 1          | DTD.610                   |                              | JB.1         |
|          | D.179489/8   | Fillet, fixed end, starboard .....                                                          | 1          | DTD.610                   |                              | JB.1         |
|          | C.190330     | PANEL, ACCESS, FOR HYDRAULIC .....                                                          | —          | —                         |                              |              |
|          |              | RESERVOIR, SUB-ASSEMBLY                                                                     |            |                           |                              |              |
|          | B.190332     | Landing, group .....                                                                        | 1          | DTD.610                   |                              |              |
| 21       | 28FP/4062482 | Spring .....                                                                                | 1          | —                         | C.                           |              |
|          | 3762         | Washer .....                                                                                | 1          | DTD.610                   | MR/C                         | 4            |
|          | 1033         | Panel, group .....                                                                          | 1          | DTD.610                   | C.                           | JB.1         |
| 21       | 28FP/4062655 | Fastener .....                                                                              | 3          | —                         | C.                           |              |
| 21       | 2653         | Plate, nut, at rear spar .....                                                              | 2          | S.510                     | MR/C                         |              |
|          | C.181538     | Plate, for rubber seal retaining, port .....                                                | 1          | DTD.610                   |                              |              |
|          | C.181539     | Plate, for rubber seal retaining, starboard .....                                           | 1          | DTD.610                   |                              |              |
| 1706     | Std.1703/6C  | Screw .....                                                                                 | 130        | S.95.B                    | C.                           | 5            |
| 6752     | Std.1703/9C  | Screw .....                                                                                 | 2          | S.95.B                    | C.                           | 5            |
|          | C.221175     | Member, top, leading edge, port, group .....                                                | 1          | —                         |                              | JB.2         |
|          | F.211939     | Lug, attachment .....                                                                       | 1          | Casting                   |                              |              |
|          | C.221176     | Member, top, at leading edge, starboard, group .....                                        | 1          | —                         |                              | JB.2         |
|          | F.211940     | Lug, attachment .....                                                                       | 1          | Casting                   |                              |              |
|          | C.221096     | Member, bottom, at leading edge, port, group .....                                          | 1          | —                         |                              | JB.2         |
|          | F.211937     | Lug, attachment .....                                                                       | 1          | Casting                   |                              |              |
|          | C.221097     | Member, bottom, at leading edge, starboard, .....                                           | 1          | —                         |                              | JB.2         |
|          |              | group                                                                                       |            |                           |                              |              |
|          | F.211938     | Lug, attachment .....                                                                       | 1          | Casting                   |                              |              |

## FUSELAGE—CENTRE PORTION

| Ref. No. | Part No.        | Description |   |   |   |                                                                          | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------|-------------|---|---|---|--------------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |                 | 1           | 2 | 3 | 4 | 5                                                                        |         |                        |                     |           |
|          | 2659 C.178820   |             |   |   |   | Mounting, for undercarriage wheel door hinge, .....<br>port              | 1       |                        | MR/C                | JB.2      |
|          | 2660 C.178821   |             |   |   |   | Mounting, for undercarriage wheel door hinge, .....<br>starboard         | 1       | —                      | MR/C                | JB.2      |
| 21       | C.221177        |             |   |   |   | Rib No. 1, at leading edge, top, port group .....                        | 1       | —                      |                     | JB.2      |
|          | F.211941        |             |   |   |   | Plate, nut .....                                                         | 1       | S.510                  |                     |           |
| 21       | C.221178        |             |   |   |   | Rib No. 1, at leading edge, top, starboard, group ....                   | 1       | —                      |                     | JB.2      |
|          | F.211941        |             |   |   |   | Plate, nut .....                                                         | 1       | S.510                  |                     |           |
|          | 2663 B.180010   |             |   |   |   | Rib No. 2, at leading edge, top, port .....                              | 1       | DTD.610                | MR/C                | JB.2      |
|          | 2664 B.180011   |             |   |   |   | Rib No. 2, at leading edge, top, starboard .....                         | 1       | DTD.610                | MR/B                | JB.2      |
|          | 2665 B.180012   |             |   |   |   | Rib No. 3, at leading edge, top, port .....                              | 1       | DTD.610                | MR/B                | JB.2      |
|          | 2666 B.180013   |             |   |   |   | Rib No. 3, at leading edge, top, starboard .....                         | 1       | DTD.610                | MR/B                | JB.2      |
|          | 2667 B.180014   |             |   |   |   | Rib No. 1, at leading edge, bottom, port .....                           | 1       | DTD.610                | MR/B                | JB.2      |
|          | 2668 B.180015   |             |   |   |   | Rib No. 1, at leading edge, bottom, starboard .....                      | 1       | DTD.610                | MR/B                | JB.2      |
|          | 2669 B.180016   |             |   |   |   | Rib No. 2, at leading edge, bottom, port .....                           | 1       | DTD.610                | MR/B                | JB.2      |
|          | 2670 B.180017   |             |   |   |   | Rib No. 2, at leading edge, bottom, starboard .....                      | 1       | DTD.610                | MR/B                | JB.2      |
|          | 2671 B.180018   |             |   |   |   | Rib No. 3, at leading edge, bottom, port .....                           | 1       | DTD.610                | MR/B                |           |
|          | 2672 B.180019   |             |   |   |   | Rib No. 3, at leading edge, bottom, starboard .....                      | 1       | DTD.610                | MR/B                |           |
|          | 2673 B.180020   |             |   |   |   | Rib, outboard, at leading edge .....                                     | 1       | DTD.610                | MR/B                | JB.2      |
| 10578    | F.173639        |             |   |   |   | Bracket, FR.28, port .....                                               | 1       | DTD.610                | C.                  |           |
|          | 2674 B.180021   |             |   |   |   | Rib, outboard, at leading edge .....                                     | 1       | DTD.610                | MR/B                | JB.2      |
| 10579    | F.173640        |             |   |   |   | Bracket, FR.28, starboard .....                                          | 1       | DTD.610                | C.                  |           |
|          | D.196440-1      |             |   |   |   | SEALING, BETWEEN SUB-WING AND WING,<br>SUB-ASSEMBLY                      | —       | —                      |                     |           |
|          | 3847 A.196439   |             |   |   |   | Pad, sealing, at trailing edge .....                                     | 2       | Volcrepe<br>T.L.S.     | C.                  | JB.2      |
|          | 3848 A.196438   |             |   |   |   | Strip, sealing, at leading edge .....                                    | 2       | Volcrepe<br>T.L.S.     | C.                  | JB.2      |
| 21       |                 |             |   |   |   | Strip, sealing, 1" wide x 1/16" thick .....                              | 30      | Volcrepe               |                     |           |
|          |                 |             |   |   |   | (D.196440/1 to 5, and D.196441/1)<br>(Make from 32C/4658784)             |         |                        |                     |           |
| 4023     | Std.1509/12/018 |             |   |   |   | Tube, distance, 1/4" o/d x 20 S.W.G. x 0.18"<br>long (Make from 30B/619) | 6       | T.4                    | MR/C                | 4         |
|          | D.221308-9      |             |   |   |   | SKIN, COVERING, ASSEMBLY .....                                           |         | —                      |                     |           |
| 3852     | A.195904        |             |   |   |   | Door, access, to hydraulic connections .....                             | 2       | DTD.610                | C.                  | JB.1      |
| 7875††   | C.216760        |             |   |   |   | Fairing, outboard, port (undrilled) .....                                | 1       | DTD.610                | B.                  | JB.1      |
| 7876††   | C.216761        |             |   |   |   | Fairing, outboard, starboard (undrilled) .....                           | 1       | DTD.610                | B.                  | JB.1      |
|          | 2676 B.192636   |             |   |   |   | Landing, forward, for stub-wing access panel,<br>port                    | 1       | DTD.610                | C.                  | JB.4      |
|          | 2677 B.192637   |             |   |   |   | Landing, forward, for stub-wing access panel ...<br>starboard            | 1       | DTD.610                | MR/C                | JB.4      |
|          | 2678 B.192640   |             |   |   |   | Landing, aft, for stub-wing access panel, port ....                      | 1       | DTD.610                | MR/C                | JB.4      |
|          | 2679 B.192641   |             |   |   |   | Landing, aft, for stub-wing access panel, .....<br>starboard             | 1       | DTD.610                | MR/C                | JB.4      |
|          | 2680 B.192638   |             |   |   |   | Landing, inboard, for stub-wing access panel,<br>port                    | 1       | DTD.610                | MR/C                | JB.4      |
|          | 2681 B.192639   |             |   |   |   | Landing, inboard, for stub-wing access panel, ...<br>starboard           | 1       | DTD.610                | MR/C                | JB.4      |
| 4016     | A.195903        |             |   |   |   | Landing, for hydraulic connection access door                            | 2       | DTD.610                | MR/C                | JB.4      |
|          | C.221330/1      |             |   |   |   | Nosing, top, port .....                                                  | 1       | —                      |                     | JB.1      |
|          | C.221331/1      |             |   |   |   | Nosing, top, starboard .....                                             | 1       | —                      |                     | JB.1      |
| 1823     | C.182598        |             |   |   |   | Nosing, bottom, port .....                                               | 1       | —                      | B.                  | JB.1      |
| 1824     | C.182599        |             |   |   |   | Nosing, bottom, starboard .....                                          | 1       | —                      | B.                  | JB.1      |
| 1038     | D.188722        |             |   |   |   | Panel, access, for pin joint at main spar, top, .....<br>port            | 1       | DTD.610                | B.                  | JB.1      |
| 1039     | D.188723        |             |   |   |   | Panel, access, for pin joint at main spar, top, .....<br>starboard       | 1       | DTD.610                | B.                  | JB.1      |

## FUSELAGE-CENTRE PORTION


| Ref. No. | Part No.        |   |   |   |   |                                                               | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------|---|---|---|---|---------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |                 | 1 | 2 | 3 | 4 | 5                                                             |         |                        |                     |           |
| 5818     | C.200861        |   |   |   |   | Panel, access to pressure relief valve, port . . . . .        | 1       | L.72                   | C.                  | JB.1      |
| 5819     | C.200862        |   |   |   |   | Panel, access to pressure relief valve, starboard . . . . .   | 1       | L.72                   | C.                  | JB.1      |
| 4723     | F.199630        |   |   |   |   | Panel, access to undercarriage hydraulic connection . . . . . | 2       | —                      | MR/C                | JB.1      |
| 1040     | D.188724        |   |   |   |   | Panel, access, for pin joint at main spar, bottom, . . . . .  | 1       | DTD.610                | B.                  | JB.1      |
|          |                 |   |   |   |   | port                                                          |         |                        |                     |           |
| 1041     | D.188725        |   |   |   |   | Panel, access, for pin joint at main spar, bottom, . . . . .  | 1       | DTD.610                | B.                  | JB.1      |
|          |                 |   |   |   |   | starboard                                                     |         |                        |                     |           |
|          | C.222752-3      |   |   |   |   | PANEL, ACCESS, IN TOP SKIN OF STUB-WING, ASSEMBLY . . . . .   | —       | —                      |                     |           |
| 9418     | B.216139        |   |   |   |   | Panel, access, port, for D.M.E. aerial . . . . .              | 1       | —                      | B.                  |           |
| 9419     | B.216140        |   |   |   |   | Panel, access, starboard, for D.M.E. aerial . . . . .         | 1       | —                      | B.                  |           |
| 7839     | D.211964        |   |   |   |   | Panel, access, on underside of stub-wing, port, . . . . .     | 1       | DTD.610                | B.                  | JB.1      |
|          |                 |   |   |   |   | group (Mod. 229)                                              |         |                        |                     |           |
| 7988     | B.211962        |   |   |   |   | Door, access, to armament safety plug, group . . . . .        | 1       | —                      | B.                  | JB.1      |
|          | Fairey FS.430/E |   |   |   |   | Fastener, type 3 . . . . .                                    | 1       | —                      | C.                  |           |
|          | F.211961        |   |   |   |   | Packing . . . . .                                             | 2       | L.72                   |                     |           |
| 1781     | D.192980        |   |   |   |   | Panel, access, on underside of stub-wing, . . . . .           | 1       | DTD.610                | B.                  | JB.5      |
|          |                 |   |   |   |   | starboard, group                                              |         |                        |                     |           |
| 4724     | A.199629        |   |   |   |   | Plate, reinforcing, for undercarriage hydraulic . . . . .     | 2       | DTD.610                | MR/C                |           |
|          |                 |   |   |   |   | connections                                                   |         |                        |                     |           |
| 4725     | F.196550        |   |   |   |   | Retainer, for sealing, port . . . . .                         | 2       | DTD.610                | MR/C                |           |
| 4726     | F.196551        |   |   |   |   | Retainer, for sealing, starboard . . . . .                    | 2       | DTD.610                | MR/C                |           |
| 1807     | D.182688/1      |   |   |   |   | Skin, top, nose spar to main spar, inboard, port . . . . .    | 1       | DTD.610                | B.                  | JB.1      |
|          |                 |   |   |   |   | (Supplied fiat)                                               |         |                        |                     |           |
| 1809     | D.182688/3      |   |   |   |   | Skin, forward of nose spar, top, port . . . . .               | 1       | DTD.610                | C.                  | JB.1      |
| 11136    | D.200965/2      |   |   |   |   | Skin, forward of nose spar, top, port . . . . .               | 1       | DTD.610                | C.                  | JB.1      |
|          | D.221308/1      |   |   |   |   | Skin, forward of nose spar, top, port . . . . .               | 1       | DTD.610                |                     | JB.1      |
| 1812††   | D.182688/6      |   |   |   |   | Skin, top, aft of main spar, port . . . . .                   | 1       | DTD.610                | B.                  | JB.1      |
| 2682     | D.182688/9      |   |   |   |   | Skin, forward of nose spar, bottom, port . . . . .            | 1       | DTD.610                | MR/B                | JB.1      |
| 2683     | D.182688/10     |   |   |   |   | Skin, forward of nose spar, bottom, port . . . . .            | 1       | DTD.610                | MR/B                | JB.1      |
| 2684     | D.182688/11     |   |   |   |   | Skin, forward of nose spar, bottom, port . . . . .            | 1       | DTD.610                | MR/B                | JB.1      |
| 1813††   | D.182688/15     |   |   |   |   | Skin, bottom, inboard of wheel door, port . . . . .           | 1       | DTD.610                | B.                  | JB.1      |
|          | D.182688/22     |   |   |   |   | Skin, top nose spar to main spar, outboard, port . . . . .    | 1       | DTD.610                |                     | JB.1      |
|          | D.182688/23     |   |   |   |   | Skin, bottom, outboard, rear of nose spar, port . . . . .     | 1       | DTD.610                |                     |           |
|          | D.182689/1      |   |   |   |   | Skin, top, nose spar to main spar, inboard, . . . . .         | 1       | DTD.610                |                     | JB.1      |
|          |                 |   |   |   |   | starboard (Supplied as D.182688/1 for spares)                 |         |                        |                     |           |
| 1816     | D.182689/3      |   |   |   |   | Skin, forward of nose spar, top, starboard . . . . .          | 1       | DTD.610                | C.                  | JB.1      |
|          | D.200966/2      |   |   |   |   | Skin, forward of nose spar, top, starboard . . . . .          | 1       | DTD.610                |                     | JB.1      |
|          | D.221309/1      |   |   |   |   | Skin, forward of nose spar, top, starboard . . . . .          | 1       | DTD.610                |                     | JB.1      |
| 1819     | D.182689/6      |   |   |   |   | Skin, top, aft of main spar, starboard . . . . .              | 1       | DTD.610                | B.                  | JB.1      |
| 2685     | D.182689/9      |   |   |   |   | Skin, forward of nose spar, bottom, starboard . . . . .       | 1       | DTD.610                | MR/B                | JB.1      |
| 2686     | D.182689/10     |   |   |   |   | Skin, forward of nose spar, bottom, starboard . . . . .       | 1       | DTD.610                | MR/B                | JB.1      |
| 2687     | D.182689/11     |   |   |   |   | Skin, forward of nose spar, bottom, starboard . . . . .       | 1       | DTD.610                | MR/B                | JB.1      |
| 1820     | D.182689/15     |   |   |   |   | Skin, bottom, inboard of wheel door, starboard . . . . .      | 1       | DTD.610                | C.                  | JB.1      |
|          | D.182689/22     |   |   |   |   | Skin, top, nose spar to main spar, outboard, . . . . .        | 1       | DTD.610                |                     |           |
|          |                 |   |   |   |   | starboard                                                     |         |                        |                     |           |
|          | D.182689/23     |   |   |   |   | Skin, bottom, outboard, rear of nose spar, . . . . .          | 1       | DTD.610                |                     |           |
|          |                 |   |   |   |   | starboard                                                     |         |                        |                     |           |

RESTRICTED


## FUSELAGE—CENTRE PORTION

| Ref. No. | Part No.        | Description |   |   |   |                                                            | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------|-------------|---|---|---|------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |                 | 1           | 2 | 3 | 4 | 5                                                          |         |                        |                     |           |
|          | E.221441-2      |             |   |   |   | SKIN, COVERING, FOR AIR INTAKE, . . . . .                  | —       | —                      |                     |           |
|          | D.182684-5      |             |   |   |   | BOUNDARY LAYER DUCT, SUB-ASSEMBLY . . .                    | —       |                        |                     |           |
| 2643     | B.183782        |             |   |   |   | Leading edge section, forward of nose spar, port           | 1       | DTD.364                | MR/C                | JB.4      |
| 2644     | B.183783        |             |   |   |   | Leading edge section, forward of nose spar . . . . .       | 1       | DTD.364                | MR/C                | JB.4      |
|          |                 |             |   |   |   | starboard                                                  |         |                        |                     |           |
| 5712     | A.183784        |             |   |   |   | Spacer, at forward end of duct . . . . .                   | 4       | DTD.364                | MR/C                | JB.4      |
|          | C.222756-7      |             |   |   |   | MOUNTINGS FOR D.M.E. AERIAL, ASSEMBLY                      | —       |                        |                     |           |
|          | F.216141        |             |   |   |   | Bracket, attachment for eyebolt . . . . .                  | 4       | S.96.B                 |                     |           |
|          | F.217474        |             |   |   |   | Bracket, mounting . . . . .                                | 2       | L.72                   |                     |           |
|          | F.216142        |             |   |   |   | Eyebolt, for attaching aerial . . . . .                    | 4       | S.96.B                 |                     |           |
|          | A.230955        |             |   |   |   | Plate, blanking, port (Fitted when D.M.E. aerial . . .     | 1       | —                      |                     |           |
|          |                 |             |   |   |   | not required)                                              |         |                        |                     |           |
|          | A.230956        |             |   |   |   | Plate, blanking, starboard (Fitted when D.M.E. . .         | 1       | —                      |                     |           |
|          |                 |             |   |   |   | aerial not fitted)                                         |         |                        |                     |           |
|          | E.221441/1      |             |   |   |   | Skin, top, forward, port . . . . .                         | 1       | L.72                   |                     |           |
|          | E.221442/1      |             |   |   |   | Skin, top, forward, starboard . . . . .                    | 1       | L.72                   |                     |           |
| 6862     | E.182686/3      |             |   |   |   | Skin, top, aft, port . . . . .                             | 1       | L.72                   | MR/B                |           |
|          | E.182687/3      |             |   |   |   | Skin, top, aft, starboard . . . . .                        | 1       | L.72                   |                     |           |
| 12115    | E.182686/4      |             |   |   |   | Skin, bottom, forward, port . . . . .                      | 1       | L.72                   | C.                  |           |
| 12116    | E.182687/4      |             |   |   |   | Skin, bottom, forward, starboard . . . . .                 | 1       | L.72                   | C.                  |           |
| 10879    | E.182686/6      |             |   |   |   | Skin, bottom, aft, port . . . . .                          | 1       | L.72                   | C.                  |           |
| 11421    | E.182687/6      |             |   |   |   | Skin, bottom, aft, starboard . . . . .                     | 1       | L.72                   | C.                  |           |
|          | E.182686/12     |             |   |   |   | Skin, top, centre, port . . . . .                          | 1       | L.72                   |                     |           |
|          | E.182687/12     |             |   |   |   | Skin, top, centre, starboard . . . . .                     | 1       | L.72                   |                     |           |
|          | E.182686/13     |             |   |   |   | Skin, bottom, centre, port . . . . .                       | 1       | L.72                   |                     |           |
|          | E.182687/13     |             |   |   |   | Skin, bottom, centre, starboard . . . . .                  | 1       | L.72                   |                     |           |
|          | E.182686/7      |             |   |   |   | Strap, butt, port . . . . .                                | 1       | L.72                   |                     |           |
|          | E.182687/7      |             |   |   |   | Strap, butt, starboard . . . . .                           | 1       | L.72                   |                     |           |
|          | F.193682        |             |   |   |   | Strap, butt . . . . .                                      | 2       | L.72                   |                     |           |
|          | Std 1509/24/070 |             |   |   |   | Tube, distance, for strut at wireless bay cross member . . | 1       | T.4                    |                     |           |
|          | Std.1509/24/078 |             |   |   |   | Tube, distance, for strut at wireless bay cross member . . | 1       | T.4                    |                     |           |


RESTRICTED




CENTRE FUSELAGE




CENTRE FUSELAGE




CENTRE FUSELAGE




CENTRE FUSELAGE




CENTRE FUSELAGE




CENTRE FUSELAGE



CENTRE FUSELAGE







CENTRE FUSELAGE



This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.