

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
		1 2 3 4 5				
	F.260559	FRONT FUSELAGE STRUCTURE, ASSEMBLY	—	—	—	
	F.248475	Bung, for gun fairing nosing	1	—	—	JC.7
	B.219476	CROWBAR, PILOT'S, ASSEMBLY	—	—	—	
21	1A/4658145	Crowbar	1	—	A.	
	E.219270	DECKING, FRONT, ASSEMBLY	—	—	—	
	B.232282	Bracket, switch	1	L.72	—	
	A.212975	Bracket, mounting, port	1	L.72	—	
4101	A.111330	Cap, spring, for crowbar stowage	1	Sp. St.	C.	JC.1
	F.213493	Packing, for mounting bracket, port	1	L.72	—	
	B.219131	Platform, windscreen, centre	1	L.72	—	
	D.219224	Platform, windscreen, port	1	L.72	—	
	D.219225	Platform, windscreen, starboard	1	L.72	—	
	D.219270/1	Skin	1	L.72	—	
	C.219505	STRUCTURE, FOR SWIVEL BLOCK MOUNTING, STARBOARD, ASSEMBLY	—	—	—	
	A.219445	Bracket	1	L.72	—	JC.2
	A.219446	Bracket	1	L.72	—	JC.2
1327	Std.1547/24/12	Washer, packing	8	DTD.610	C.	4
	E.218671	DECKING, REAR, ASSEMBLY	—	—	—	
	D.218140	Beam, support, group	1	—	—	
	F.212722	Bracket, bearing, group	1	—	—	JC.2
	F.212716	Bush	1	BSS.369	—	JC.2
1603	Std.1700/1C	Bolt, securing access panel	1	S.95.B	C.	5
4212	Std.1700/2C	Bolt, securing access panel	1	S.95.B	C.	5
	D.209740	Diaphragm, frames 13 to 16, group	1	—	—	
	F.211930	Bracket, support, outboard	1	L.72	—	JC.2
	F.211931	Bracket, support, inboard	1	L.72	—	JC.2
	A.231428	Bracket, mounting, for sequence valves	—	—	—	
		(Mod. 813)				
13100	A.231389	Bracket, mounting	1	L.72	C.	
13101	A.231390	Bracket, guide	1	L.72	C.	
21	—	Ejector, seat switch unit and draw link mechanism	—	—	—	
		(Mod. 1058) (Pre Mod. 1376)				
	B.253966	Diaphragm, aft of hood	1	—	—	
	A.253383	Link, guard	1	L.72	—	
20316	A.251358	Lever, operating, port	1	M.S.	C.	
20317	A.251359	Lever, operating, starboard	1	M.S.	C.	
	A.251356	Link	2	—	—	
21	20318	Spring	2	Sp. Stl.	—	
21	20319	Unit, switch and cable assembly	2	—	B.	
	D.207238	Frame, 16, top portion	1	—	—	
	D.207087	Frame, 17A, top portion	1	—	—	
	D.207470	Frame, 18A, top portion	1	—	—	
6660	A.207435	Housing	1	L.65.C	C.	JC.2
	C.233315	MOUNTING, FOR TOP AERIAL, ASSEMBLY	—	—	—	
	B.233291	Bracket, mounting	1	L.72	—	
	E.236125	MOUNTING, FOR AUTO STABILISER, ASSEMBLY	—	—	—	
	C.223530	Angle, mounting, aft	1	—	—	
	F.223537	Leg, mounting	1	—	—	
	C.223531	Angle	1	—	—	
	C.223529	Bracket, support	1	—	—	
	B.223532	Plate, mounting	1	—	—	
	B.223533	Plate, mounting	1	—	—	

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
21	10AJ/1201975	B.223535				Plate, mounting, for combined monitor, group	1	—		
	4117	—				Mounting, equiflex	3	—	B.	
21		Std.1283-G				Washer, laminated	QR	—	C.	
		Std.1509—20—020				Tube, distance	2	—		4
		B.215924				Mounting, for inverter, type 206, group	1	—		JC.2
		C.215840				Bracket, mounting, group	2	—		
		C.215840/4				Strip, 1/16" thick x 3/4" wide x 5-3/4" long	2	F.61		JC.2
	8725	A.221676				Strap, mounting, group	2	—	C.	JC.2
		A.221676/3				Strip, 1/16" thick x 3/4" wide x 6-1/4" long	1	F.61		
	—	D.211670				MOUNTING, TOP, SEAT, STRUCTURE, ASSEMBLY	—	—	—	
21	10702	Std.1553/G/600				Bolt, link attachment	2	S.99.B	C.	5
21		B.253975				Link, for top mounting (Mod. 1058) (Pre Mod. 1376)	2	Stamping		JC.2
	8726	A.211122				Panel, access, port	1	L.72	C.	JC.2
	8727	A.211123				Panel, access, starboard	1	L.72	C.	JC.2
	8728	A.212351				Panel, access, group	1	—	C.	JC.2
	11367	A.212351/2				Sealing, 1/16" thick	1	DTD.5509	C.	
		C.218618				Panel, access	1	L.72		JC.2
		F.224327				Plate, cover	2	L.72		
		C.216233				Platform, mounting	1	L.72		JC.2
	—	E.218779-80				SKIN, REAR DECKING, ASSEMBLY	—	—	—	
		D.218696				Fairing, at top longeron, port	1	L.72		
		D.218697				Fairing, at top longeron, starboard	1	L.72		
	—	C.220897				PANEL, ACCESS, TO HYDRAULIC PIPES, PORT, ASSEMBLY	—	—	—	
	8729	C.220898				Panel, access	1	L.72	C.	JC.1
	—	C.218917				PANEL, ACCESS, STARBOARD, ASSEMBLY	—	—	—	
	8730	C.218919				Panel, access, starboard	1	L.72	C.	
	—	C.218150				PANEL, ACCESS, FRAMES 17B TO 18A, ASSEMBLY	—	—	—	
	8731	C.218152				Panel, access	1	L.72	C.	JC.1
	—	C.219035-6				PANEL, ACCESS, BETWEEN FRAME 16 AND HOOD PIVOT, ASSEMBLY	—	—	—	
	8732	B.218966				Panel, access, port	1	L.72	C.	JC.1
	8733	B.218967				Panel, access, starboard	1	L.72	C.	JC.1
		E.218779/1				Skin, side, port (undrilled)	1	L.72		JC.1
		E.218780/1				Skin, side, starboard (undrilled)	1	L.72		JC.1
		G.219100				Skin, top, between frames 16 to 18A	1	L.72		
	—	E.218811				STRUCTURE, TOP, AFT OF HOOD, ASSEMBLY	—	—	—	
		B.218946				Bracket, roller, group	2	—		
	8734	F.213444				Roller	1	L.65.B	C.	JC.1
		A.234940				Bracket, for micro switch (Mod. 789)	1	—		
		D.234946				Packing, at micro switch bracket (Mod. 789)	1	—		
	12642	F.224328				Washer, joint	2	Syn. Rubber	C.	
	—	C.211809				DUCT, FOR HYDRAULIC PIPES, ASSEMBLY	—	—	—	
		C.211809/1				Duct	1	L.62		JC.4
21		A.211810				Flange	2	S.510		JC.4
	—	C.229994				DUCT, PURGING, GAS, ASSEMBLY (Mod. 745)	—	—	—	
		C.229787				Duct, purging, forward	1	—		
	10198	B.229746				Outlet, starboard	1	—	C.	
	10199	A.230275/1				Plate, sealing	1	—	C.	
		A.229730				Ring, attachment	1	L.65.C		
		A.234705				Ring, attachment	1	L.65.C		
		Dowty								
21	27QA/4534657	GD.1453/C				Ring, "O"	2	—	C.	
		MK.18								
	10196	F.229790				Seal	1	DTD.590	C.	

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
8628	D.209001	Fairing, gun, front portion, group	1	—	A.	JC.7
8627	E.209003	Fairing, gun, centre portion and aerial mtg., group (Modified by C.337416, Mod. 1430)	1	—		
	B.331641	Bracket, aerial mounting	1	—		
	F.331635	Bracket, plug mounting (Make from 30B/9611218)	1	—	LM	
9809	KAC. C.7810	Fastener, custodian, stud, lower body	1	—	C.	JC.7
	C.209005	Former, "B", group	1	—		
8800	A.209064	Fitting; spigot, inboard, group	1	—	MR/C	JC.7
	F.209065	Spigot	1	S.95.B		
8801	A.209060	Fitting; spigot, outboard, group	1	—	MR/C	
	F.209065	Spigot	1	S.95.B		
4827	Std.1509/23/080	Tube, distance	7	T.4	MR/C	
	C.209034	Former, "D", Group	1	—		
8802	A.209062	Fitting; spigot, inboard, group	1	—	MR/C	
	F.209065	Spigot	1	S.95.B		
8801	A.209060	Fitting; spigot, outboard, group	1	—	MR/C	
	F.209065	Spigot	1	S.95.B		
4827	Std.1509/23/080	Tube, distance	7	T.4	MR/C	
8803	F.209440	Housing, fastener	1	L.65.C	MR/C	
	B.331714	Plate, reinforcing	1	—		
	F.24733	Plate, joint, at stud fastener	1	L.72		
	E.209003/27	Strip, sealing attachment, inboard	1	L.72		
	E.209003/28	Strip, sealing attachment, outboard	1	L.72		
6656	Std.2088/2	Strip, sealing, inboard	2 ft.	Rubber	C.	
	Std.1547/49/16	Washer, packing	3	—		4
	Std.1547/25/16	Washer, packing	3	—		4
—	D.218817	FLOOR AND DIAPHRAGM, AFT OF FRAME 15 ASSEMBLY	—	—	—	
9824	F.214514	Bearing, bottom of diaphragm, frame 15, group	1	—	B.	JC.5
	F.214510	Bearing	1	L.65.C		
	F.214511	Nut	1	—		JC.5
	F.214513	Pin	1	BSS.369		
	F.214512	Spring	1	Sp.St. Wire		
	B.212242	Bracket, mounting, for oxygen charging valve	1	L.72		
	D.218754	Diaphragm, access door lands, group	1	—		
6057	D.218754/2	Angle	2	L.72		
	F.200427	Angle	1	L.72	MR/C	
	F.212283	Angle	1	L.72		
	D.218754/1	Diaphragm	1	L.72		
	D.218754/3	Landing	1	L.72		
	F.231691	Plate	1	—		
	F.209757*	Seal (Alternative to F.237461)	2	LFS.26		
—	F.237461	Seal (Alternative to F.209757) (Make from 30B/9611464)	2	L.59	LM	
	A.212713	Fitting, fork	1	L.65.C		
—	C.236241	MOUNTING, ACCUMULATOR, ASSEMBLY	—	—	—	
	A.323251	Bolt, accumulator fixing, group (Mod. 1407)	1	—	C.	JC.6
	A.323251/1	Bolt	1	S.95.B		
	F.323173	Link	1	S.95.B		
	Std.1509/26/026	Tube, distance	1	T.4		
8735	A.212384	Bolt, accumulator fixing, group	3	—	C.	JC.6
	A.212384/1	Bolt	1	S.95.B		
	F.212385	Fork-end	1	S.95.B		
	Std.1509/26/026	Tube, distance	1	T.4		
26VA/6034611	Std.1509/23/066	Tube, distance	1	T.4	C.	
8736	B.212383	Tray, accumulator	2	L.72	C.	JC.6
—	E.208002	FLOOR, PILOTS, ASSEMBLY	—	—	—	
	F.227784	Angle, mounting, for cabin temperature amplifier	1	L.72		
	F.227785	Angle, mounting, for cabin temperature amplifier	1	L.72		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9342	F.222352					Bolt, plate, for attachment of anchorage bracket, at . access door, port	2	—	C.	JC.4
9343	F.222353					Bolt, plate, for attachment of anchorage bracket, at . access door, starboard	2	—	C.	
4212	Std.1700/2C					Bolt, at access panels	31	S.95.B	C.	5
	F.213439					Bracket, anchorage	4	L.65.C		JC.4
	F.213033					Bracket, stop	2	S.510 & S.21		JC.4
8738	A.210959					Gasket, for access panel	1	DTD.5509	C.	JC.4
8739	B.210960					Gasket, for access panel	1	DTD.5509	C.	JC.4
—	B.213043					LEVERS, BRAKE CONTROL, TO FLOOR, ASSEMBLY	—	—	—	
8740	F.213029					Bearing	1	S.1	C.	JC.4
8741	F.213031					Cover	1	L.59	C.	JC.4
8742††	F.213030					Lever	1	S.1	C.	JC.4
8743	F.213028					Lever, group	1	—	C.	JC.4
	F.213027					Lever	1	S.1		
	F.213026					Lever, idling	2	S.1 or D.3		
2147	Std.915/C.20					Washer	2	DTD.610	C.	4
21 27QA/4534536	Dowtys GD.1309/7					Ring sealing, "O" type	1	—	C.	JC.4
	B.210384					Mounting, for air bottle, group	6	—		
1510	F.189993					Channel	2	DTD.610	C.	JC.4
	F.210425					Channel	1	L.72		JC.4
1512	F.189988					Packing	2	L.72	C.	JC.4
	F.210426					Packing	1	L.72		JC.4
21 —	B.210384/2					Seating, 1/8" thick x 0.6" wide (Make from 32B/1250450)	1	DTD.590	LM	JC.4
8745	B.207573					Panel, access to flying controls	1	L.72	C.	JC.4
8746	B.207589					Panel, access to flying controls	1	L.72	C.	JC.4
8747	C.207557					Panel, control column access, port, group	1	—	C.	JC.4
8748	C.207558					Panel, control column access, starboard, group	1	—	C.	JC.4
625	F.183710					Block, control column stop	2	DTD.364	C.	JC.4
9693	F.225619					Block, guard	2	—	C.	JC.4
4895	F.203268					Stud	2	S.95.B	C.	JC.4
8749	A.215417					Seal, for control column access panels	2	Rubber	C.	JC.4
1918	Std.1341/2					Stud, control column access panel	8	—	C.	4
1919	Std.1341/3					Stud, control column access panel	2	—	C.	4
1921	F.168421					Stud, control column access panel	4	—	C.	JC.4
8750	F.215667					Stud, control column access panel	2	—	C.	
21 —	Std.1509/23/058					Tube, distance, 5/16" o/d x 17 S.W.G. x 0.58" long . (Make from 30B/9611262)	2	L.62	—	4
—	Dowty SP.815/2					Washer, sealing, control column access panels (Use 28F/9429636)	145	—	—	
—	D.233276					FLOOR, WIRELESS BAY AND CROSS-MEMBER, . . . ASSEMBLY (Mod.807)	—	—	—	
	B.233270					Beam, mounting, for transmitter	1	L.72		
	B.236297					Bearer, for standby battery	2	L.72		
	A.233204					Bearer, for standby battery	2	—		
	F.233243					Block, support, for transmitter mounting beam	1	LFS.21		
	A.233272					Block, mounting, for transmitter	2	L.53		
	A.233273					Block, mounting, for transmitter	1	L.53		
	F.233205					Stop, for standby battery	2	LFS.21		
10974	A.233274					Tip-Rod, for standby battery	4	S.1.B	C.	

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
	D.219115					JOINTS, AT FRAMES 12 TO 15, ASSEMBLY	—	—		
	F.209345					Angle, sealing, frame 13	2	L.72		
	F.208385					Channel, mounting, on forward joint plate,	1	L.72		
						frame 12				
	E.222608					FRAME 14, ASSEMBLY (Modified to E.255874) ..	—	—	—	
	E.219113					Frame 14, centre portion, group	1	—		
	E.219111/2					Angle	5	L.72		
	E.219111/15					Angle (Make from Std.550/M/18)	1	—		
	E.219112/11					Angle (Make from Std.550/M/18)	1	—		
	E.219113/10					Angle (Make from Std.550/J/20)	2	—		
	E.219113/12					Angle (Make from Std.550/M/18)	1	—		
	B.219004					Angle, for door landing	1	—		
	A.242292					Angle, earthing	1	L.72		
	F.212666					Angle, mounting, group	1	L.72		
	F.212667					Plate, nut	1	S.3		
	F.230929					Angle, for oxygen charging valve	1	—		
						(Mod. 745)				
	F.235653					Bracket, channel	1	L.72		
	B.212663					Bracket, mounting	2	L.72		
	B.213660					Bracket, mounting	1	L.72		
	B.213661					Bracket, mounting	1	L.72		
	A.230927					Bracket, mounting, for oxygen charging ..	2	—		
						valve				
	A.213247					Channel, mounting	1	L.72		
	E.219113/1					Diaphragm	1	L.72		
	B.219003					Landing, for door	1	L.72		
8751	E.219113/11					Landing, 3/32" thick x 0.65" wide x 1.8" ..	3	DTD.5509	C.	
						long				
	E.219111/16					Landing, 1/8" thick x 0.65" wide	1	DTD.5509		
	F.212664					Lug, at top of frame 3	1	L.72		
1708	A.193141					Mounting, for anti-"G" air filter	1	—	C.	
	E.219113/14					Packing	1	L.72		
	A.177391					Plate, joint	15	L.72		
	A.177392					Plate, joint	2	L.72		
	F.211211					Plate, joint	2	L.72		
	F.211212					Plate, joint	1	L.72		
	F.212667					Plate, nut	1	—		
	A.230994					Plate, reinforcing, for oxygen charging ...	1	—		
						valve				
	F.222887					Plate, sealing	1	L.72	L.M	
	F.255993					Plate, sealing	1	L.72	L.M	
8432	Chekaleke No. 6					Plug	18	—	C.	
4211	Std.1687/2					Saddle	3	—	C.	
	E.255874/2					Stiffener	1	L.72		
	E.219113/3					Stiffener (Make from Std.1591/B/18)	1	—		
	E.219113/4					Stiffener (Make from Std.772/Z/18)	1	—		
	E.219113/5					Stiffener (Make from Std.772/Z/18)	1	—		
	E.219113/7					Stiffener (Make from Std.1358/A/20)	2	—		
	E.219113/8					Stiffener (Make from Std.1358/A/20)	3	—		
	E.219113/15					Stiffener	1	L.72		
	E.219113/16					Stiffener	1	L.72		
	A.209741					Strip, retaining, for rubber landing at	1	L.72		
						bottom of frame				
	Std.1507/2/50					Tube, distance, 1/4" o/d x 22 s.w.g. x	11	T.26		
						5" long				
	Std.1507/2/080					Tube, distance	1	T.26		
	Std.1509/2/155					Tube, distance	3	—		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Piece No.
		1	2	3	4	5				
21	E.222609					FRAME 15, ASSEMBLY (Alterations, conversion ... and control unit mountings to E.257312)	—	—		
	E.257312/1					Bracket, mounting, port, group	1	—		
	F.211065					Bush	1	BSS.369		
	D.235535					Diaphragm, port, group	1	—		
	D.235536					Diaphragm, starboard, group	1	—		
	A.242793					Fairlead	2	LFS.21		
	F.209032					Pin, group	2	—		
	F.209042					Handle	1	S.1		
	F.209041					Nut	1	S.1		
	F.209040					Pin	2	S.80		
	F.198513					Packing	4	L.72	LM	
	1919 Std.1341/3					Plate, stud	2	—	C.	4
	20352 D.250200					Tray, mounting, control panel, group	1	—	B.	
	B.250203					Angle, toggle, mounting	1	L.72		
	B.250204					Angle, back end	1	L.72		
	B.250201					Bearer, side	1	L.72		
	B.250202					Bearer, side	1	L.72		
	F.250205					Bracket, toggle	2	L.72		
	20354 F.250207					Latch, clamp	2	L.65.C	C.	
	5340—99—120—					Mounting, A.V.	4	—	B.	
	1998									
	20398 F.250210					Nut, barrel	2	S.1.B	C.	
	20399 F.250209					Pin, stop	2	S.94.B	C.	
	20353 F.250206					Screw, clamp	2	S.94.B	C.	
21	10AC/1053243					Washer, check	4	—	C.	
	20355 F.242110					Washer (Make from 28W/9419404)	1	L.A.	C.	
	D.240312/1					Frame 15, centre portion, group	1	—		
	E.218997/13					Angle (Make from Std.550/H/18)	1	—		
	F.212320					Angle, mounting	4	L.72		
	F.211569					Bracket, support	2	S.510		
	A.212273					Bracket, mounting	1	L.72		
	A.213826					Bracket, earth terminal	1	L.72		
	F.233491					Bracket, mounting supplies and relay box	1	L.72		
						(Mod. 807)				
	F.233492					Bracket, mounting supplies and relay box	1	L.72		
						(Mod. 807)				
	A.233493					Bracket, mounting supplies and relay box	1	L.72		
						(Mod. 807)				
	A.233494					Bracket, mounting supplies and relay box	1	L.72		
						(Mod. 807)				
	E.218997/4					Butt-strap	1	L.72		
	E.218997/5					Butt-strap	1	L.72		
	A.208628					Channel	1	—		
	E.218997/1					Diaphragm	1	L.72		
	B.208632					Fitting, attachment, for ammunition box	1	Stamping		
	B.208633					Fitting, attachment, for ammunition box	1	Stamping		
	B.223635					Fitting, attachment, for ammunition box	1	Stamping		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
20	4211 6098178	C.248531/1				Packing, for nut plate.....	1	L.72		
		A.241959				Plate, nut, for inverter cooling duct.....	1	—		
		A.248522				Plate, nut.....	1	—		
		F.242021				Plate, reinforcing.....	1	L.72		
		E.218997/2				Plate, reinforcing.....	1	L.72		
		E.218997/14				Plate, reinforcing.....	1	L.72		
		E.218997/15				Plate, reinforcing.....	1	DTD.166		
		E.218997/16				Plate, reinforcing.....	2	DTD.166		
		E.218997/22				Plate, reinforcing.....	1	DTD.166		
		F.212936				Plate, stud.....	5	—		
		E.218997/23				Plate, reinforcing.....	1	L.72		
		A.211660				Plate, support.....	1	L.56.C		
		A.211661				Plate, support.....	1	L.56.C		
		Std.1687/2				Saddle.....	2	DTD.610	C.	5
		F.214743				Shim, for each terminal bracket.....	2	L.16		
		F.176179				Stud.....	1	—	C.	
		E.218997/3				Stiffener (Make from Std.1156/E/18).....	1	—		
		E.218997/6				Stiffener (Make from Std.1358/L/18).....	1	—		
		E.218997/19				Stiffener (Make from Std.1156/E/18).....	1	—		
		E.218997/20				Stiffener (Make from Std.1156/E/18).....	1	—		
		E.218997/21				Stiffener (Make from Std.1156/E/18).....	1	—		
	3803	Std.1509/23/160				Tube, distance, 5/16" o/d. x 17 s.w.g. x 1.6" long (Make from 30B/9611262)	3	L.62	—	
		Std.1509/24/085				Tube, distance, 3/8" o/d. x 17 s.w.g. x 0.85" long (Make from 30B/9611265)	8	L.62	MR/C	4
		Std.1509/24/105				Tube, distance, 3/8" o/d. x 17 s.w.g. x 1.05" long (Make from 30B/9611265)	8	L.62	—	
		Std.1509/2/130				Tube, distance, at rails, 1/4" o/d. x 22 s.w.g. x 1.3" long	5	L.62		
		Std.1509/2/135				Tube, distance, at guide rail, 1/4" o/d x 22 s.w.g. x 1.34" long	1	L.62		
		A.181709				Plate, joint, frame 13.....	2	DTD.610	MR/C	
		C.208381				Plate, joint, forward, frame 12.....	1	L.72		
		C.208382				Plate, joint, aft, frame 12.....	1	L.72		
		A.222619				Strap, top, for frame 13.....	1	L.72		
		A.222620				Strap, bottom, for frame 13.....	1	L.72		
9940		D.223409				MOUNTINGS, FOR AMMUNITION BOX, ASSEMBLY	—	—		
		A.211063				Bracket, mounting, frame 14, inboard, group.....	1	—		JC.5
		F.211205				Bush.....	1	BSS.369		
		A.226422				Bracket, mounting, frame 14, inboard, starboard, group.....	1	—	C.	JC.5
		F.226416				Bush.....	1	—		
		B.211061				Bracket, mounting, frame 14, outboard, starboard, group.....	1	Stpg. or L.65		JC.5
		B.211062				Bracket, mounting, frame 14, outboard, port, group.....	1	—		JC.5
		F.211064				Bush.....	1	BSS.369		JC.5
		B.211100				Bracket, mounting, frame 15, inboard, starboard, group.....	1	—		JC.5
		F.226415				Bush.....	1	BSS.369		
		A.215779				Bracket, mounting, frame 15, outboard, port, group.....	1	—		JC.5
		A.215780				Bracket, mounting, frame 15, outboard, starboard, group.....	1	—		JC.5
		B.215506				Bracket, mounting, port.....	1	Stamping		JC.5
		B.215507				Bracket, mounting, starboard.....	1	Stamping		JC.5
		F.211098				Bush.....	1	BSS.369		JC.5
		F.211097				Nut.....	1	S.1.B		JC.5

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8756	F.211096					Pin, group	1	—	C.	JC.5
	F.209042					Handle	1	S.1.B		
	F.209041					Nut	1	S.1.B		
	F.211103					Pin	1	S.80		
	Std.1996/19					Chain	1	—		
	F.211079-82					Packing, at mounting bracket, frame 14, inboard	QR	L.72		
	F.211075-78					Packing, at mounting bracket, frame 14, outboard	QR	L.72		
	F.211134-37					Packing, at mounting bracket, frame 15, inboard	QR	L.72		
	F.211130-33					Packing, at mounting bracket, frame 15, inboard	QR	L.72		
						starboard				
8757	F.211114-17					Packing, at mounting bracket, frame 15, outboard	QR	L.72	C.	JC.5
	F.211110-13					Packing, at mounting bracket, frame 15, outboard	QR	L.72		
	A.211518					Pin, group	2	—		
	F.209042					Handle	1	S.1.B		
	F.211519					Lug	1	S.2		
	A.211518/1					Pin	1	S.80		
	Aviation									
	8758 Developments					Pin, plp	2	—		
	5348/403/6									
	C.237357					Mounting, for coupling, unit, group	1	—		
11294	D.237263					Mounting	1	L.72	C.	JC.3
	C.237357/1					Plate, reinforcing	1	L.72		
	C.211160					MOUNTING, FOR OXYGEN CYLINDERS	—	—		
	C.211160/1					Packing, 3/16" thick x 1.5" wide x 5.65" long	4	DTD.590		
	C.211160/2					Packing, 3/16" thick x 1.5" wide x 1.5" long	16	DTD.590		
	C.211160/3					Packing, 3/8" thick x 1.25" wide x 3.0" long	4	DTD.590		
	C.322727					MOUNTING, RADIO, ASSEMBLY (Mod. 1378)	—	—		
	Std.2045/25/24					Clip, sleeved	1	—		
	C.317434					Mounting, for P.E.C.U.	1	—		
	Std.1509/12/162					Tube, distance	2	—		
20169	E.237137					Mounting, for Tacan T/R, assembly	1	—	C.	JC.7
	F.241880					Packing	2	—		
	—					Strip, sealing, 1/2" square expanded in 10 foot	QR	Neoprene		
						lengths (For Manufacture of F.241632)				
	4827 Std.1509/23/080					Tube, distance	2	T.4		
	8621 C.218889					Panel, access, port, group	1	—		
	F.211517					Bolt, pinch, group	2	—		
	F.210865					Bolt	1	S.96.B		
	808 F.176633					Knob	1	S.94.B		
	F.211516					Spring	1	Spr. Stl.		
9809	A.211508					Bracket	2	L.72	C.	JC.7
	B.218890					Landing, group	1	—		
	KAC.7810					Fastener, stud	1	—		
	8803 F.209440					Housing, fastener	1	—		
	8622 C.211501					Panel, access, starboard, group	1	—		
	F.211517					Bolt, pinch, group	2	—		
	F.210865					Bolt	1	S.96.B		
	808 F.176633					Knob	1	S.94.B		
	F.211576					Spring	1	Spr. Stl.		
	A.211508					Bracket	2	L.72		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description	No. Of	Material Classification	M.R. Class of Store	Place No.
		1 2 3 4 5				
8625	E.218899	Panel, armament, access, group	1	—	A.	JC.7
	F.214505	Bush, group	1	—		
9858	KAC. C.5331	Fastener, stud	1	—	C.	
8763	KAC. C.6595	Fastener, stud	1	—	C.	JC.7
8764	KAC. D.6597	Pin, and spring	1	—	C.	
	E.218899/16	Seal	1	Neoprene		
	E.218899/17	Seal	1	Neoprene		
	E.218899/18	Seal	1	Neoprene		
	E.218899/19	Seal	1	Neoprene		
	E.218899/20	Seal	1	Neoprene		
	E.218899/21	Seal	1	Neoprene		
	E.218899/22	Seal	1	Neoprene		
	E.218899/23	Seal	1	Neoprene		
8765	KAC. D.5089	Washer, retaining	1	—	C.	
	C.248472	Panel, access (D.218714 modified), group	1	—		JC.7
	A.213330	Bracket, bearing, group	1	—		
21	1482	F.191727	2	B.8	C.	
	A.213331	Bracket, hinge	1	S.510		
	F.239723	Bracket, retaining, port	1	L.72		
	F.239724	Bracket, retaining, starboard	1	L.72		
21	4768	Std.841/14	1	DTD.610	MR/C	4
	8826	F.218778	1	S.96.B	C.	
	8827	C.213659	1	—	C.	
	11067	Std.1509/23/050	2	T.4	C.	4
21		Std.1509/23/054	2	T.4		4
	2147	Std.915/C20	1	DTD.610	C.	4
21		Std.1546/21/14	2	—		4
	8623	D.218940	1	—	A.	JC.7
	C.222229	Door, access, to external supply socket, group	1	—		
8797	B.222228	Door, access, group	1	—	C.	JC.7
	Fairey FS.430/D	Fastener	2	—		
	A.222226	Landing	1	L.72		
	A.222227	Landing	1	L.72		
	A.228959	Hook	2	Stamping		JC.7
9640	KAC. C.7057	Housing, toggle fastener	2	—	C.	JC.7
4034	Std.1509/23/098	Tube, distance at hook	4	T.4	MR/C	4
6098048	Std.1547/20/12	Washer, at hook	4	DTD.610	C.	4
1327	Std.1547/24/12	Washer, at hook	2	DTD.610	C.	4
10176	B.235608	Panel, radio access, starboard, group	1	—	A.	JC.7
10173	F.233797	Attachment for strut	1	S.95.B	MR/C	
	F.220945	Bolt, pinch, supporting panel, group	1	—		
	F.221144	Bolt	1	S.95.B		
808	F.176633	Knob	1	S.94.B	C.	
	F.211516	Spring	1	Spr. Stl.		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
21	9641	KAC.D.4798				Fitting, attachment at toggle fastener	2	—	C.	JC.7
		A.228959				Hook	2	Stamping		JC.7
21	9474	KAC.C.7032				Lever and male link for toggle fastener	2	—	C.	JC.7
21		Std. 1231/3B				Lug	1	—		4
21	28FP/1243707	Av. Dev.				Pin, pip	1	—	C.	
		A.405								
	20400	F.234835				Plate, rubbing	1	—	C.	
	4034	Std. 1509/23/088				Tube, distance at attachment	4	T.4	MR/C	4
21		Std. 1509/2/114				Tube, distance at strut attachment hook	2	T.4		4
	6098048	Std. 1547/20/12				Washer	2	DTD.610	MR/C	4
21	1327	Std. 1547/24/12				Washer	1	DTD.610	C.	4
		D.209893—4				STRUCTURE, BENEATH PILOT'S FLOOR, FRAMES 6 TO 10, ASSEMBLY	—	—		
21	611	F.177456				Bearing, for rudder control lever	1	L.168		
		B.209824				Box, sealing, for flying controls	2	—		
		C.209825				Box, sealing, control column, group	2	—		
	1867	A.194272				Gasket, sealing	1	DTD.560/C	C.	JC.6
	4443	A.202036				Panel, access	1	L.72	C.	JC.6
	—	Dowty				Washer, sealing (Use 28F/9429636)	8	—	—	
		SP.815/2								
		B.216158				Duct, forward, pressurising, port	1	—		JC.6
		B.216159				Duct, forward, pressurising, starboard	1	—		JC.6
		A.216160				Duct, centre, pressurising, port	1	L.59		JC.6
		A.216161				Duct, centre, pressurising, starboard	1	L.59		JC.6
		A.222155				Plate, reinforcing and mounting, for bearing	1	L.72		
		F.214491				Ring, nut (in halves)	4	—		
		D.217040				STRUCTURE, BENEATH FLOOR, BETWEEN FRAMES 10 AND 11, ASSEMBLY	—	—		
	2A/9500153	B.A.L.020				Bearing, in mounting bracket, at frame 11	1	—	C.	JC.6
	2A/9500424	Hoffmann T.29				Bearing, in keel member	2	—	C.	
		F.208530				Bearing, in jack anchorage diaphragm	1	S.95.B		JC.6
		A.216962				Bracket, mounting, at frame 11	1	L.72		JC.6
		A.216963				Bracket, support, at frame 11	1	L.72		JC.6
		F.231382				Bracket, support for restrictor valve (Mod. 757)	1	—		
		B.216156				Duct, aft, pressurising, port	1	—		JC.6
		B.216157				Duct, aft, pressurising, starboard	1	—		JC.6
		A.229555				Housing, bearing	1	—		JC.6
		A.229508				Housing, bearing	1	—		JC.6
		A.207277				Housing, bearing	1	L.65.C		JC.6
		C.208526				Landing, access panel	1	L.72		JC.6
	8759	A.209134				Panel, access, for nose wheel undercarriage jack	1	L.72	C.	JC.1
		F.214491				Ring, nut (in halves)	4	—		
21	2144	Std. 1231/3				Tab, locking, nosewheel jack anchorage bearing	1	S.510		4
21	6819	F.178337				Thimble	1	—		
		Std. 1509/2/100				Tube, distance, at pressurising duct, 1/4" o/d x 22 s.w.g. x 1.0" long	12	T.4		4
		E.209146				STRUCTURE, BETWEEN KEEL MEMBERS, FRAMES 6 TO 9, ASSEMBLY	—	—		
		F.181817				Angle	2	DTD.610		
		F.207324				Bearing, in diaphragm, at frame 7	1	L.65C		
21		F.182411				Bracket, switch mounting	1	S.510		
		A.222131				Bracket, bearing, rudder lever, group	1	—		
21	611	F.177456				Bearing, rudder control lever	1	L.168		
		F.207325				Bush, flanged	1	L.65.C		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
1438154	B.211984					Channel, for nose wheel stop	1	S.52.D	C.	JC.6
	B.208889					Diaphragm, for nose wheel stop	1	L.72		JC.6
1437972	A.207661					Mounting, for lever and micro switch	1	—	C.	JC.6
8760	A.209922					Pad	1	Rubber	C.	JC.6
6914	A.181814					Plate, joint, forward frame 8	1	DTD.610	MR/C	JC.6
	A.181815					Plate, joint, aft frame 8	1	DTD.610		
	F.182412					Plate, profile, frame 8	1	DTD.610		
8761	F.216164					Plate, retaining, for rubber pad	1	DTD.166	C.	JC.6
	A.208890					Stiffener, skin, at rear nose wheel door	1	L.72		JC.6
6813	B.177144					Stop, nose wheel lock	1	—	MR/C	JC.6
	F.208906					Strap, butt, at frame 9	1	L.72		JC.6
	B.209284					Strap, butt, at frame 9	1	L.72		JC.6
21	26VA/6039012					Tube, distance, 5/16" o/d x 17 s.w.g. x 0.34" long ...	2	L.62	C.	4
21	26VA/6039030					Washer, profile	2	DTD.610	C.	4
	F.225579					Washer, profile	2	L.72		
—	E.234729					STRUCTURE, FRAMES 1C TO 6, ASSEMBLY	—	—	—	
						(AS.920/23)				
—	E.220883					STRUCTURE, FRAMES 1C TO 6, ASSEMBLY	—	—	—	
						(Pre Mod. 803)				
—	E.215965-6					ADDITIONAL STIFFENING, BETWEEN	—	—	—	
						FRAMES 1D AND 6, ASSEMBLY				
	F.210688					Angle, at frame 2	2	L.72		
	F.210689					Angle, at frame 2	2	L.72		
	F.215983					Angle, at frames 1D and 2	4	L.72		
	F.215984					Angle, at frames 1D and 2	4	L.72		
	F.216449					Angle, at frame 3, port	1	L.72		
	F.216450					Angle, at frame 3, starboard	1	L.72		
	A.216489					Angle, at frame 3	2	L.72		
	F.216041					Angle, at frame 4	2	L.72		
—	F.216042					Angle, at frame 5 (Make from 30B/9611218)	2	L.72	LM	
	F.216490					Angle, at frame 6	2	L.72		
	F.216441					Channel, at frame 3, port	1	L.72		JC.3
	F.216442					Channel, at frame 3, starboard	1	L.72		JC.3
12091	E.215965/1					Skin, inner, port	1	L.72	C.	JC.3
	E.215966/1					Skin, inner, starboard	1	L.72		
	B.215883					Stiffener, frames 1D to 2, port	1	L.72		JC.3
	B.215884					Stiffener, frames 1D to 2, starboard	1	L.72		JC.3
	B.215885					Stiffener, frames 2 to 3, port	1	L.72		JC.3
	B.215886					Stiffener, frames 2 to 3, starboard	1	L.72		JC.3
	B.215887					Stiffener, frames 3 to 4, port	1	L.72		JC.3
12175	B.215888					Stiffener, frames 3 to 4, starboard	1	L.72	C.	JC.3
	B.215889					Stiffener, frames 4 to 5, port	1	L.72		JC.3
	B.215890					Stiffener, frames 4 to 5, starboard	1	L.72		JC.3
	B.215891					Stiffener, frames 5 to 6, port	1	L.72		JC.3
1506378	B.215892					Stiffener, frames 5 to 6, starboard	1	L.72	C.	JC.3
	B.215893					Stiffener, between frames 5 and 6, port	1	L.72		JC.3
	B.215894					Stiffener, between frames 5 and 6, starboard	1	L.72		JC.3
21	E.234729/3					Angle, bottom, frames 1C to 6, port (Make from	1	L.168		JC.3
						Std.1679/1) (Identical to E.220883/3)				
21	E.234729/4					Angle, bottom, frames 1C to 6, starboard (Make	1	L.168		JC.3
						from Std.1679/1) (Identical to E.220883/4)				
	B.209401					Beam, mounting, radar ranging unit, port	1	—		
	B.209402					Beam, mounting, radar ranging unit, starboard	1	—		
—	B.209124					BRACKET, NOSE WHEEL DOOR, JACK	—	—	—	
						ASSEMBLY				
	F.209128					Bracket	1	L.72		
	B.209126					Bracket, inboard	1	L.72		
	B.209127					Bracket, outboard	1	L.72		
	B.209125					Bracket, anchorage, group	1	—		JC.2
	F.179027					Bearing	2	S.1		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	C.215912	BRACKET, REINFORCING, AFT OF FRAME 1C, ASSEMBLY					—	—	—	
	B.215913	Bracket, port					1	L.72		JC.3
	B.215914	Bracket, starboard					1	L.72		JC.3
—	C.207740	FASTENERS, NOSE PIECE ATTACHMENT, ASSEMBLY					—	—	—	
9390	F.220447	Hook					4	S.1	C.	JC.6
633	F.178626	Latch					4	S.510	C.	JC.6
9391	A.220638	Lever					4	DTD.966	C.	JC.6
28FP/1011181	A.409	Pin, pin					4	—	C.	JC.6
636	F.166450	Spring					4	Sp. St.	C.	JC.6
3794	Std.1509/2/104	Tube, distance, 1/4 o/d x 22 s.w.g. x 1.04" long (Make from 30B/555)					8	T.4	MR/C	4
	Std.1509/2/112	Tube, distance, 1/4" o/d x 22 s.w.g. x 1.12" long (Make from 30B/555)					4	T.4	—	4
9392	F.220446	Washer, at hook attachment					4	Rubber	C.	JC.6
	D.232174	Frame, No. 1C, rear (AS.920/23)					1	—		
	D.207537	Frame, No. 1C, rear (Modified to E.257449)					1	—		
	F.218944	Angle, attachment, for junction box, group					2	—		
8541	F.218942	Bush					1	Rubber	C.	
8542	F.218943	Washer					2	Rubber	C.	
	C.257451	Angle, ballast support, port					1	L.65.C		
	C.257452	Angle, ballast support, starboard					1	L.65.C		
	F.259787	Angle, for stiffeners, port					1	L.72		
	F.259788	Angle, for stiffeners, starboard					1	L.72		
	C.257450	Ballast					1	BSS.15		
20392	B.257453	Bracket, support, port					1	L.72	C.	
20393	B.257454	Bracket, support, starboard					1	L.72	C.	
	A.218945	Bracket, attachment, group					1	—		
8541	F.218942	Bush					2	Rubber	C.	
8542	F.218943	Washer					4	Rubber	C.	
	A.218119	Bracket					1	L.72		
	B.257457	Packing, port					1	L.72		
	A.257458	Packing, starboard					1	L.72		
	C.257573	Plate, ballast, support, port					1	L.72		
	C.257574	Plate, ballast, support, starboard					1	L.72		
	B.257459	Plate, packing					1	L.72		
	A.257460	Plate, packing					1	L.72		
	A.257461	Plate, packing					1	L.72		
	F.257462	Plate, packing, port					1	L.72		
	F.257463	Plate, packing, starboard					1	L.72		
	F.257464	Plate, packing, port					1	L.72		
	F.257465	Plate, packing, starboard					1	L.72		
	F.213351	Spigot					2	S.1		JC.3
20394	B.257455	Stiffener, port, group					1	L.72	C.	
20395	B.257456	Stiffener, starboard, group					1	L.72	C.	
	F.257468	Channel					2	L.72		
	Std.1509/24/086	Tube, distance					4	T.4		4
	D.207541	Frame, No. 1D, group					1	—		
	D.207541/4	Plate, joint, port					1	L.72		
	D.207541/5	Plate, joint, starboard					1	L.72		
6098144	D.207541/2	Side, portion, port					1	L.72	C.	JC.2
6098145	D.207541/3	Side, portion, starboard					1	L.72	C.	

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	D.207012					Frame, No. 2, group.....	1	—		
	D.207012/7					Landing.....	1	L.72		
	D.207012/4					Plate, joint, top, port.....	1	L.72		
	D.207012/5					Plate, joint, top, starboard.....	1	L.72		
	D.207012/6					Plate, joint, bottom.....	1	L.72		
	D.207012/1					Side, portion, port.....	1	L.72		JC.2
	D.207012/2					Side, portion, starboard.....	1	L.72		JC.2
	E.207394					Frame, No. 3, group (Pre Mod. 803).....	1	—		JC.2
6098137	E.232186					Frame, No. 3, group (AS.920/23).....	1	—		
	E.232186/3					Angle, bottom of frame (AS.920/23) identical to E.207394/3	1	L.72	C.	
	F.214092					Angle.....	1	L.72		JC.2
	F.207613					Angle, bottom of frame, port.....	1	L.72		
	F.207614					Angle, bottom of frame, starboard.....	1	L.72		
	F.210432					Cleat, bottom of frame, port.....	1	L.72		
	F.210433					Cleat, bottom of frame, starboard.....	1	L.72		
4211	Std.1687/2					Saddle, for cable clip.....	5	L.72	C.	5
	D.207011					Frame, No. 4, group.....	1	—		
	D.207011/4					Plate, joint, port.....	1	L.72		
—	D.207011/5					Plate, joint, starboard (Make from 30B/9611218)	1	L.72	LM	
	D.207011/1					Side, portion, port.....	1	L.72		JC.2
12103	D.207011/2					Side, portion, starboard.....	1	L.72	C.	JC.2
	E.207377					Frame, No. 5, group.....	1	—		
	C.229742					Angle, bottom of frame, starboard.....	1	—		
	C.229744					Angle, bottom of frame, starboard.....	1	—		
	F.229645					Angle, bottom of frame, starboard (Mod. 730)	2	—		
28FP/9430916	Dzus S.4/200					Spring, fastener.....	1	—	C.	
	A.272094					Bracket (Mod. 1232) (Pre Mod. 1392).....	1	—		
	F.264934					Bracket (Mod. 1232) (Pre Mod. 1392).....	1	—		
	E.207377/4					Plate, joint, port.....	1	L.72		
	E.207377/5					Plate, joint, starboard.....	1	L.72		
	E.207377/1					Side, portion, port.....	1	L.72		
	E.207377/2					Side, portion, starboard.....	1	L.72		
23	E.264838					Frame, No. 6, group (Modified by C.331658) (Mod. 1430)	1	—		JC.2
	E.234728/19					Angle, starboard (Make from Std. 1598/X/14) (Identical with E.207327/19)	1	—		
	E.234728/20					Angle, port (Make from Std.1598/X/14) (Identical with E.207327/20)	1	—		
	E.234728/23					Angle, starboard (Make from Std.1598/X/14) (Identical with E.207327/23)	1	—		
	E.234728/24					Angle, port (Make from Std.1598/X/14) (Identical with E.207327/24)	1	—		
	F.265528					Angle, for JB.ADD (Mod. 1232) (Pre Mod. 1392)	1	L.72		
	F.265529					Angle, for JB.ADD (Mod. 1232) (Pre Mod. 1392)	1	L.72		
12959	A.230186					Bracket, attachment, group.....	1	—	C.	
	F.230189					Nut, plate.....	2	—		
	A.211981					Bracket, mounting, outboard.....	1	L.72		
	F.230785					Bracket, mounting (Mod. 803).....	1	—		
	A.211983					Bracket, mounting, inboard, group.....	1	—		
	A.211982					Bracket, mounting.....	1	L.72		
	A.207406					Bracket, reinforcing, bottom of frame.....	2	S.510		
10H/0970055	Plessey 508/1/41035					Cap, blanking (Mod. 1392).....	2	—	C.	
10H/0970056	Plessey 508/1/41036					Cap, blanking (Mod. 1392).....	2	—	C.	
10AD/9209080	Plessey 508/1/40169/320					Connection, bulkhead (Mod. 1392).....	1	—	C.	
5935-99-5800517	Plessey CZ.62268					Connection, bulkhead (Mod. 1392).....	1	—	C.	
	B.230494					Mounting, for discharge valve, port (Mod. 803)	1	Casting		JC.2
	B.211684					Mounting, for discharge valve, starboard.....	1	Casting		
23	B.212309					Mounting, G.G.S. control unit (1 off, stbd., Mk. 8C only, Mod. 1430)	2	L.72		
	E.23478/29					Plate, reinforcing, bottom of frame (Identical to E.207237/29)	2	L.72		JC.2
23	A.331637					Plate, reinforcing (Make from 30B/9611218) (Mod. 1430) (Mk. 8C only)	1	—	LM	

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8432	Chekaleke No. 6					Plug	16	—	C.	
	E.234728/25					Stiffener, starboard (Identical with E.207327/25) ...	1	L.72		
	E.234728/26					Stiffener, starboard (Identical with E.207327/26) ...	1	L.72		
	E.234728/27					Stiffener, port (Identical with E.207327/27)	1	L.72		
	E.234728/28					Stiffener, port (Identical with E.207327/28)	1	L.72		
	A.211890					Stiffener, inboard, port	1	L.72		
	A.211891					Stiffener, outboard, port	1	L.72		
	B.210386					Stiffener, port	1	L.72		
	B.210387					Stiffener, starboard	1	L.72		
	D.236561					Structure, at frame 6	—	—	—	
6098043	F.236572					Plate, serrated	1	L.72	C.	
6098048	Std. 1547/20/12					Washer, packing	2	—	C.	4
	Std. 915/X/18					Washer	3	—		4
8762	F.221510					Stud, at discharge valve mounting	4	S.154	C.	
	F.209665					Tee, bottom, aft, port	1	L.65.C		
	F.209666					Tee, bottom, aft, starboard	1	L.65.C		
	F.209663					Tee, bottom, forward, port	1	L.65.C		
	F.209664					Tee, bottom, forward, starboard	1	L.65.C		
12039	B.207749					Landing, bottom of frame 3	1	L.72	C.	JC.3
	C.207750					Landing, between frames 3 to 6, port	1	L.72		JC.3
	C.207751					Landing, between frames 3 to 6, starboard	1	L.72		JC.3
	C.207458					Member, edge, port	1	L.72		JC.3
1506475	C.207459					Member, edge, starboard	1	L.72	C.	JC.3
8618	E.210698					Panel, access, to nose piece fasteners, frames 1C to 2, group	1	—	B.	JC.1
8763	KAC C.6595					Fastener	4	—	C.	JC.1
8764	KAC D.6597					Pin, and spring	4	—	C.	JC.1
8765	KAC D.5089					Washer, retaining	4	—	C.	JC.1
	G.219088					Skin, bottom, frame 3	1	L.72		
—	G.219079—87					SKIN, COVERING, FRAMES 1C TO 6, ASSEMBLY	—	—	—	
	G.219079/2					Packing	1	L.72		
	G.219080/2					Packing, port and starboard	2	L.72		
	G.219080/3					Packing, port and starboard	2	L.72		
	G.219082/2					Packing	2	L.72		
	G.219083/4					Packing	1	L.72		
	G.219080/5					Packing, port, top	1	L.72		
	G.219081/3					Packing, starboard, bottom	1	L.72		
	G.219080/6					Packing, port, bottom	1	L.72		
	G.219081/2					Packing, starboard, top	1	L.72		
	G.219079/1					Skin, top, frames 1C to 3	1	L.72		
	G.219080/1					Skin, side, frames 1C to 3, port	1	L.72		JC.1
	G.219081/1					Skin, side, frames 1C to 3, starboard	1	L.72		JC.1
	G.219082/1					Skin, bottom, frames 1C to 3	1	L.72		JC.1
	G.219083/1					Skin, top, frames 3 to 6	1	L.72		
	G.219084/1					Skin, frames 3 to 6, port	1	L.72		JC.1
—	E.264945/A					HOUSING AND MOUNTING RING SUB- ASSEMBLY (Mod. 1232) (Pre Mod. 1392)	—	—	—	
	A.274034					Housing	1	—		
	B.274033					Ring, mounting	1	L.72		
	F.263761					Ring, reinforcing	1	L.72		
	G.219085/1					Skin, side, frames 3 to 6, starboard	1	L.72		JC.1
	G.219086/1					Skin, bottom, frames 3 to 6, port	1	L.72		JC.1
12640	G.219087/1					Skin, bottom, frames 3 to 6, starboard	1	L.72	C.	JC.1
	G.219083/2					Strap, butt, for top skin, frames 3 to 6, port	1	L.72		
	G.219083/3					Strap, butt, for top skin, frames 3 to 6, starboard	1	L.72		
	G.219086/2					Strap, butt, for bottom skin, frames 3 to 6, port	1	L.72		
	G.219087/2					Strap, butt, for bottom skin, frames 3 to 6, starboard	1	L.72		
21	F.215945					Spigot, locating, for nosewheel door	2	S.154		JC.1

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8766	B.209205	SPIGOT, LOCK, NOSEWHEEL DOOR, ASSEMBLY					—	—		
	F.219718	Bolt, spigot attachment					8	S.94.B	C.	JC.3
	B.209206	Bracket, support					2	L.72		JC.3
	A.219654	Channel, attachment, port					1	L.72		JC.3
	A.219655	Channel, attachment, starboard					1	L.72		JC.3
	Std.2019/1	Plate, locking, for bolts					4	S.511	C.	JC.3
	F.219658	Plate, serrated					2	S.95.B		JC.3
	A.209207	Spigot					2	Stpg.	C.	JC.3
	B.231680	STOWAGE, FOR HARNESS APRON, STARBOARD, ASSEMBLY					—	—		
	9768	Cord, tension					1	—	C.	
4242	Std.1231/7	Lug, locking, for tension cord					1	—	C.	4
	Std.1231/7B	Lug, locking, for tension cord					1	—		4
	10504	Stowage, harness apron, group					1	—	B.	
	C.229644	Cable, attachment					1	W.9		
	F.230883	Fastener					2	—	C.	
	Dzus AW.4/25									
	C.210361	STRUCTURE, FOR ACCESS PANEL, FRAMES 1C TO 3, ASSEMBLY					—	—		
	B.210422	Beam, reinforcing, port					1	L.72		JC.3
	B.210423	Beam, reinforcing, starboard					1	L.72		JC.3
	C.210334	Beam, supporting, port, group					1	—		JC.3
8803††	C.210335	Beam, supporting, starboard, group					1	—		JC.3
	F.210336	Bracket					2	L.72		
	F.210337	Bracket					2	L.72		
	F.210340	Cleat, at frame 1D					2	L.72		
	F.209440	Housing, fastener					2	L.65C and L.72	C.	JC.3
	9809	Stud, fastener					2	—	C.	JC.3
	A.210860	Bracket, port					1	L.72		JC.3
	A.210861	Bracket, starboard					1	L.72		JC.3
	F.210338	Cleat, at frame 1C, port					1	L.72		
	F.210339	Cleat, at frame 1C, starboard					1	L.72		
23	F.210341	Cleat, at frame 2					4	L.72		
	—	STRUCTURE, MOUNTING, EQUIPMENT, FRAME 3 TO FRAME 6, FOR GROUND PRESSURISING DUCT, ASSEMBLY (Mod. 1430)					—	—		
	E.336598									
	—	Angle (Make from 30B/9611218)					4	L.72	L.M.	
	F.249237	Bracket, outboard					1			
	A.248404	Bracket, inboard					1			
	A.248405	Channel, outboard					2	L.72	C.	
	20401	Channel, inboard					2	L.72	C.	
	20402	Channel					1	L.72	C.	
	20403	Plate, blanking					1	L.72	C.	
23	20404	Platform, mounting					1			
	F.249236	Tube, inboard					1			
	A.262668	Tube, outboard					1			
	C.331657	Tube, distance, special					4			
	E.336598/1	Tube, distance, special					5			
	7623452	Tube, distance					3	T.4		
	F.331656	Tube, distance (Mod. 1430, Retro)					4			
	F.188952									
	F.331634									
	Std.1509/23/114									
23	Std.1509/23/162									
	4241721									
	F.229339	STRUCTURE, FRAMES 6 TO 18A, ASSEMBLY					—	—		
	A.217819	Angle, support, for engine controls, between frames 17B and 18A					1	L.72		
	C.222059-60	ATTACHMENTS, LEADING EDGE, ASSEMBLY								
	8828	Bracket, attachment, lower, port					1	S.510	MR/C	JC.1
	8829	Bracket, attachment, lower, starboard					1	S.510	MR/C	JC.1
	8830	Bracket, attachment, upper, port					1	S.510	MR/C	JC.1
	8831††	Bracket, attachment, upper, starboard					1	S.510	MR/C	JC.1
	F.211375									

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8832††	C.211476/1					Landing, upper, port	1	L.72	MR/C	JC.1
8833††	C.211477/1					Landing, upper, starboard	1	L.72	MR/C	JC.1
8834††	B.211478/1					Landing, lower, port	1	L.72	MR/C	JC.1
8835††	B.211479/1					Landing, lower, starboard	1	L.72	MR/C	JC.1
3816	Std. 1547/30/16					Washer, packing	16	DTD.610	MR/C	4
	E.214868					ATTACHMENT OF FRAMES 8 TO 18A TO TOP	—	—		
						LONGERON, ASSEMBLY (Mod. 778)				
10634	F.210638					Bolt	2	S.99.B	C.	
	C.220439					BRACKET, SEALING, ASSEMBLY	—	—		
11065	F.211028					Nut, special	4	S.94.B	C.	
	F.230944					Plate, nut, port	1	—		
	F.230945					Plate, nut, starboard	1	—		
8458	F.219973					Bolt, special	2	—	C.	JC.5
	A.213970					Bracket, for attitude switch, port	1	L.72		JC.2
	A.213631					Bracket, mounting, starboard	1	L.72		
	A.213549					Bracket, mounting, starboard	1	L.72		
	B.214605					Bracket, mounting, for cable attachment,	1	L.72		
						starboard				
	B.216432					BRACKET, MOUNTING FOR FLAP VALVE,	—	—		
						ASSEMBLY				
	B.216431					Bracket, mounting	1	L.72		
	B.212051					BRACKET, MOUNTING, FOR GAUGE,	—	—		
						PORT, ASSEMBLY				
	B.212025					Bracket, mounting	1	L.72		JC.2
	C.212132					Bracket, support, top, between frames 7 and 8,	1	L.72		JC.2
						port				
	C.212133					Bracket, support, bottom, between frames 7 and 8,	1	L.72		JC.2
						port				
	D.207249-50					FLOOR, REAR SIDE PORTION, ASSEMBLY	—	—		
21	A.212600					Channel, support, for anti-"G" valve, starboard	1	L.72		
	C.211319-20					FOOTSTEPS, PORT AND STARBOARD,	—	—		
						ASSEMBLY				
4889	B.200745					Door, footstep, group	2	—	C.	JC.1
1518	Mills GP.4					Pin, type GP.4, 5/16" dia x 5/8" long	2	Comml. M.S.	C.	JC.1
4922	F.200736					Plunger	2	S.1	C.	JC.1
1520	F.189113					Spring, release	1	Sp. St.	C.	JC.1
1521	F.189105					Spring, torsion, front	1	Sp. St.	C.	JC.1
1522	F.189106					Spring, torsion, rear	1	Sp. St.	C.	JC.1
	E.207171					Frame, 7, port	1	—		
	E.207172					Frame, 7, starboard	1	—		
	F.175105					Angle, attachment, port	1	DTD.610		
	F.175106					Angle, attachment, starboard	1	DTD.610		
	F.175107					Angle, attachment, rear, port	1	DTD.610		
	F.207173					Angle, attachment, rear, starboard	1	L.72		
21	F.176977					Angle, attachment, port and starboard	4	L.168		
	F.182173					Angle, port	1	DTD.610		
	F.182174					Angle, starboard	1	DTD.610		
	A.175103					Block, sealing, port	1	LFS.21 and BSS.972		
	A.175104					Block, sealing, starboard	1	LFS.21 and BSS.972		
	B.230413					Bracket, for flasher unit (Mod. 741)	1	L.72		
21	B.207405					Bracket, reinforcing, port and starboard	2	S.510		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.207171/1					Member, side, port	1	L.72		
	E.207172/1					Member, side, starboard	1	L.72		
	E.207171/2					Member, bottom, port	1	L.72		
	E.207172/2					Member, bottom, starboard	1	L.72		
	E.207171/3					Stiffener, port	1	L.72		
	E.207172/3					Stiffener, starboard	1	L.72		
	E.207171/5					Stiffener, port (Make from Std.1591/A/18)	1	—		
	E.207172/5					Stiffener, starboard (Make from Std.1591/A/18)	1	—		
	E.207144					Frame 8, port	1	—		
	E.207145					Frame 8, starboard (Pre Mod. 745)	1	—		
	B.235659					Frame 8, starboard (Mod. 745)	1	—		
	B.207146					Angle, front, port	1	L.72		
	B.207147					Angle, front, starboard	1	L.72		
	B.207148					Angle, rear, port	1	L.72		
	B.207149					Angle, rear, starboard	1	L.72		
	A.207464					Angle, inboard, rear, port	1	L.72		
	A.207465					Angle, inboard, rear, starboard	1	L.72		
	A.207564					Angle, outboard, rear, port	1	L.72		
	A.207565					Angle, outboard, rear, starboard	1	L.72		
	F.210101					Angle, front, port	1	L.72		
	F.210102					Angle, front, starboard	1	L.72		
	F.208592					Angle, port	1	L.72		
	F.208593					Angle, starboard	1	L.72		
	F.208594					Angle, port	1	L.72		
	F.208595					Angle, starboard	1	L.72		
	F.210619					Angle, bottom, starboard	1	L.72		
	F.210620					Angle, bottom, port	1	L.72		
	A.231742					Angle, front, starboard (Mod. 745)	1	L.65		
	A.231744					Angle, rear, starboard (Mod. 745)	1	L.65		
	A.231761					Angle, front, starboard (Mod. 745)	1	L.65		
	A.231763					Angle, rear, starboard (Mod. 745)	1	L.65		
	A.164928					Block, axle	2	Stampings		
	A.209197					Block, sealing	1	LFS.21		
	A.209198					Block, sealing	1	LFS.21		
	F.209199					Block, sealing	2	LFS.21		
	Std.1553/G/235					Bolt	8	S.99.B		
	B.207913					Bracket, reinforcing, front, port (Pre Mod. 745)	1	S.3		
	B.207912					Bracket, reinforcing, front, port	1	S.3		
	B.230585					Bracket, reinforcing, front, starboard (Mod. 745)	1	S.3		
	B.207915					Bracket, reinforcing, rear, port (Pre Mod. 745)	1	S.3		
	B.207914					Bracket, reinforcing, rear, port	1	S.3		
	B.230587					Bracket, reinforcing, rear, starboard (Mod. 745)	1	S.3		
	A.207155					Channel, port	1	L.72		
	A.207156					Channel, starboard	1	L.72		
	A.176757					Channel	2	DTD.610		
	F.176766					Channel	2	DTD.610		
	B.176768					Channel	2	DTD.166		
	C.207160					Channel	2	L.72		
	B.207161					Channel, port	1	L.72		
	B.211795					Channel, starboard	1	L.72		
	A.207916					Channel	2	L.72		
	A.220421					Channel, port	1	L.72		
	A.220422					Channel, starboard	1	L.72		
	E.207144/1					Diaphragm, lower, front, port	1	L.72		
	E.207144/2					Diaphragm, lower, rear, port	1	L.72		
	E.207144/3					Diaphragm, upper, front, port	1	L.72		
	E.207144/4					Diaphragm, upper, rear, port	1	L.72		
	E.207145/1					Diaphragm, lower, front, starboard	1	L.72		
	E.207145/2					Diaphragm, lower, rear, starboard	1	L.72		
	E.207145/3					Diaphragm, upper, front, starboard	1	L.72		
	E.207145/4					Diaphragm, upper, rear, starboard	1	L.72		

FUSELAGE--FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.207144/5					Landing, top, port	1	L.72		
	E.207144/6					Landing, bottom, port	1	L.72		
	E.207145/5					Landing, top, starboard	1	L.72		
	E.207145/6					Landing, bottom, starboard	1	L.72		
	A.213943					Packing, front, port	1	L.72		
	A.213944					Packing, front, starboard	1	L.72		
	A.207162					Packing, rear, port	1	L.72		
	A.207163					Packing, rear, starboard	1	L.72		
	B.181779					Plate, reinforcing, front, port	1	DTD.610		
	B.181780					Plate, reinforcing, front, starboard	1	DTD.610		
	B.181781					Plate, reinforcing, rear, port	1	DTD.610		
	B.181782					Plate, reinforcing, rear, starboard	1	DTD.610		
	C.207150					Plate, reinforcing, front, port	1	DTD.166		
	C.207152					Plate, reinforcing, rear, port	1	DTD.166		
	C.207151					Plate, reinforcing, front, starboard	1	DTD.166		
	C.207153					Plate, reinforcing, front, port	1	DTD.166		
	B.207883					Plate, reinforcing, front, port	1	L.72		
	B.207884					Plate, reinforcing, front, starboard	1	L.72		
	B.207885					Plate, reinforcing, rear, port	1	L.72		
	B.207886					Plate, reinforcing, rear, starboard	1	L.72		
	D.235406					STRUCTURE, FOR INSTRUMENT PANEL	—	—		
						MOUNTING, AT FRAME 8, ASSEMBLY				
						(Mod. 779)				
	F.231068					Clip, spring for G.G.S. cable	1	—		
	A.188310					Lever, rudder bar release, group	1	—		
1649	F.188308					Lever	1	T.26 or T.45	C.	JC.1
1650	F.188311					Shackle	1	S.3	C.	JC.1
—	Std.1507/2/056					Tube, distance, 1/4" o/d x 22 s.w.g. x	1	T.26	—	
						0.56" long (Make from 30A/965)				
870	Std.915/B/18					Washer	2	DTD.610	C.	4
	E.207191					Frame 9, upper portion, port, group	1	—		
	F.224278					Stowage, for bulbs	1	—		
	E.207192					Frame, upper portion, starboard, group	1	—		
	F.224278					Stowage, for bulbs	1	—		
	E.207193					Frame 9, lower portion, port, group	1	—		JC.3
	A.207972					Bracket, support	1	L.72		
	F.207194					Frame 9, lower portion, starboard, group	1	—		
	A.207972					Bracket, support	1	L.72		
	E.219050					Frame 10, upper portion, port, group	1	—		
	B.211862					Bracket, mounting, for throttle box	1	S.3		JC.2
	E.219051					Frame 10, lower portion, port, group	1	—		JC.3
	E.219052					Frame 10, upper portion, starboard, group	1	—		
	F.212961					Bracket	1	L.72		
	A.211667					Bracket, support, front, for console	1	L.72		
	E.219053					Frame 10, lower portion, starboard, group	1	—		JC.3
	A.208114					Bracket, attachment, forward	1	S.3		
	A.208115					Bracket, attachment, aft	1	S.3		
	E.219027					Frame 11, upper portion, port	1	—		
	E.219028					Frame 11, upper portion, starboard, group	1	—		
	A.211668					Bracket, support, for console	1	L.72		
	E.219029					Frame 11, lower portion, port	1	—		JC.3
	E.219030					Frame 11, lower portion, starboard	1	—		JC.3
	E.218954					Frame 12, port, group	1	—	C.	
	E.218955					Frame 12, starboard, group (Mod. 745)	1	—		
	B.235660					Frame 12, starboard, group (Pre Mod. 745)	1	—		
	E.218954/7					Angle, forward (Make from Std.459/G/18), port ..	1	—		
	E.218954/8					Angle, aft, port (Make from Std.459/G/18)	1	—		
	E.218955/7					Angle, forward, starboard	1	—		
						(Make from Std.459/G/18)				

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.218955/8					Angle; aft, starboard (Make from Std.459/G/18)	1	—		
	A.218843					Angle; port	1	L.72		
	A.208272					Angle; starboard	1	L.72		
	A.218844					Angle; port	1	L.72		
	A.208274					Angle; starboard	1	L.72		
	F.218841					Angle; port	1	L.72		
	F.208101					Angle; starboard	1	L.72		
	F.208117					Angle; starboard	1	L.72		
	F.208279					Angle; starboard	1	L.72		
	F.208280					Angle; starboard	1	L.72		
	F.208281					Angle; port	1	L.72		
	F.208282					Angle; starboard	1	L.72		
	A.211726					Angle; starboard	1	L.72		
	A.214877					Block; sealing	1	LFS.21		
	A.214878					Block; sealing	1	LFS.21		
	A.211868					Bracket, mounting, bottom, for a/c junction box, starboard	1	L.72		
	A.211869					Bracket, mounting, top, for a/c junction, box, starboard	1	L.72		
	F.213275					Bracket, mounting	1	L.72		
	E.218954/3					Channel, port (Make from Std.1406/F/18)	1	—		
	E.218954/4					Channel, port (Make from Std. 1406/F/18)	1	—		
	E.218954/5					Channel, port (Make from Std. 1406/F/18)	1	—		
	E.218954/6					Channel, port	1	L.72		
	E.218955/3					Channel, starboard (Make from Std.1406/F/18)	1	—		
	E.218955/4					Channel, starboard (Make from Std.1406/F/18)	1	—		
	E.218955/5					Channel, starboard (Make from Std. 1405/F/18)	1	—		
	E.218955/6					Channel, starboard	1	L.72		
	A.208269					Channel, port and starboard	2	L.72		
	A.208270					Channel, port and starboard	2	L.72		
	A.218840					Channel, port	1	L.72		
	F.208277					Channel, starboard	1	L.72		
	A.208278					Channel, port and starboard	2	L.72		
	F.209811					Channel, starboard	1	L.72		
	F.209812					Channel, starboard	1	L.72		
8486	F.216030					Clip	1	—	C.	
	E.218954/1					Diaphragm, aft, port	1	L.72		
	E.218954/2					Diaphragm, forward, port	1	L.72		
	E.218955/1					Diaphragm, aft, starboard	1	L.72		
	E.218955/2					Diaphragm, forward, starboard	1	L.72		
	C.208445					MOUNTING, GUN, STARBOARD ONLY	—	—		
						SUB-ASSEMBLY				
	B.208300					Fitting, inboard	1	Stamping		JC.5
	B.207974					Fitting, outboard	1	Stamping		JC.5
	B.208031					Housing	1	Stamping		JC.5
	F.208036					Nut, special	1	S.95.B		
	F.209079					Washer	1	L.72		JC.5
	A.230672					Packing (Mod. 745)	1	L.72		
	A.230673					Packing (Mod. 745)	1	L.72		
	F.211645					Plate, sealing	21	L.72		
	F.211646					Plate, sealing	2	L.72		
	F.213499					Plate, sealing	2	L.72		
	F.213705					Plate, sealing	2	L.72		
	B.208265					Reinforcing, starboard	1	L.72		
	B.218846					Reinforcing, port	1	L.72		
	B.218845					Reinforcing, port	1	L.72		
	B.208268					Reinforcing, starboard	1	L.72		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	Std.1509/2/142					Tube, distance, 1/4" o/d x 22 s.w.g. x 1.42" long (Make from 30B/9611260)	1	L.62	—	
—	Std.1509/2/122					Tube, distance, 1/4" o/d x 22 s.w.g. x 1.22" long (Make from 30B/9611260)	2	L.62	—	
—	Std.1509/2/132					Tube, distance, 1/4" o/d x 22 s.w.g. x 1.32" long (Make from 30B/9611260)	3	L.62	—	
—	Std.1509/23/216					Tube, distance, 5/16" o/d x 17 s.w.g. x 2.16" long (Make from 30B/9611262)	1	L.62	—	
	E.219109					Frame 13; port, group	1	—		
	F.219110					Frame 13; starboard, group	1	—		
	F.214160					Angle	1	—		
	A.207518					Block, sealing, port	1	LFS.21		
	A.207519					Block, sealing, starboard	1	LFS.21		
	E.219109/1					Channel, port (Make from Std. 1406/A/20)	1	—		
	E.219109/6					Channel, port (Make from Std. 1406/A/20)	1	—		
	E.219110/1					Channel, starboard (Make from Std. 1406/A/20)	1	—		
	E.219110/6					Channel, starboard (Make from Std. 1406/A/20)	1	—		
	E.219109/2					Diaphragm, side, forward, port	1	L.72		
	E.219109/3					Diaphragm, side, aft, port	1	L.72		
	E.219109/4					Diaphragm, centre, forward, port	1	L.72		
	E.219109/5					Diaphragm, centre, aft, port	1	L.72		
	E.219110/2					Diaphragm, side, forward, starboard	1	L.72		
	E.219110/3					Diaphragm, side, aft, starboard	1	L.72		
	E.219110/4					Diaphragm, centre, forward, starboard	1	L.72		
	E.219110/5					Diaphragm, centre, aft, starboard	1	L.72		
10423	Std.1341/18					Stud	1	—	C.	
—	Std.1509/23/158					Tube, distance, 5/16" o/d x 17 s.w.g. x 1.58" long (Make from 30B/9611262)	10	L.62	—	
4613	Std.1335/C18					Washer	1	L.34	C.	
	Std.1547/29/12					Washer, packing	8	DTD.610		
	D.211978					Frame, 14A, port, group	1	—		
	D.211979					Frame, 14A, starboard, group	1	—		
	B.214132					Channel, support, port	1	L.72		
	B.214133					Channel, support, starboard	1	L.72		
	D.211978/1					Frame, port	1	—		
	D.211979/1					Frame, starboard	1	—		
	F.212120					Plug, sealing	2	S.1		
	A.215668					Socket	1	L.65.C		
	A.215669					Socket	1	L.65.C		
	F.219111					Frame 14, side portion, port, group	1	—		
						(Modified by B331644) (Mod. 1430)				
	E.219111/9					Angle (Make from Std.550/H/18)	1	—		
	E.219111/12					Angle	4	L.62		JC.3
	E.219111/13					Angle (Make from Std.550/M/18)	1	—		
	E.219111/14					Angle (Make from Std.550/J/20)	1	—		
	A.211512					Angle	1	L.72		
	A.221139					Angle	1	L.72		
	F.214130					Angle	1	L.72		
10747	F.212665					Angle	1	L.72	C.	
	F.235679					Block, packing	2	L.65.C		
	E.219111/4					Butt-strap	1	L.72		
	C.213767					CONNECTIONS, BULKHEAD, ASSEMBLY	—	—		
3771	Std.1231/6					Lug, locking	3	S.3	MR/C	4
1179	A.177021					Union, bulkhead, low pressure	2	DTD.364	C.	
	E.219111/1					Diaphragm	1	L.72		
	E.255874/3					Guide	2	L.72		
20170	A.235673					Fitting, spigot	2	L.65.C		
8432	Chekaleke No. 6					Plate	6	—	C.	
	A.211221					Stiffener	1	L.72		
	A.211222					Stiffener	1	L.72		
	E.255874/1					Stiffener	1	L.72		

FUSELAGE--FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
8432	E.219112					Frame 14, side portion, starboard, group	1	—		
	E.219111/12					Angle	4	L.72		
	E.219111/14					Angle (Make from Std.550/J/20)	1	—		
	E.219112/6					Angle (Make from Std.550/H/18)	1	—		
	E.219112/8					Angle (Make from Std.550/M/18)	1	—		
	A.211513					Angle	1	L.72		
	F.214131					Angle	1	—		
	E.219112/2					Butt strap	1	L.72		
	E.219112/1					Diaphragm	1	L.72		
	F.235680					Plate, sealing	1	L.72		
	Chekaleke No. 6					Plug	6	—	L.M. C.	
	A.211221					Stiffener	1	—		
	A.211222					Stiffener	1	—		
	D.240312/2					Frame 15, side portion, port, group	1	—		
	E.218995/6					Angle, port (Make from Std.550/G/18)	1	—		
	B.214741					Angle, support	1	—		
	F.211569					Bracket, support	1	S.3		
	A.208626					Channel, reinforcing, at bottom of frame	1	L.72		
	E.218995/1					Diaphragm	1	L.72		
	E.218996					Frame 15, side portion, starboard, group	1	—		
	E.218996/6					Angle, starboard (Make from Std.550/G/18)	1	—		
	B.214742					Angle, support	1	—		
	F.211569					Bracket, support	1	S.3		
	A.208627					Channel, reinforcing, at bottom of frame	1	L.72		
	E.218996/1					Diaphragm	1	L.72		
	F.262640					Platform, mounting, for standby accumulator, group (C.221233 Modified)	1	—		
	F.216526					Hook	2	DTD.171		
	F.216196					Socket	2	DTD.171		
	D.207236					Frame 16, lower portion, port	1	—		
	D.207237					Frame 16, lower portion, starboard	1	L.72		
	A.212697					Angle, support, port	1	—		
	F.214144					Angle	1	—		
	D.207236/1					Diaphragm, lower portion, port	1	L.72		
	D.207088					Frame 17A, port, group	1	—		
	D.207089					Frame 17A, starboard, group	1	—		
	A.213625					Bracket, mounting	1	L.72		
	D.207088/1					Frame, lower portion, port	1	L.72		
	D.207089/1					Frame, lower portion, starboard	1	L.72		
	D.207783					Frame 17B, group	1	—		
	D.207783/2					Diaphragm, starboard	1	L.72		
	D.207783/3					Diaphragm, port	1	L.72		
	D.207783/4					Stiffener, starboard (Make from Std.919/Z/16)	1	—		
	D.207783/5					Stiffener, port (Make from Std.919/Z/16)	1	—		
	D.207471					Frame 18A, port	1	—		
	D.207472					Frame 18A, starboard	1	—		
	C.217789-90					GUARDS, CABLE, FRAME 14 TO 15, ASSEMBLY	—	—		
	C.217791					Guard, cable, port, group (Modified to B.263639)	1	—		
	A.223797					Socket, retention, for ammunition box hoisting cable	1	—		
	C.217792					Guard, cable, starboard (Modified to B.263639)	1	—		
	A.213498					Guard, for cables, port	1	S.3 & T.26		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8456	C.234303	Housing, starboard, assembly					—	—	C.	
	A.234450	Angle, sealing					2	S.510		
	A.234451	Angle, sealing					2	S.510		
	F.232309	Bolt, special					6	S.80.B		
	A.232318	Housing					2	S.62.B		
	F.232310	Nut, special					8	S.510		
	F.219942	Washer, special					6	S.84		
	C.207752	Landing, between frames 6 to 9, port					1	L.72		
	C.207753	Landing, between frames 6 to 9, starboard					1	L.72		
	G.214586	LONGERON, TOP, PORT, ASSEMBLY					—	—		
	G.214587	LONGERON, TOP, STARBOARD, ASSEMBLY					—	—		
	F.211350	Bracket, between frames 17A and 17B					1	L.72		
	B.212310	BRACKET, FOR SWIVEL MOUNTING BLOCK, ASSEMBLY					—	—		
	A.212035	Bracket					1	L.72		
	A.212036	Bracket					1	L.72		
8431 9145	A.211005	Channel, attachment, for hood lock fitting, port					2	—	C.	
	A.211006	Channel, attachment, for hood lock fitting, starboard					2	—		
	A.214679	Fitting, forward attachment of hood locks, port					1	—		
	A.214681	Fitting, rear attachment of hood locks, port					1	—		
	A.214680	Fitting, forward attachment of hood locks, starboard					1	—		
	A.214682	Fitting, rear attachment of hood locks, starboard					1	—		
	F.231432	Plate, nut forward, port					1	—		
	F.231433	Plate, nut forward, starboard					1	—		
	Chekaleke No. 5	Plug					45	—		
	Chekaleke No. 11	Plug					2	—		
	G.207645	LONGERON, BOTTOM, FRAMES 8 TO 19, PORT, ASSEMBLY					—	—		
	G.207646	LONGERON, BOTTOM, FRAMES 8 TO 19, STARBOARD, ASSEMBLY					—	—		
	F.178540	Angle, port and starboard					2	DTD.610		
	F.208603	Angle, port					1	DTD.364		
	F.208604	Angle, starboard					1	DTD.364		
647 6098171 6098163 12248	F.208605	Angle, port and starboard					2	L.72	C.	4
	F.208606	Angle, port					1	DTD.364		
	F.208607	Angle, starboard					1	DTD.364		
	F.208610	Angle, port and starboard					2	L.72		
	F.208613	Angle, port and starboard					2	L.72		
	F.209185	Angle, port					1	L.72		
	F.209186	Angle, starboard					1	L.72		
	F.209187	Angle, port					1	DTD.364		
	F.209188	Angle, starboard					1	DTD.364		
	F.208618	Angle, port					1	L.72		
	F.208619	Angle, starboard					1	L.72		
	F.208620	Angle, port					1	L.72		
	F.234834	Angle, rubbing, starboard only					1	—		
	F.208621	Angle, starboard					1	L.72		
	F.208985	Angle, port and starboard					2	L.72		
	F.209044	Angle, port and starboard					2	L.72		
6098163 12248	F.208596	Block, distance					6	L.65.C	C.	5
	Std.325/90/N	Bolt, special					4	S.2		
	Std.1553/E/160	Bolt					8	S.99.B		
	Std.1553/E/165	Bolt					1	S.99.B		
	Std.1553/E/175	Bolt					2	S.99.B		
6098163 12248	Std.1553/E/190	Bolt					2	S.99.B	C.	
	F.234833	Bolt, special, starboard only					1	—		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.207653					Boom, port	1	DTD.364		
	D.207654					Boom, starboard	1	DTD.364		
3185	F.178013					Bracket, hinge	4	S.95.B	MR/C	JC.3
3186	F.178014					Bracket, hinge	4	S.95.B	MR/C	JC.3
	A.209212					Bracket, forward, port	1	L.72		
	A.209213					Bracket, forward, starboard	1	L.72		
	A.209214					Bracket, aft, port	1	L.72		
	A.209215					Bracket, aft, starboard	1	L.72		
	A.209238					Bracket, forward, port	1	S.3		
	A.209239					Bracket, forward, starboard	1	S.3		
	A.209240					Bracket, aft, port	1	S.3		
	A.209241					Bracket, aft, starboard	1	S.3		
	B.217787					Bracket, sealing, port	1	S.3		JC.4
	B.217788					Bracket, sealing, starboard	1	S.3		JC.4
	F.208597					Channel, port and starboard	2	L.55.C		
	F.208598					Channel, port and starboard	2	L.55.C		
	F.208608					Channel, port and starboard	2	L.72		
	F.208609					Channel, port and starboard	2	L.72		
	A.207657					Fitting, port and starboard	2	S.98.B		
	B.211018					Landing, for wireless bay floor, port	1	L.72		
	C.207655					Longeron, forward portion, port	1	L.72		
	C.207656					Longeron, forward portion, starboard	1	L.72		
	A.211339					Packing, port	1	L.72		
	F.178015					Packing, port and starboard	2	DTD.610		
	F.208986					Packing, port and starboard	2	L.72		
	E.207649					Plate, top, port	1	L.72		
	E.207650					Plate, top, starboard	1	L.72		
	E.207651					Plate, bottom, port	1	L.72		
	E.207652					Plate, bottom, starboard	1	L.72		
	A.214767					Plate, reinforcing, top	2	L.72		
	A.214768					Plate, reinforcing, bottom	2	L.72		
3790	Std.1509/24/036					Tube, distance, 3/8" o/d x 17 s.w.g. x .36" long	8	L.62		4
	Std.1509/24/050					Tube, distance, 3/8" o/d x 17 s.w.g. x .5" long	6	L.62	MR/C	4
	Std.1509/24/098					Tube, distance, 3/8" o/d x 17 s.w.g. x .98" long	4	L.62		4
	E.207075					MEMBER, KEEL, ASSEMBLY, PORT	—	—		
	E.207076					MEMBER, KEEL, ASSEMBLY, STARBOARD	—	—		
	A.207081					Angle, port	1	L.72		JC.6
	A.207082					Angle, starboard	1	L.72		JC.6
	F.207135					Bearing, starboard	1	S.95.B		JC.6
	A.207079					Block, axle support, port	1	DTD.166		
	A.207080					Block, axle support, starboard	1	DTD.166		
6965	F.177756					Block, hinge, port and starboard	2	Stamping	MR/C	JC.6
	E.207075/3					Boom, bottom, port	1	—		JC.6
	E.207075/4					Boom, top, aft, port	1	—		
	E.207075/5					Boom, top, forward, outboard, port	1	—		
	E.207075/6					Boom, top, forward, inboard, port	1	—		
	E.207076/3					Boom, bottom, starboard	1	—		JC.6
	E.207076/4					Boom, top, aft, starboard	1	—		
	E.207076/5					Boom, top, forward, outboard, starboard	1	—		
	E.207076/6					Boom, top, forward, inboard, starboard	1	—		
	C.207938					Channel, port	1	DTD.166		
	C.207939					Channel, starboard	1	DTD.166		
	A.207095					Channel, port	1	L.72		
	A.207096					Channel, starboard	1	L.72		

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
652 1924 7640 7641	C.207077					Plate, reinforcing, port	1	DTD.166		JC.6
	C.207078					Plate, reinforcing, starboard	1	DTD.166		JC.6
	F.177166					Plate, nut, starboard	1	S.3	C.	JC.6
	F.177757					Plate, nut, port and starboard	2	S.3	C.	JC.6
	A.214296					Plate, reinforcing, port and starboard	2	L.72		
	A.214297					Plate, reinforcing, port and starboard	2	L.72		
	F.175754					Reinforcing, port	1	DTD.610	MR/C	JC.6
	F.175755					Reinforcing, starboard	1	DTD.610	MR/C	JC.6
	E.175730/7					Reinforcing, starboard	1	—		
	E.207075/7					Stiffener	1	—		
	E.207075/10					Stiffener	1	—		
	E.207076/7					Stiffener	1	—		
	E.207076/10					Stiffener	1	—		
	E.207075/1					Web, forward, port	1	L.72		
B.212327 A.211686 B.211666 A.223173 A.221733 F.213309 F.214609 F.213309 B.209635 C.209636 8836 B.209312 B.233113 9856 B.232825 9857 A.232839 C.219011 8547 F.219972 8459 F.220632 F.222335 G.219089-99 A.224245 3193 A.178278 C.208944 C.208945 9098 F.221504 E.207647 E.207648						Web, aft, port	1	L.72		
						Web, forward, starboard	1	L.72		
						Web, aft, starboard	1	L.72		
						MOUNTING, STARBOARD, FOR OXYGEN REGULATOR, ASSEMBLY	—	—		
						Angle	1	—		
						Mounting	1	—		
						MOUNTINGS, FOR TERMINAL BLOCKS, PORT, ASSEMBLY	—	—		
						Bracket, for plug and socket joint	1	L.72		
						Channel, mounting	4	L.72		
						MOUNTINGS, FOR TERMINAL BLOCKS, STARBOARD, ASSEMBLY	—	—		
						Channel, mounting	6	L.72		
						PANEL, ACCESS, AND LANDING, FRAME 11 TO 12, ASSEMBLY	—	—		
						Landing	1	L.72		
						Panel, access	1	L.72	MR/C	JC.1
B.233113 9856 B.232825 9857 A.232839 C.219011 8547 F.219972 8459 F.220632 F.222335 G.219089-99 A.224245 3193 A.178278 C.208944 C.208945 9098 F.221504 E.207647 E.207648						PANEL, ACCESS, ASSEMBLY (Mod. 796)	—	—		
						Panel	2	L.72	C.	JC.1
						Packing	2	L.72	C.	
						Plate, cover, in lieu of blast trough, port	1	L.72		JC.1
						Screw, special, for retention of blast trough, starboard	28	—	C.	
						Screw, special, for retention of blast trough, starboard	2	—	C.	
						Screw, special, for retention of blast trough, starboard (Make from A36/C/16)	72	—		
						SKIN, COVERING, FRAMES 8 TO 18A, ASSEMBLY	—	—		
						Extractor, air, between frames 15 and 16, on starboard skin for retention of Varley accumulators	1	—		
						Landing, gun access door	2	DTD.610	MR/C	
						Landing, for cover plate, frames 5 to 10, port	1	L.72		JC.1
						Landing, for blast trough, frames 5 to 10, starboard	1	L.72		JC.5
						Nut, for landing, starboard	10	—	C.	
						Piece, capping, bottom longeron, aft portion, port	1	L.72		JC.3
						Piece, capping, bottom longeron, aft portion, starboard	1	L.72		JC.3

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.220561					Pipe, drain, for hood locks	4	—		JC.1
	F.187848					Pipe, drain, between frames 16 and 17A	1	—		
	B.211187					Plate, reinforcing, between frames 9 to 12, port	1	L.72		JC.3
	B.211188					Plate, reinforcing, between frames 9 to 12,	1	L.72		JC.3
						starboard				
	G.219089					Skin, side, frames 6 to 9, port	1	L.72		JC.1
	F.219090					Skin, side, frames 6 to 9, starboard	1	L.72		JC.1
	G.219091					Skin, lower, side, frames 6 to 9, port	1	DTD.171		JC.1
	G.219092					Skin, lower, side, frames 6 to 9, starboard	1	DTD.171		JC.1
	G.219093					Skin, bottom, frames 6 to 9, port	1	DTD.171		JC.1
	G.219094					Skin, bottom, frames 6 to 9, starboard	1	DTD.171		JC.1
	G.219095/1					Skin, side, frames 9 to 18A, port	1	L.72		JC.1
	G.219096/1					Skin, side, frames 9 to 18A, starboard	1	L.72		JC.1
	G.219097					Skin, side, frames 9 to 12, port	1	L.72		JC.1
	G.219098					Skin, side, frames 9 to 12, starboard	1	L.72		JC.1
	G.219099					Skin, bottom, frames 9 to 12	1	L.72		JC.1
	F.211363					Strap, butt, frames 11 to 12	2	L.72		
	A.214769					Strap, butt, frames 6 to 9, port	1	L.72		JC.3
	A.214770					Strap, butt, frames 6 to 9, starboard	1	L.72		JC.3
	B.208505					Strap, butt, frames 14 to 18A, port	1	L.72		
	B.208506					Strap, butt, frames 14 to 18A, starboard	1	L.72		
	A.211644					Strap, butt, starboard	1	L.72		
	A.210589					Stiffener, skin, frames 6 to 8, lower, port	1	—		JC.3
	A.210590					Stiffener, skin, frames 6 to 8, lower, starboard	1	—		JC.3
	B.224959					STRUCTURE, COCKPIT SHELF, PORT,	—	—		
						ASSEMBLY (C.222217 Modified)				
21	B.224686					Bracket, mounting	1	L.72		JC.3
	A.212230					Bracket, mounting, for undercarriage	1	L.72		JC.3
						emergency valve				
	F.212972					Bracket, pulley	1	L.72		JC.3
	B.212726					Bracket, support, port	1	—		
	C.222216					SHELF, FIXED PORTION, FORWARD,	—	—		
						ASSEMBLY				
	B.222214					Bracket, mounting, for triple pressure	1	L.72		JC.3
						gauge				
	C.212960					STRUCTURE, COCKPIT, SHELF, STARBOARD,	—	—		
						ASSEMBLY				
	B.212956					Beam, mounting, for anti-"G" valve	1	—		
	F.212957					Bracket, mounting, anti-"G" valve	1	L.72		
21	1178 Std.1606/44/B12					Screw, roundhead, 4 B.A.	4	Brass	C.	5
	Std.1509/12/184					Tube, distance, 3/16" o/d x 22 s.w.g. x 1.85" long	2	L.62		4
	D.212474					WALL, STARBOARD, ASSEMBLY	—	—		
	F.229499					Attachment, stud for GGS recorder stowage	—	—		
21	29G/4658548 Carr Fastener 882					Stud	1	—	C.	
	C.230525					MAP CASE AND GGS RECORDER	1	—	C.	
						STOWAGE, ASSEMBLY				
21	29G/1034156 Carr Fastener					Case, map and GGS recorder stowage	1	L.72		
	N.608					Socket, "Lift the dot"	1	—	C.	
21	29G/1034153 Carr Fastener					Washer, "Lift the dot"	1	—	C.	
	708A									
21	Std.1547/20/8					Washer	1	DTD.610		4

FUSELAGE—FRONT PORTION


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.219022	STRUCTURE, FRAMES 10 TO 14, PORT,					—	—		
		ASSEMBLY								
	F.219005	Angle, attachment, inboard					1	L.72		
	F.219006	Angle, attachment, outboard					1	L.72		
	D.233438	Bearing, mounting and cable duct for standby aerial,					—	—		
		assembly								
	C.233437	Bracket, mounting					1	—		
	F.233440	Bracket, support					1	L.72		
	B.233441	Duct, for aerial cable					1	—		
	D.218965	BOX, SEALING, PORT, ASSEMBLY					—	—		
	D.208337/8	Angle					1	—		
	D.208337/9	Angle					1	—		
	D.218965/3	Angle, inboard, inner					1	L.72		
	D.218965/4	Angle, inboard, outer					1	L.72		
	D.218965/5	Angle, outboard, inner					1	L.72		
	D.218965/6	Angle, outboard, outer					1	L.72		
	D.208338/9	Door					1	—		
	D.218965/1	Wall, inboard					1	L.72		
	D.218965/2	Wall, outboard					1	L.72		
	B.219140	Butt-strap, frame 12					1	L.72		
	B.219168	Butt-strap					1	L.72		
	B.219169	Butt-strap					1	L.72		
	C.219000/1	Landing					1	L.72		
	B.219154	Landing					1	L.72		
	B.222942	Roller, group					1	—		
	F.222952	Plate					2	L.72		
8755	F.213646	Roller					1	LFB.82 or LFB.89	C.	
5785	Std.915/C16	Washer					1	DTD.610	C.	4
	E.219023	STRUCTURE, FRAMES 10 TO 14, STARBOARD,					—	—		
		ASSEMBLY								
	D.219021	ATTACHMENTS, FAIRING, ASSEMBLY					—	—		
	C.209842	Angle, inboard, forward fairing attachment					1	L.72		
	C.209844	Angle, outboard, forward fairing attachment					1	L.72		
	B.209761	Bracket, support					1	L.72		
	A.211242	Bracket, support					1	L.72		
	A.209998	Housing, for fairing nose cap (Pre Mod. 745)					1	L.56.C	JC.5	
	F.214354	Piece, packing					1	L.72		
	F.214355	Piece, packing					1	L.72		
	F.214356	Piece, packing					1	L.72		
	F.209834	Piece, packing					2	L.72		
	A.211515	Piece, packing					1	S.3		
	F.210057	Piece, packing					1	S.3		
	F.214351	Piece, packing					1	L.72		
	F.214352	Piece, packing					1	L.72		
	F.214353	Piece, packing					1	L.72		
8838	A.209765	Socket, attachment, outboard, frame 14, group					1	Stamping	MR/C	JC.5
	F.209768	Bush					1	S.95.B		
8839	A.209767	Socket, attachment, outboard, frame 12, group					1	—	MR/C	JC.5
	F.209768	Bush					1	S.99.B		
8840	A.214348	Socket, attachment, inboard, frame 12 and 14,					2	—	MR/C	JC.5
		group								
	F.209768	Bush					1	S.95.B		

FUSELAGE—FRONT PORTION


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.208351				Angle, support		1	L.72		
	A.211728				Angle		1	L.72		
	F.208334				Angle		1	L.72		
	F.208407				Angle		1	L.72		
	F.208648				Angle		1	L.72		
	F.208650				Angle		1	L.72		
	F.209074				Angle		1	L.72		
	F.209075				Angle, aft		1	L.72		
	F.209076				Angle, forward		1	L.72		
	F.211724				Angle		1	L.72		
	D.208338				BOX, SEALING, STARBOARD, ASSEMBLY		—	—		
					(Pre Mod. 745)					
	D.208338/3				Angle		1	L.72		
	D.208338/4				Angle		1	L.72		
21	D.208338/5				Angle		1	L.168		
	D.208337/8				Angle		1	L.72		
	D.208337/9				Angle		1	L.72		
	F.211805				Bracket, for plug		1	L.72		
	D.208338/9				Door		1	—		
	D.208338/7				Gusset, front		1	L.72		
	D.208338/8				Gusset, rear		1	L.72		
	D.208337/10				Packing, front		1	L.72		
	D.208337/13				Packing, rear		1	L.72		
	A.213836				Plate, reinforcing		1	L.72		
	D.208338/1				Wall, inboard		1	L.72		
	D.208338/2				Wall, outboard		1	L.72		
	D.230570				BOX, SEALING, STARBOARD, ASSEMBLY		—	—		
					(Mod. 745)					
	D.230570/3				Angle		1	L.72		
	D.230570/4				Angle		1	L.72		
21	D.230570/5				Angle		1	L.168		
	D.230569/8				Angle		1	L.72		
	D.230569/9				Angle		1	L.72		
	F.211805				Bracket, for plug		1	L.72		
	D.230570/9				Door		1	—		
	D.230570/7				Gusset, front		1	L.72		
	D.230570/8				Gusset, rear		1	L.72		
	D.230569/10				Packing, front		1	L.72		
	D.230569/13				Packing, rear		1	L.72		
	D.208338/1				Wall, inboard		1	L.72		
	D.208338/2				Wall, outboard		1	L.72		
	C.208667				Bracket, mounting, for barrel support, forward		1	—		
	C.208669				Bracket, mounting, for barrel support, aft		1	—		
	F.208384				Channel		1	L.72		
	B.208229				Cover, sealing		1	L.59		
	C.208088				Diaphragm		1	L.72		
	C.208349				Diaphragm		1	L.72		
	B.208106				Diaphragm		1	L.72		
	B.209072/1				Diaphragm		1	—		
	B.218981				Duct, (Pre Mod. 745)		1	L.59		
	B.209234				Landing		1	—		
	B.209291				Landing		1	—		
	A.209256				Landing		1	L.72		
	F.208036				Nut, special		1	—		JC.5
	F.208474				Packing		1	L.72		
	F.208475				Packing		1	L.72		
	B.208725				Plate, mounting, for barrel support		1	—		

FUSELAGE—FRONT FUSELAGE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
21	A.211730					Plate, sealing	1	L.72		
	A.214349					Plate, nut	2	—		JC.5
	F.214350					Plate, serrated	2	—		JC.5
	B.208645					Support, for trough	1	L.72		
	F.209080					Washer, special	1	—		JC.5
	Std.1507/23/050					Tube, distance, 5/16" o/d x 17 s.w.g. x .5" long (Make from 30A/9610299)	4	T.26	—	4
21	4042					Tube, distance, 5/16" o/d x 17 s.w.g. x .3" long (Make from 30 A/9610299)	3	T.26	MR/C	4
	C.209167					Trough, blast, forward	1	DTD.171		JC.5
	C.209169					Trough, blast, aft	1	DTD.171		JC.5
	C.208151					Trough, blast, forward, starboard only	1	DTD.171		JC.5
8456	F.219942					Washer, tab, for blast trough, starboard	28	S.84	C.	
10157	F.222336					Washer, tab, for blast trough, starboard	3	S.511	C.	
10200	A.233791					Strut, group (Mod. 758)	1	—	B.	
10203	F.233796					Link	1	S.95.B	C.	
20346	F.233794					Nut, special	1	BSS.250	C.	
10202	F.234169					Washer, special	1	L.72	C.	
20407	F.234553					Washer, special	1	Leather	C.	
20408	F.234554					Washer, special	1	S.510	C.	
10201	F.234170					Washer, cup	1	Leather	C.	
	A.212866					TUBE, BRACING, STARBOARD, ASSEMBLY	—	—		
21	A.212711					Tube, bracing, at frame 16	1	L.63		
	Std.1509/3/064					Tube, distance, 5/16" o/d x 22 s.w.g. x 0.64" long ...	2	L.62		4
21	C.224555					VENTILATION, FOR VARLEY ACCUMULATORS,	—	—		
						ASSEMBLY (Pre Mod. 1436)				
21	C.332764					VENTILATION, FOR VARLEY ACCUMULATORS,	—	—		
						ASSEMBLY (Mod. 1436)				
	Std.1306/L/30					Coupling, flexible (Make from 32C/1275064)	1	DTD.6254 or F.67	—	
	9473					Pipe, air extractor	1	—	C.	
21	C.187563/3					Tubing, rubber (Pre Mod. 1436)	2	—		
21	C.332764/1					Tubing, rubber 9/16" o/d x .30" i/d x 12" long	2	—		
						(Mod. 1436)				
21	C.332764/2					Tubing, rubber 9/16" o/d x .30" i/d x 36" long	1	—		
						(Mod. 1436)				



FRONT FUSELAGE



FRONT FUSELAGE




FRONT FUSELAGE


ALIS

RESTRICTED


PLATE NO JC 4
(Issue 8)




FRONT FUSELAGE



FRONT FUSELAGE



FRONT FUSELAGE



FRONT FUSELAGE



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.