

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.247665	FUSELAGE, REAR, COMPLETE, GROUP (Fully equipped and complete with airbrake and tail cone, less tail parachute)					1	-		JD.1
-	-	AIR BRAKE (See Page No. JD.15)					-	-	-	
-	-	ELECTRICAL INSTALLATION (See Section "E") ...					-	-	-	
-	-	FLYING CONTROLS (See Section "D")					-	-	-	
-	-	HYDRAULIC INSTALLATION (See Section "N")					-	-	-	
-	-	TAIL CONE (See Page No. JD.19)					-	-	-	
18	E.223505	Fuselage, rear structure, group					1	-	-	
-	-	Arrester Gear (See Page No. JK.1)					-	-	-	
-	C.205594	COVER, PROTECTIVE, FOR HYDRAULIC COMPONENTS, BETWEEN FRAMES 49 AND 50, ASSEMBLY					-	-	-	
	A.205598	Angle					1	L.72		
	F.205599	Angle					1	L.72		
	F.205600	Angle					1	L.72		
	A.205621	Angle					1	L.72		
	B.205597	Diaphragm					1	L.72		
8176	D.205595	Member, side					1	L.72	MR/C	
5702	C.205596	Panel, access					1	L.72	C.	JD.2
-	C.202431	DRAIN, AT ENGINE EXHAUST, ASSEMBLY					-	-	-	
5820	B.202432	Bracket, support					1	DTD.610	C.	JD.4
5821	F.202433	Clip					1	S.84 or S.3	MR/C	JD.4
8524	F.216645	Drain, extension					1	-	C.	JC.4
1870	B.193008	Funnel					1	S.3 & T.26	C.	JD.4
1871	B.193009	Guide					1	S.3 & T.26	C.	JD.4
1872	F.193010	Spring					1	Spg. Stl.	C.	JD.4
2379	F.193011	Washer, retaining					1	DTD.610	MR/C	JD.4
	A.198547	Duct, cable					1	L.54		
-	C.250697	FAIRING, AIR BRAKE LEADING EDGE, ASSEMBLY (Mod. 1025)					-	-	-	
10837	C.250697/B	Fairing, inner portion					1	-	C.	JD.3
10836	C.250697/A	Fairing, outer portion, port					1	-	C.	JD.3
10838	C.250697/C	Fairing, outer portion, starboard					1	-	C.	JD.3
	D.223756	Fin, dorsal, group					1	-		
7666	A.185853	Bracket, front, for charging valve					1	DTD.610	MR/C	JD.5
7667	A.185854	Bracket, rear, for charging valve					1	DTD.610	MR/C	JD.5
711	B.186345	Bracket, clamp, for hydraulic accumulator					1	S.3 and Felt	C.	JD.4
7668	B.204655	Bracket, flying control, group					1	-	MR/B	
713	F.173109	Bracket, bearing					1	DTD.364	C.	JD.3
	F.183604	Bracket, port					1	DTD.610		
	F.209247	Bracket					1	DTD.610		
	B.204690	Bracket, starboard					1	L.72		
	A.204689	Channel					1	L.72		
	F.202691	Plate, reinforcing					2	L.72		
714	F.183607	Shim					1	Laminum	C.	JD.3
6098048	Std.1547/20/12	Washer, profile					4	DTD.610	C.	4
715	F.186346	Clamp, for hydraulic accumulator					1	-	C.	JD.4
	F.186245	Cleat					1	DTD.610		
3738	Std.840/29	Clip, support, for cable duct					1	DTD.610	MR/C	4
	A.207598	Duct, cable					1	L.67		
	A.207599	Duct, cable					1	L.67		

RESTRICTED

Hunter T. Mk. 88 & C
Issued with A/L No. 18

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
18	1506308	C.211484				Former, at frame 46	1	L.72		
		B.183728				Former, at frame 47	1	DTD.610	C.	
		B.211485				Former, at frame 48	1	L.72		
		C.183729				Former, at frame 49	1	DTD.610		
18	10721	C.211486				Former, at frame 50	1	L.72		
		C.204653				Former, at frame 51	1	L.72	C.	
18	12261	F.185858				Label, at charging valve	1	DTD.610	C.	
		B.225947				Landing, for access panel to flying controls	1	—		JD.2
	2377	F.183736				Landing, for access panel to flying control bolt	2	DTD.610	MR/C	JD.2
		C.225946				Landing, for access panel to hydraulic accumulator .. charging valve, electrical relays, terminal blocks and hydraulic connections	1	DTD.610		JD.2
	7669	B.202689				Landing, for access panel to flying controls	1	L.72	MR/C	
	7670	C.210096				Landing, for access panel	1	L.72	MR/C	
		C.215203				Landing, for access panel to micronic filter	1	L.72		
18	26VA/6041126	4728 Std.1231/4				Leg	2	S.3	MR/C	4
		Std.1231/7B				Leg	2	S.3	C.	
		F.189514				Packing, on former, at frame 51, starboard	1	DTD.610		
		F.189515				Packing, on former, at frame 51, port	1	DTD.610		
	716	B.183735				Panel, access to flying controls	1	DTD.610	C.	JD.1
	717	F.183737				Panel, access to flying control bolt	2	DTD.610	C.	JD.1
	718	C.188863				Panel, access to hydraulic accumulator, charging valve, electrical relays, terminal block and hydraulic connections, group	1	DTD.610	B.	JD.1
	4888	Std.1509/1/012				Tube, distance, 3/16" o/d x 22 s.w.g. x 0.12" long	5	T.4	MR/C	4
	4555	Std.915/A22				Washer	5	DTD.610	C.	4
	4602	A.200876				Window	1	Perspex	C.	JD.1
	9345	B.215202				Panel, access to micronic filter	1	L.72	C.	
	7859	A.202690				Panel, access to flying controls	1	L.72	C.	JD.3
	6666	B.210097				Panel, access to elevator feel unit	1	L.72	C.	JD.3
		B.188907				Panel, mounting	1	DTD.610		
		B.186243				Plate, side	1	DTD.610		
		C.183733				Rib, horizontal, between formers at frames 50 and 51	1	DTD.610		
18	7671	D.183727/1				Skin, port	1	DTD.610	MR/B	
	10629	D.223756/2				Skin, starboard	1	DTD.610	B.	
	6907	D.183727/7				Stiffener, top, between formers at frames 50 and 51, port	1	DTD.610	MR/C	
	6908	D.183727/8				Stiffener, top, between formers at frames 50 and 51, starboard	1	DTD.610	MR/C	
		A.184750				Stiffener, centre, between formers at frames 49 and 50, port	1	DTD.610		
		A.184751				Stiffener, centre, between formers at frames 49 and 50, starboard	1	DTD.610		
		A.186197				Stiffener, lower, between formers at frames 49 and 50, port	1	DTD.610		
		A.186198				Stiffener, between formers 47 and 48, port	1	DTD.610		
		A.186199				Stiffener, between formers at frames 47 and 48 and frames 49 and 50, starboard	2	DTD.610		
		A.186200				Stiffener, between formers at frames 46 and 47, port	1	DTD.610		
		A.186201				Stiffener, between formers at frames 46 and 47, starboard	1	DTD.610		

RESTRICTED

FUSELAGE—REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.186202					Stiffener, top, between formers at frames 49 and 50, port	1	DTD.610		
	A.186203					Stiffener, top, between formers at frames 48 and 50, starboard	1	DTD.610		
	A.186204					Stiffener, lower, between formers at frames 50 and 51, port	1	DTD.610		
	A.186205					Stiffener, lower, between formers at frames 50 and 51, starboard	1	DTD.610		
	D.183727/3					Strap, butt	1	DTD.610		
	D.183727/6					Strap	1	DTD.610		
	D.201637					FORMERS, SUB-ASSEMBLIES	1	—		
	F.193853					Angle, for attaching hydraulic pipes	2	DTD.610		
313	A.171454					Bracket, mounting of idling links, frame 41	2	DTD.610	C.	JD.2
282	A.169493					Bracket, mounting of idling links, frame 45	2	DTD.610	C.	JD.2
	B.189589					MOUNTING AND STOWAGE POINTS, FOR HYDRAULIC FLEXIBLE COUPLING, ASSEMBLY	—	—		
8600	A.189590					Platform, mounting	1	DTD.610	C.	
	F.236266					Screw, special	4	—		
21	6852					Stowage, dummy	1	L.168	C.	
21	6853					Stowage, dummy	1	L.168	C.	
	292					Packing, at attachment of rudder and elevator levers	10	DTD.610	C.	
21	6114					Plate, nut	1	S.510	MR/C	
21	6112					Plate, nut	1	S.510	MR/C	
	8417					Frame, 40B, group	1	—	MR/B	
21	7674					Angle, for spigot fitting, at stringers B, C, E, G, K and L	12	L.168	MR/C	
21	7675					Angle, for spigot fitting, at stringers B, C, E, G, K and L	12	L.168	MR/C	
21	7676					Angle, for spigot fitting, at stringer J	2	L.168	MR/C	
21	7667					Angle, for spigot fitting, at stringer J	2	L.168	MR/C	
	7678					Fitting, for transport joint	8	S.99.B	MR/C.	
	7679					Fitting, for transport joint	7	S.98.B	MR/C	
21	4728					Std. 1231/4 Lug, locking, for rear transport joint nut	15	S.510	MR/C	
	D.201639/3					Member, frame, bottom	1	L.72		
	719					Nut, securing, at transport joint	15	S.98.B	C.	JD.2
	4156					Packing, at rear of spigot	15	S.1 or D.3	C.	JD.2
	7682					Plate, joint, port	1	DTD.610	MR/C	
	7683					Plate, joint, starboard	1	DTD.610	MR/C	
	7686					Plate, for spring clip, port and starboard	2	L.72	MR/C	
	721					Spigot, at transport joint	15	S.98.B	C.	JD.2
	B.222311					Frame 52, group	1			
	20050					Angle, attachment, port	1	L.65.C	MR/C	
	20051					Angle, attachment, starboard	1	—	MR/C	
	20052					Angle, attachment, port	1	—	MR/C	
	20053					Angle, attachment, starboard	1	—	MR/C	
21	2380					Angle, forward, outer	1	L.168	MR/C	JD.4
21	2381					Angle, aft, outer	1	L.168	MR/C	JD.4
	2382					Angle, forward and aft, inner	2	DTD.374	MR/C	JD.4
	7688					Angle, aft, port	1	DTD.610	MR/C	
	7689					Angle, aft, starboard	1	DTD.610	MR/C	
	7690					Angle, forward, port	1	DTD.610	MR/C	
	7691					Angle, forward, starboard	1	DTD.610	MR/C	
	7692					Angle, joint, forward	1	DTD.610	MR/C	
	6843					Angle, joint, aft	1	DTD.610	MR/C	
	10445					Angle, port	1	—	MR/C	
	10446					Angle, starboard	1	—	MR/C	

FUSELAGE—REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.195956					Bracket, aft face of forward web, starboard	1	DTD.610		
4906	F.197241					Bracket, securing electric cables	1	DTD.610	MR/C	
2383	B.177579					Channel	1	DTD.610	MR/C	JD.4
20056	A.222234					Channel, port	1	—	MR/C	
20057	A.222235					Channel, starboard	1	—	MR/C	
2384	B.167060					Fitting, for fin attachment, port	1	Stamping	MR/C	JD.4
2385	B.167061					Fitting, for fin attachment, starboard	1	Stamping	MR/C	JD.4
7693	A.177577					Plate, joint, aft port and forward starboard	2	DTD.610	MR/C	
7694	A.177578					Plate, joint, forward port and aft starboard	2	DTD.610	MR/C	
7695	F.178104					Plate, joint	4	DTD.610	MR/C	
20054	F.229413					Shim, starboard	1	Lam. Alum.	MR/C	
20055	F.229414					Shim, port	1	Lam. Alum.	MR/C	
	Std.1507/24/092					Tube, distance, 3/8" o/d x 17 s.w.g. x 0.92" long	4	T.26		4
2386	D.177575/1					Web, lower portion, forward	1	DTD.546	MR/C	JD.4
2387	D.177575/2					Web, lower portion, aft	1	DTD.546	MR/C	
	D.177823					Frame, 55, group	1	—		
	F.189386					Angle, for jet pipe jointing, port	1	DTD.610		
	F.189387					Angle, for jet pipe mounting, starboard	1	DTD.610		
21	2389	B.177788				Boom, bottom, front	1	L.168	MR/C	JD.4
21	2388	B.177789				Boom, bottom, rear	1	L.168	MR/C	JD.4
21	4269	A.177812				Channel, inner boom	1	L.168	MR/C	
	2390	C.177119				Fitting, for rear attachment of tail plane and fin	1	Stamping	MR/C	JD.4
	2391	A.177870				Plate, joint	2	DTD.610	MR/C	JD.4
21	7696	A.177871				Plate, joint	4	L.168	MR/C	
	2392	A.187418				Plate, end	2	DTD.610	MR/C	JD.4
	6661	F.190604				Shim-washer, for jet pipe mounting attachment	2	Lam. Alum.	C.	
21		F.190145				Spacer, at jet pipe mounting angle	2	L.168		
	2393	D.177749/1				Web, rear	2	DTD.546	MR/C	
—	D.177749/4					Web, front (Supplied as Ref. 26FX/2393,	2	DTD.546	—	JD.4
						D.177749/1)				
	E.204943					JET, PIPE SUPPORTS, ASSEMBLY	—	—		
6940	A.188249					Bracket, at frame 48	1	DTD.610	MR/C	
6941	A.188250					Bracket, at frame 50	1	DTD.610	MR/C	
	A.190913					Bracket, at frame 56	1	DTD.610		
	A.183191					Bracket, at frame 51	1	DTD.610		
	F.177687					Bracket, at frame 52	1	DTD.610		
	A.178068					Bracket, at frame 54	1	DTD.610		
6942	F.175708					Bracket, at frames 48, 50, 51 and 54	4	DTD.610	C.	
	D.187408-9					MOUNTING, FOR JET PIPE, ASSEMBLY	—	—		
	7873	B.216692				Channel, mounting, port	1	DTD.166	C.	JD.4
	7874	B.216693				Channel, mounting, starboard	1	DTD.166	C.	JD.4
	722	F.187724				Nut, special	4	S.1	C.	JD.4
	723	A.187721				Plate, serrated	2	S.95.B	C.	JD.4
21	724	B.187722				Slide, mounting	2	Stamping	C	JD.4
						or S.96				
	726	F.187720				Shims, packing	QR	DTD.610	C.	JD.4
	1606	F.190541				Stud	1	S.94.B	C.	JD.4
	1607	F.190542				Stud	1	S.95.B	C.	JD.4
21	1608	C.190691				Rail, mounting	1	L.168	C.	JD.4
21	731	F.189443				Strap, aft, securing rail, at frame 55	1	L.168	C.	JD.4
21	732	F.189442				Strap, forward, securing rail, at frame 55	1	L.168	C.	JD.4
	3813	Std.1547/22/10				Washer, profile	2	DTD.610	MR/C	4
	2395	B.184011				Landing, aft, for detachable spine, port	1	DTD.610	MR/C	JD.1
	2396	B.184012				Landing, aft, for detachable spine, starboard	1	DTD.610	MR/C	JD.1
	2397	A.184009				Landing, forward, for detachable spine, port, group	1	—	MR/C	JD.1
21	28FP/4062482	Dzus. S5/325				Spring	1	—	C.	
	751	Std.915/A.20				Washer	1	DTD.610	C.	4
	2398	A.184010				Landing, forward, for detachable spine, starboard,	1	—	MR/C	JD.1
						group				
21	28FP/4062482	Dzus. S5/325				Spring	1	—	C.	
	751	Std.915/A20				Washer	1	DTD.610	C.	4

FUSELAGE—REAR PORTION

Ref. No.	Part No.	Description	No. Of	Material Specification	M.R. Class of Score	Place No.
	D.177846	MOUNTING, FOR TAILPLANE ACTUATOR, ASSEMBLY	—	—		
21	1506453	Bolt, securing pivot fitting	4	S.99.B	C.	5
	7858	Fitting, pivot, for actuator	1	Stamping	C.	JD.5
	B.189683	Outlet, bearing cooling pipe, group	2	—		
	738	Pin, retaining	1	S.1	C.	JD.4
21	739	Sleeve, outlet	1	S.510	C.	JD.4
	740	Spring	1	Steel	C.	JD.4
	F.189441	Packing, taper, at stringers D, F, H and M	8	DTD.610		
	733	Panel, access, to jet-pipe coupling, fuel connections thermo-couples and igniter plug, group	4	DTD.610	C.	JD.1
21	28FP/4062373	Fastener	3	—	C.	
	735	Panel, access, to jet-pipe rear mounting	2	DTD.610	C.	JD.1
	734	Panel, access, for thermocouples, group	2	DTD.610	C.	JD.1
21	28FP/4062373	Fastener	1	—	C.	
	5825	Panel, access, for thermocouples, group	2	L.72	C.	JD.3
21	28FP/4062373	Fastener	1	—	C.	
	D.220464	PARACHUTE, BRAKING, FIXED PARTS, ASSEMBLY	—	—		
	9906	Bolt, for emergency release	1	H.T.S.S.	C.	
		Bracket, mounting	1	L.72		
		Diaphragm, forward, port	1	L.72		
		Diaphragm, forward, starboard	1	L.72		
		Diaphragm, rear, port	1	L.72		
		Diaphragm, rear, starboard	1	L.72		
		Fairing, port	1	L.72		
		Fairing, starboard	1	L.72		
21		Packing, profile at mounting bracket	1	DTD.610	C.	4
	D.219321	MOUNTING, ATTACHMENT, FOR BRAKING PARACHUTE, ASSEMBLY	—	—		
	9788	Block, cable guard	1	LFS.21	C.	JD.2
		Channel, port	1	L.72		
		Channel, starboard	1	L.72		
21	10479	Guide, bottom	1	S.154	C.	JD.2
21	10478	Guide, top	1	S.154	C.	JD.2
		Member, side, port	1	L.72		
		Member, side, starboard	1	L.72		
		Plate, mounting, top	1	—		
		Plate, mounting, bottom	1	—		
		Plate, reinforcing	1	M.S.P.		
21	10482	Screw, grub	1	BS.948	C.	JD.2
	10480	Shim, top	1	Laminated Alum.	C.	JD.2
	10481	Shim, bottom	1	Laminated Alum.	C.	JD.2
	9674	Strip, bonding	1	BS.265	C.	JD.2
	9326	Panel, access, group	2	—	B.	JD.2
21	28FP/4069671	Fastener	1	—	C.	
21	28FP/1042309	Grommet	1	—	C.	
	9364	Release, E.M., (No. 1, Mk. 1 Modified to Vickers Drg. No. 92574/71)	1	—	A.	JD.2
	C.185991/2	Plate, doubling, bottom, half, at frame 40B	1	DTD.610		
	B.204672	Plate, joint, top, frame 46	1	L.72		
	6844	Plate, joint	12	DTD.610	MR/C	
	F.182976	Plate, joint, at frames 48, 49 and 54	3	DTD.610		
	F.183192	Plate, joint, top, frame 50	1	L.72		
	A.203882	Plate, joint, at stringer "H", frame 50	1	L.72	MR/C	
	7698					

FUSELAGE—REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7699	F.203885	Plate, joint, at stringers "K" and "D" for inner boom of frame 50					2	L.72	MR/C	
	A.183188	Plate, joint, top, frame 51					1	DTD.610		
6127	A.183187	Plate, joint, at stringer "H", frame 51					2	DTD.610	MR/C	
6846	F.190294	Plate, joint, at stringer "H", frame 54					2	DTD.610	MR/C	
6112	F.189187	Plate, joint, for attachment of stringer "M", to frame 55					2	—		
6114	F.189335	Plate, nut, for attachment of stringer "M" to frame 55					2	—	MR/C	
	C.188585	Platform, mounting, for selector valve, assembly					1	—		
2400	B.188584	Platform, mounting, group					1	—	MR/C	JD.2
	B.188584/1	Platform					1	DTD.610		
1920	Std.1341/8	Stud, special					2	—	C	4
21 7700	Std.1341/14	Stud, special					1	—	MR/C	4
6198	C.211697	Spine, detachable, group (with trimming allowance)					1	—	B.	JD.1
7701	C.211697/1	Skin					1	DTD.610	MR/B	
	B.183742	Stiffener, front, group					1	DTD.610		
21 28FP/4062482	Dzus. S.5.325	Spring					2	—	C.	
	D.204652	STRUCTURE:BELOW TAIL PLANE, ASSEMBLY					—	—		
	A.85844	Angle					3	DTD.610		
7702	F.186462	Angle, port					1	DTD.610	MR/C	
7703	F.186463	Angle, starboard					1	DTD.610	MR/C	
7704	A.209654	Bracket, bearing, port					1	L.72	MR/C	JD.5
7705	A.209655	Bracket, bearing, starboard					1	L.72	MR/C	JD.5
	A.186440	Bracket					1	DTD.610		
745	B.188224	Bracket, forward, for elevator booster unit					1	Stamping	C.	JD.2
744	B.188226	Bracket, rear, for elevator booster unit					1	Stamping	C.	JD.3
4727	A.198686	Bracket, mounting, for terminal block, No. 43					1	DTD.610	MR/C	
7706	F.186244	Cleat					1	DTD.610	MR/C	
10538	F.245091	Flap, selector valve operating, group (Mod. 895)					1	—	B.	
10539	F.236518	Spring					1	Sp. Stl. Wire	C.	
	C.209708	Former, at frame 53					1	L.72		
	C.188582	Former, at frame 54					1	DTD.610		
2414	B.186518	Landing, for access panel to selector valve and elevator power assisted control					1	DTD.610	MR/C	JD.2
2413	B.189167	Landing, for access panel to tail plane actuator, port					1	DTD.610	MR/C	JD.1
2412	C.188288	Landing, for access panel to tail plane actuator, starboard					1	DTD.610	MR/C	JD.3
2415	F.188747	Landing, for access panel to elevator booster unit attachments					2	DTD.610	MR/C	JD.3
	F.214231	Landing, for access panel to elevator spring feel linkage					1	L.72		
7707	F.188555	Packing, taper					1	DTD.610	MR/C	
	D.186503/3	Packing, at side of skin, forward of frame 55, port					1	DTD.610		
	D.186503/4	Packing, port and starboard					2	DTD.610		
	D.186503/5	Packing, at port side skin, forward of frame 52, port					1	DTD.610		
748	B.186517	Panel, access to selector valve and elevator power assisted control					1	DTD.610	C.	JD.1
1580	F.188746	Panel, access, to elevator booster unit attachments					2	DTD.610	C.	JD.3
747	A.189166	Panel, access to tail plane actuator, port					1	DTD.610	C.	JD.1
5272	C.207286	Panel, access to tail plane actuator, starboard, group					1	—	C.	JD.3
5273	C.207286/2	Panel, lower					1	L.72	C.	JD.3
717	F.183737	Panel, access, to elevator spring feel linkage					1	DTD.610	C.	JD.1
	F.186388	Plate, reinforcing					2	DTD.610		

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.186387					Rib, below tail plane, between frames 52 and 55	1	DTD.610		
	B.202352					Rib, between frames 51 and 52	1	L.72		
	B.204654					Rib, above tail plane, between frames 51 and 52	1	L.72		
4211	Std.1687/2					Saddle, for clipping of electrical cables	4	DTD.610	C.	5
1581	F.189937					Shim, for elevator booster brackets	QR	Lam. Alum.	C.	JD.3
1852	D.186503/1					Skin, port	1	DTD.610	B.	JD.1
1853	D.186503/2					Skin, starboard	1	DTD.610	B.	JD.3
	A.189165					Stiffener	1	DTD.610		
	D.186503/6					Strap, starboard	1	DTD.610		
	Std.1507/2/026					Tube, distance, 1/4" o/d x 22 s.w.g. x .26" long (Make from 30A/965)	4	T.26	-	
	Std.1507/24/016					Tube, distance, 3/8" o/d x 17 s.w.g. x .16" long (Make from 30A/1469)	4	T.26	-	
3817	Std.1548/30/12					Washer, profile	4	DTD.610	MR/C	4
280	Std.1548/40/12					Washer, profile	4	DTD.610	C.	4
	Std.1549/36/12					Washer, profile	2	DTD.610		
	C.224023					STRUCTURE, REAR, BELOW TAIL-PLANE, ASSEMBLY	-			
	F.190522					Angle, piece	2	DTD.610		
	F.190523					Angle, piece	1	DTD.610		
	A.186446					Bracket, attachment	1	DTD.610		
2410	F.190513					Edge, trailing, aft portion	1	DTD.364	MR/C	JD.1
2409	F.192763					Edge, trailing, top portion	1	LFS.21	MR/C	JD.1
	B.211427					Former, aft	1	DTD.610		
	B.224021					Former, centre	1	DTD.610		
	B.190484					Former, forward	1	L.72		
2411	A.186407					Landing, for access panel to elevator operating arm connection	1	DTD.610	MR/C	JD.3
	C.211429					Landing, for access panel to flying tail linkage	1	L.72		JD.2
1712	F.186406					Panel, access to elevator operating arm connection	1	DTD.610	C.	JD.3
7932	B.211431					Panel, access to flying tail linkage, port	1	L.72	B.	JD.1
	C.212321					Rib, tail, for attaching access and fairing panels	1	DTD.610		
	C.224022					Rib, tail, group	1	DTD.610		
	B.190521					Rib	1	DTD.610		
10000	C.224023/1					Skin, port	1	DTD.610	B.	JD.3
10001	C.224023/2					Skin, starboard	1	DTD.610	B.	JD.3
	B.212322					Stiffener, forward, port	1	L.72		
	B.212323					Stiffener, aft, port	1	L.72		
	B.212324					Stiffener, starboard	1	L.72		
	C.224023/3					Strap, butt, port	1	DTD.610		
	C.224023/4					Strap, butt, starboard	1	DTD.610		
20058	E.222673					Structure, bottom portion, group	1	-	MR/A	JD.5
7709	A.203857					Angle, on frame 48 and 49	2	L.72	MR/C	JD.5
7710	A.293886					Angle, on frame 50, port	1	DTD.364	MR/C	JD.5
7711	A.203887					Angle, on frame 50, starboard	1	DTD.364	MR/C	JD.5
7712	A.203894					Angle, on aft face of frames 47 and 50, port	2	L.40	MR/C	JD.5
7713	A.203895					Angle, on aft face of frames 47 and 50, starboard	2	L.40	MR/C	JD.5
7714	A.203896					Angle, on forward face of frames 47 and 50, port	2	DTD.364	MR/C	JD.5
7715	A.203897					Angle, on forward face of frames 47 and 50, starboard	2	DTD.364	MR/C	JD.5
7716	F.203912					Angle, on frame 47, port	1	DTD.364	MR/C	JD.5
7717	F.203913					Angle, on frame 47, starboard	1	DTD.364	MR/C	JD.5
7718	F.203914					Angle, on frames 47 and 48, port	2	L.72	MR/C	JD.5
7719	F.203915					Angle, on frames 47 and 48, starboard	2	L.72	MR/C	JD.5
7720	F.203916					Angle, on frames 47 and 48, port	2	L.72	MR/C	JD.5
7721	F.203917					Angle, on frames 47 and 48, starboard	2	L.72	MR/C	JD.5
5918	F.203982					Angle, attachment, for hinge fitting, at frame 46	2	L.72	MR/C	
5919	F.203983					Angle, attachment, for hinge fitting, at frame 46	2	L.72	MR/C	

RESTRICTED

Hunter T. Mk. 8B & C
Issued with A/L No. 20

FUSELAGE—REAR PORTION

Ref. No.	Part No.	Description					No. Of	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
7722	F.204089					Bracket, mounting, for hydraulic valves	2	DTD.610	MR/C	JD.5
5908	A.204212					Bracket, mounting, for micro-switch on frame 47	1	L.72	MR/C	JD.5
5925	A.204354					Bracket, mounting, for pressure switch	1	DTD.610	MR/C	
	A.216746					Cover, sealing	2	L.72		
7723	C.203969					Diaphragm, between frames 47 and 48, port	1	L.72	MR/C	JD.5
7724	C.203970					Diaphragm, between frames 47 and 48, starboard	1	L.72	MR/C	JD.5
7725	C.203971					Diaphragm, between frames 48 and 49, port	1	L.72	MR/C	JD.5
7726	C.203972					Diaphragm, between frames 48 and 49, starboard	1	L.72	MR/C	JD.5
7727	C.203973					Diaphragm, between frames 49 and 50, port	1	L.72	MR/C	JD.5
7728	C.203974					Diaphragm, between frames 49 and 50, starboard	1	L.72	MR/C	JD.5
8513	F.216608					Drain, extension, at frames 40B, 50, 52 and 55 .. (Pre Mod. 1363)	7	L.65.C	C.	JD.1
20075	C.223078					Fairing, for arrester hook mounting	1	L.72	C.	
8771	C.219512					Fitting, hinge, between frames 45 and 46, port ..	1	—	MR/C	
8772	C.219513					Fitting, hinge, between frames 45 and 46,	1	—	MR/C	
						starboard				
5909	A.203906					Fitting, jack attachment, forward of frame 50	2	Stamping	MR/C	JD.5
20070	A.222202					Fitting, jack attachment, port	1	S.95B	MR/C	
20071	A.222203					Fitting, jack attachment, starboard	1	S.95.B	MR/C	
	D.210643					Frame 41, bottom portion	1	—		JD.5
7736	D.181021					Frame 42, bottom portion	1	—	MR/B	JD.5
7737	D.181024					Frame 43, bottom portion	1	—	MR/B	JD.5
7738	D.181027					Frame 44, bottom portion	1	—	MR/B	JD.5
	D.204663					Frame 45, bottom diaphragm	1	—		JD.5
7740	D.204666					Frame 46, bottom portion	1	—	MR/B	JD.5
	D.222109					Frame 47, group	1	—		
7741	C.204667					Frame 47, bottom portion	1	—	MR/B	JD.5
20063	D.222109/4					Plate, joint	3	L.72	MR/C	
20062	D.222109/1					Web, bottom	1	L.72	MR/C	
	C.204668					Frame 48, half-bottom, port	1	—		JD.5
	C.204669					Frame 48, half-bottom, starboard	1	—		JD.5
7744	C.204670					Frame 49, half-bottom, port	1	—	MR/B	JD.5
7745	C.204671					Frame 49, half-bottom, starboard	1	—	MR/B	JD.5
	D.222167					Frame 50, group	1	—		JD.5
20064	A.222282					Angle, port	1	L.65.C	MR/C	
20065	A.222283					Angle, starboard	1	L.55.C	MR/C	
20066	F.224157					Angle, port	1	—	MR/C	
20067	F.224158					Angle, starboard	1	—	MR/C	
20068	D.222167/1					Extrusion	1	L.65.C	MR/C	
7746	D.204873					Frame 50, bottom portion	1	—	MR/B	
20069	F.226680					Plate, blanking	1	L.72	MR/C	
	B.222223					Frame 51, bottom portion group	1	—		JD.5
						(D.181048 modified)				
20073	F.222232					Angle, port	1	L.65.C	MR/C	
20074	F.222233					Angle, starboard	1	L.65.C	MR/C	
7748	D.181051					Frame 53, bottom portion	1	—	MR/B	JD.5
7749	D.181054					Frame 54, bottom portion	1	—	MR/B	JD.5
	A.204798					LEVER, FOR MICRO SWITCH, ASSEMBLY	—	—		
5912	A.204707					Bracket	1	L.72	MR/C	
4949	F.204706					Lever	1	DTD.364	C.	
	F.216745					Plate, sealing	1	L.59		
5911	Std. 1509/23/029					Tube, distance, 5/16" o/d x 17 s.w.g. x 0.29" .. long	2	T.4	MR/C	4

RESTRICTED

FUSELAGE--REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
7750	C.203856					Member, bridge, on frames 48 and 49, group	2	L.72	MR/C	JD.5
8773	D.219450					Member, side, air brake jack attachment beam, between frames 47 and 50, port, group	1	—	MR/B	JD.5
8774	D.219451					Member, side, air brake jack attachment beam, between frames 47 and 50, starboard, group	1	—	MR/B	JD.5
	D.222204					Member, side, port, for arrester hook, jack attachment	1	—		
	D.222206					Member, side, stbd. for arrester hook, jack attachment	1	—		
7753	F.183785					Packing, taper	4	DTD.610	MR/C	
7754	F.204481					Packing, for angle, on frame 47	2	L.72	MR/C	
7756	E.204792/2					Packing	1	L.72	MR/C	
5916	F.204971					Packing, for angles, at frame 45	2	L.72	MR/C	
5917	F.204170					Packing, for angles, at frame 45	2	L.72	MR/C	
4945	B.204064					Panel, access to jack attachment fitting, port	1	L.72	C.	JD.5
4946	B.204065					Panel, access to jack attachment fitting, starboard	1	L.72	C.	JD.5
	B.223080					PICKETTING POINT AT FRAME 52, ASSEMBLY	—	—		
20059	A.223982					Plate, gusset, inner	1	L.72	MR/C	
20060	A.223983					Plate, gusset, outer	1	L.72	MR/C	
2399	A.180407					Socket, picketting, group	1	—	MR/C	JD.1
737	F.159451					Plug	1	DTD.364	C.	JD.1
	Std.1509/2/136					Tube, distance, 1/4" o/d x 22 S.W.G. x 1.36" long	1	T.4		
	Std.1509/2/150					Tube, distance, 1/4" o/d x 22 S.W.G. x 1.50" long	3	T.4		
	Std.1509/2/164					Tube, distance, 1/4" o/d x 22 S.W.G. x 1.64" long	1	T.4		
	Std.1547/26/16					Washer, packing	2	DTD.610		
4948	F.204262					Pin, for micro-switch striker	1	—	C.	
20087	F.232826					Plate, blanking, at drain holes fr. 50	2	—	C.	
7758	C.185646/3					Plate, doubling, at frame 52	1	DTD.610	MR/C	JD.5
7755	B.203874					Plate, reinforcing	1	L.72	MR/C	
7757	B.203875					Plate, reinforcing, frame 50 to 51	1	L.72	MR/C	JD.5
7760	B.203962					Plate, reinforcing, port	1	L.72	MR/C	
7761	B.203963					Plate, reinforcing, starboard	1	L.72	MR/C	
7762	A.204072					Plate, reinforcing, port	1	L.72	MR/C	
7763	A.204073					Plate, reinforcing, starboard	1	L.72	MR/C	
20072	B.222313					Plate, stiffener, joint, hook attachment beam	1	—	MR/C	
	C.191817					PLUG, TELEBRIEFING, ASSEMBLY	—	—		
7765	F.191977					Angle	1	DTD.610	MR/C	
1611	Std.232.20N					Bolt, shoulder	2	S.95.8 or S.96.8	C.	JD.3
7766	F.191826					Bracket, stop	2	DTD.364	MR/C	
7767	F.191827					Bracket, anchorage, on frame 53	2	DTD.610	MR/C	
7768	F.191830					Bracket, hinge	1	DTD.610	MR/C	
7769	F.191831					Bracket, hinge	1	DTD.610	MR/C	
1609	A.191823					Cover	1	DTD.213	C.	JD.3
1610	B.191822					Door, access	1	DTD.610	C.	JD.3
7770	B.191819					Landing, for door access	1	DTD.610	MR/C	
7771	B.191820					Member, side	1	DTD.610	MR/C	
7772	B.191821					Member, side	1	DTD.610	MR/C	
1612	C.191817/1					Strip, rubber, 1/16" thick, 0.38" wide	1	DTD.560	C.	JD.3
1613	C.191817/2					Strip, rubber, 1/16" thick, 0.38" wide	1	DTD.560	C.	JD.3

FUSELAGE--REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
1854	E.202159/1A	Skin					1	L.72	B.	JD.1
7774	B.203905	Skin, top, for jack attachment beam					1	L.72	MR/B	JD.5
20061	B.222225	Skin, top, for jack attachment beam, frame 50-52 (Mod. 747)					1	L.72	MR/B	JD.5
4947	F.204263	Spring, for micro-switch striker pin					1	Sp. Stl.	C.	-
5915	F.204970	Stop, forward of frame 45					2	L.72	MR/C	-
5910	F.205570	Stop, at jack attachment, forward of frame 50, port					1	L.72	MR/C	JD.5
6120	C.186467	Strap, joint, aft of frame 55					1	DTD.610	MR/C	JD.2
7775	D.183532	Stringer, 'L', between frames 44 and 52, port					1	DTD.364	MR/C	JD.5
7776	D.183533	Stringer, 'L', between frames 44 and 52, starboard					1	DTD.364	MR/C	JD.5
7777	C.183543	Stringer, 'J', 'K', and 'L', aft of frame, port					3	DTD.364	MR/C	JD.5
7778	C.183544	Stringer, 'J', 'K', 'L' and 'M', aft of frame 52, starboard					4	DTD.364	MR/C	JD.5
7779	D.183632	Stringer, 'J', between frames 40B and 45, port					1	DTD.364	MR/C	JD.5
7780	D.183633	Stringer, 'J', between frames 40B and 45, starboard					1	DTD.364	MR/C	JD.5
7781	D.183634	Stringer, forward of frame 43, port					1	DTD.364	MR/C	JD.5
7782	D.183635	Stringer, forward of frame 43, starboard					1	DTD.364	MR/C	JD.5
4203	D.183636	Stringer, 'K', between frames 40B and 45, port					1	DTD.364	MR/C	JD.5
7783	D.183637	Stringer, 'K', between frames 40B and 45, starboard					1	DTD.364	MR/C	JD.5
7784	D.183638	Stringer, forward of frame 43, port					1	DTD.364	MR/C	JD.5
7785	D.183639	Stringer, forward of frame 43, starboard					1	DTD.364	MR/C	JD.5
7786	D.183640	Stringer, 'L', between frames 40B and 45, port					1	DTD.364	MR/C	JD.5
7787	D.183641	Stringer, 'L', between frames 40B and 45, starboard					1	DTD.364	MR/C	JD.5
7788	D.183642	Stringer, forward of frame 43, port					1	DTD.364	MR/C	JD.5
7612	D.183643	Stringer, forward of frame 43, starboard					1	DTD.364	MR/C	JD.5
	D.183530	Stringer, 'J' and 'K', between frames 44 and 52, port					2	DTD.364		JD.5
	D.183531	Stringer, 'J' and 'K', between frames 44 and 52, starboard					2	DTD.364		JD.5
7792	B.203876	Stringer, between frames 46 and 47, port					1	DTD.364	MR/C	JD.5
7793	B.203877	Stringer, between frames 46 and 47, starboard					1	DTD.364	MR/C	JD.5
7797	B.204818	Stringer, 'M', between frames 40B and 47					1	DTD.364	MR/C	JD.5
	C.235349	SWITCH GEAR, ARRESTER HOOK, ASSEMBLY (Mod. 844)					-	-		
	B.226719	SWITCH GEAR, ARRESTER HOOK, ASSEMBLY (Pre Mod. 844)					-	-		
20094	A.234440	Bracket, mounting, for switch (Mod. 844)					1	S.510	C.	
	F.226585	Bracket, anchor for spring					1	L.72		
20088	A.226578	Housing					1	-	MR/C	JD.5
20076	F.226582	Lever					1	L.65.C	C.	JD.5
20077	F.225860	Plate, locking					1	L.72	C.	JD.5

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
20078	F.225861					Plate, locking	1	L.72	C.	JD.5
20079	F.226579					Shaft	2	—	C.	JD.5
20080	F.213396					Spring	1	Sp. Stl.	C.	JD.5
20093	F.234649					Stop	1	LFS.21	C.	
21	5CW/4400328					Switch, micro	1	—	B.	
	C.1831Y									
	Mk. 102C									
21	6949	F.204224				Tube, support, for micro-switch striker	1	T.26 & S.510	MR/C	
	4035	Std.1509/23/112				Tube, distance, 5/16" o/d x 17 s.w.g. x 1.12" long ..	3	T.4	MR/C	4
	5924	Std.1509/23/086				Tube, distance, at attachment angle, frame 46	2	T.4	M/C	4
	4827	Std.1509/23/080				Tube, distance, at attachment angles, frame 45	8	T.4	MR/C	4
		D.263961				Structure, rear extension, group (Mod. 1217)	1	—		
	6125	F.190667				Angle, for catch-pin bracket	4	DTD.610	MR/C	
		F.190668				Angle, for catch pin bracket	4	DTD.610		
	6111	A.190584				Bracket, for lower lever and catch-pin, port and	2	DTD.610	MR/C	
						starboard				
	6115	A.190585				Bracket, for lower lever and catch-pin, port and	2	DTD.610	MR/C	
						starboard				
21	1614	F.190589				Bracket, locating spigot on tail cone	4	L.168	C.	JD.3
		F.219866				Bracket, spigot, port	1	L.65.C		
		F.219867				Bracket, spigot, starboard	1	L.65.C		
		A.190582				Bracket, for catch pin, port	2	DTD.610		
		A.190583				Bracket, for catch pin, starboard	2	DTD.610		
	8513	F.216608				Drain, extension (Starboard only)	1	L.65.C	C.	
	4907	K.A.C. D.5067				Fitting, attachment	4	—	MR/C	JD.3
		D.232097				Frame 56, group	1	—		
20020	D.232097/1					Diaphragm	1	L.72	MR/C	
	D.232097/3					Frame 56, side portion, port	1	DTD.610		
	D.232097/4					Frame 56, side portion, starboard	1	DTD.610		
20021	D.232097/2					Frame 56, bottom portion	1	DTD.610	MR/C	
	F.263957					Frame 57, group	1	—		
20022	D.232084/1					Diaphragm	1	L.72	MR/C	
	D.232084/3					Frame 57, side portion, port	1	DTD.610		
	D.232084/4					Frame 57, side portion, starboard	1	DTD.610		
20023	D.232084/2					Frame 57, bottom portion	1	DTD.610	MR/C	
20017	A.232085					Plate, reinforcing, port	1	S.95.B	MR/C	
20018	A.232086					Plate, reinforcing, starboard	1	S.95.B	MR/C	
	B.232369					Plate, reinforcing, port	1	L.72		
	B.232370					Plate, reinforcing, starboard	1	L.72		
	B.190529					Landing, top, locating tail cone	1	DTD.610		
	B.190530					Landing, side, locating tail cone, port	1	DTD.610		
11032	B.190531					Landing, side locating tail cone, starboard	1	DTD.610	C.	
6119	B.190532					Landing, bottom, locating tail cone	1	DTD.610	C.	JD.3
6109	K.A.C. C.3103/H					Lever, and catch pin	4	—	C.	JD.3
	F.190590					Plate, top joint on frame 56	1	DTD.610		
	A.219856					Plate, top joint, frame 57	1	DTD.610		
4211	Std.1687/2					Saddle, on stringer "G", starboard	1	DTD.610	C.	5
—	E.232122					SKID, TAIL, STRUCTURE, ASSEMBLY	—	—	—	
20024	F.232093					Angle, attachment, port	2	L.72	MR/C	
20025	F.232094					Angle, attachment, starboard	2	L.72	MR/C	
20026	F.232362					Bolt, special	4	S.95.B	C.	
20027+1	B.222960					Bracket, mounting, for hook latch	1	—	MR/C	
20028	B.232092					Bracket, reinforcing	1	—	MR/C	
	F.223013					Guide, latch	1	L.72		

FUSELAGE--REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	20038	A.222965				Housing, port, E.M. release	1	—	MR/C	
	20037	A.222964				Housing, starboard, for E.M. release	1	—	MR/C	
	20029	F.232360				Net, barrel	1	S.112	C.	
	20030	F.232361				Net, barrel	1	S.112	C.	
	20031	F.232106				Packer, taper	2	L.72	MR/C	
21	20035	Std.1961/N/115				Pin, at E.M. release housing	1	—	C.	
	20032	C.233112				Plate, reinforcing	1	S.520	MR/C	5
		F.234382				Plate, stop	2	—		
21	11A/1082730	—				Release, E.M. for arrester hook	1	—	A.	
	20033	C.232131				Skid, tail, group	1	—	MR/C	JD.1
	20034	C.232131/2				Pad, rubber	1	Rubber	MR/C	JD.1
21	20036	Std.914/N18				Washer, at E.M. release housing	1	—	C.	4
	1025	King Aircraft				Screw, locking	4	—	C.	JD.3
		D.3060/2								
		D.263961/1				Skin, side, port	1	DTD.610		
		D.263961/2				Skin, side, starboard	1	DTD.610		
		D.263961/3				Skin, bottom	1	DTD.610		
	6118	B.190669				Strap, joint, port and starboard	2	DTD.610	MR/C	
	6124	A.190586				Stringer, forward of frame 56	19	DTD.610	MR/C	JD.2
	6110	A.190588				Stringer, between frames 56 and 57 (Pre Mod. 1363)	12	DTD.610	C.	JD.2
	4555	Std.915/A22				Washer	2	DTD.610	C.	4
		D.201634				Structure, side portion, port, group	1	—		
		D.201635				Structure, side portion, starboard, group	1	—		
		A.188174				Beam, for slinging socket, group	2	—		
		B.188104				Beam, group	1	—		
21	2401	A.188105				Socket, slinging	1	L.168	MR/C	JD.2
21	113	F.180423				Plug, screwed	1	L.168	C.	JD.2
	5931	B.204353				Bracket, for control valve, port	2	DTD.610	MR/C	JD.2
		C.184956				Landing, for access panel to jet pipe coupling fuel ... connections, thermo-couple and igniter plug, group	4	DTD.610		
28FP/4062657	Dzus					Cage	3	—	C.	
	FLA.5.225									
	C.184955					Landing, for thermo-couples access panel, group	4	DTD.610		
28FP/4062657	Dzus					Cage	1	—	C.	
	FLA.5.225									
—	D.210760					MOUNTING, FOR DE-ICING TANK MOTOR AND SUPPLY SOCKET HOUSING, ASSEMBLY	—	—	—	
	F.210771					Bracket, fastener	1	—		
9026	A.210770					Cover	1	—	C.	
	5955	C.202325				Plate, reinforcing, for access panel to fuel tank switch, port	1	DTD.610	MR/C	JD.2
	5956	C.202326				Plate, reinforcing, for access panel to fuel tank switch, starboard	1	DTD.610	MR/C	JD.2
	2404	B.184847				Plate, reinforcing, for access panel to jet pipe rear ... mounting	1	DTD.610	MR/C	JD.2
	4211	Std.1687/2				Saddle	3	DTD.610	C.	5
	1855	D.202157/1A				Skin, port	1	L.72	C.	JD.1
	1856	D.202158/1A				Skin, starboard	1	L.72	C.	JD.3
—	B.191149					VENTILATOR, BETWEEN FRAMES 46 AND 47, ... ASSEMBLY	—	—	—	
	2405	A.191151				Louvre	2	L.59	MR/C	JD.1
		A.191150				Plate, reinforcing	2	DTD.610		

FUSELAGE—AIR BRAKE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
		AIR BRAKE, ASSEMBLY	—	—		
	4938	Air Brake, group	1	—	A.	JD.6
		B.204309 Anchorage, for jack, group	1	Stmpg.		JD.6
21	4939	Bush	2	S.154	C.	JD.6
21	5970	Angle, cleat, attaching former No. 1, outer portion, port	1	L.168	MR/C	—
21	5971	Angle, cleat, attaching former No. 1, outer portion, starboard	1	L.168	MR/C	—
21	5972	Angle, cleat, attaching former No. 1, centre portion, port	1	L.168	MR/C	—
21	5973	Angle, cleat, attaching former No. 1, centre portion, starboard	1	L.168	MR/C	—
21	5974	Angle, cleat, attaching former No. 2, outer portion, port	1	L.168	MR/C	—
21	5975	Angle, cleat, attaching former No. 2, outer portion, starboard	1	L.168	MR/C	—
	4940	Std.1553/G/140 Bolt, securing jack anchorage	1	S.99.B	C.	5
	4941	Std.1553/G/180 Bolt, securing jack anchorage	3	S.99.B	C.	5
	5976	B.204357 Channel, centre, front	1	L.72	MR/C	JD.6
	5977	B.204358 Channel, centre, rear	1	L.72	MR/C	JD.6
	5978	B.204482 Fitting, hinge, port, group	1	Stmpg.	MR/C	JD.6
21	4943	Bush	2	BSS.369 or BS.2874	C.	JD.6
	5979	Fitting, hinge, starboard, group	1	Stmpg.	MR/C	JD.6
	4944	Bush	2	BSS.369	C.	JD.6
	5980	Former, No. 1, centre portion	1	L.72	MR/C	JD.6
	5981	Former, No. 1, outer portion, port	1	L.72	MR/C	JD.6
	5982	Former, No. 1, outer portion, starboard	1	L.72	MR/C	JD.6
	5983	Former, No. 1A, centre portion, port	1	L.72	MR/C	JD.6
	5984	Former, No. 1A, centre portion, starboard	1	L.72	MR/C	JD.6
	5985	Former, No. 2, centre portion	1	L.72	MR/C	JD.6
	5986	Former, No. 2, outer portion, port	1	L.72	MR/C	JD.6
	5987	Former, No. 2, outer portion, starboard	1	L.72	MR/C	JD.6
	5988	B.204371 Rib, nose, centre	1	L.72	MR/C	JD.6
	5989	B.204458 Rib, nose, outer, port	1	L.72	MR/C	JD.6
	5990	B.204459 Rib, nose, outer, starboard	1	L.72	MR/C	JD.6
	5991	C.204365 Rib, hinge, inner, port	1	L.72	MR/C	JD.6
	5992	C.204366 Rib, hinge, inner, starboard	1	L.72	MR/C	JD.6
	5993	D.204367 Rib, hinge, outer, port	1	L.72	MR/C	JD.6
	5994	D.204368 Rib, hinge, outer, starboard	1	L.72	MR/C	JD.6
	5996	D.204379 Skin, outer	1	L.72	MR/B	JD.6
	5995	D.204378 Skin, inner	1	L.72	MR/B	JD.6
	5997	D.204376 Skin, nose, outer, port	1	L.72	C.	JD.6
	5998	D.204377 Skin, nose, outer, starboard	1	L.72	C.	JD.6
	5999	D.204374 Skin, nose, outer, port	1	L.72	C.	JD.6
	6000	D.204375 Skin, nose, outer, starboard	1	L.72	C.	JD.6
21	5826	A.205985 Spring, operating micro switch	1	2S513	C.	JD.6
	6001	C.204380 Strap, butt, between main and nose skins, port	1	L.72	MR/C	JD.6
	6002	C.204381 Strap, butt, between main and nose skins, starboard	1	L.72	MR/C	JD.6
	4933	F.204144 Bolt, securing jack to flap	1	S.99.B	C.	JD.6
	4934	Std.1551/5/135 Bolt, securing flap to forward hinge fittings	2	S.99.B	C.	5
	4935	Std.1551/8/475 Bolt, securing jack to fuselage, forward of frame 50	1	S.99.B	C.	5
21		Std.1996/8 Chain, rigid link	1	C. Brass		5
	4936	S.204797 Clip, at jack, for check chain attachment	1	S.3	C.	JD.6
27QM/	Dowty 08673Y Jack, hydraulic		1	—	A.	
	A.03 or					
21	27QM/4118491	08673YA.04 Nut, for jack attachment bolts	2	S.94.B or S.95.B	C.	5
	4937	Std.1921/QS				

FUSELAGE—AIR BRAKE

[illegible]

FUSELAGE—TAIL CONE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.	
							1
	C.247661	TAIL CONE, GROUP (Less Parachute)	1	—		JD.7	
	—	Electrical Installation (See Section EC)	—	—			
		(Appropriate parts to be fitted when Tail Cone is supplied as spare)					
	E.222063	MECHANISM, RELEASE, FOR PARACHUTE	—	—			
		DOORS, ASSEMBLY					
9304	Std.1639/18/EX	Bolt, attaching link to starboard door	1	S.95.B	C.	JD.7	
9305	B.223075	Cable, door release	1	—	C.	JD.7	
9306	A.220003	Lever, operating, port door	1	—	C.	JD.7	
9307	A.220330	Lever, operating, starboard door	1	—	C.	JD.7	
9308	F.222994	Link, connecting	1	—	C.	JD.7	
9309	A.220002	Link, operating, port and starboard	2	—	C.	JD.7	
9310	B.222895	Lock, for door	1	—	B.	JD.7	
9311	F.223076	Plate, serrated, at lock attachment	1	—	C.	JD.7	
	F.221345	Plug, for spring box, port	1	L.65.C			
9312	F.220615	Shim, laminated, at lock attachment	1	Shim. Alum.	C.		
9313	F.219838	Spring	2	Spr. Stl.	C.	JD.7	
11827	F.220315	Tube, distance	6	T.26	C.		
	F.220319	Tube, distance, at attachment of link door	2	T.26			
11829	F.220320	Tube, distance, at lever attachment	1	T.26	C.		
11830	F.220321	Tube, distance, at lever attachment	1	T.26	C.		
12139	F.222023	Tube, distance, at attachment of spring box,	1	BSS.369	C.		
		starboard					
	A.220009	Tube, outer, for spring box, port	1	—			
	A.220111	Tube, outer, for spring box, starboard	1	—			
10949	A.220010	Tube, inner, for spring box	2	—	C.		
	B.221759	Unit, spring, release, group	1	—			
	B.221760	Bracket, mounting	1	—			
9314	A.221762	Lever	1	—	C.	JD.7	
9315	A.221857	Lever, group	1	—	B.	JD.7	
2A/9500409	BRA. 3/16"	Bearing	1	—	C.		
9316	F.221967	Shim, laminated, 1/32" thick	1	Alum.	C.	JD.7	
5CW/6694	Rotax D.5320	Solenoid	1	—	A.		
	F.221763	Tube, distance	1	S.62.B			
	F.221807	Tube, distance	1	T.26			
	Std.1507/2/225	Tube, distance, 1/4" o/d x 22 S.W.G. x 2.25"	1	T.26	—	4	
		long (Make from 30A/9610294)					
	9317	F.222024	Washer, at attachment of spring box, starboard	2	BSS.369	C.	JD.7
	E.222062	PARACHUTE, BRAKING, TAIL CONE, ASSEMBLY	—	—			
5CW/9990748	Burgess	Actuator, auxiliary type CB	1	—	C.		
	F.235007	Angle, support	1	L.72			
	F.222315	Bracket, mounting, at access panel in fin fairing	1	—			
	B.221093	Bracket, mounting, for micro switch	1	—			
	A.221094	Bracket, stop, at micro switch	1	L.72			
	B.220537	Bracket, support, at cable duct	1	—			
10987	G.250612	Door, port, group (Mod. 1055)	1	—	A.	JD.7	
10988	G.250613	Door, starboard, group (Mod. 1055)	1	—	A.	JD.7	
	F.222112	Bracket, attachment, port	1	—			
	A.222993	Bracket, latch, port	1	S.95.B			
11345	G.250612-3/A	Fairing (supplied loose)	1	L.59	C.		

FUSELAGE—TAIL CONE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	D.233811					DETAILS OF STARBOARD DOOR,	—	—		
						ASSEMBLY (Mod. 1055)				
21	28FP/9570403	F.221355				Landing, group	1	—		
21		Dzus. Type R.5				Receptacle	1	—	C.	4
		Std.1231/7B				Lug, locking	1	S.3		
		F.222166				Packing, for door landing	1	L.72		
	9321	A.222104				Panel, access, group	1	—	B.	JD.7
21	28FP/4062750	Dzus F5/T/14				Fastener	1	—	C.	
21	28FP/1042309	Dzus GH.5				Grommet	1	—	C.	
		C.223963				Hinge, door	2	—		
21		Std.1507/2/048				Tube, distance, at latch bracket, 1/4" o/d	2	T.26	—	4
						x 22 S.W.G. x 0.48" long (Make from 30A/9610294)				
		B.220131				Duct	1	—		
		C.220870				Duct, for cable, port	1	—		
		C.246293				Guard, forward door, lock assembly	—	—		
	10571	A.245322				Bracket	1	S.510	C.	
	10570	B.245172				Guard	1	—	C.	
		B.237750				Landing, for access panel	1	L.72		
21	28FP/9570403	Dzus Type R.5				Receptacle	1	—	C.	
	9322	F.222114				Lever, micro switch operating	1	—	C.	JD.7
	9323	F.222113				Link, at micro switch	1	—	C.	JD.7
	4242	Std.1231/7				Lug, locking	1	—	C.	
	D.237526					MECHANICAL SWITCHING TAIL PARACHUTE	—	—		
						SLIP, ASSEMBLY				
	10487	A.237529				Bracket, support for micro switch	1	—	C.	
	10486	B.237528				Door, access, starboard, group	1	—	B.	
	28FP/9434076	Dzus Ltd. AJ.3/30				Fastener, Dzus	2	—	C.	
	10536	F.237531				Plate, nut	1	S.510	C.	
	9494	F.221158				Plate, locking	1	—	C.	
		A.238436				Plate, stop	1	—		
		A.238437				Plate, stop	1	—		
21	5CW/1191514	—				Switch, micro, type 4A	1	—	B.	
	C.221926					MOUNTINGS, FOR RELEASE MECHANISM,	—	—		
						ASSEMBLY				
		F.222663				Bracket, mounting, for terminal block	1	—		
		F.220317				Bracket, anchorage, for spring box	1	L.72		
		A.220312				Bracket, stop, for release cable	1	S.510 & S.92.B		
	9324	F.223077				Plate, serrated	1	S.96.B	C.	JD.7
	10485	A.237749				Panel, access in fin fairing, for cocking test plug,	1	—	B.	JD.7
						group				
21	28FP/4069671	Dzus F5/T/12				Fastener	1	—	C.	
21	28FP/1042309	Dzus GH.5				Grommet	1	—	C.	
21	5CW/1191514	—				Switch, micro type 4A	2	—	B.	
	4150	Std.915/C/22				Washer, at micro switch link	3	DTD.610	C.	4


FUSELAGE-TAIL CONE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
15D/	G.Q.410 Issue 4	Parachute pack, type LB52 Mk. 3 including towing cable (Service Supply) (For parachute spares see AP.1086, Book 11, Sect. 15D)					1	—	A.	
15D/	B.246487	Cable, towing, group					1	—	B.	
21 15D/4111620	A.222111	Cable, detail					1	—	C.	
21 15D/4111628	F.234352	Pin, shear					1	S.80.B	C.	
21 15D/4111672	F.246486	Shackle, group					1	S.98.B	C.	
21 15D/1363087	Std.1551/1/65	Bolt					2	S.98.B	C.	
21 15D/4111673	F.237558	Fork					1	S.98.B	C.	
21 4488	Std.1718/1	Nut					2	S.95.B	C.	5
15D/	F.228548	Shackle					1	S.98.B	C.	
21 15D/4111621	F.222207	Shackle					1	—	C.	
	D.223509	Tail cone, forward portion, group					1	—		
	A.190635	Bracket, support, port					1	DTD.610		
	A.190636	Bracket, support, starboard					1	DTD.610		
	B.190626	Channel, mounting, for toggle, port					1	DTD.610		
	B.190627	Channel, mounting, for toggle, starboard					1	DTD.610		
	B.190628	Channel, mounting, for toggle, port					1	DTD.610		
	B.190629	Channel, mounting, for toggle, starboard					1	DTD.610		
8513	F.216608	Drain, extension, at frame 58 (Pre Mod. 1363)					1	L.65.C	C.	JD.1
11437	D.190618/1	Frame 58, top portion					1	DTD.610	C.	
11438	D.190618/2	Frame 58, side portion, port					1	DTD.610	C.	
10797	D.190618/3	Frame 58, side portion, starboard					1	DTD.610	C.	
11506	D.190618/4	Frame 58, bottom portion					1	DTD.610	C.	
	D.190619/1	Frame 59, side portion, port					1	DTD.610		
	D.190619/2	Frame 59, side portion, starboard					1	DTD.610		
	D.190619/3	Frame 59, bottom portion					1	DTD.610		
	C.192601/1	Frame 60, top portion, port					1	DTD.610		
	C.192601/2	Frame 60, top portion, starboard					1	DTD.610		
	D.192608/4	Frame 61					1	L.72		
937	K.A.C. C.3102	Housing, fastener					4	—	C.	JA.2
	F.229621	Plate, blanking					1	L.72		
10750	A.190630	Plate, joint					2	DTD.610	C.	
	A.190631	Plate, joint, port					1	DTD.610		
	A.190632	Plate, joint, starboard					1	DTD.610		
	A.192793	Plate, joint					1	DTD.610		
	A.192794	Plate, joint					2	DTD.610		
—	B.222469	SHROUD, HOOK, ASSEMBLY					—	—	—	
20084	A.222472	Plate, cover					1	—	MR/C	
20085	B.222470	Plate, side, port					1	L.72	MR/C	
20086	B.222471	Plate, side, starboard					1	L.72	MR/C	
20082	B.223509/1	Skin, port					1	DTD.610	MR/C	
20083	D.223509/2	Skin, starboard					1	DTD.610	MR/C	
938	F.190633	Spigot, lower, port					1	DTD.364	C.	JA.2
939	F.190634	Spigot, lower, starboard					1	DTD.364	C.	JA.2
940	F.168707	Spigot, upper					2	DTD.364	C.	JA.2
	B.192604	Strap, butt, bottom skin, forward, port					1	DTD.610		
	C.192605	Strap, butt, top, starboard					1	DTD.610		
21	Std.1509/23/092	Tube, distance, 5/16" o/d x 17 s.w.g. x .092" long					2	T.4		4
	941	Washer, at spigots					4	Rubber	C.	JA.2

FUSELAGE-TAIL CONE


18

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.223396					Tail cone, rear portion, group	1	-		
	F.216608					Drain, extension, at frame 62 (Pre Mod. 1363)	1	L.65.C	C.	JD.1
	C.192602					Frame 60, bottom portion	1	DTD.610		
	D.192642/4					Frame 62	1	DTD.610		
	D.223396/1					Skin, port	1	DTD.610		
	D.223396/2					Skin, starboard	1	DTD.610		
	B.192606					Strap, butt, bottom skin, aft, port	1	DTD.610		
	A.192607					Strap, butt, top, starboard	1	DTD.610		
	C.223397					Tail piece, group	1	-		
	B.223398					Duct, group	1	-		
	B.223398/1					Duct, port	1	DTD.171		
	B.223398/3					Duct, starboard	1	DTD.171		
	A.214524					Plate, joint	1	DTD.171		
	C.214504					Frame 63, group	1	-		
	C.214504/1					Frame, side portion, port	1	DTD.171		
	C.214504/2					Frame, side portion, starboard	1	DTD.171		
	F.214520					Plate, joint, top	1	DTD.171		
	C.214504/3					Plate, joint, bottom	1	DTD.171		
	F.214520					Plate, joint	1	DTD.171		
	F.214522					Plate, joint	2	DTD.171		
	F.214562					Plate, joint	2	DTD.171		
	C.223397/2					Skin, outer, lower portion	1	DTD.171		
	A.214523/2					Skin, inner, lower portion	1	DTD.171		







REAR FUSELAGE



REAR FUSELAGE





REAR FUSELAGE



REAR FUSELAGE

AIR BRAKE





TAIL CONE

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

