

FUSELAGE—HOOD AND WINDSCREEN

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
—	E.219298	HOOD AND WINDSCREEN INSTALLATION, ASSEMBLY	—	—	—	—
9968	F.231518	Angle, at centre beam (Mod. 806)	2	L.65.C	C.	JF.1
9971	DTD.487/26/C	Bolt, securing bush and plug end	1	DTD.487	C.	JF.1
—	C.231273	ADDITIONAL DETAILS, ASSEMBLY	—	—	—	—
—	A.231224	Housing, block, forward, port	1	S.94.B	—	—
—	A.231225	Housing, block, forward, starboard	1	S.94.B	—	—
—	A.231430	Housing, block, aft, port	1	S.94.B	—	—
—	A.231431	Housing, block, aft, starboard	1	S.94.B	—	—
—	F.232698	Packing, port	1	—	—	—
—	F.232699	Packing, starboard	1	—	—	—
—	F.230878	Shim, aft	5	Steel	—	—
—	F.232700	Shim, forward	4	Brass	—	—
8895	F.216574	Shim	7	Brass	C.	—
—	F.230879	Spigot	2	—	—	—
—	Std.1509/23/070	Tube, distance (Make from 30B/9611262)	2	T.4	—	—
11067	Std.1509/23/050	Tube, distance	2	T.4	C.	—
1603	Std.1700/1C	Bolt, countersunk head	41	S.95.B	C.	5
9810	Std.1700/5C	Bolt, countersunk head	8	S.95.B	C.	5
8901	Std.1700/16C	Bolt, countersunk head	2	S.95.B	C.	5
8902	Std.1700/22C	Bolt, countersunk head	2	S.95.B	C.	5
150456	Std.1702/5C	Bolt, countersunk head	12	S.95.B	C.	5
9969	F.231520	Bush, strut attachment (Mod. 806)	2	BSS.369	C.	JF.1
9970	F.231521	Bush, at plunger external tube (Mod. 806)	1	BSS.369	C.	JF.1
8903††	C.219831	Finisher, front	1	L.72	C.	JF.2
8904††	E.219832	Finisher, side, port	1	—	C.	JF.2
8905††	E.219833	Finisher, side, starboard	1	—	C.	JF.2
10094	E.233786	Hood, group (Less seal) (AS.920/23)	1	—	A.	—
9845	E.232768	Hood, group (Less seal) (Pre-Mod. 803)	1	—	A.	—
—	E.219020	ADDITIONAL DETAILS ASSEMBLY	—	—	—	—
—	DTD.487/2/C	Bolt, securing roller	2	DTD.487	—	—
—	DTD.487/23/C	Bolt, securing roller	1	DTD.487	—	—
—	DTD.487/25C	Bolt, securing roller	1	DTD.487	—	—
9972	DTD.487/25E	Bolt, securing roller	1	DTD.487	C.	JF.1
—	C.218631	Bracket, hinge, group	1	—	—	—
8906	F.210825	Bolt, special, for rollers	1	S.95.B	C.	JF.1
11173	F.258485	Roller	2	BSS.369	C.	JF.1
—	F.210826	Roller	2	S.80.B	C.	JF.1
12430	F.210827	Roller	1	S.80.B	C.	JF.1
—	F.210533	Shaft, for rollers	1	S.80	—	JF.1
8908	F.218647	Stop	1	L.65.C	C.	JF.1
—	B.218694	Bracket, stabiliser, port, group	1	—	—	—
—	B.218695	Bracket, stabiliser, starboard, group	1	—	—	—
—	A.220286	Bracket, for inflatable seal connection	1	S.510	—	JF.1
8911	F.220261	Bush, for inflatable seal connection	1	Rubber	C.	JF.1
9948	F.233250	Bush, in stabiliser bracket	4	BSS.369	C.	JF.1
—	F.220288	Coupling, for inflatable seal	1	L.65.C	—	JF.1
12876	A.220285	Connector, for inflatable seal	1	L.65.C	C.	JF.1
—	D.219122	Door, hinged, aft of hood, group	1	—	—	JF.1
—	A.218681	Bracket, hinge, port	1	—	—	JF.1
—	A.218682	Bracket, hinge, starboard	1	—	—	JF.1
12978	F.218692	Fitting, special	1	S.96.B	C.	—
—	A.218706	Fitting, for roller, group	1	—	—	—
9972	DTD.487/25E	Bolt, securing roller	1	DTD.487	C.	JF.1
—	F.213942	Piece, distance, for roller	1	BSS.369	—	JF.1
20314	F.220248	Roller	1	DTD.487	C.	JF.1

FUSELAGE-HOOD AND WINDSCREEN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.218787					Link	1	L.72		
	C.218776					Mounting, for inflatable seal, group	1	—		
						(Mod. 789)				
10208	F.233581					Lever, actuating bar	1	S.521	C.	
	F.232246					Plate, tapped	1	L.72		
	F.219198					Packing	2	L.72		
8909	F.210448					Piece, distance	4	BSS.369	C.	JF.1
8910	F.210446					Roller	4	S.80.B	C.	JF.1
8913	A.127044					Spring, for hinged door	4	—	C.	JF.1
	F.231996					Bot, special	4	S.99.B		JF.1
	F.232056					Door, at rear hook, port and starboard	2	L.72		JF.1
	A.217899					Hook, front, port and starboard	2	S.99		JF.1
	A.231994					Hook, rear, port and starboard	2	S.99		JF.1
18	C.218812					Member, front arch	1	—		
18	C.218812/3					Angle, attachment	1	—		JF.1
18	D.218977					Member, rear arch	1	—		
18	D.218977/3					Angle, attachment	1	—		JF.1
18	D.218977/4					Angle, attachment	1	—		JF.1
18	D.218977/7					Strip, attachment	1	—		JF.1
18	D.218977/8					Strip, attachment	1	—		JF.1
	7009 Std.1511/C					Nut	18	—	C.	4
	11065 F.211028					Nut, special	6	S.95.B	C.	
	8914†† D.218935					Seal, inflatable (less holes)	1	—	B.	JF.1
18	12773 F.232701					Shim, aft, port and starboard (Mod. 778)	2	—	C.	
	F.211030					Shim, centre, port and starboard (attach loosely to hood)	2	—		
	F.230877					Shim, forward, port and starboard (Mod. 778)	4	—		
	F.231995					Shim, at rear hook, port and starboard	10	S.510		
	F.232019					Shim, at rear hook, port and starboard	2	S.510		
						(Alternative to F.231995)				
	A.230873					Spigot, forward, port (Mod. 778)	1	L.65.C		
	A.230874					Spigot, forward, starboard (Mod. 778)	1	L.65.C		
	A.230875					Spigot, rear, port (Mod. 778)	1	L.65.C		
	A.230876					Spigot, rear, starboard (Mod. 778)	1	L.65.C		
8915	B.219204					Strip, seal attachment, port	1	L.72	C.	JF.1
8916	B.219205					Strip, seal attachment, starboard	1	L.72	C.	JF.1
8917	A.219213					Strip, seal attachment	1	L.72	C.	JF.1
10737	C.233784					Spray, hood, port, group (AS.920/23)	1	—	B.	JF.1
	C.220229					Spray, hood, port, group (Pre-Mod. 803)	1	—		
	A.220225					Elbow	1	—		JF.1
	F.211474					Plate, stud	1	—		
10036	A.233773					Slide (AS.920/23)	1	S.520	C.	JF.1
	Std.1507/2/016					Tube, distance (AS.920/23)	2	T.26		4
10736	C.233785					Spray, hood, starboard, group (AS.920/23)	1	—	B.	JF.1
	C.220230					Spray, hood, starboard, group (Pre-Mod. 803)	1	—		
18	13131 A.220226					Elbow	1	—	C.	JF.1
	F.211474					Plate, stud	1	—		
10036	A.233773					Slide (AS.920/23)	1	S.520	C.	JF.1
	Std.1507/2/016					Tube, distance	2	T.26		4
9973	Std.1835/G/D					Nut, on plug end, internal tube (Mod. 806)	1	DTD.487	C.	JF.1
13104	F.210034					Plate, bearing	1	S.80.B	C.	
9965	F.233298					Plate, strut attachment (Mod. 806)	1	L.72	C.	JF.1
9966	F.231515					Plug, end, for external tube (Mod. 806)	1	L.65.C	C.	JF.1
9967	F.231516					Plug, end, for internal tube (Mod. 806)	1	DTD.488	C.	JF.1
	F.210035					Shim	1	Brass		
9962	F.231524					Spring, for internal tube (Mod. 806)	1	Sp. St.	C.	JF.1

FUSELAGE-HOOD AND WINDSCREEN

21

21

21


21

21


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	9960	A.231511	Strut (Mod. 806)				1	L.65.C	C.	JF.1
	9963	F.231517	Trunnion, at internal tube attachment (Mod. 806)				1	DTD.498	C.	JF.1
	9961	A.231512	Tube, external (Mod. 806)				1	—	C.	JF.1
	9964	F.231513	Tube, internal (Mod. 806)				1	—	C.	JF.1
		Std.1547/22/12	Washer, packing				2	DTD.610	C.	4
	1327	Std.1547/24/12	Washer, packing				2	DTD.610	C.	4
		E.219184	Windscreen, group				1	—		
	10942	Std.1553/C/20	Bolt, securing clamp				10	S.99.B	C.	5
	9334	F.221988	Bolt, special, at sling attachment point				2	S.95.B	C.	JF.2
	9444	F.223709	Bolt, special, for fairing				2	S.96	C.	JF.2
	8918	F.221543	Bolt, special, for front light attachment				8	S.154	C.	JF.2
	8919	F.219809	Bolt, special, for quarter light				14	S.95B	C.	JF.2
	9333	F.222515	Bracket, retaining				8	L.65.C	C.	JF.2
	8921	A.219573	Clamp				1	—	C.	JF.2
	8922	B.219574	Clamp, for front light, port				1	—	C.	JF.2
	8923	B.219575	Clamp, for front light, starboard				1	—	C.	JF.2
	8924	A.219596	Clamp				1	—	C.	JF.2
	8925	C.219667	Clamp, angle, bottom, port				1	—	C.	JF.2
	8926	C.219668	Clamp, angle bottom, starboard				1	—	C.	JF.2
	8927	B.219716	Clamp, angle, rear				2	—	C.	JF.2
	8928	C.219771	Clamp, angle, top, port				1	—	C.	JF.2
	8929	C.219772	Clamp, angle, top, starboard				1	—	C.	JF.2
	8930	C.221642	Clamp, side, port				1	—	C.	JF.2
	8931	C.221643	Clamp, side, starboard				1	—	C.	JF.2
	8932	F.219810	Clamp				10	S.1.B	C.	JF.2
	9750	F.227552	Clamp				2	S.1	C.	JF.2
	9340	C.222974	Fairing, port, for windscreen front light				1	—	C.	JF.2
	9341	C.222975	Fairing, starboard, for windscreen front light				1	—	C.	JF.2
	8933	F.219607	Ferrule				10	S.95.B	C.	JF.2
	8934	F.219608	Ferrule				10	S.95.B	C.	JF.2
	9751	F.227570	Ferrule, for bolt securing clamp				2	S.95.B	C.	JF.2
		E.219590	Frame, windscreen, group				1	—		JF.2
		C.219594	Bears, centre				1	L.65.C		JF.2
		F.210780	Bush, threaded				2	S.95.B		
	—	D.219612	MEMBER, ARCH, ASSEMBLY				—	—	—	
		C.219399	Bracket, corner, port				1	L.65.C		JF.2
		C.219400	Bracket, corner, starboard				1	L.65.C		JF.2
		D.219595	Bracket, centre				1	L.65.C		JF.2
		D.219826	Member, arch, centre, portion				1	S.154		JF.2
		D.219827	Member, arch, side, port				1	S.154		JF.2
		D.219828	Member, arch, side, starboard				1	S.154		JF.2
	8936	Std.2013.G	Nut, barrel				2	M.T.	C.	6
			Steel							
	8937	Std.2013.C	Nut, barrel				10	S.112	C.	
	9443	F.223312	Nut, barrel				12	S.112	C.	
	11120	F.217994	Nut, countersunk				1	S.95.B	C.	
	1438236	C.219438	Strip, sealing				1	L.65.C	C.	JF.2
	9335	Std.1547/19/6	Washer, profile				5	DTD.610	C.	4
	—	D.219737-8	MEMBERS, FRONT AND EDGE, ASSEMBLY ...				—	—	—	
		D.219664	Member, bottom, edge, port, group				1	—		JF.2
		F.231380	Bush, threaded				2	S.99.B & I.C.I.A.100		
		D.219665	Member, bottom edge, starboard, group				1	—		JF.2
		F.231380	Bush, threaded				2	S.99.B & I.C.I.A.100		

FUSELAGE-HOOD AND WINDSCREEN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.220581					Member, front, port	1	—		JF.2
	E.220582					Member, front, starboard	1	—		JF.2
	E.219741					Member, top edge, port	1	—		JF.2
	E.219742					Member, top edge, starboard	1	—		JF.2
	8935 Std.2012.C					Nut, barrel	12	BSS.250.B	C.	
	9765 Std.2079.C					Nut, barrel	2	Nylon	C.	
	11120 F.217994					Nut, countersunk	2	S.95.B	C.	
	8935 Std.2012.C					Nut, barrel	12	BSS.250	C.	
	9765 Std.2079/C					Nut, barrel	39	Nylon	C.	
21						Nut, barrel	2	—		6
	11120 F.217994					Nut, countersunk	5	S.95.B	C.	
	9335 Std.1547/19/6					Washer, profile	6	DTD.610	C.	4
	11092 D.260145					Light, front, port, group (Mod. 1172)	1	—	A.	JF.2
	8611 D.219295*					Light, front, port, group (Pre Mod. 1172)	1	—	A.	
21	1523 F.173856					Banjo	1	L.168	C.	JF.2
21	1524 F.173857					Bolt, banjo	1	L.168	C.	JF.2
	8510 Triplex A.5500					Drier, air	1	—	B.	
	1526 F.191042					Washer	2	Rubber	C.	JF.2
	4984 Std.914.G22					Washer	1	DTD.610	C.	4
21	32C/1275031					Tube, 9/16" o/d x 3/16" i/d x 27" long	1	DTD.625.A	C.	
						(D.219295/5)				
	11093 D.260146					Light, front, starboard, group (Mod. 1172)	1	—	A.	JF.2
	8612 D.219296 *					Light, front, starboard, group (Pre Mod. 1172)	1	—	A.	
21	1523 F.173856					Banjo	1	L.168	C.	JF.2
21	1524 F.173857					Bolt, banjo	1	L.168	C.	JF.2
	8510 Triplex A.5500					Drier, air	1	—	B.	
	1526 F.191042					Washer	2	Rubber	C.	JF.2
	4984 Std.914/G22					Washer	1	DTD.610	C.	4
21	32C/1275031					Tube, 9/16" o/d x 3/16" i/d x 24" long	1	DTD.625.A	C.	
						(D.219296/3)				
	2144 Std.1231/3					Lug, locking	1	—	C.	4
	9752 Std.2080/C					Nut, barrel	4	M.T. Steel	C.	
	8613 C.219279					Quarterlight, port	1	DTD.838	C.	JF.2
	8614 C.219280					Quarterlight, starboard	1	DTD.838	C.	JF.2
	8938 F.219889					Screw, adjusting	10	S.96.B	C.	JF.2
	9763 F.229456					Screw, adjusting	2	S.96.B	C.	JF.2
	8939 F.218465					Seal, for front light clamp screws	8	Rubber	C.	JF.2
	9789 C.230419					Seal, for front panel, port	1	Neoprene	C.	JF.2
	9790 C.230420					Seal, for front panel, starboard	1	Neoprene	C.	JF.2
	9791 C.230421					Seal, for quarterlight, port	1	Neoprene	C.	JF.2
	9792 C.230422					Seal, for quarterlight, starboard	1	Neoprene	C.	JF.2
21	9754 Std.2008/C/070					Strip, locking	12	S.84	C.	6
	9332 F.222516					Washer, serrated, retaining cam	8	Rubber	C.	JF.2
21	9335 Std.1547/19/6					Washer, profile	2	DTD.610	C.	4



HOOD



WINDSCREEN

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

