

FUSELAGE-PITOT INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.196209	PITOT INSTALLATION IN CENTRE FUSELAGE,					—	—		
		ASSEMBLY								
4450	F.199063	Adapter, for drain valve					2	L.65	C.	JH.1
2149	F.133671	Pipe, drain (Mod. 1174)					4	T.9	C.	JH.1
†	B.196210/1	Pipe, pressure, joint to joint					1	L.54 or T.9		
†	B.196210/2	Pipe, static, joint to joint					1	L.54 or T.9		
†	B.196210/3	Pipe, pressure, joint to tee-piece					1	L.54 or T.9		
†	B.196210/4	Pipe, static, joint to tee-piece					1	L.54 or T.9		
†	B.196210/7	Pipe, pressure, tee-piece to tee-piece					1	L.54 or T.9		JH.1
†	B.196210/8	Pipe, static, tee-piece to tee-piece					1	L.54 or T.9		JH.1
†	B.196210/13	Pipe, pressure, joint to joint					1	L.54 or T.9		JH.1
†	B.196210/14	Pipe, static, joint to joint					1	L.54 or T.8		JH.1
7133†	B.196210/17	Pipe, pressure, tee-piece to joint					1	L.54 or T.9	MR/C	JH.1
7134†	B.196210/18	Pipe, static, tee piece to joint					1	L.54 or T.9	MR/C	JH.1
7135†	B.196210/19	Pipe, pressure, joint to joint					1	L.54 or T.9	MR/C	JH.1
7136†	B.196210/20	Pipe, static, joint to joint					1	L.54 or T.9	MR/C	JH.1
5218	K.A.C. C.5183	Valve, drain					2	—	C.	JH.1
† For details see Piping Chart										

FUSELAGE-PITOT INSTALLATION

Ref. No.	Part No.						Description	No. Of	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5					
							SUMMARY OF STOCK ITEMS				
28F/5104	AGS.838/1						Body, union	-	-	-	
28F/5108	AGS.838/13						Nut, union	-	-	-	
28F/5105	AGS.838/2						Tee	-	-	-	
28F/13604	AGS.838/9						Washer	-	-	-	
28F/8215	AGS 1138/B						Washer	-	-	-	



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.