


FUSELAGE-ARRESTER GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.222692	ARRESTER GEAR, ASSEMBLY					—	—		
20003	Std.1561/2/480	Bolt, shear, for arrester lock damper unit					1	S.99.B	C.	5
20004	Std.1551/8/280	Bolt, shear, fixing bellcrank lever to fulcrum bracket ...					1	S.99.B	C.	5
20005	Std.1553/E/40	Bolt, special, securing fulcrum bracket					4	S.99.B	MR/C	5
20006	Std.1553/G/50	Bolt, special, securing fulcrum bracket					8	S.99.B	MR/C	5
1506458	Std.1639/1/CX	Bolt, special, fixing locking plate to forkend					1	S.95.B	C.	JK.1
5664	Std.1639/4/C	Bolt, special, securing locking plate to fulcrum bracket ..					2	S.95.B	C.	5
20007	Std.1988/220N	Bolt, securing leaf springs					1	—	C.	
20008	C.222479	Bracket, fulcrum					1	S.98.B	MR/C	JK.1
20002	B.232256	Hook, arrester, group					1	—	B.	JK.1
6098164	Std.1575/E/180	Bolt, special, fixing fork-end to tube					4	S.99.B	C.	5
	F.227553	Bolt, special, securing adapter and hook to tube					1	S.99.B		
	F.227554	Bolt, special, securing adapter and hook to tube					2	S.99.B		
	F.232009	Bolt, special, securing adapter and hook to tube					1	S.99.B		
	A.222955	Bracket, latch, group					1	—		JK.1
	F.223267	Bolt, special					1	S.95.B		JK.1
	F.217994	Nut, countersunk					1	S.95.B		JK.1
	F.222966	Roller					1	S.95.B		JK.1
	F.222967	Tube, distance					1	T.26		JK.1
6098165	Std.1574/1	Ferrule					3	S.99.B	C.	
6098166	Std.1574/2	Ferrule					8	S.99.B	C.	
	Std.1574/4	Ferrule					1	—		
	A.222546	Fork-end					1	—		JK.1
	B.232255	Hook and adapter, group					1	—		
	A.222583	Adapter					1	—		JK.1
	C.232053	Hook, arrester, S48F					1	—		JK.1
	Std.1509/25/200	Tube, distance					1	T.4		
	B.232256/1	Tube, 1-3/4" o/d x 16 s.w.g.					1	T.2		
20042	B.222504	Lever, bell crank, group					1	—	MR/C	JK.1
20009	F.222668	Bush					2	—	C.	JK.1
7302	Std.1718/8	Nut, shear, at fixing of bell-crank lever to fulcrum bracket					1	S.95.B	MR/C	5
20010	A.222237	Pin, hinge, securing fork-end					1	—	MR/C	JK.1
20011	F.226736	Pin, special, securing bell crank lever to arrester hook damper unit					1	S.99.B	C.	JK.1
20012	F.222669	Pin, distance					1	S.98.B	MR/C	
20013	F.222715	Plate, locking, for hinge pin					1	L.72	C.	JK.1
20014	F.226574	Plate, locking, for shear nut and bolt					2	L.72	C.	JK.1
20015	A.222547	Spring, leaf					6	S.513	C.	JK.1
27Q/70076	Dowty 11269Y-AO.1	Unit, arrester hook damper					1	—	A.	
20016	Std.914.C18	Washer					1	S.1	C.	4
2789	Std.914.G20	Washer					1	S.1	C.	4

FUSELAGE-ARRESTER GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
						SUMMARY OF STOCK ITEMS				
28D/9436920	A25.1C	Bolt	2	B.A.			-	-	-	
28D/12533	A25.5C	Bolt	2	B.A.			-	-	-	
28D/9140647	A25.14C	Bolt	2	B.A.			-	-	-	
28D/9133208	AS.25.20E	Bolt	1/4"	B.S.F.			-	-	-	
28D/1007975	AS.1242.1C	Bolt	2	B.A.			-	-	-	
28D/8308	AS.1242.3C	Bolt	2	B.A.			-	-	-	
28D/1013282	AS.1242.5G	Bolt					-	-	-	
28N/9156370	SP.21	Nipple, lubricating					-	-	-	
28M/1006473	A27.CT	Nut	2	B.A.			-	-	-	
28M/1011467	A27.ES	Nut	1/4"	B.S.F.			-	-	-	
28M/12931	A27.ET	Nut	1/4"	B.S.F.			-	-	-	
28M/9452621	A27.NT	Nut	1/2"	B.S.F.			-	-	-	
28M/13935	A58.ES	Nut	1/4"	B.S.F.			-	-	-	
28M/10328	AGS.2002.C1	Nut	2	B.A.			-	-	-	
28P/19153	SP.90.C5	Pin, split					-	-	-	
28W/9419475	SP.15C	Washer					-	-	-	
28W/9419405	SP.15E	Washer					-	-	-	
28W/9419487	SP.16E	Washer					-	-	-	



ARRESTER HOOK

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

