


MAIN PLANES—LANDING FLAP

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
60	E.180473	FLAP, LANDING, PORT, GROUP					1	—	A.	KC.1
61	E.180474	FLAP, LANDING, STARBOARD, GROUP					1	—	A.	KC.1
4056	C.181447	Angle, for leading edge, between ribs 1 and 6, port					1	DTD.364	MR/C	KC.1
4057	C.181448	Angle, for leading edge, between ribs 1 and 6, starboard					1	DTD.364	MR/C	KC.1
4058	C.181449	Angle, for leading edge, between ribs 6 and 9, port					1	DTD.364	MR/C	KC.1
4059	C.181450	Angle, for leading edge, between ribs 6 and 9, starboard					1	DTD.364	MR/C	KC.1
4060	C.181451	Angle, for leading edge, between ribs 9 and 14, port					1	DTD.364	MR/C	KC.1
4061	C.181452	Angle, for leading edge, between ribs 9 and 14,					1	DTD.364	MR/C	KC.1
		starboard								
4062	C.181453	Angle, for leading edge, between ribs 14 and 15, port ...					1	DTD.364	MR/C	KC.1
4063	C.181454	Angle, for leading edge, between ribs 14 and 15,					1	DTD.364	MR/C	KC.1
		starboard								
4064	A.184425	Bolt, special, for spools at rib 9					12	S.99.B	MR/C	KC.1
4065	A.184426	Bolt, special, for spools at ribs 8 and 10					8	S.99.B	MR/C	KC.1
10158	Std.1551/1/245	Bolt, for spool between rib No. 6 and 7					1	S.99.B	C.	5
10159	Std.1551/3/255	Bolt, for spool between rib No. 6 and 7					2	S.99.B	C.	5
4066	A.193411	Bracket, sealing, cutaway at lever					1	DTD.610	MR/C	
10874	A.181371	Channel					1	DTD.610	C.	
10904	A.181372	Channel					1	DTD.610	C.	
9131	D.181473	FILLET, INBOARD END, PORT, ASSEMBLY					1	—	MR/B	
9132	D.181474	FILLET, INBOARD END, STARBOARD, ASSEMBLY					1	—	MR/B	
	C.181869	Former, port, at rib, No. 1					1	DTD.610		
	C.181870	Former, starboard, at rib No. 1					1	DTD.610		
	A.181871	Former, port					1	DTD.610		
	A.181872	Former, starboard					1	DTD.610		
	A.181873	Former, port					1	DTD.610		
	A.181874	Former, starboard					1	DTD.610		
	F.181875	Former, at leading edge, port					1	DTD.610		
	F.181876	Former, at leading edge, starboard					1	DTD.610		
	D.181473/1	Skin, port					1	DTD.610		
	D.181474/1	Skin, starboard					1	DTD.610		
	C.178804	Lever, operating, group					2	Stamping		
9697	F.178805	Bush					4	S.1	MR/C	
4067	F.181439	Lug, for leading edge angle					2	DTD.610	MR/C	KC.1
4068	F.181440	Lug, for leading edge angle					2	DTD.610	MR/C	KC.1
4069	F.181441	Lug, for leading edge angle					4	DTD.610	MR/C	KC.1
4070	F.181442	Lug, for leading edge angle					4	DTD.610	MR/C	KC.1
4071	F.181443	Lug, for leading edge angle					1	DTD.610	MR/C	KC.1
4072	F.181444	Lug, for leading edge angle					1	DTD.610	MR/C	KC.1
4073	F.181445	Lug, for leading edge angle					18	DTD.610	MR/C	KC.1
4074	F.181446	Lug, for leading edge angle					4	DTD.610	MR/C	KC.1
4075	C.181346	Plates, reinforcing, port					1	DTD.610	C.	KC.1
4076	C.181347	Plates, reinforcing, starboard					1	DTD.610	MR/C	KC.1
4077	C.181350	Rib, No. 1, port					1	DTD.610	MR/C	KC.1
4078	C.181351	Rib, No. 1, starboard					1	DTD.610	MR/C	KC.1
4079	C.180570	Rib, Nos. 2 to 14					26	DTD.610	MR/C	KC.1
4080	C.180571	Rib, No. 15, port					1	DTD.610	MR/C	KC.1
4081	C.180572	Rib, No. 15, starboard					1	DTD.610	C.	KC.1
4082	E.180473/1	Skin, port					1	DTD.610	MR/B	KC.1
4083	E.180474/1	Skin, starboard					1	DTD.610	MR/B	KC.1
	C.181344	Spar, port					1	T.60	—	KC.1
	C.181345	Spar, starboard					1	T.60	—	KC.1
9725	C.180717	Spool, for inner bearing, port, group					1	—	MR/B	KC.1
9726	C.180718	Spool, for inner bearing, starboard, group					1	—	MR/B	KC.1
9699	F.181472	Bush					4	S.1	MR/C	
9722	B.180716	Spool, bearing, group					4	—	MR/B	
9698	F.181471	Bush					4	S.1	MR/C	
9723	B.181353	Spool, at rib No. 8 and 10					4	Stamping	MR/C	
9724	B.182836	Spool, at ribs Nos. 2 to 5, 7, 11 to 13, and 15					18	Stamping	MR/C	
4581	F.201407	Tappet					2	S.95.B	C.	KC.1
4084	C.181348	Trailing, edge stiffener, port					1	DTD.610	C.	KC.1
4085	C.181349	Trailing, edge stiffener, starboard					1	DTD.610	MR/C	KC.1

MAIN PLANES--LANDING FLAP

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28H/6324	AGS.934/G/M	Ferrule, screwed					—	—	—	
28R/6328	AGS.935/C	Rod, screwed, 2.75" long					—	—	—	
28H/6325	AGS.934/J/M	Ferrule, screwed					—	—	—	
28R/6329	AGS.935D	Rod, screwed, 2.85" long					—	—	—	
28W/9419477	SP.15.J.	Washer					—	—	—	
28W/9419489	SP.16.J.	Washer					—	—	—	



LANDING FLAP

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

