


POWER INSTALLATION—FIRE EXTINGUISHER EQUIPMENT

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	E.190871	FIRE EXTINGUISHER EQUIPMENT, ASSEMBLY					—	—		
3738	Std.840/29	Clip, pipe attachment at frames 26 and 31					2	DTD.610	MR/C	4
	Std.841/27	Clip, pipe attachment at frames 35 and 36					2	DTD.610		
1164	C.190216	Cradle, extinguisher, group					1	—	B.	LE.1
		(less extinguisher and cartridge unit)								
1718	F.193737	Bolt, trunnion					1	S.95.B	C.	LE.1
21	27N/4526466	Extinguisher, type 99 A (B.C.F.)					1	—	A.	
2694	A.190268	Spigot					1	L.65	MR/C	LE.1
1166	B.190275	Strap					2	DTD.166	C.	LE.1
1167	F.180481	Trunnion					2	S.95	C.	LE.1
3803	Std.1509/24/085	Tube, distance, 3/8" o/d 17 s.w.g. x .85"					1	T.4	MR/C	4
		long								
21	12K/9635263	Unit, cartridge (not supplied with Cradle)					1	—	A.	
6318	A.211829	Nut, wing, for cradle attachment					2	S.3	C.	
2695	A.190976/1	Pipe, extinguisher to connection					1	DTD.207	MR/C	LE.1
2696	A.190976/2	Pipe, connection to connection					1	DTD.207	MR/C	LE.1
6169	A.207208/1	Pipe, connection to connection					1	DTD.207	C.	
6170	A.207208/2	Pipe, connection to flexible pipe					1	DTD.207	C.	
1168	Std.1449/FF/150	Pipe, flexible					1	Silvoflex	C.	LE.1
4827	Std.1509/23/080	Tube, distance, 5/16" o/d x 17 s.w.g. x 0.8" long					2	T.4	MR/C	4

[illegible]



This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

