


SERVICES—FUEL FILTER DE-ICING SYSTEM

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	B.219909	FUEL FILTER DE-ICING SYSTEM, CENTRE	—	—		
		FUSELAGE ASSEMBLY				
21	27VA/4110836	Auto Prod. Cap, blanking, medium and high pressure for union	1	—	C.	
	A.V.A.63B	half coupling				
	F.215030	Cleat, on blanking plate, aft frame 37, starboard	2	LFS.21		
21	11303	Std.2046/17/26 Clip, sleeved	3	—	C.	6
21	11302	Std.851/44 Clip, 7/16" wide x 22 S.W.G. x 4.4" long	1	DTD.610	C.	4
21	27BA/9157171	Auto Prod. Coupling, half, high pressure union half	1	—	B.	
	A.V.A.57B					
21	27BA/4110826	Auto Prod. Nut, union medium and high pressure (light alloy)	1	—	C.	
	A.V.A.62B					
	8795	B.211463/4 Pipe, coupling to non-return valve	1	T.55	C.	NA.1
	9016	B.211463/5 Pipe, non-return valve to fuel delivery pipe	1	T.55	C.	NA.1
		connecting				
	9019	B.211463/9 Pipe, coupling, to solenoid valve	1	T.55	C.	NA.1
	9021	B.211463/11 Pipe, solenoid, to coupling	1	T.55	C.	NA.1
	6253	A.205848 Shield, heat	2	S.84	C.	NA.1
21	27V/4604671	FAW/A/325 Solenoid	1	—	A.	
	6260	F.204903 Union, jet	1	—	B.	NA.1
21	27FS/4524636	Saunders Valve, non-return	1	—	A.	
	N.1002					
	C.220703	FUEL FILTER DE-ICING SYSTEM, REAR	—	—		
		FUSELAGE, ASSEMBLY				
21	27BA/9467727	Auto Prod. Cap, blanking, medium and high pressure for flange ...	2	—	C.	
	A.V.A.64-7B	or stud half				
21	27BA/9467728	Auto Prod. Cap, blanking, medium and high pressure for flange ...	1	—	C.	
	A.V.A.64/7C	or stud half				
21	11208	Std.2045/15/26 Clip, sleeved	3	S.510	C.	6
21	26VA/6044412	Std.2045/17/26 Clip, sleeved	4	S.510	C.	6
21	11227	Std.2045/21/24 Clip, sleeved	4	S.510	C.	6
21	27BA/9152597	Auto Prod. Coupling, half, medium pressure, flange half	2	—	B.	
	A.V.A.1150/B	(Mod. 1038)				
21	27BA/4110937	Auto Prod. Coupling, half, medium pressure, flange half	1	—	B.	
	A.V.A.1150/C	(Mod. 1038)				
21		Std.1231/12 Lug, locking	3	S.510		4
	9024	A.211091 Pipe, branch	1	T.55	C.	NA.1
	8792	B.211463/1 Pipe, overflow, tank to coupling	1	T.55	C.	NA.1
	8793	B.211463/2 Pipe, pump drain to atmosphere	1	T.55	C.	NA.1
	8794	B.211463/3 Pipe, pump to coupling	1	T.55	C.	NA.1
	9017	B.211463/6 Pipe, churning coupling to adapter	1	T.55	C.	NA.1
	10763	F.250992 Pipe, link (Mod. 1044)	1	—	C.	
	9018	B.211463/7 Pipe, vent, connection to atmosphere	1	T.55	C.	NA.1
	9020	B.211463/10 Pipe, pump to filter	1	T.55	C.	NA.1
21	5UE/4407078	Plessey Pump, Mk. 9, Type FP.3	1	—	A.	
	6524	B.205142 Strap, tank, mounting, group	2	—	C.	NA.1
		Strap, short	1	DTD.166		
		B.205142/1 Strap, long	1	DTD.166		
		B.205142/2 Trunnion	1	—		
	AS.1892	Trunnion	1	—		
	AS.1894	Trunnion	1	—		
	9025	C.210761 Tank, alcohol, group	1	—	A.	NA.1
	6256	A.205045 Adaptor	1	—	C.	NA.1
	6257	A.205270 Valve, suction and pressure relief, group	1	—	B.	NA.1
	28N/13018	Auto Eng. Co. Circlip, "Seeger", 1/2" external dia.	1	—	C.	
		F.205268 Collar, for valve	1	S.80.B		
	6259	F.205269 Spring, for ball	1	Inconel	C.	NA.1
	6258	F.205271 Spring, for valve	1	Inconel	C.	NA.1
		A.205265 Valve	1	S.80.B		
21		Std.1509/3/072 Tube, distance, 5/16" o/d x 22 S.W.G. x .72" long	4	T.4		4

SERVICES—FUEL FILTER DE-ICING SYSTEM

[illegible]



FUEL FILTER DE-ICING SYSTEM



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

