

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
		1 2 3 4 5				
	E.200270	FUEL SYSTEM IN CENTRE FUSELAGE, ASSEMBLY	—	—		
6520	A.202469	Adapter	1	L.65.C	C.	NB.3
8036	A.206119	Adapter	2	L.65.C	C.	NB.1
21	27FS/3042043	Saunders Aerocock, defuelling, S.P., Type 42	1	—	A.	
	42.A.10					
21	27FS/4524136	Saunders Aerocock, low pressure, S.P., Mk. 2, group	1	—	A.	
	L51.B12					
21	27F/4524143	Saunders 5112/5 Ring, sealing	2	—	C.	
	1060	F.189375 Block, clamp, half, for refuelling pipe	1	LFS.21	C.	NB.1
	2122	F.196104 Block, clamp	2	LFS.21	C.	
	2123	F.196105 Block, clamp	2	LFS.21	C.	
	8286	A.211648 Block, saddle	2	LFS.21	MR/C	NB.2
	1088	A.189332 Bolt, banjo	2	S.95	C.	NB.1
	10696	F.250214 Bolt, banjo, for defuelling cock latch	1	S.95	C.	
21	4055	F.196287 Bracket, support, for engine supply pipe	1	S.510	C.	
	B.203777	BRACKET, MOUNTING, FOR PRESSURE RELIEF VALVE, ASSEMBLY	—	—		
21	5391	A.203759 Bracket, mounting, for pressure relief valve, port	1	S.510	MR/C	NB.3
21	5392	A.203760 Bracket, mounting, for pressure relief valve,	1	S.510	MR/C	NB.3
		starboard				
21	5057	F.203591 Cap, for pressure relief valve mounting bracket	2	S.510	C.	NB.3
	8287	A.211719 Bracket, mounting	1	L.72	MR/C	NB.2
		F.215817 Bracket, mounting, for clamp blocks	1	L.72		
21	A.218113	Bracket, mounting, for pressure reducing	1	S.510		
		valve, port				
21	A.218114	Bracket, mounting, for pressure reducing,	1	S.510		
		valve, starboard				
	A.223430	Bracket, support, frame 19	2	L.72		
	1087	F.185874 Clip	2	DTD.215	C.	NB.1
	421	A.185593 Clamp, pipe connection, group	2	—	B.	NB.1
	2723	F.184931 Bolt, eye	1	S.94.B	C.	NB.1
	6526	F.213079 Nut, special	1	S.95	C.	NB.1
21	2724	F.185592 Washer	1	L.168	C.	NB.1
	1085	A.185870 Clamp, pipe connection, group	2	—	B.	NB.1
	2723	F.184931 Bolt, eye	1	S.94.B	C.	NB.1
	6526	F.213079 Nut, special	1	S.95	C.	NB.1
21	F.184938	Washer	1	L.168		NB.1
	1136	A.186450 Clamp, pipe connection, group	1	—	B.	NB.1
	2723	F.184931 Bolt, eye	1	S.94.B	C.	NB.1
	6526	F.213079 Nut, special	1	S.96	C.	NB.1
21	2724	F.185592 Washer	1	L.168	C.	NB.1
	6525	A.201803 Clamp, pipe connection, group	1	—	B.	
	2723	F.184931 Bolt, eye	1	S.94.B	C.	NB.1
	6526	F.213079 Nut, special	1	S.95	C.	NB.1
21	2724	F.185592 Washer	1	L.168	C.	NB.1
	8288	F.211593 Cleat	1	LFS.21	MR/C	
	8289	F.211594 Cleat	1	LFS.21	MR/C	
21	11227	Std.2045/21/24 Clip, sleeved	1	S.510	C.	6
21		Std.2046/19/24 Clip, sleeved	2	S.510		6
21	11793	Std.2046/38/22 Clip, sleeved	1	S.510	C.	6
21	11405	Std.2046/59/20 Clip, sleeved	2	S.510	C.	6
21		Std.2045/17/26 Clip, sleeved	4	S.510		6
	3747	Std.841/28 Clip, 7/16" wide x 22 S.W.G. x 2.8" long	2	DTD.610	MR/C	4
	3756	Std.850/27 Clip, 7/16" wide x 22 S.W.G. x 2.7" long	1	DTD.610	MR/C	4
	4739	Std.850/37 Clip, 7/16" wide x 22 S.W.G. x 3.7" long	2	DTD.610	MR/C	4
	4164	Std.850/50 Clip, 7/16" wide x 22 S.W.G. x 5.0" long	2	DTD.610	C.	4
	4050	Std.851/53 Clip, 7/16" wide x 22 S.W.G. x 5.3" long	1	DTD.610	C.	4
	5412	Std.853/30 Clip, 7/16" wide x 22 S.W.G. x 3.0" long	1	S.3	MR/C	4

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
21	5413	Std.853/36	1	S.510		
21	2151	Std.1166/6	1	S.510 & T.26	C.	4
	8552	F.218115	2	—	C.	
	8285	A.211647	2	DTD.166	MR/C	NB.2
21	1086	F.185873	4	L.168	C.	NB.1
	1729	A.192904	1	—	B.	NB.2
21	1730	A.193370	1	L.168	C.	NB.2
21		A.192905	1	L.168		
21		A.184691	1	L.168		
	1731	F.193381	1	Rubber	C.	NB.2
	3976	F.197676	1	—	C.	NB.2
	27QA/150	Dowty	1	—	C.	
		GD.1307H				
	1732	F.184693	1	DTD.315	C.	NB.2
21	1733	F.184692	1	L.168	C.	NB.2
21	27FR/1056586	Flight Refuelling F.R.S.110J	1	—	B.	
21	27FR/1057698	Flight Refuelling F.R.S.110K	4	—	B.	
21	3776	Std.1306/J/20	4	DTD.625A or F.67	MR/C	4
	1120	K.A.C.C.3629/S	1	—	B.	
	6970	K.A.C.C.6397	1	—	B.	
	3898	K.A.C.C.4460/S	1	—	B.	
	6972	K.A.C.C.6395	1	—	B.	
21	27FR/4677550	Flight Refuelling C.0724000/1	1	—	A.	
21	27FR/4384066	Flight Refuelling B.0724140	1	—	A.	
21		Avery Hardoll FC.110	1	—	A.	
21	27F/4526675	Avery Hardoll FC.109	1	—	A.	
21	4K/8026606	Avery Hardoll FC.339	1	—	C.	
21	27F/6457327	Avery Hardoll FC.110 Mk. 2	1	—	A.	
	5061	F.201433	4	LFS.21	C.	NB.3
	5062	F.201193	1	Ferobestos	C.	NB.3
	5063	F.201194	1	—	C.	NB.3
	5064	F.204252	1	—	C.	NB.1
	5065	F.204253	1	—	C.	NB.1
21	27VC/6477426	Palmer D.10721	1	—	A.	
21	27F/4526697	Rotol FFP.2/2	1	—	A.	
21	27FS/9128855	Saunders A.102/3	1	—	C.	
	8384	B.213266	1	—	C.	NB.1
	9700	B.230427	1	—	C.	NB.1
	2852	F.189214	1	DTD.610	MR/C	
	12217	F.231625	1	—	C.	
	10597	A.250121	1	Nylon	C.	
21	1940	Std.1231/1	2	S.510	C.	4
		B.190411	—	—		
	1061	C.189254	1	—	C.	NB.1

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	1135 C.188535/A	Mounting, for L.P. cock					1	—	B.	NB.2
		Consisting of:—								
	A.188539	Angle					1	DTD.610		
	B.188537	Bracket, top					1	DTD.610		
	A.188784	Member, side, forward					1	DTD.610		
	B.188536	Member, side, rear					1	DTD.610		
	A.188538	Stiffener					1	DTD.610		
21	28D/1011028 A25.34C	Bolt					2	—	C.	
21	28D/1212404 A25.35C	Bolt					2	—	C.	
21	28M/9433473 AGS.2002.C1	Nut					4	—	C.	
21	28Q/9455169 SP.78-405	Rivet					12	—	C.	
	28W/9419475 SP.15C	Washer					4	—	C.	
	C.206107	MOUNTING, FOR FLOW PROPORTIONER,					—	—	—	
		ASSEMBLY								
	6533 F.205949	Bolt					1	—	C.	NB.3
	8035 A.206118	Bracket, support					1	—	B.	NB.3
	8034 F.202967	Link					2	L.72	B.	NB.3
	5066 F.200156	Nipple					1	S.1	C.	
	12667 F.200157	Nipple					1	S.1	C.	
	4127 F.198948	Nipple					2	S.1	C.	
	1082 F.188057	Nipple					2	S.1	C.	
	3897 F.195770	Nipple					1	S.1	C.	
21	5067 F.190837	Nut, retaining, at vapour release connection on					2	L.168	C.	NB.3
		forward tanks								
	5068 B.207420	Pipe, refuelling, coupling to fuselage connection					1	DTD.253	C.	NB.1
	8033 B.206113	Pipe, refuelling, front tanks branch					1	DTD.253	B.	NB.1
	9661 C.266407	Pipe, to port front tank valve					1	DTD.253	B.	NB.1
	1109 C.187805	Pipe, refuelling, branch to starboard front tank valve ...					1	DTD.253	C.	NB.1
	8030 B.206111	Pipe, port pump to flow proportioner					1	DTD.253	B.	
	8031 B.206112	Pipe, starboard pump to flow proportioner					1	DTD.253	B.	
	9023 C.215987	Pipe, delivery from flow proportioner					1	DTD.253	B.	NB.1
	9022 A.212114	Pipe, L.P. cock to flexible coupling					1	DTD.253	C.	NB.1
	1140 C.186618	Pipe, refuelling, rear tank valve, port					1	DTD.253	C.	
	1141 C.186668	Pipe, refuelling, rear tank valve, starboard					1	DTD.253	C.	
	1146 C.187697	Pipe, refuelling gallery					1	DTD.253	C.	
	5069 B.201185	Pipe, vent, front tank branch					1	DTD.253	C.	NB.1
	6174 B.210520	Pipe, vent, connection to branch pipe					1	DTD.253	C.	NB.1
	5071 B.204146	Pipe, branch, from vapour release valve					1	DTD.253	C.	NB.1
	5072 B.201082	Pipe, pressure, branch, relief and non-return valves					1	DTD.253	C.	NB.1
		to connection, port								
	5073 B.201083	Pipe, pressure, branch, relief and non-return valves					1	DTD.253	C.	NB.1
		to connection, starboard								
	5075 B.200688	Pipe, pressure, branch					1	DTD.253	C.	NB.1
	5076 C.201107	Pipe, vent, branch connection to atmosphere					1	DTD.253	B.	
	5087 C.200374	Pipe, fuel transfer, connector to rear tank, port					1	DTD.253	B.	NB.1
	5088 C.200375	Pipe, fuel transfer, connector to rear tank,					1	DTD.253	B.	NB.1
		starboard								
	8549 B.218179	Pipe, pressure (B.201109 lagged), branch from filter					1	—	B.	NB.1
	5092 D.201248	Pipe, fuel transfer, non-return valve to front tank,					1	DTD.253	B.	NB.1
		port								
	5093 D.201249	Pipe, fuel transfer, non-return valve to front tank,					1	DTD.253	B.	NB.1
		starboard								
	11074 B.251080	Pipe, air, frame 33 to frame 26 (Mod. 1057)					1	—	C.	
	11075 A.251082	Pipe, link (Mod. 1057)					2	DTD.253	C.	

Hunter T. Mk. 8B & C
Issued with A/L No. 21

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
8551	B.218191	Pipe, pressure (B.201042/7 lagged), filter to pressure reducing valve, port	1	—	B.	
8550	B.218190	Pipe, pressure (B.201042/8 lagged), filter to pressure reducing valve, starboard	1	—	B.	NB.1
5098	C.201151	Pipe, refuelling, branch	1	DTD.253	B.	NB.1
8522	F.216519	Pipe, vent extension	1	—	C.	
8387	B.213220	Pipe, metallic hose to connection (Mod. 541)	1	DTD.253	C.	
1103	C.188051/5	Pipe, transfer, rear tank to non-return valve, port	1	DTD.253	C.	NB.1
1104	C.188051/6	Pipe, transfer, rear tank to non-return valve, starboard	1	DTD.253	C.	NB.1
1108	C.188051/10	Pipe, engine supply, flexible connection to flexible connection	1	DTD.253	C.	NB.1
1112	C.188051/13	Pipe, engine supply, rear spar to L.P. fuel cock	1	DTD.253	C.	NB.1
4959	C.188051/18	Pipe, engine supply, connection to rear spar	1	DTD.253	C.	NB.1
1114	B.188908/1	Pipe, drain, tank pump to drain valve, port	1	DTD.253	C.	NB.1
1116	B.188908/3	Pipe, drain, transfer pipe to drain valve, port	1	DTD.253	C.	NB.1
1117	B.188908/4	Pipe, drain, transfer pipe to drain valve, starboard	1	DTD.253	C.	NB.1
8143	B.188908/5	Pipe, drain, rear tank, port	1	T.9	C.	
8144	B.188908/6	Pipe, drain, rear tank, starboard	1	T.9	C.	
1118	B.188908/7	Pipe, drain, for tank pump, port	1	T.9	C.	NB.1
1119	B.188908/8	Pipe, drain, for tank pump, starboard	1	T.9	C.	NB.1
†	B.188908/10	Pipe, pressure switch balance, port	1	DTD.253		NB.1
†	B.188908/1	Pipe, pressure switch balance, starboard	1	DTD.253		NB.1
6089	B.188908/12	Pipe, drain, tank pump to drain valve, starboard	1	DTD.253	C.	NB.1
†	F.230464	Pipe, drain, pressure, switch balance	1	DTD.253		
5086	B.200361/12	Pipe, pressure, relief valve to branch, starboard	1	DTD.253	C.	
5085	B.200361/15	Pipe, pressure, relief valve to branch, port	1	DTD.253	C.	NB.1
5094	B.201042/1	Pipe, pressure, connection to branch	1	DTD.253	C.	NB.1
11076	A.251081	Pipe, branch to filter (Mod. 1057)	1	DTD.253	C.	
6176	B.201042/9	Pipe, fuel, reducing valve to non-return valve, port	1	DTD.253	C.	
6177	B.201042/10	Pipe, fuel, reducing valve to non-return valve, starboard	1	DTD.253	C.	
6180	B.201042/11	Pipe, balance, pressure reducing valve to tee-piece port	1	DTD.253	C.	
6181	B.201042/12	Pipe, balance, pressure reducing valve to tee-piece starboard	1	DTD.253	C.	
6182	B.201042/13	Pipe, drain, tee-piece to boss	1	DTD.253	C.	
†	B.201059/1	Pipe, balance, tee-piece to pressure relief valve, port	1	DTD.253		NB.1
†	B.201059/2	Pipe, balance, tee-piece to pressure relief valve, starboard	1	DTD.253		NB.1
†	B.201059/3	Pipe, balance, tee-piece to refuelling branch, pipe	1	DTD.253		NB.1
8119	A.212212/1	Pipe, connection to union	1	DTD.253	C.	NB.1
8120	A.212212/2	Pipe, union to pressure switch	1	DTD.253	C.	NB.1
8121	A.212212/3	Pipe, connection to union	1	DTD.253	C.	NB.1
8122	A.212212/4	Pipe, union to pressure switch	1	DTD.253	C.	NB.1
1089	A.186267	Plate, cover, transfer pipe connector	2	DTD.610	C.	NB.3
5UE/4412534	SPE.1007 Mk 2	Pump, fuel booster (Mod. 123)	2	—	A.	
5UE/	SPE.1007 Mk. 3	Pump, fuel booster (Mod. 1103)	2	—	A.	
5099	F.192028	Ring, sealing, at vapour release connection	2	Rubber	C.	
27QA/4534526	Dowty GD.1308/1	Ring, sealing, "O" type	5	—	C.	NB.1
27QA/4534527	Dowty GD.1308/2	Ring, sealing, "O" type	2	—	C.	
27QA/4534547	Dowty GD.1309/25	Ring, sealing, "O" type	1	—	C.	
27QA/4534548	Dowty GD.1309/26	Ring, sealing, at engine fuel inlet	1	—	C.	
27QA/4534549	Dowty GD.1309/27	Ring, sealing	5	—	C.	NB.1

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
21	1132	F.173506	Screw, sealing, for tank retaining nuts	16	L.168	C.
21	27QA/8013728	Dowty	Seal, bonded	12	—	C.
		GD.1307/3				
21	27QA/4534427	Dowty	Seal, bonded	4	—	C.
		GD.1307/BB				
21	27QA/8817064	Dowty	Seal, bonded	2	—	C.
		GD.1307/J				NB.1
	8037	A.206121	Sleeve	2	L.65.C	B.
21	27FR/4692803	Flight Refuelling	Sleeve, screwed	4	—	C.
		A.1111080				
21	6A/4332846	—	Switch, pressure, Mk. 1E*	3	—	B.
21	5CW/4405069	Thermal Control	Switch, pressure	2	—	A.
		TP.5266/1				
		D.201703	TANKS, FORWARD, INSTALLATION, ASSEMBLY	—	—	
21	6A/4337724	Smiths J.U.7	Box, terminal, contents gauge	2	—	B.
21	5101	B.190833	Connection, vapour release	2	L.168	C.
21	1186	B.181004	Connection, vent	2	L.168	C.
	2144	Std.1231/3	Lug, locking	1	S.3	C.
	1127	F.181002	Plate, locking	4	DTD.610	C.
	1124	A.169270	Plate, mounting, refuelling valve	2	DTD.610	C.
21	1125	F.170684	Piece, distance	8	L.168	C.
21	5CW/4400028	Smiths 1696FG	Switch, fuel level	2	—	A.
		—	Tanks (see section "Q")	—	—	—
21	9647	F.226366	Washer, sealing	2	22.272	C.
21	9648	F.226367	Washer, sealing	2	33/L/ HG334/H	C.
					DTD.610	C.
21	1126	F.170685	Washer, special	8	DTD.610	C.
		D.200071	TANKS, CENTRE INSTALLATION, ASSEMBLY	—	—	
21	6A/4337724	Smiths J.U.7	Box, terminal, contents gauge	2	—	B.
	3756	Std.850/27	Clip, 7/16" wide x 22 S.W.G. x 2.7" long	2	DTD.610	MR/C
21	2144	Std.1231/3	Lug, locking, at refuelling valve	2	S.510	C.
	5389	F.200072	Plate, blanking	2	L.72	C.
		—	Tanks (See section "Q")	—	—	—
	8189	A.217428	Valve, suction relief, group	2	—	C.
21	6200	F.209640	Collar	1	L.168	C.
	1882	F.195019	Plug	1	—	C.
21	27QA/4534422	Dowty	Seal	1	—	C.
		GD.1307/6				
	6199	F.209155	Spring	1	—	C.
21	7050	F.215727	Valve	1	L.168	C.
	9853	F.233349	Washer, sealing, at transfer head	2	DTD.762	C.
	9854	F.233350	Washer, sealing, outer, for suction relief valve	2	DTD.762	C.
21		Std.1509/12/040	Tube, distance, 1/4" o/d x 20 S.W.G. x 0.40" long	4	T.4	4
21		Std.1509/23/020	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.20" long	1	T.4	4
21		Std.1509/23/050	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.50" long	4	T.4	4
		Std.1509/24/022	Tube, distance, 3/8" o/d x 17 S.W.G. x 0.22" long	1	T.4	4
21	1090	F.173383	Union, reducing	2	L.168	C.
21	5UE/6408297	SPE./BP.26	Valve, inverted flight, Mk. 2	2	—	A.
21	5UE/4407065	Self Priming	Gasket, baseplate to tank	1	—	C.
		Pump SPE.11645				
21	5UE/4407053	Self Priming	Gasket, pump to inverted flight valve	1	—	C.
		Pump SPE.10306				
	1071	A.186567	Valve, non-return, group	2	—	B.
21	2144	Std.1231/3	Lug, locking	11	S.510	C.
21	1072	F.185048	Pin	1	L.168	C.
	1076	F.186616	Screw	10	—	C.
	1073	F.171937	Spring	1	—	C.

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
21	1074	A.186567/A				Valve, hinge, group consisting of	1	—	C.	NB.2
		F.185046				Hinge	1	DTD.610		
		F.185047				Valve	1	L.168		
		F.186594				Washer	1	DTD.610		
	1075	F.185049				Washer, sealing	1	Klingerit	C.	NB.2
21	27FS/1455562	Saunders Valve 60 708AA/25/B				Valve, non-return (Mod. 1325)	3	—	B.	
	27F/2831	SPE.2191				Valve, non-return, pressurising (Pre Mod. 1184)	3	—	A.	
	6981	B.214443				Valve, pressure relief (Pre Mod. 694)	2	—	A.	NB.3
	9713	B.225865				Valve, pressure relief (Mod. 694)	2	—	A.	
		C.190832				Valve, vapour release, group	2	—		
	11832	C.266331				Valve, vapour release, group (Mod. 1263)	2	—	A.	NB.3
		A.190835				Float, group	1	—		
21	5406	F.190839				Float	1	Cork	MR/C	NB.3
		Std.914/T/10				Washer	1	DTD.610		4
		F.190841				Pin	1	S.80.B		
	5408	F.191984				Seal	1	Rubber	MR/C	NB.3
	5408	F.204291				Spring	1	—	MR/C	NB.3
	7973	F.215242				Valve	1	—	MR/C	
21	27FR/4385073	Flight Refuelling C.1112000/3				Valve, refuelling, Mk. 12	4	—	A.	
	8583	B.218149				Valve, pressure reducing (Hymatic CS.52339 lagged)	2	—	A.	NB.1
21	8137	B.217334				Valve, suction and pressure, relief, group	2	—	A.	NB.2
	428	F.184477				Adjuster, valve	1	L.168	C.	NB.2
21	429	A.184476				Cap, valve	1	L.168	C.	NB.2
21	430	F.184480				Collar	1	L.168	C.	NB.2
21	5200	F.209640				Collar	1	L.168	C.	NB.2
21	1882	F.195019				Plug	2	L.168	C.	NB.2
21	431	A.184478				Ring, cap	1	L.168	C.	NB.2
21	27QA/4534417	Dowty GB.1288				Ring, sealing	1	—	C.	
21	27QA/4534531	Dowty GD.1308/8				Ring, sealing, "O" type	1	—	C.	
	432	F.184482				Screw	6	—	C.	NB.2
21	27QA/4534422	Dowty GD.1307/6				Seal, bonded	2	—	C.	
21	27QA/4534424	Dowty GD.1307/23				Seal, bonded	1	—	C.	NB.2
21	434	F.184473				Seat, valve	1	L.168	C.	NB.2
	1068	F.185613				Spring	1	DTD.239	C.	NB.2
	6199	F.209155				Spring	1	—	C.	NB.2
21	442	F.184481*				Valve (Alternative to F.215727)	1	L.168	C.	
21	441	A.184484				Valve	1	L.168	C.	NB.2
	7050	F.215727				Valve (Alternative to F.184481)	1	L.168	C.	NB.2
	4666	F.201931				Washer	1	DTD.610	C.	NB.2
	9656	A.226376				Washer, sealing, at refuelling valve	4	DTD.1177 & L.72	C.	NB.2
	9649	F.226368				Washer, sealing, transfer pipe to tank	2	DTD.1177 & L.72	C.	NB.3
21		Std.1547/26/16				Washer, profile	2	DTD.610		4
	9658	A.226378				Washer, sealing, at cover plate	2	DTD.1177 & L.72	C.	NB.3
21	10144	F.234309				Washer, at refuelling valve	4	Gaco E75 or DTD.56DB	C.	NB.2
	446	F.186084				Washer, sealing, for vent pipe outlet	2	Klingerit	C.	NB.3
	9852	F.233348				Washer, sealing, for transfer pipe	2	DTD.1177 & L.72	C.	NB.3
	9853	F.233349				Washer, sealing, for transfer pipe	2	DTD.1177 & L.72	C.	NB.3

SERVICES—FUEL SYSTEM CENTRE FUSELAGE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	B.208248	WING FUSELAGE CONNECTIONS, ASSEMBLY					—	—		
8131	F.207610	Bolt, special, for branch pipes					12	—	C.	
421	A.185593	Clamp, pipe connection, group					2	—	B.	NB.1
2723	F.184931	Bolt, eye					1	S.94.B	C.	NB.1
6526	F.213079	Nut, special					1	S.95	C.	NB.1
21 2724	F.185592	Washer					1	L.168	C.	NB.1
	5059	Clamp, pipe connection, group					2	—	B.	
2723	F.184931	Bolt, eye					1	S.94.B	C.	NB.1
6526	F.213079	Nut, special					1	S.95	C.	NB.1
21 2724	F.185592	Washer					1	L.168	C.	NB.1
21 27FR/1056586	Flight Refuelling FRS.110J	Connector, pipe 1-1/4" B.S.P.					2	—	B.	
21 27FR/1056588	Flight Refuelling FRS.110L	Connector, pipe 1-3/4" B.S.P.					4	—	B.	
6162	B.209227	Pipe, fuel transfer branch, port					1	DTD.253	C.	NB.1
6163	B.209228	Pipe, fuel transfer branch, starboard					1	DTD.253	C.	NB.1
6094	A.208096	Pipe, stub, port and starboard					2	—	C.	NB.1
5077	B.200361/1	Pipe, fuel transfer, port					1	DTD.253	C.	NB.1
5078	B.200361/2	Pipe, fuel transfer, starboard					1	DTD.253	C.	
5083	B.200361/9	Pipe, pressure, connection to connection, port					1	DTD.253	C.	NB.1
5084	B.200361/10	Pipe, pressure, connection to connection,					1	DTD.253	C.	
		starboard								
6164	B.200361/16	Pipe, branch to relief valve, starboard					1	DTD.253	C.	
6165	B.200361/17	Pipe, branch to relief valve, port					1	DTD.253	C.	NB.1
21 27QA/4534527	Dowty	Ring, sealing					4	—	C.	
	GD.1308/2									
21 27QA/4534545	Dowty	Ring, sealing					2	—	C.	
	GD.1309/21									
1706	Std.1703/6/C	Screw					8	S.95.B	C.	5
8129	B.211551	Valve, refuelling pressure relief, group					2	—	B.	NB.3
8186	F.209643	Spring					1	DTD.239	C.	NB.3
	F.199296	Valve, assembly					1	—		
21 20278	F.199297	Washer					1	L.168	C.	

284/1036652


DRAIN
WATER SEP

SERVICES—FUEL SYSTEM CENTRE FUSELAGE


[illegible]



FUEL SYSTEM



FUEL SYSTEM



FUEL SYSTEM

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

