

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	D.237211	HYDRAULIC INSTALLATION IN REAR FUSELAGE, ASSEMBLY					—	—	—	
21	27QM/4117993	Dowty	Accumulator				1	—	A.	
		08692Y A.05								
	1180	F.183906	Block, clamp, for return pipes				1	LFS.21	C.	NG.1
	1181	F.183907	Block, clamp, for pressure pipe				1	LFS.21	C.	NG.1
	7231	B.200875	Bracket, mounting, for pressure gauge				1	L72	MR/C	
	10156	A.215212	Bracket, mounting, for micronic filter				1	—	C.	
21	1182	A.189669	Clamp, top, twin type				1	S.510	C.	NG.1
	2052	F.194338	Clamp, top half				7	LFS.21	C.	NG.1
	2053	F.194339	Clamp, bottom half				8	LFS.21	C.	NG.1
21	2093	F.196103	Clamp				1	S.510	C.	NG.1
21		F.211876	Clip, for pipe at frame 52				1	S.510		
	9092	F.221834	Clip, saddle				1	S.510	C.	
		F.221095	Clip, securing cable duct (Mod. 629)				1	S.510		
	9421	F.215214	Clip, half, securing micronic filter				1	—	C.	NH.1
	3740	Std.840/33	Clip, 7/16" wide x 22 s.w.g. x 3.3" long				2	DTD.610	MR/C	4
			(Mod. 629)							
	4802	Std.840/31	Clip, 7/16" wide x 22 s.w.g. x 3.1" long				1	DTD.610	MR/C	4
21	27BA/9507503	Auto Prod.	Coupling, half, high pressure, union half				1	—	B.	
		A.V.A.57A								
21	27BA/9157171	Auto Prod.	Coupling, half, high pressure, union half				1	—	B.	
		A.V.A.57B								
21	28Y/9701165	H.P. Components Ltd. A.58	Connection, charging				1	—	B.	
		F.222439	Duct, cable (Mod. 629)				1	L.62		
	27KF/1445575	Fairey	Filter, micronic, group (Mod. 1307)				1	—	A.	
		BH.2175	(For Spares see AP.4515, Vol. 3)							
	6A/2237916	—	Gauge, pressure, fluorescent Mk. 14LL				1	—	A.	
	7232	B.209709	Guard, for flexible pipes				1	L72	C.	NG.1
21	13566	Aeroquip	Hose, flexible, 16.0", pressure line (Mod. 1425)				1	—	LM	
		SA.7670021—001								
			Consisting of:—							
21	28F/5398380	SA.26073	Fitting, end				1	—	C.	
21	28F/5398381	SA.76378—C	Fitting, end				1	—	C.	
	32C/0281350	AE.246—4	Hose				1	—	C.	
	32C/1396964	AQ.710—8	Sleeve				QR	—	C.	
	27BA/	Auto Prod.	Hose, flexible (Alt. to 27VA/6115989)				1	—	C.	
	4111014	AVX.3352/16	(Mod. 1323) (Pre Mod. 1425)							
	27VA/	Dunlop	Hose, flexible (Alt. to 27BA/4111014)				1	—	C.	
	6115989	2/W14/261/8/8/16	(Pre Mod. 1425)							
21	13475	Aeroquip	Hose, flexible, 26.5" (Mod. 1417)				1	—	LM	
		SA.7670019								
			Consisting of:—							
21	28F/5398380	SA.26073	Fitting, end				1	—	C.	
21	28F/5398381	SA.76378—C	Fitting, end				1	—	C.	
	32C/0281350	AC.246—4	Hose				1	—	C.	
	32C/1396964	AQ.710—8	Sleeve				QR	—	C.	
	27BA/	Auto. Prod.	Hose, flexible (Alt. to 27VA/6115837) (Mod.1274) ...				1	—	C.	
	4111011	AVX.4452/26.5	(Pre. Mod.1417)							
	27VA/	Dunlop	Hose, flexible (Alt. to 27BA/4111011)				1	—	C.	
	6115837	2/W14/261/8/8/26.5	(Pre. Mod.1417)							
21	27BA/4110849	Auto. Prod.	Hose, flexible (Pre. Mod. 1274)				1	—	C.	
21		AVA.322A/26.5*								
21	13568	Aeroquip	Hose, flexible, 16.0", return line (Mod. 1425)				1	—	LM	
		SA.7670022—001								
			Consisting of:—							
21	28F/5398382	SA.26072—4	Fitting, end				1	—	C.	
21	28F/5398383	SA.76377—4C	Fitting, end				1	—	C.	
	32C/0281350	AE.246—4	Hose				1	—	C.	
	32C/1396964	AQ.710—8	Sleeve				QR	—	C.	

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	27BA/4110859	Auto. Prod.	Hose, flexible (Alt. to 27VA/4626079) (Pre Mod. 1425)				1	—	C.	
	27VA/4626079	Dunlop	Hose, flexible (Alt. to 27BA/4110859) (Pre Mod. 1425)				1	—	C.	
	13476	Aeroquip	Hose, flexible, 23.0" (Mod. 1417)				1	—	LM	
		SA.7670020	Consisting:—							
21	28F/5398382	SA.26072—4	Fitting, end				1	—	C.	
21	28F/5398383	SA.76377—4C	Fitting, end				1	—	C.	
	32C/0281350	AE.246—4	Hose				1	—	C.	
	32C/1396964	AQ.710—8	Sleeve				QR	—	C.	
	27BA/4110848	Auto. Prod.	Hose, flexible (Alt. to 27VA/6115980) (Pre Mod. 1417)				1	—	C.	
	27VA/6115980	Dunlop	Hose, flexible (Alt. to 27BA/4110848) (Pre Mod. 1417)				1	—	C.	
		4/W14/261/8/8/23								
	—	D.204180	HYDRAULICS FOR AIR BRAKE, ASSEMBLY				—	—	—	
	2081	F.195583	Block, clamp				6	LFS.21	C.	NG.1
	4950	F.204723	Block, clamp				10	LFS.21	C.	NG.1
	4951	A.204934	Block, clamp				2	LFS.21	C.	NG.1
	8511	F.220531	Block, saddle, at Pressure Regulator Valve				1	LFB.82	C.	
21	27BA/9467728	Auto. Prod.	Cap, blanking, medium and high pressure for flange stud half				2	—	C.	
	4952	F.204102	Clamp, plate				4	LFS.21	C.	NG.1
	5789	Std.851/35	Clip, 7/16" wide x 22 S.W.G. x 3.5" long				2	DTD.610	C.	4
21		Std.853/81	Clip, 7/16" wide x 22 S.W.G. x 8.1" long				1	S.510		4
21	27BA/4110937	Auto. Prod.	Coupling, half, high pressure flanged half (Mod. 1077)				2	—	B.	
		AVA.1150C								
21	5483	Std.1231/1B	Lug, locking				2	S.510	MR/C	4
21	2144	Std.1231/3	Lug, locking				5	S.510	C.	4
21	7680	Std.1231/3B	Lug, locking				4	S.510	MR/C	4
	4953	A.204708	Pipe, flexible, to Pressure Relief Valve (Dunlop)				1	WH.3/2	C.	NG.1
	4954	A.204709	Pipe, flexible, to Pressure Relief Valve (Dunlop)				1	WH.3/2	C.	
	7687	F.211473	Piece, distance				8	T.4	MR/C	
	7684	A.209797	Plate, for flanged coupling, starboard				1	—	MR/C	
	7685	A.209798	Plate, for flanged coupling, port				2	—	MR/C	
21	8239	A.216950	Plate, fireproof cover				2	S.510	MR/C	
	10857	F.217369	Plate, sealing, at frame 50				1	LFS.21	C.	
		F.217370	Plate, sealing, at frame 50				1	LFS.21		
	27QM/1820	Dowty	Regulator, pressure				1	—	A.	
		04862Y.A.05								
21	27Q/4117537	Dowty	Regulator, pressure (Mod. 381)				1	—	A.	
		C.8413Y Mk. B								
21	27QA/1048965	Dowty	Ring, "O"				2	—	C.	
		SP.900/22								
21	8240	A.216951	Shield, fireproof, top, port				1	S.510	MR/C	NG.1
21	8241	A.216952	Shield, fireproof, top, starboard				1	S.510	MR/C	NG.1
21	8242	A.216953	Shield, fireproof, bottom, port				1	S.510	MR/C	NG.1
21	8243	A.216954	Shield, fireproof, bottom, starboard				1	S.510	MR/C	NG.1
21	8244	A.216955	Shield, fireproof, top, port				1	S.510	MR/C	NG.1
21	8245	A.216956	Shield, fireproof, top, starboard				1	S.510	MR/C	NG.1
21	8246	A.216957	Shield, fireproof, bottom, port				1	S.510	MR/C	NG.1
21	8247	A.216958	Shield, fireproof, bottom, starboard				1	S.510	MR/C	NG.1
	7821	Dowty GD.1579	Shroud, 3/8" B.S.P., bulkhead connection (Alternative to A.206610)				4	—	C.	
	5703	A.206610	Shroud, bulkhead connection (Alternative to Dowty GD.1579)				8	—	C.	NG.1
	7822	Dowty GD.1576	Shroud, 3/8" B.S.P., aft of frame 46 connection (Alternative to A.206611)				1	—	C.	


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5704	A.206611					Shroud, aft of frame 46 connection (Alternative to Dowty GD.1576)	2	—	C.	NG.1
5CW/4405078	Thermal Control TP.5300/2					Switch, pressure (Alternative to TP.1300)	1	—	A.	
5CW/	Thermal Control TP.1300					Switch, pressure (Alternative to TP.5300/2)	1	—	A.	
7QM/4117864	Dowty 08818Y—A02					Unit, selector	1	—	A.	
7QM/4117856	Dowty 08816Y—A03					Unit, selector	1	—	A.	
7QM/4117566	Dowty 1.00051.035					Unit, pressure relief valve (Mod. 1202)	1	—	A.	
6A/1037413	—					Label, air, fluorescent	1	—	C.	
2144	Std.1231/3					Lug, locking	2	S.510	C.	4
27BA/9507625	Auto Prod. A.V.A.62A					Nut, union, medium and high pressure	1	—	C.	
27BA/4110826	Auto Prod. A.V.A.62B					Nut, union, medium and high pressure	1	—	C.	
†	B.187926/1					Pipe, pressure, flexible hose to non-return valve	1	DTD.323		
†	B.187926/2					Pipe, pressure, flexible hose to non-return valve	1	DTD.323		
†	B.187926/4					Pipe, pressure, tee-piece to valve	1	DTD.323		
†	B.187926/6					Pipe, pressure, valve to tee-piece	1	DTD.323		
†	B.187926/7					Pipe, pressure, tee-piece to flexible hose	1	DTD.323		
†	B.187926/8					Pipe, return, flexible hose to non-return valve	1	DTD.323		
†	B.187926/10					Pipe, return, tee-piece to valve	1	DTD.323		
†	B.187926/11					Pipe, return, valve to flexible hose	1	DTD.323		
†	B.187926/12					Pipe, return, tee-piece to Thermal Relief Valve	1	DTD.323		
†	B.187926/13					Pipe, return, Thermal Relief Valve to tee-piece	1	DTD.323		
						† For details see Piping Chart.				

† For details see Piping Chart.

[illegible]

SERVICES—HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4603	B.187926/16	Pipe, tee-piece to charging connection					1	DTD.323	C.	
4604	B.187926/17	Pipe, tee-piece to pressure gauge					1	DTD.323	C.	
4605	B.187926/18	Pipe, charging, accumulator to tee-piece					1	DTD.323	C.	
4606	B.187926/19	Pipe, pressure, tee-piece to charging accumulator					1	DTD.323	C.	
†	B.187926/21	Pipe, pressure, union to union					1	DTD.323		
†	B.187926/22	Pipe, pressure, to regulator valve					1	DTD.323		
5935	B.187926/23	Pipe, regulator valve to non-return valve					1	DTD.323	C.	
5936	B.187926/24	Pipe, non-return valve to tee-piece					1	DTD.323	C.	
5937	B.187926/25	Pipe, pressure, tee-piece to lower selector valve					1	DTD.323	C.	
5938	B.187926/26	Pipe, pressure, tee-piece to upper selector valve					1	DTD.323	C.	
†	B.187926/28	Pipe, return, union to 4-way piece					1	DTD.323		
†	B.187926/29	Pipe, return, 4-way piece to upper selector valve					1	DTD.323		
5942	B.187926/30	Pipe, return, 4-way piece to lower selector valve					1	DTD.323	C.	
5943	B.187926/31	Pipe, return, 4-way piece to tee-piece					1	DTD.323	C.	
†	B.187926/32	Pipe, return, tee-piece to relief valve					1	DTD.323		
†	B.187926/33	Pipe, return, upper selector valve to non-return valve					1	DTD.323		
5946	B.187926/34	Pipe, return, thermal relief valve to tee-piece					1	DTD.323	C.	
5947	B.187926/35	Pipe, air brake "up", upper selector valve to 4-way piece					1	DTD.323	C.	
5948	B.187926/36	Pipe, air brake "up", 4-way piece to flexible hose					1	DTD.323	C.	
†	B.187926/37	Pipe, air brake "up", 4-way piece to non-return valve					1	DTD.323		
†	B.187926/38	Pipe, air brake "up", 4-way piece to thermal relief valve					1	DTD.323		
5952	B.187926/40	Pipe, air brake "down", relief valve to tee-piece					1	DTD.323	C.	
5953	B.187926/41	Pipe, air brake "down", tee-piece to flexible hose					1	DTD.323	C.	
†	B.187926/42	Pipe, air brake "down", tee-piece to pressure switch					1	DTD.323		
6517	B.187926/48	Pipe, pressure, S.S. coupling to union					1	DTD.323	C.	
6518	B.187926/49	Pipe, return, S.S. coupling to union					1	DTD.323	C.	
6333	B.187926/50	Pipe, air brake "down", lower selector valve to pressure relief valve					1	DTD.323	C.	
7860	B.187926/51	Pipe, pressure, tee-piece to tee-piece					1	DTD.323	C.	
7861	B.187926/52	Pipe, return, non-return valve to tee-piece					1	DTD.323	C.	
†	B.187926/53	Pipe, pressure, non-return valve to filter (inlet)					1	DTD.323		
†	B.187926/54	Pipe, pressure, filter (outer) to tee-piece					1	DTD.323		
9873	B.187926/73	Pipe, pressure, tee-piece to pressure switch (Mod. 812)					1	DTD.323	C.	
21	5CW/4405174	Thermal Control TP.5566								
21	—	Std.1507/2/026					1	—	A.	
21	—	Std.1507/2/080					1	T.26	L.M.	4
21	—	Std.1507/2/082					1	T.26	L.M.	4
	1185	F.183200					2	—	C.	
	869	F.140778					1	L.1	C.	NF.1
21	27Q/4117448	Dowty D.5220Y					3	—	B.	
21	27Q/4117455	Dowty D.5230Y					1	—	B.	
21	27QM/4117837	Dowty 08808Y B07					1	—	A.	
21	27Q/4117728	Dowty C.4603Y Mk. A					2	—	B.	
21		Std.1547/28/18					1	DTD.610		4
		Washer, at former, frame 53								
		† For details see Piping Chart								



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

