

SERVICES—OXYGEN INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
21	1660-99-2243050	E.218888	OXYGEN INSTALLATION, ASSEMBLY	—	—	
	5145	—	Adapter, inlet, straight	2	—	C.
	9756	F.205189	Block, clamp	2	LFS.21	C.
	447	F.228590	Block, clamp	2	LFS.21	C.
		F.186436	Bolt	8	—	C.
		F.212353	Channel, clamping	1	L.72	
	9175	K.A.C.	Clamp, pipe	1	—	C.
		C.4370/1/A				
		F.230882	Cleat, securing pipe	2	LFS.21	
		F.229467	Clip, special	1	—	
21	1660-99-2243645	B.214273	Connector	1	—	NK.1
		—	Connection, 3-way	4	—	C.
21	13621	B.329655	Cover, protective (Mod. 1419)	1	Cobex or Darvic	C.
	6D/9429896	—	Cylinder, oxygen (complete with valve Ref. 6D/9429883)	4	—	A.
21	1660-99-2244018	—	Filter	3	—	A.
21	1660-99-2244063	—	Gauge, contents, Mk. 4	1	—	A.
21	12185	B.221674	Guard, for oxygen regulator, group	2	—	B.
		A.221672	Channel, mounting	1	—	
		A.221673	Channel	1	—	
21	—	B.221674/1	Panel, 3/16" thick (Local Manufacture)	1	Perspex	L.M.
	—	Std.1509/23/020	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.2" long	4	T.4	L.M.
21	7510-99-2244092	—	Label, "Filter"	3	—	C.
21	7510-99-2244091	—	Label, "non-return valve"	2	—	C.
21	1940	Std.1231/1	Lug, locking	2	S.510	C.
	9705	Std.1231/9/B	Lug, locking	1	S.510	C.
		F.227544	Packing, at oxygen charging valve	1	LA or LFS.21	
21		F.329656	Packing (Make from 5F/9400958) (Mod. 1419)	1	—	—
		F.330947	Packing (Make from 5F/9400951) (Mod. 1419)	1	—	—
		F.230581	Packing, at special clip	1	LFS.21	
	1660-99-2243528	—	Piece, connecting, 2-way, Mk. 3A	1	—	C.
	9176	B.212124/2	Pipe, H.P., frame 14 to 3-way connection	1	T.51	C.
	9177	B.212124/3	Pipe, H.P., 3-way connection to port cylinders	1	T.51	C.
	9178	B.212124/4	Pipe, H.P., cylinder to cylinder, port "in"	1	T.51	C.
	9179	B.212124/5	Pipe, H.P., cylinder to cylinder, port, "out"	1	T.51	C.
	9180	B.212124/6	Pipe, H.P., port cylinders to 3-way connection	1	T.51	C.
	9181	B.212124/7	Pipe, H.P., starboard cylinders to 3-way connection	1	T.51	C.
	9182	B.212124/8	Pipe, H.P., cylinder to cylinder, starboard, "out"	1	T.51	C.
	9183	B.212124/9	Pipe, H.P., cylinder to cylinder, starboard, "in"	1	T.51	C.
	9184	B.212124/10	Pipe, H.P., 3-way connection to starboard cylinder	1	T.51	C.
	9185	B.212124/11	Pipe, H.P., 3-way connection to line valve	1	T.51	C.
	9186	B.212124/12	Pipe, H.P., fine valve to floor connection	1	T.51	C.
	9187	B.212124/13	Pipe, H.P., floor connection to 3-way connection	1	T.51	C.
	9188	B.212124/14	Pipe, H.P., 3-way connection to pressure release valve	1	T.51	C.
	9189	B.212124/15	Pipe, H.P., 3-way connection to 2-way connection	1	T.51	C.
	9191	B.212124/17	Pipe, H.P., charging valve to frame 14	1	T.51	C.
	11205	B.212124/20	Pipe, H.P., 2-way connection to contents gauge (Mod. 807)	1	T.51	C.
	9192	B.212152/1	Pipe, L.P., pressure release valve to 3-way connection	1	L.67	C.
	9193	A.212152/2	Pipe, L.P., 3-way connection to regulator	1	L.67	C.
	9194	A.212152/3	Pipe, L.P., 3-way connection to union	1	L.67	C.
	9195	A.212152/4	Pipe, L.P., union to union	1	L.67	C.

SERVICES—OXYGEN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	9196	A.212152/5	Pipe, L.P., union to regulator				1	L.67	C.	NK.1
	9197	A.214022/9	Pipe, L.P., regulator to connector, starboard				1	DTD.253	C.	NK.1
	10980	A.214022/12	Pipe, L.P., regulator, to joint, port				1	L.67	C.	NK.1
	9762	A.214022/10	Pipe, L.P., joint to seat connection, port				1	DTD.253	C.	
	1941	Std.499/3	Plate, locking				2	L.3	C.	4
	1942	F.195799	Plug				2	Rubber	C.	NK.1
21	1660-99-	—	Regulator, demand Mk. 17F				2	—	A.	
	1039710									
	9523	AS.5401	Ring, sealing for demand regulator pipe joint				1	—	C.	
	1943	Std.1606/45/B.16	Screw, countersunk, 4 B.A.				4	Brass	C.	5
	4235	F.200426	Spring, retaining				1	Steel	C.	NK.1
	9200	A.211009	Strap, group				8	—	C.	NK.1
		F.210999	Trunnion				1	S.95.B		
	9201	A.211010	Strap, group				8	—	C.	NK.1
		F.186432	Trunnion				1	S.1		
	5F/9434858	Hellermann HV.3254	Strapping, helvin, 1/2" wide				QR	P.V.C.	C.	
	5F/9138823	Hellermann NY.3255	Stud, helvin				QR	Nylon	C.	
21	—	E.218888/1	Tube, petrol resisting, 7/8" i/d x 1-1/4" o/d x 2-1/8" long (Make from 32C/1275062)				4	Rubber	L.M.	
21	—	Std.1509/23/064	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.64" long				8	T.4	L.M.	4
21		Std.1509/23/070	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.70" long				2	T.4		4
21	1660-99-	—	Union, blanking, Mk. 3				4	—	C.	
	2243797									
	6D/2244774		Valve, oxygen charging, Type 1 (Mod. 1419)				1	—	A.	
	6D/2244775		Valve, oxygen line, Type 1 (Mod. 1419)				1	—	A.	
	6D/427	—	Valve, non-return (Alternative to 6D/2204340)				2	—	B.	
	6D/2204340	—	Valve, non-return (Alternative to 6D/427)				2	—	B.	
21	1660-99-	—	Valve, pressure, reducing				1	—	B.	
	2244070									
21	1506431	Std.1546/20/12	Washer, packing, at regulator				4	DTD.610	C.	4

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

