

SERVICES—WINDSCREEN WIPER INSTALLATION

Ref. No.	Part. No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	C.236769	WINDSCREEN WIPER, ASSEMBLY (Mod. 890)					—	—		
	E.236770	WINDSCREEN WIPER INSTALLATION,					—	—		
		ASSEMBLY								
21	27WW/4607933	Dunlop	Actuating arm, port				1	—	B.	
		AC.61130								
21	27WW/4607934	Dunlop	Actuating arm, starboard				1	—	B.	
		AC.61132								
	10662	F.234466	Bearing				1	BSS.369	C.	
21	1680-99-	Dunlop	Blade, wiper				2	—	C.	
	1042858	ACM.19552/14								
		F.237857	Block, bearing				1	—		
21	10655	Std.1700/22E	Bolt, csk. head				2	—	C.	5
	10661	F.236395	Bracket				1	—	C.	
		F.241348	Bracket, stop				1	L.65		
	10658	A.234470	Joint, universal				1	—	C.	
		F.237856	Knob, control				1	L.65		
	27WW/813	Dunlop	Motor, complete with links and bushes				1	—	A.	
		AC.61126								
21	27WW/4607965	Dunlop	Motor, complete with links and bushes				1	—	A.	
		AC.62644	(Mod. 1275) (Alternative to 27WW/813)							
		Std.1933/C18	Packing				2	—		
	10664	C.236363	Plate, cover				1	—	C.	
	1506365	F.236684	Plate, nut				2	—		
		F.236754	Plate, serrated				1	L.72		
21	27QA/4534535	Dowty	Seal				1	—	C.	
		GD.1309/6								
		F.239228	Shim				1	Lam. Brass		
	10660	F.234467	Sleeve				1	BSS.369	C.	
	12405	A.236393	Spigot				2	HTS.S95.B	C.	
		F.241349	Stop				1	L.65		
	10659	F.234481	Stud				2	HTS.S95.B	C.	
	—	F.236749	Tube, control (Make from 30B/9611278)				1	L.62	L.M.	
21		Std.1510/24/052	Tube, distance				1	—		4
21		Std.1510/12/052	Tube, distance				1	—		4
21	27WW/4607865	Dunlop	Valve, control (Mod. 1208)				1	—	A.	
		AC.62658								
	10657	F.242000	Washer, serrated				1	L.65	C.	
	10656	D.236394	Washer				2	HTS.S95.B	C.	
	10663	Std.1028/38/12/10	Washer, shim				10	—	C.	



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.