

UNDERCARRIAGE—NOSE WHEEL DOORS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	D.208239	DOORS, NOSE WHEEL, ASSEMBLY					—	—		
9784	Std.323/66N	Bolt, attachment of operating rod to rear nose wheel door					2	S.95.B	C.	4
682	F.188114	Bolt, rear door attachment to keel member					2	S.94.B	C.	RE.1
8619	E.208293	Door, forward, group					1	—	A.	RE.1
685	Std.323/48	Bolt, attachment of door lock micro switch lever					2	S.95.B	C.	4
9787	Std.1988/110N	Bolt, attachment of operating lever to hinge					2	S.95.B or S.94.8	C.	RE.1
8445	Std.1639/1/BX	Bolt, special, for attachment of door lock cover					6	S.95.B	C.	5
8444	Std.1639/9/BX	Bolt, special, for attachment of micro switch					4	S.95.B	C.	5
1506458	Std.1639/1/CX	Bolt, special, for attachment of spigot housing					4	S.96.B	C.	5
684	F.170586	Bolt, hinge					2	S.95.B	C.	RE.1
8504	F.218847	Bolt, lock attachment					4	S.95.B	C.	RE.1
8509	F.220194	Bolt, attachment					4	S.154	C.	RE.1
21 896711	A.207861	Bracket, door lock cover support, port					1	S.510	C.	RE.1
21 896811	A.207862	Bracket, door lock cover support, starboard					1	S.510	C.	RE.1
21 —	B.221041	Cable, F.35, group (See Cable Chart)					1	—	—	
	9330	Cover, door lock, port					1	S.510	C.	RE.1
	9331	Cover, door lock, starboard					1	S.510	C.	RE.1
	6168	Grommet					2	—	C.	—
	896911	Guide, for operating rod					2	—	C.	RE.1
	691	Hinge, port					1	Stmpg.	C.	RE.1
	692	Hinge, starboard					1	Stmpg.	C.	RE.1
	897011	Housing, for spigot, port					1	L.65.C	C.	RE.1
	897111	Housing, for spigot, starboard					1	L.65	C.	RE.1
	8500	Housing, spring, port					1	—	C.	RE.1
	8501	Housing, spring, starboard					1	—	C.	RE.1
	8503	Lever, at door lock					2	S.95.B	C.	
	9549	Lever, hinge, port, group					1	—	B.	RE.1
	4488	Nut					1	—	C.	4
	8420	Pin					1	S.94	C.	RE.1
	9550	Lever, hinge, starboard, group					1	—	B.	RE.1
	4488	Nut					1	—	C.	4
	8420	Pin					1	S.94	C.	RE.1
	6622	Lever, door lock micro switch, port, group					1	—	C.	RE.1
	F.208012	Bolt					1	S.95.B		
	6623	Lever, door lock micro switch, starboard, group					1	—	C.	RE.1
	F.208012	Bolt					1	S.95.B		
	8455	Lock, door, group					2	—	B.	RE.1
	Std.1231/4B	Lug, locking					2	—		
	697	Piece, filling, hinge, port					1	LFS.21	C.	RE.1
	698	Piece, filling, hinge, starboard					1	LFS.21	C.	RE.1
	699	Pin, attachment of door lock lever to operating rod					2	S.1	C.	RE.1
	9428	Pin, at door lock lever					4	DTD.239 or S.1	C.	
	8499	Rod, operating, door locks					2	—	C.	RE.1
	4211	Saddle					1	DTD.610	C.	5
	702	Shim, washer, at attachment of hinge bolt					QR	Shim Steel	C.	RE.1
	8502	Slide, for spring, in housing					2	BSS.369	C.	RE.1
	6239	Spring, at door lock					2	Sp.St	C.	RE.1
	6624	Stop, door lock, micro switch lever					2	S.95.B	C.	RE.1

UNDERCARRIAGE—NOSE WHEEL DOORS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5F/9434857	Hellermann HV.3341					Strapping	3"	—	C.	
5F/9138822	NY.3342					Stud	1	—	C.	
21 5CW/6427230	Dowty 1322Z.MK.4					Switch, micro	2	—	B.	
3784	Std.1507/24/078					Tube, distance, hinge lever stop	2	T.4	MR/C	RE.1
4150	Std.915/C22					Washer	4	—	C.	4
8620	E.208311					Door, rear, group	1	—	A.	RE.1
703	F.183256					Block, hinge	2	—	C.	RE.1
704	F.187373					Block, pivot, port	1	Casting	C.	RE.1
705	F.187374					Block, pivot, starboard	1	Casting	C.	RE.1
12993	A.224732					Bracket, reinforcing	1	—	C.	
1506073	B.224733					Bracket, reinforcing	1	—	C.	
8972	F.208322					Panel, access to hinge block attachment bolts ..	1	L.72	C.	RE.1
	F.224734					Shlm, at reinforcing bracket	6	L.72		
8973	F.211656					Pin, hinge, forward nose wheel door	2	S.94.B	C.	RE.1
8974††	A.208260					Rod, operating, rear nose wheel door, group	2	—	C.	RE.1
709	F.187818					Spring	1	DTD.239	C.	RE.1
710	Std.1208/62/20/5					Shim, at attachment of rear door to keel member ..	QR	Shim Steel	C.	4

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rftm
Please see site for usage terms,
and more aircraft documents.

