


UNDERCARRIAGE—NOSE WHEEL DOOR OPERATING GEAR

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	B.208488	NOSE-WHEEL DOOR OPERATING GEAR, ASSEMBLY	—	—		
	1531 F.152672	Bolt, jack attachment to frame 3	1	S.2	C.	RE.1
	1533 F.156330	Bolt, jack attachment to lever	1	S.2	C.	RE.1
	8975 F.216171	Bracket, for cross shaft, port, group	1	—	C.	RE.1
	F.216173	Bush	1	BSS.369 or BS.2874		RE.1
	8976 F.216172	Bracket, for cross shaft, starboard, group	1	—	C.	RE.1
	F.216173	Bush	1	BSS.369		RE.1
21	27QM/4118214 Dowty O.7584Y.A02	Jack, door	1	—	A.	
	8977 A.218521	Rod, connecting, group	2	—	B.	RE.1
21	28R/4706463 AGS.589/3/PB	Ball (Alternative to Rose Bearings RB.JB.9R)	2	—	C.	
21	Rose Bearings RB.JB.9R	Ball (Alternative to 28R/4706463)	2	—	C.	
	5859 F.208205	Locknut, L.H.	1	S.1	C.	RE.1
	5860 F.208206	Locknut, R.H.	1	S.1	C.	RE.1
	5862 F.204656	Pin	1	S.95 or S.95.B	C.	RE.1
21	5863 F.204657	Pin	1	S.154 or S.95.B	C.	RE.1
21	28P/9710567 SP.90C.4	Pin, split	2	—	C.	
	8103 A.210885	Rod, end, complete	1	S.1	C.	RE.1
21	8102 F.218084	Turnbuckle	1	S.1	C.	RE.1
	8104 F.218070	Washer, locking	1	S.1	C.	RE.1
	28W/1200106 SP.42.C	Washer, tab, 2 B.A.	2	S.3	C.	
	8124 B.215854	Shaft and lever, group	1	—	B.	RE.1
21	124 Std.532/15	Ferrule	8	S.95B or S.154	C.	4
	125 A.178907	Lever, for door connection	1	Stamping 1699	C.	RE.1
	126 A.178908	Lever, for door and jack	1	Stamping 1700	C.	RE.1
	A.178909	Shaft	1	T.50		
	F.168113	Spigot	2	S.1		



NOSE UNDERCARRIAGE

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

