

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L. No. 11

Page JB.1

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.200100 D.179303	CENTRE FUSELAGE STRUCTURE, ASSEMBLY ATTACHMENT OF STRINGERS FROM NOSE SPAR . TO FRAME 20, ASSEMBLY					—	—		
960	F.184105	Bolt, special, at stringers "C" and "H"					2	S.95.B	C.	JB.3
	Std.1551/3/125	Bolt, special, at stringers "C" and "H"					8	S.99.B		5
3825	Std.1551/3/105	Bolt, special, at stringers "C" and "H"					4	S.99.B	MR/C	5
	A.178936	Fitting, attachment, at stringers "C" and "H"					4	S.99.B		
963	F.170740	Nut, special, at stringers "H" (Mod. 943)					2	S.99.B	C.	
7262	Std.1718/3	Nut, special					12	S.95.B	MR/C	5
10607	F.240458	Nut, special, for spigot at stringer "C" (Mod. 1032)					2	S.99	C.	JB.3
10606	A.240442	Spigot, at stringer "C" (Mod. 1032)					2	S.99	C.	JB.3
962	A.178929	Spigot, at stringer "H" (Mod. 943)					2	S.96.B	C.	
961	F.184104	Tab, locking, at stringers "C" and "H"					2	S.3	C.	JB.3
	F.178931	Tube, distance, at stringers "C" and "H"					2	DTD.364		
7263	Std.1208/62/24/20	Washer, shim					QR	—	MR/C	4
—	Std.915/C/16	Washer, spacing (Mod. 1330) (Make from 30B/9611216 Q.R.)					4	—	—	4
	D.179304	ATTACHMENT OF STRINGERS AT FRAME 21 TO . . MAIN SPAR, ASSEMBLY					—	—		
2418	F.178919	Angle, fitting, at stringer "K"					4	Stamping	MR/C	JB.4
2419	F.178920	Angle, fitting, at stringer "K"					4	Stamping	MR/C	JB.4
3832	Std.1553/E/65	Bolt, special, at stringer "K"					8	S.99.B	C.	JB.4
3833	Std.1553/E/55	Bolt, special, at stringer "K"					4	S.99.B	MR/C	JB.4
2420	B.182214	Fitting, for aircraft slinging bolt					2	Stamping	MR/C	JB.2
	D.200910	ATTACHMENT OF STRINGERS AT MAIN SPAR TO FRAME 26, ASSEMBLY					—	—		
2421	A.179650	Angle, fitting, at stringer, "K", main spar					4	Stamping	MR/C	JB.4
2422	A.178809	Angle, fitting, at stringer "K", main spar					4	Stamping	MR/C	JB.4
4447	Std.1553/J/390	Bolt, at stringer "K", main spar					4	S.99.B	MR/C	JB.4
2423	F.179742	Tube, distance, at stringer "K", main spar					4	DTD.364	MR/C	JB.4
4691	Std.1547/26/12	Washer, profile, at stringer "J" main spar					4	DTD.610	MR/C	4
	D.200912	ATTACHMENT OF STRINGERS AT REAR SPAR TO FRAME 31, ASSEMBLY					—	—		
3834	Std.1553/L/320	Bolt, at stringer "K", rear spar					4	S.99.B	MR/C	JB.4
3824	Std.1551/2/85	Bolt, at stringer "K", rear spar					8	S.99.B	MR/C	JB.4
3825	Std.1551/3/105	Bolt, at stringer "K", rear spar					8	S.99.B	MR/C	JB.4
3835	Std.1553/J/300	Bolt, at stringer "J", rear spar					4	S.99.B	C.	JB.4
2424	A.178816	Fitting, attachment, at stringer "K", rear spar					4	Stamping	MR/C	JB.4
2425	A.168436	Fitting, attachment, at stringer "J", rear spar					4	Stamping	MR/C	JB.4
7261	Std.1718/2	Nut, special, at stringer "K", rear spar					8	S.95.B	MR/C	JB.4
7262	Std.1718/3	Nut, special, at stringer "K", rear spar					8	S.95.B	MR/C	JB.4
2427	F.178881	Tube, distance, at stringer "K", rear spar					4	DTD.364	MR/C	JB.4
2426	F.178865	Tube, distance, at stringer "J", rear spar					4	DTD.364	MR/C	JB.4
7264	Std.1208/51/24/20	Washer, shim, at stringer "K", rear spar					QR	—	MR/C	JB.4
7265	Std.1208/62/28/20	Washer, shim, at stringer "K", rear spar					QR	—	MR/C	JB.4
	D.200727	ATTACHMENT OF STRINGERS AT FRAMES 22, . . . 24, 33, 35 AND 36, ASSEMBLY					—	—		
7266	F.200577	Bracket, support, at stringer "K" port, frame 35					1	DTD.610	MR/C	
7267	F.200578	Bracket, support, at stringer "K", starboard, frame 35					1	DTD.610	MR/C	
4619	Std.1335/E/18	Washer					4	L.4	C.	4

RESTRICTED

RESTRICTED

Page JB.2

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.200628	BRACKET, FOR FLYING CONTROLS, FRAMES					—	—		
		27 TO 29, ASSEMBLY								
	B.200630	Bracket, port, group					1	L.72		
	B.200631	Bracket, starboard, group					1	L.72		
	F.200632	Packing, port					1	L.72		
	F.200633	Packing, starboard					1	L.72		
	F.200636	Packing, port					1	L.72		
	F.200637	Packing, starboard					1	L.72		
7268	F.200634	Plate, nut, port					1	S.3	MR/C	
7269	F.200635	Plate, nut, starboard					1	S.3	MR/C	
	A.227757	Plate, reinforcing (AS.710/42)					2	—		
	D.184002	BRACKET, FOR FLYING CONTROLS, FRAMES					—	—		
		23 TO 24, ASSEMBLY								
	B.184003	Bracket, port					1	DTD.610		
	B.184004	Bracket, starboard					1	DTD.610		
2430	F.184005	Plate, nut					2	DTD.610	MR/C	
	C.203456-7	BRACKET, FOR FORWARD ENGINE MOUNTING, ..					—	—		
		ASSEMBLY								
	B.203458	Diaphragm, outboard, port					1	L.72		
	B.203459	Diaphragm, outboard, starboard					1	L.72		
	B.203460	Diaphragm, inboard, port					1	L.72		
	B.203461	Diaphragm, inboard, starboard					1	L.72		
	B.201604	BRACKET, MOUNTING, FOR AIR SUPPLY					1	—		
		VALVE, ASSEMBLY								
7270	B.201603	Bracket					1	L.72	MR/C	JB.3
	A.203695	BRACKET, MOUNTING, FOR ROTOL FLOW					1	—		
		PROPORTIONER, ASSEMBLY								
7271	A.203394	Bracket					1	L.72	MR/C	JB.6
7272	A.203395	Bracket					1	L.72	MR/C	JB.6
	C.210539	BRACKET, MOUNTING, FOR THROTTLE					1	—		
		CONTROL LINKAGE, ASSEMBLY								
7273	F.210881	Angle, at upper mounting bracket					1	L.72	MR/C	
7274	F.210800	Bracket, mounting, lower, group					1	—	MR/C	JB.6
7275	F.209977	Spigot					1	S.95.B	MR/C	JB.6
7276	B.210540	Bracket, mounting, upper, for lever, group					1	L.72	MR/B	JB.6
	A.209978	Spigot					1	DTD.364 & S.95.B		
	Std.1509/2/086	Tube, distance, 1/4" o/d x 22 S.W.G. x					2	T.4		4
		0.86" long								
	B.210541	Plate, stiffening, for upper mounting bracket					1	L.72		
	D.233396	DOORS AND ACCESS PANELS, ASSEMBLY					—	—		
		(Mod. 794)								
4633	F.197909	Bolt, for access panels					54	S.96	C.	
7835	Std.1700/4E	Bolt, attaching fuel system access panel					12	—	C.	5

RESTRICTED

RESTRICTED

Page JB.3

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8341	D.217495					Door, access to gear box, group (Mod. 425)	1	—	B.	JB.1
	D.217495/3					Hinge	1	DTD.166		
965	KAC. C.3099					Toggle, housing	2	—	C.	JB.5
6215	D.200562					Door, access to gear box, group (Pre Mod. 425)	1	—	B.	
6667	D.200562/3					Hinge	1	DTD.166	C.	
965	KAC. C.3099					Toggle, housing	2	—	C.	JB.5
10452	D.235373					Door, access to engine starter with slot aerial,	1	—	A.	
						group (Mod. 857)	1	—	A.	JB.5
9359	D.221697					Door, access to engine starter with slot aerial,	1	—	A.	
						group (Pre Mod. 857)	1	—	A.	
10H/113616	—					Adaptor, bulkhead	—	—	C.	
4844	F.203030					Angle, for spring clip	1	LA	C.	JB.5
	F.201721					Channel	1	L.72		
5720	Std.842/11					Clip, cable	4	S.3	MR/C	4
10HB/1205	—					Connector, aerial	1	—	B.	
981	A.188500					Hinge	1	DTD.166 or S.521	C.	JB.5
5854	C.202812					Insulator, aerial	1	DTD.5518	C.	JB.5
9361	B.222421					Lid, aerial box	1	—	C.	JB.5
4599	A.201719					Stay, support	1	L.72	C.	JB.5
5853	F.202811					Strap, aerial	1	DTD.5518	C.	JB.5
980	A.188515					Strip, aerial	1	L.16	C.	JB.5
965	King C.3099					Toggle, housing	2	—	C.	JB.5
28FP/9424333	Oddie No. 219					Washer	2	—	C.	
6670	D.201293					Door, access to gearbox turret, group	1	DTD.610	A.	JB.1
7582	B.201297					Duct, cooling	3	DTD.213	MR/C	JB.5
966	A.188142					Hinge	1	DTD.166 or S.521	C.	JB.5
	F.201299					Plate, support	3	DTD.610		
965	King C.3099					Toggle, housing	2	—	C.	JB.5
6671	B.200546					Panel, access to cold air unit	2	—	C.	JB.1
6672	B.201114					Panel, access to gearbox drive	1	L.72	C.	JB.1
6673	B.201332					Panel, access to air supply	2	L.72	C.	JB.1
10530	C.225205					Panel, access to fuel pump (Mod. 538)	1	DTD.610	B.	JB.1
9896	C.233394					Panel, access to fuel system, group (Mod. 794)	1	L.72	B.	JB.1
4448	F.199061					Cover, for pitot drain valve	2	—	MR/C	JB.1
6674	A.205589					Panel, access to R.P.M. adjustment and fuel pump	1	L.72	C.	JB.5
						governor bleed	1	—		
6675	A.201229					Panel, access to slow running adjustment	1	DTD.610	C.	JB.1
8185	A.216185					Panel, access to fuel filter cover	1	L.72	C.	JB.5
6677	B.200823					Panel, access to front engine mounting	2	L.72	C.	JB.1
969	B.179779					Panel, access to fuel vent connections	2	DTD.610	C.	JB.1
970	B.179777					Panel, access to fuel level switches	2	DTD.610	C.	JB.1
6678	B.200462					Panel, access to gearbox filler	1	L.72	C.	JB.1
6679	B.201069					Panel, access to hydraulic reservoir, group	1	—	C.	JB.5
28FP/617	Dzus EF5/45B					Fastener	3	—	C.	
6680	A.200259					Panel, access to igniter plug	2	DTD.610	C.	JB.1
6681	A.201707					Panel, access to liquid starter filler, group	1	L.72	C.	JB.1
28FP/617	Dzus EF5/45B					Fastener	1	—	C.	
6682	A.203667					Panel, access to oil level sighting, group	1	L.72	C.	JB.5
28FP/617	Dzus EF5/45B					Fastener	1	—	C.	

RESTRICTED

RESTRICTED

Page JB.4

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6683	A.201362					Panel, access to starter equipment	2	L.72	C.	JB.1
10450	E.235376					Panel, access to engine, group (Mod. 857)	1	—	A.	
9357	E.221698*					Panel, access to engine, group (Pre Mod. 857)	1	—	A.	JB.5
10H/113616	—					Adaptor, bulkhead	1	—	C.	
10712	F.219432					Clamp, cable, group	1	—	C.	
	F.219447					Block, clamp	2	LFS.21		
	F.219433					Stud, anchor	1	—		
28E/10031	Terry 80X/2					Clip, for hand stowage	2	—	C.	
5720	Std.842/11					Clip, cable (Make from 30A/549)	3	S.3	MR/C	4
10HB/1096	—					Connector, aerial	1	—	B.	
984	B.188540					Hook, securing panel to fuselage	2	Stamping	C.	JB.5
5854	C.202812					Insulator, aerial	1	DTD.5518	C.	JB.5
9362	B.222506					Lid, for aerial box	1	DTD.610	C.	JB.5
4737	F.197737					Plate, retaining "Terry" clips	2	DTD.610	C.	JB.5
5853	F.202811					Strap, aerial	1	DTD.5518	C.	JB.5
980	A.188515					Strip, aerial	1	L.16	C.	JB.5
965	King C.3099					Toggle, housing	2	—	C.	JB.5
4026	Std.1507/23/080					Tube, distance, 5/16" o/d x 17 S.W.G. x 0.8" long (Make from 30A/975)	4	T.26	MR/C	4
4027	Std.1507/23/060					Tube, distance, 5/16" o/d x 17 S.W.G. x 0.6" long (Make from 30A/975)	2	T.26	MR/C	4
5269	Fairey FS.553*					Ring, retaining screws	48	—	C.	
28R/17665	AS.4573/1					Ring, retaining screws	48	—	C.	
	D.184913					SPINE, SUB-ASSEMBLY	—	—		
2434	C.184973					Landing, forward, port	1	DTD.610	C.	JB.2
2435	C.184974					Landing, forward, starboard	1	DTD.610	C.	JB.2
10623	C.225951					Landing, centre, port	1	DTD.610	C.	JB.2
7278	C.201507					Landing, centre, starboard	1	DTD.610	MR/C	JB.2
2438	B.184977					Landing, rear, port, group	1	DTD.610	MR/C	JB.2
2439	B.184978					Landing, rear, starboard, group	1	DTD.610	MR/C	JB.2
28FP/341	Dzus EFS5/325					Spring	3	—	C.	
1754	B.193293					Panel, access, for flying controls	1	DTD.610	C.	JB.1
5269	Fairey FS.553*					Ring, retaining screw	2	—	C.	
28R/17665	AS4573/1					Ring, retaining screw	2	—	C.	
10277	D.226452					Spine, forward portion	1	DTD.610	B.	JB.1
6196	C.211693					Spine, 1st intermediate	1	DTD.610	B.	JB.1
6197	C.211694					Spine, 2nd intermediate	1	DTD.610	B.	JB.1
7845‡	C.213452					Spine, 3rd intermediate portion, group	1	DTD.610	B.	JB.1
						(0-10" trimming allowance)				
28FP/617	Dzus EF5/45B					Fastener	12	—	C.	
7279	C.200827					Diaphragm, sealing, port, between frames 29 and 30, ... at lower portion of fuselage	1	DTD.610	MR/C	JB.6
7280	C.200828					Diaphragm, sealing, starboard, between frames 29 and ... 30, at lower portion of fuselage	1	DTD.610	MR/C	JB.6
	C.188170					DUCTS, FOR ENGINE CONTROLS, ASSEMBLY	—	—		
3741	Std.840/20					Clip, securing, 7/16" wide x 22 S.W.G. x 2" long	21	DTD.610	C.	4
2440	C.188170/1					Duct, forward, 1/2" o/d x 22 S.W.G. x 31.8" long	3	T.4	MR/C	JB.3
2441	C.118170/2					Duct, centre, 1/2" o/d x 22 S.W.G. x 6" long	3	T.4	MR/C	
2442	C.188170/3					Duct, aft, 1/2" o/d x 22 S.W.G. x 12" long	3	T.4	MR/C	

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

Page JB.5

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.202624	DUCTS, SERVICE, BETWEEN FRAMES 38-40A,					—	—		
		ASSEMBLY								
7281	A.204845	Duct, for electrical cables, port					1	T.26	MR/C	JB.3
7282	A.204846	Duct, for electrical cables, starboard					1	T.26	MR/C	JB.3
7283	A.202625	Duct, for electrical cables					4	T.26	MR/C	JB.4
7284	B.203191	Duct, for fuel pipes					2	T.26	MR/C	JB.4
7285	B.202626	Socket, attachment, port, for fuel pipe duct					1	S.3 & T.26	MR/C	JB.4
7286	B.202627	Socket, attachment, starboard, for fuel pipe duct					1	S.3 & T.26	MR/C	JB.4
	B.195155-6	DUCT, FOR FUEL LEVEL SWITCH CABLE,					—	—		
		ASSEMBLY								
	F.195157	Duct					2	T.9		
	B.203819	DUCTS, SEALING, FOR FUEL PIPES BETWEEN					—	—		
		FRAMES 29 AND FRAME 30, ASSEMBLY								
7287	A.203081	Duct					1	T.4	MR/C	JB.6
7288	A.203082	Duct					3	T.4	MR/C	JB.6
	B.248996	Frame, 18B, top portion (Mod. 1014)					1	DTD.364		
2443	D.176275	Frame, 18B, lower portion, port					1	DTD.364	C.	JB.3
2444	D.176276	Frame, 18B, lower portion, starboard					1	DTD.364	C.	JB.3
	E.179358	Frame, 19, nose spar, group					1	—		
2446	A.181165	Angle, support, at bottom diaphragm, port					1	DTD.610	MR/C	JB.7
2445	A.181166	Angle, support, at bottom diaphragm, starboard					1	DTD.610	MR/C	JB.7
7289	A.202682	Angle, support, for junction box mounting					1	L.72	MR/C	JB.7
	A.181153	Angle, bottom, for skin attachment, port					1	DTD.610		
	A.181154	Angle, bottom, for skin attachment, starboard					1	DTD.610		
4694	A.195545	Angle, support, at bottom diaphragm					1	DTD.610	MR/C	JB.7
	B.181157	Angle, front, at bottom boom attachment, port					1	DTD.610		
	B.181158	Angle, front, at bottom attachment,					1	DTD.610		
		starboard								
2447	C.181163	Angle, lower, for tank skin attachment, port					1	DTD.610	MR/C	JB.7
2448	C.181164	Angle, lower, for tank skin attachment, starboard					1	DTD.610	MR/C	JB.7
2449	F.182169	Angle, for stringer attachment, port					3	DTD.610	MR/C	JB.7
2450	F.182170	Angle, for stringer attachment, starboard					3	DTD.610	MR/C	JB.7
4695	F.197436	Angle, bracket, securing gun heating pipe					1	DTD.610	MR/C	JB.7
2451	F.182166	Bolt, at bottom boom joint					10	S.2	MR/C	JB.3
2452	F.187392	Bracket, at bottom diaphragm					1	DTD.610	MR/C	JB.3
2453	F.187393	Bracket, at bottom diaphragm					1	DTD.610	MR/C	JB.3
2454	F.187395	Bracket, at bottom stiffener					1	DTD.610	MR/C	JB.3
2455	F.187397	Bracket, at bottom diaphragm					1	DTD.610	MR/C	JB.3
	F.226076	Bracket, for switch (Mod. 794)					1	L.72		
2456	F.187396	Channel, at bottom stiffener					1	DTD.610	MR/C	
2457	A.181119	Channel, at bottom diaphragm					1	DTD.610	MR/C	JB.7
2459	A.181145	Channel, reinforcing, bottom, port					1	DTD.610	MR/C	JB.7
2460	A.181146	Channel, reinforcing, bottom, starboard					1	DTD.610	MR/C	JB.7
2461	B.181112	Channel, cross, at bottom diaphragm					1	DTD.610	MR/C	JB.7
2462	A.181120	Channel, at bottom diaphragm					1	DTD.610	MR/C	JB.7
2463	B.181115	Channel, lower, inner, port					1	DTD.610	MR/C	JB.7
2464	B.181116	Channel, lower, inner, starboard					1	DTD.610	MR/C	JB.7
2458	A.181121	Channel, lower, outer					2	DTD.610	MR/C	JB.7
8230	D.216907	Diaphragm, bottom, front					1	DTD.610	MR/C	JB.7
2467	D.181102	Diaphragm, bottom, rear					1	DTD.610	MR/C	JB.7

RESTRICTED

RESTRICTED

Page JB.6

Hunter F.G.A. Mk.9
Issued with A/L No. 11

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2468	A.224939					Extractor, air	1	—		
	B.181141					Finisher, bottom, at tank door landing, port	1	DTD.364		
	B.181142					Finisher, bottom, at tank door landing, starboard	1	DTD.364		
	B.181167					Landing, for fuel pump access door	1	DTD.610	MR/C	JB.7
	B.181133					Landing, bottom, for tank door	2	DTD.364		
	C.181123					Plate, reinforcing, front, at lower boom joint, port	1	DTD.166		
	C.181124					Plate, reinforcing, front, at lower boom joint, starboard	1	DTD.166		
	C.181125					Plate, reinforcing, rear, at lower boom joint, port	1	DTD.166		
	C.181126					Plate, reinforcing, rear, at lower boom joint, starboard	1	DTD.166		
2469	B.181106					Stiffener, bottom	1	DTD.610	MR/C	JB.7
	C.181198					Spigot, fitting, port (Pre-Mod. 1327)	1	Stamping		
	C.181199					Spigot, fitting, starboard (Pre-Mod. 1327)	1	Stamping		
	6098224 C.289511					Spigot, fitting, port (Mod. 1327)	1	Stamping	C.	
	6098225 C.289512					Spigot, fitting, starboard (Mod. 1327)	1	Stamping	C.	
	2473 B.181160					Strap, at bottom diaphragm	2	DTD.610	MR/C	JB.7
	2471 A.182167					Strip, fairing, at bottom boom attachment, port	1	DTD.364	MR/C	JB.7
	2472 A.182168					Strip, fairing, at bottom boom attachment, starboard	1	DTD.364	MR/C	JB.7
2470	F.178982					Stud, for fairlead	4	S.1 & S.3	MR/C	JB.7
	Std.1509/24/098					Tube, distance, 3/8" x 17 S.W.G. x .98" long	2	T.4		4
	Std.1509/24/104					Tube, distance, 3/8" x 17 S.W.G. x 1.04" long	1	T.4		4
	Std.1549/28/10					Washer, packing	2	DTD.610		4
	D.178147					Frame 20, group	1	—		
	A.177464					Angle, port	2	DTD.364		
	A.177465					Angle, starboard	2	DTD.364		
	2474 F.177466					Block, distance	2	L.F.S.	MR/C	JB.7
	2475 D.178147/4					Bottom portion	1	DTD.610	MR/C	JB.7
2476	D.178147/5					Bottom portion	1	DTD.610	MR/C	JB.7
	2477 D.178147/6					Channel	2	DTD.610	MR/C	JB.7
	2478 D.178147/7					Plate, doubling	2	DTD.610	MR/C	JB.7
7290	C.204274					Frame 21, group	1	—	MR/B	JB.7
	2479 D.177457/4					Angle, port	1	DTD.610	MR/C	JB.7
	2480 D.177457/5					Angle, starboard	1	DTD.610	MR/C	JB.7
	2481 D.177457/7					Angle, bottom (Supplied as D.177457/6 for Spares)	1	DTD.610	MR/C	JB.7
	2482 D.177457/8					Angle	2	DTD.610	MR/C	JB.7
	F.179022					Angle, forward, starboard	1	DTD.610		
	F.179023					Angle, forward, port	1	DTD.610		
	F.179024					Angle, aft	2	DTD.610		
	F.194337					Angle, support	1	DTD.610		
	F.181825					Angle, support, at bottom centre of frame	1	DTD.610		
7291	D.203391					Bracket, mounting, for flow proportioner	1	L.72	MR/C	
	2484 D.177457/2					Diaphragm, bottom, port	1	DTD.610	MR/C	JB.7
	2485 D.177457/3					Diaphragm, bottom, starboard	1	DTD.610	MR/C	JB.7
	4696 C.186837					Plate, reinforcing	1	DTD.610	MR/C	JB.7
	2486 B.178914					Stiffener, front	1	DTD.610	MR/C	JB.7
	2487 B.178915					Stiffener, rear	1	DTD.610	MR/C	JB.7

RESTRICTED

Page JB.7

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.199350	Frame 22 group					1	—		
4699	F.195550	Angle, for attaching hydraulic pipes					1	DTD.610	MR/C	JB.7
7292	F.203390	Bracket, mounting, for fuel flow proportioner					1	L.72	MR/C	JB.7
4901	B.177902	Channel					2	DTD.610	MR/C	JB.7
7293	E.199350/1	Diaphragm, bottom portion					1	DTD.610	MR/C	JB.7
11420	B.213359	Fitting, for bridge piece					1	S.96	C.	
11419	B.212948	Piece, bridge, front					1	DTD.166	C.	
11418	B.212949	Piece, bridge, rear					1	DTD.166	C.	
2489	A.178505	Piece, distance					2	LFS	MR/C	JB.7
	F.199348	Piece, reinforcing, outboard					1	DTD.166		
	F.199349	Piece, reinforcing, inboard					1	DTD.166		
7294	C.199351	Plate, reinforcing					1	DTD.610	MR/C	JB.7
	C.204275	Frame 23 group					1	—		
4700	F.195241	Angle, for attaching hydraulic pipes					1	DTD.610	MR/C	JB.7
7295	F.203388	Bracket, at lower portion of frame					1	L.65.C	MR/C	
7296	F.214242	Bracket, at lower portion of frame					1	L.72	MR/C	JB.7
2491	B.177903	Channel					2	DTD.610	MR/C	JB.7
	C.204275/1	Diaphragm, bottom portion					1	DTD.610		JB.7
		(Identical with 26FX/2492, E.177459/4)								
2493	A.178546	Piece, distance					2	LFS	MR/C	JB.7
7297	B.211291	Plate, reinforcing					1	L.72	MR/C	JB.7
	E.177460	Frame 24 group					1	—		
2495	E.177460/4	Diaphragm, bottom portion, port					1	DTD.610	MR/C	JB.7
2496	E.177460/5	Diaphragm, bottom portion, starboard					1	DTD.610	MR/C	JB.7
	D.201499	Frame 25, main spar, group					1	—		
2497	D.177970	Angle, for tank support skin, port					1	DTD.610	MR/C	JB.8
2498	D.177971	Angle, for tank support skin, starboard					1	DTD.610	MR/C	JB.8
	D.177968	Angle, for tank support skin, port					1	DTD.610		
	D.177969	Angle, for tank support skin, starboard					1	DTD.610		
2499	D.177961	Angle, bottom, for tank support skin					1	DTD.610	MR/C	JB.8
2500	D.177959	Angle, centre, for tank support skin, port					1	DTD.610	MR/C	JB.8
7298	B.203168	Angle, at bottom portion of frame					1	DTD.610	MR/C	JB.8
2501	D.177960	Angle, centre, for tank support skin, starboard					1	DTD.610	MR/C	JB.8
4703	F.195554	Angle, at bottom portion of frame					1	DTD.610	MR/C	
7299	F.202234	Angle, mounting, for starter tank					1	DTD.364	MR/C	JB.8
2502	D.177182	Boom, bottom, front					1	DTD.364	MR/C	JB.8
2503	D.177188	Boom, bottom, rear					1	DTD.364	MR/C	JB.8
7300	Std.1551/8/310	Bolt, fork fitting					8	S.99.B	MR/C	5
3826	Std.1551/8/315	Bolt, fork fitting					4	S.99.B	MR/C	5
3842	Std.1639/7N	Bolt, for fork fitting					8	S.2 or S.11	MR/C	5
6684	A.206824	Bracket, mounting, for solenoid switch, starboard only					1	L.72	C.	JB.8
7301	F.203167	Bracket, attachment, on lower portion of frame					1	L.72	MR/C	
5723	F.177893	Bracket, for attaching stringers					4	DTD.610	MR/C	JB.8
5724	F.177894	Bracket, for attaching stringers					4	DTD.610	MR/C	JB.8
2504	A.177433	Channel, centre, at lower portion of frame					2	DTD.610	MR/C	JB.8
4704	F.193326	Channel, mounting, for JB.1					1	DTD.610	MR/C	JB.8
2505	A.177432	Channel, outer, at lower portion of frame					2	DTD.610	MR/C	JB.8
4705	F.193327	Channel, mounting, for JB.1					1	DTD.610	MR/C	JB.8
2506	A.177434	Channel, inner, at lower portion of frame					1	DTD.610	MR/C	JB.8
2507	B.177191	Channel, at bottom centre of frame					2	DTD.610	MR/C	JB.8

RESTRICTED

RESTRICTED

Page JB.8

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8E/10027	Terry 80/000					Clip, for cable	1	—	C.	
28E/10031	Terry 80X/2					Clip, for cable	3	—	C.	
28E/10036	Terry 80/4					Clip, for cable	2	—	C.	
28E/10037	Terry 80/5					Clip, for cable	1	—	C.	
	C.202974					Crate, mounting, for fire extinguisher	1	L.72 and 1/16" Felt		
	D.177178					Fork, fitting, top port, bottom starboard	2	Stamping		
	D.177179					Fork, fitting, top starboard, bottom port	2	Stamping		
	E.177177					Member, cross, for hinge fitting attachment	2	Stamping		
7302	Std.1718/8					Nut, for fork fitting	12	S.1	MR/C	5
4706	F.193436					Packing, at mounting channel, for JB.1	1	DTD.610	MR/C	
	A.177710					Piece, packing, at lower portion of frame	2	DTD.610		
4437	B.198018					Plate, reinforcing, at bottom rear of frame	2	DTD.610	MR/C	JB.8
4033	B.177184					Plate, reinforcing, at bottom forward of frame, starboard	1	DTD.546	MR/C	JB.8
						Plate, reinforcing, at bottom forward of frame, port	1	DTD.546	MR/C	JB.8
2509	B.177185					Plate, retaining, for cable clip	1	L.72		
	F.197529					Plate, retaining, for cable clip	3	L.72		
	F.197530					Plate, retaining, for cable clip	6	L.72		
	F.200190					Saddle	1	—	C.	5
4211	Std.1687/2					Web, forward	1	DTD.610	MR/C	JB.8
2510	D.177180					Web, rear	1	DTD.610	MR/C	JB.8
7303	D.203045					Frame 26, group	1	—		
	D.200376					Angle, support, at port side of bottom diaphragm	1	L.72	MR/C	
7304	F.209994					Angle, at bottom diaphragm	1	DTD.610	MR/C	JB.8
2512	B.178772					Angle, for air intake, port	1	DTD.610		
	C.200383					Angle, for air intake, starboard	1	DTD.610		
	C.200384					Bracket, support, for cable, port side of bottom diaphragm	1	L.72	MR/C	JB.8
7305	F.207221					Diaphragm, bottom	1	DTD.610	MR/C	JB.8
7306	D.200376/2					Plate, reinforcing, at bottom diaphragm, port	1	L.72	MR/C	
7307	F.210693					Spool (Mod. 459)	6	S.1		
	F.214323					Stiffener, at bottom diaphragm, port	1	DTD.610	MR/C	JB.8
7308	B.200377					Stiffener, at bottom diaphragm, starboard	1	DTD.610	MR/C	JB.8
7309	B.200378					Frame 27, group	1	—		
	E.200196					Angle, stiffening, at frame centre piece	1	DTD.610		
	E.200196/10					Angle, stiffening, at frame centre piece	1	DTD.610		
	E.200196/11					Angle, stiffening, at bottom portion of frame	1	DTD.166	MR/C	JB.8
7310	E.200196/12					Angle, for hydraulic pipes	1	DTD.610		
	F.193853					Angle, for hydraulic pipes	1	L.72		
	F.201346					Block, mounting, for nut plate, at top of frame	2	L.65.C	MR/C	
7499	F.201606					Catch, at bottom portion of frame	1	L.72	MR/C	
7311	F.209301					Diaphragm, bottom	1	L.72	MR/C	JB.8
7312	E.200196/4					Diaphragm, centre	1	L.72	MR/C	JB.8
7500	E.200196/5					Packing, for anchor nuts at bottom portion of frame	2	L.72	MR/C	
7313	F.202660					Plate, nut, at top of frame	1	S.3	MR/C	
7498	F.209344					Ring, air intake, port	1	L.72	MR/C	JB.8
7501	E.200196/6					Ring, air intake, starboard	1	L.72	MR/C	JB.8
7502	E.200196/7					Ring, retaining, for sealing at centre piece	1	L.72	MR/C	
7503	A.202588					Sealing, at centre piece for engine starter	1	Linatex	C.	JB.8
6685	A.202586									

RESTRICTED

RESTRICTED

Page JB.9

Hunter F.G.A. Mk. 9
Issued with A/L No. 9

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
12794	D.200085	Frame 29, front portion, group					1	—	B.	
	D.200086	Frame 29, rear portion, group					1	—		
7314	D.200086/7	Angle, port, at bottom portion of frame					1	DTD.610	MR/C	
7315	D.200086/8	Angle, starboard, at bottom portion of frame					1	DTD.610	MR/C	JB.8
7316	D.200086/11	Angle, at bottom of frame					1	DTD.610	MR/C	JB.8
7317	D.200085/2	Diaphragm, bottom portion, port					1	DTD.610	MR/C	
7318	D.200085/3	Diaphragm, bottom portion, starboard					1	DTD.610	MR/C	JB.8
7319	D.200086/6	Diaphragm, bottom portion					1	DTD.610		
	E.200087	Frame 30, group					1	—		
7320	A.200714	Angle, support, at bottom portion of frame					1	DTD.610	MR/C	
7321	A.200715	Angle, support, at bottom portion of frame					1	DTD.610	MR/C	JB.8
7322	A.200558	Bracket, channel, at bottom portion of frame					1	DTD.166	MR/C	
7323	A.200559	Bracket, channel, at bottom portion of frame					1	DTD.610	MR/C	JB.8
7324	A.200560	Bracket, channel, at bottom portion of frame					1	DTD.610	MR/C	
7325	A.202034	Bracket, top, for low pressure cock at bottom portion of frame					1	DTD.610	MR/C	
7326	A.202035	Bracket, bottom, for low pressure cock at bottom portion of frame					1	DTD.610	MR/C	
7327	A.202454	Bracket, mounting, for hydraulic filter					1	DTD.610	MR/C	
	E.200087/7	Diaphragm, bottom					1	DTD.610		JB.8
6049	F.197018	Mounting, for terminal block					1	DTD.610	MR/C	
7329	F.200553	Packing, at bottom portion of frame					3	DTD.364	MR/C	
7330	F.200554	Packing, at bottom portion of frame					1	DTD.364	MR/C	
7331	F.200556	Packing, at bottom portion of frame					1	DTD.364	MR/C	
7332	F.200557	Packing, at bottom portion of frame					1	DTD.364	MR/C	
7333	A.203086	Ring, reinforcing, at bottom portion of frame					1	L.72	MR/C	
4211	Std.1687/2	Saddle, at bottom portion of frame					1	DTD.610	C.	5
7334	B.200551	Stiffener, port side, at bottom portion of frame					1	DTD.610	MR/C	
7335	B.200552	Stiffener, starboard side, at bottom portion of frame					1	DTD.610	MR/C	
3802	Std.1509/23/085	Tube, distance, at stiffener for hydraulic filter mounting bracket					1	T.4	MR/C	4
	D.200847	Frame 31, group					1	—		
4710	F.177681	Angle					2	DTD.610	C.	JB.8
7336	D.200847/2	Diaphragm, bottom, port					1	L.72	MR/C	JB.8
7337	D.200847/3	Diaphragm, bottom, starboard					1	L.72	MR/C	JB.8
7338	D.200847/4	Stiffener, bottom, port					1	DTD.610	MR/C	
7339	D.200847/5	Stiffener, bottom, starboard					1	DTD.610	MR/C	
	E.200089	Frame 32, rear spar, group					1	—		
9817	F.226691	Angle, bulboard					1	S.3	C.	
9829	F.226692	Angle, inboard					1	S.3	C.	
	F.193853	Angle, at lower portion of frame					1	DTD.610		
3827	Std.1551/7/265	Bolt, at top fork fitting					2	S.99.B	MR/C	5
3830	Std.1551/7/260	Bolt, at top and bottom fork fittings					4	S.99.B	MR/C	5
3831	Std.1551/7/205	Bolt, at top and bottom fork fittings					8	S.99.B	MR/C	5
2547	F.180826	Bolt, special, at bottom fork fittings					2	S.99.B	MR/C	JB.8
2548	B.178955	Boom, forward, bottom outer					1	DTD.364	MR/C	JB.8
2549	B.178956	Boom, rear bottom, outer					1	DTD.364	MR/C	JB.8
2550	D.178943	Boom, rear outer, port					1	DTD.364	MR/C	JB.8
2551	D.178944	Boom, rear outer, starboard					1	DTD.364	MR/C	JB.8
2552	D.178945	Boom, forward, outer, port					1	DTD.364	MR/C	JB.8
2553	D.178946	Boom, forward, outer, starboard					1	DTD.364	MR/C	JB.8
	C.200139	Boom, forward, inner, port					1	DTD.364		
	C.200140	Boom, rear inner, port					1	DTD.364		
	C.200141	Boom, forward, inner, starboard					1	DTD.364		
	C.200142	Boom, rear inner, starboard					1	DTD.364		

RESTRICTED

RESTRICTED

Page JB.10

Hunter F.G.A. Mk. 9
Issued with A/L No. 13

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.201363					BRACKET, FOR HYDRAULIC HAND PUMP,	—	—		
						ASSEMBLY				
7340	C.201354					Bracket	1	L.72	MR/C	
	A.212233					Bracket (Mod. 384)	1	L.72		
7342	C.201356					Plate, stiffener, bottom	1	L.72	MR/C	JB.8
7343	C.201355					Plate, stiffener, top	1	L.72	MR/C	JB.8
	Std.1509/23/182					Tube, distance, 5/16" o/d. x 17 S.W.G. x 1.82" . .	4	T.4		4
						long				
26AQ/1441	Std.1547/40/12					Washer, profile	2	DTD.610	MR/C	4
7345	Std.1547/40/8					Washer, profile	1	DTD.610	MR/C	4
	Std.1547/34/16					Washer, profile	1	DTD.610		4
7346	A.200350					Channel, at lower portion of frame	1	L.72	MR/C	JB.8
7347	A.204955					Channel, at lower portion of frame, port	1	L.72	MR/C	JB.8
7348	A.200344					Channel, at lower portion of frame, starboard	1	L.72	MR/C	JB.8
7349	A.200345					Channel, at lower portion of frame	1	L.72	MR/C	JB.8
7350	A.200352					Channel, at lower portion of frame	1	DTD.610	MR/C	JB.8
2559	A.179990					Channel, at lower portion of frame	1	L.72	MR/C	JB.8
7351	A.200348					Channel, at lower portion of frame	1	DTD.610	MR/C	JB.8
2561	A.179991					Channel, at lower portion of frame	1	DTD.364	MR/C	JB.8
7352	B.208152					Channel, bottom, inner	1	L.72	MR/C	JB.8
7353	A.200347					Channel, below bottom fork fitting	2	L.72	MR/C	JB.8
7354	A.200354					Channel, for gear box mounting	1	L.72	MR/C	JB.8
7355	A.200351					Channel, for gear box mounting	1	S.3	MR/C	JB.8
7356	A.200353					Channel, for gear box mounting	1	L.72	MR/C	JB.8
	C.180497					Fork fitting, lower, port	1	Stamping		
	C.180498					Fork fitting, lower, starboard	1	Stamping		
	C.180495					Fork fitting, top, port	1	Stamping		
	C.180496					Fork fitting, top, starboard	1	Stamping		
7357	Std.1718/7					Nut, at fork fitting	16	S.95.B	MR/C	5
2566	F.180092					Packing, at bottom joint plates, port only	2	DTD.610	MR/C	JB.8
	Std.1549/28/12					Packing, radius, at outboard angle	1	—		4
	F.226701					Packing, at outboard angle	1	L.65.B		
	F.196907					Piece, distance, between front and rear face, at lower portion of frame	4	S.3 & T.26		
2567	A.178971					Plate, joint, at lower portion of frame, port	2	DTD.166	MR/C	JB.8
2568	A.178972					Plate, joint, at lower portion of frame, starboard	2	DTD.166	MR/C	JB.8
2569	A.178973					Plate, joint, at lower portion of frame	4	DTD.166	MR/C	
7358	C.203331					Plate, reinforcing, bottom, forward	1	DTD.166	MR/C	JB.8
7359	C.203332					Plate, reinforcing, bottom, aft	1	DTD.166	MR/C	JB.8
7360	A.200096					Plate, reinforcing, at lower portion of frame	2	L.72	MR/C	JB.8
	C.227266					PLATE, REINFORCING FOR GEARBOX DRIVE,	—	—		
						LOWER ATTACHMENT, ASSEMBLY				
	F.226909					Piece, distance	4	—		
	B.226906					Plate, reinforcing, forward	1	S.520		
	B.226907					Plate, reinforcing aft	1	S.520		
7361	B.200386					Plate, reinforcing lower	1	L.73	MR/C	JB.8
9899	F.226694					Shim, at outboard angle bracket	2	Brass or Alum.	C.	
9900	F.226695					Shim, at inboard angle bracket	2	Brass or Alum.	C.	
	A.200874					Spool, for aileron control	2	Stamping		
	Std.1509/25/152					Tube, distance	1	—		
	Std.1208/100/44/20					Washer, shim, at fork fitting	QR	Shim Steel		4
	Std.1208/112/44/20					Washer, shim, at fork fitting	QR	Shim Steel		4
7362	Std.1208/60/16/5					Washer, shim, for gear box steady bracket	QR	Steel	MR/C	4
7363	D.201002					Web, forward, port	1	L.73	MR/C	JB.8
7364	D.201003					Web, forward, starboard	1	L.73	MR/C	JB.8
7365	D.201007					Web, rear, port	1	L.73	MR/C	JB.8
7366	D.201008					Web, rear, starboard	1	L.73	MR/C	JB.8

RESTRICTED

RESTRICTED

Page JB.11

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
							1	—		
	D.200055					Frame 33, group	2	DTD.610	MR/C	JB.9
4874	F.195549					Angle, supporting hydraulic pipe clipping	1	L.72	C.	JB.9
7369	D.200055/2					Diaphragm, port	1	L.72	MR/C	JB.9
7370	D.200055/3					Diaphragm, starboard	1	L.72	MR/C	
7371	B.201060					Plate, reinforcing	2	L.72	C.	JB.9
7367	F.205740					Plate, reinforcing	1	—		
						Frame 34, group	1	L.72	MR/C	JB.9
7372	F.203956					Angle, mounting, at bottom portion of frame	2	DTD.610	MR/C	JB.9
4874	F.195549					Angle, supporting hydraulic pipe clipping	1	L.72	MR/C	JB.9
						Bracket, mounting, for pressure switch	9	L.72	MR/C	JB.9
7374	A.209855					Bracket, support, for fire extinguisher spray tube	1	DTD.610	MR/C	
7375	F.204071					Bracket, attachment, port side only	2	DTD.546	MR/C	JB.9
7376	F.200765					Butt-strap, outer	2	DTD.546	MR/C	
2582	A.177104					Butt-strap	—	—		
2581	A.177105									
	A.203462-3					CHANNEL, BEARING AND ANGLES, FOR FORWARD ENGINE MOUNTING, SUB-ASSEMBLY				
						Angle, bearing, inboard, port	1	DTD.166	MR/C	JB.6
7504	A.203468					Angle, bearing, inboard, starboard	1	DTD.166	MR/C	JB.6
7505	A.203469					Angle, bearing, outboard, port	1	DTD.166	MR/C	JB.6
7506	A.203466					Angle, bearing, outboard, starboard	1	DTD.166	MR/C	JB.6
7507	A.203467					Channel, bearing, port	1	DTD.166	MR/C	JB.6
7508	B.203464					Channel, bearing, starboard	1	DTD.166	MR/C	JB.6
7509	B.203465									
						Channel, bottom	1	DTD.364	C.	JB.8
7378	D.200098/7					Diaphragm, forward, port	1	L.72	MR/C	JB.9
7379	D.200098/1					Diaphragm, forward, starboard	1	L.72	MR/C	JB.9
7380	D.200098/2					Diaphragm, aft, port	1	L.72	MR/C	JB.9
7381	D.200098/3					Diaphragm, aft, starboard	1	S.3	MR/C	
7382	D.200098/4					Guide, for adjusting bolt	1	DTD.364	MR/C	JB.9
7383	A.201738					Indicator, levelling, for engine jury rail	2	DTD.610	MR/C	JB.9
7384	F.202092					Plate, joint, at bottom frame joint	12	DTD.610	C.	5
2596	A.177100					Saddle, securing electrical cables	1	S.1	MR/C	JB.9
4211	Std.1687/2					Support, for engine rail	4	T.4	—	4
7385	A.200221					Tube, distance, 5/16" o/d. x 17 S.W.G. x 0.84" long (Make from 30B/556)	1	T.4	MR/C	4
—	Std.1509/23/084					Tube, distance, 5/16" o/d. x 17 S.W.G. x 1.12" long (Make from 30B/556)	3	DTD.610	MR/C	4
4035	Std.1509/23/112					Washer, at support plate	1	—		
7386	Std.915/A/16									
						Frame 35, group	1	L.72	MR/C	
	D.221336					Angle, reinforcing, port	1	L.72	MR/C	
7510	A.203258					Angle, reinforcing, starboard	1	L.72	MR/C	
7511	A.203259					Angle, attachment, port only	1	L.72	MR/C	
7512	F.207778					Angle, attachment, port only	1	S.3	MR/C	JB.9
	F.207779					Bracket, support, for pipe at top of frame	1	DTD.610	—	JB.9
7513	A.205304					Diaphragm, side, port (Use 26FX/7514)	1	DTD.610	—	JB.9
—	D.221336/2					Diaphragm, side, starboard	1	DTD.610	—	JB.9
—	D.221336/3					Diaphragm, bottom, forward (Use 26FX/7387)	1	DTD.610	—	JB.9
—	D.221336/4					Diaphragm, bottom, aft (Use 26FX/7388)	1	L.72		
—	D.221336/5					Plate, reinforcing				
—	C.221337									

RESTRICTED

RESTRICTED

Page JB.12

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	D.202599	Frame 36, group	1	—		
7389	D.202599/4	Bottom portion of frame, port	1	DTD.610	MR/C	JB.9
7390	D.202599/5	Bottom portion of frame, starboard	1	DTD.610	MR/C	JB.9
7391	F.204793	Bracket, support, for pipe	1	S.3	MR/C	JB.9
	F.196984	Bracket, for clip attachment	1	—		
4211	Std.1687/2	Saddle, securing electrical cables	3	DTD.610	C.	5
	D.200102	Frame 37, group	1	—		
	F.171766	Angle, support, bottom, starboard	1	DTD.610		
	F.171767	Angle, support, bottom, port	1	DTD.610		
	F.196985	Angle, support, for pipe clip	2	—		
7392	A.204794	Bracket, support, for fuel pipe	1	S.3	MR/C	JB.9
7393	D.200102/3	Diaphragm, bottom	1	DTD.610	MR/C	JB.9
7394	C.200337	Plate, reinforcing, at bottom of frame	1	DTD.166	MR/C	JB.9
4211	Std.1687/2	Saddle, securing cables	1	DTD.610	C.	5
	F.197056	Saddle, special, for cable clip	1	DTD.610		
	D.203011	Frame 38, group	1	—		
7395	D.203011/5	Angle, lower portion of frame	1	L.72	MR/C	
7516	D.203011/6	Angle, port	1	DTD.364	MR/C	JB.9
7517	D.203011/7	Angle, starboard	1	DTD.364	MR/C	JB.9
7396	F.204070	Bracket, support, for fire extinguisher spray tube	8	L.72	MR/C	
7397	D.203011/3	Diaphragm, bottom	1	DTD.166	MR/C	JB.9
7398	B.203109	Plate, joint, port	1	DTD.166	MR/C	
7399	B.203110	Plate, joint, starboard	1	DTD.166	MR/C	
8333	A.210243	Union, flanged, for bulkhead (Mod. 342)	2	S.62.B	C.	JB.9
	E.200364	Frame 39, top portion	1	DTD.610		
	E.200365	Frame 39, bottom portion, group	1	—		
7400	E.200365/2	Angle, lower, port	1	DTD.610	MR/C	JB.9
7401	E.200365/3	Angle, lower, starboard	1	DTD.610	MR/C	JB.9
	F.196985	Angle, support, for pipe clip	2	L.72		
7402	B.200313	Bracket, bottom, port, for thrust member	1	DTD.610	MR/C	JB.9
7403	B.200314	Bracket, bottom, starboard, for thrust member	1	DTD.610	MR/C	JB.9
7404	A.200226	Bracket, support, at bottom of frame	1	L.72	MR/C	JB.9
7405	E.200365/1	Diaphragm, lower	1	DTD.610	MR/C	JB.9
2810	B.176254	Plate, reinforcing	1	DTD.610	MR/C	JB.9
7519	B.202236	Plate, reinforcing, port	1	L.72	MR/C	
7520	B.202237	Plate, reinforcing, starboard	1	L.72	MR/C	
4211	Std.1687/2	Saddle, securing cables	5	DTD.610	C.	5
	E.200679	Frame 40A, group	1	—		
	A.200908	Angle, attachment, at engine mounting brackets, bottom port, top starboard	2	DTD.610		
	A.200909	Angle, attachment, at engine mounting brackets, top port, bottom starboard	2	DTD.610		
1264	F.163972	Angle, at transport joint fittings	8	DTD.364	C.	JB.9
1765	F.191864	Angle, at transport joint fittings	22	DTD.364	C.	JB.3
7521	A.200266	Bracket, lower hinge, for engine mounting, port	1	Stamping	MR/C	
7522	A.200267	Bracket, lower hinge, for engine mounting, starboard	1	Stamping	MR/C	
7523	A.200268	Bracket, top hinge, for engine mounting, port	1	Stamping	MR/C	
7524	A.200269	Bracket, top hinge, for engine mounting, starboard	1	Stamping	MR/C	
12202	B.262134	Bracket, for alignment rod (Mod. 1212)	1	S.510	C.	
7406	A.200800	Channel, reinforcing at bottom portion of frame	2	DTD.610	MR/C	
7407	E.200679/3	Diaphragm, forward, starboard	1	DTD.610	MR/C	JB.9
7408	E.200679/4	Diaphragm, rear, starboard	1	DTD.610	MR/C	
7409	E.200679/5	Diaphragm, forward, port	1	DTD.610	MR/C	JB.9
7410	E.200679/6	Diaphragm, rear, port	1	DTD.610	MR/C	

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 7

Page JB.13

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
1003	B.177308	Fitting, for rear transport joint	...	...	...	...	4	Stamping	C.	JB.9
1004	B.177306	Fitting, for rear transport joint	...	...	...	...	7	Stamping	C.	JB.3
1005	B.177307	Fitting, for rear transport joint	...	...	...	...	4	Stamping	C.	JB.9
7413	F.201768	Shim, for engine mounting hinge brackets	...	...	...	...	8	Brass Sheet	MR/C	
7411	E.200679/9	Strap, inside, at lower joint	...	...	...	...	1	DTD.610	MR/C	JB.9
7412	F.200804	Strap, butt, at lower joint	...	...	...	...	2	DTD.610	MR/C	
7414	E.200679/8	Strap, inside, bottom	...	...	...	...	1	DTD.610	MR/C	JB.9
—	Std.1509/24/150	Tube, distance, $\frac{1}{4}$ " o/d. x 17 S.W.G. x 1.5" long	...	...	...	...	56	T.4	—	
		(Make from 30B/557)								
	C.201447-8	MOUNTING, FOR CABIN COOLER, ASSEMBLY					—	—		
7417	B.201449	Bracket, mounting, port	...	...	...	...	1	S.3	MR/C	JB.3
7418	B.201450	Bracket, mounting, starboard	...	...	...	...	1	S.3	MR/C	JB.3
7419	Std.1509/23/104	Tube, distance	...	...	...	...	2	T.4	MR/C	
	D.200522	MOUNTING, FOR GEARBOX, ASSEMBLY					—	—		
7572	F.194514	Bracket, attachment, at frame 30, port only	...	...	...	...	1	DTD.364	MR/C	JB.6
7573	A.200764	Bracket, attachment, at frame 30, port only	...	...	...	...	1	Stamping	MR/C	JB.6
7574	A.200527	Bracket, for lug	...	...	...	...	2	DTD.364	MR/C	JB.6
7575	A.200528	Bracket, for lug	...	...	...	...	2	DTD.364	MR/C	JB.6
7576	C.200523	Diaphragm, between frames 29 and 30, port	...	...	...	...	1	DTD.610	MR/C	JB.6
7577	C.200524	Diaphragm, between frames 29 and 30, port	...	...	...	...	1	DTD.610	MR/C	JB.6
7578	C.200525	Diaphragm, between frames 29 and 30, starboard	...	...	...	...	1	DTD.610	MR/C	JB.6
7579	C.200526	Diaphragm, between frames 29 and 30, starboard	...	...	...	...	1	DTD.610	MR/C	JB.6
7580	F.194512	Lug, attachment, at frame 29	...	...	...	...	2	DTD.364	MR/C	JB.6
	F.194513	Tube, distance, at lug attachment	...	...	...	...	2	L.65.C		
1392	Std.1547/28/12	Washer, special	...	...	...	...	4	—	C.	
310	Std.1547/30/12	Washer, special	...	...	...	...	4	—	C.	
7581	Std.1549/28/16	Washer, special	...	...	...	...	1	—	MR/C	
9894	D.233397	Panel, access, for main fuel tank, port, group (Mod. 794)	...	...	...	...	1	—	A.	JB.1
10731	C.250879	Panel, access, for main fuel tank, starboard, group (Mod. 968)	...	...	...	...	1	—	A.	JB.1
	F.200150	Bracket, support, for strap	...	...	...	...	4	L.72		
	F.207759	Guard, cable, port only	...	...	...	...	1	—		
	A.200153	Strap	...	...	...	...	2	DTD.5506		
	C.202380	PLATE, SEALING, FOR STRINGERS AT FRAMES 29 AND 30, ASSEMBLY					—	—		
7420	F.202381	Sealing, at stringer "A," frame 29...	...	...	...	...	1	Plastic	MR/C	JB.8
7421	F.202382	Sealing, at stringer "B," frame 29	...	...	...	...	2	Plastic	MR/C	JB.8
7422	F.202383	Sealing, at stringer "C," frame 29...	...	...	...	...	2	Plastic	MR/C	JB.8
7423	F.202384	Sealing, at stringer "C," frame 29...	...	...	...	...	2	Plastic	MR/C	JB.8
7424	F.202385	Sealing, at stringer "D," frame 29	...	...	...	...	2	Plastic	MR/C	JB.8
7425	F.202386	Sealing, at stringers "E" & "H," frame 29	...	...	...	...	8	Plastic	MR/C	JB.8
7426	F.202388	Sealing, at stringers "E" & "H," frame 29	...	...	...	...	4	Plastic	MR/C	JB.8
4456	F.189604	Sealing, at stringer "J," frame 29	...	...	...	...	2	Plastic	MR/C	JB.9
7427	F.202389	Sealing, at stringer "K," frame 30	...	...	...	...	1	Plastic	MR/C	JB.8
7428	F.202390	Sealing, at stringer "K," frame 30	...	...	...	...	1	Plastic	MR/C	JB.8
7429	F.202391	Sealing, at stringer "K," frame 30	...	...	...	...	1	Plastic	MR/C	JB.8

RESTRICTED

RESTRICTED

Page JB.14

Hunter F.G.A. Mk. 9
Issued with A/L No. 7

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	C.200502	PLATE, SEALING, FOR STRINGERS AT FRAME 38, ASSEMBLY	—	—		
7430	F.200505	Sealing, at stringers "A," "B," "C," & "J" ...	7	Plastic	MR/C	JB.9
4456	F.189604	Sealing, at stringers "D" & "H" ...	4	Plastic	MR/C	JB.9
4465	F.189602	Sealing, at stringers "E" & "G" ...	4	Plastic	MR/C	JB.9
4463	F.189600	Sealing, at stringer "F" ...	2	Plastic	MR/C	JB.9
4464	F.189601	Sealing, at stringer "F" ...	2	Plastic	MR/C	JB.9
7431	F.200503	Sealing, at stringer "K" ...	2	Plastic	MR/C	JB.9
7432	F.200504	Sealing, at stringer "L" ...	2	Plastic	MR/C	JB.9
	B.202112	RAIL FOR ENGINE, ASSEMBLY ...	—	—		
7525	F.175940	Angle, support ...	2	DTD.610	MR/C	JB.6
7526	F.202121	Angle, port ...	1	L.72	MR/C	JB.6
7527	F.202122	Angle, starboard ...	1	L.72	MR/C	JB.6
7568	A.202119	Angle, port ...	1	DTD.364	MR/C	JB.6
7569	A.202120	Angle, starboard ...	1	DTD.364	MR/C	JB.6
7570	A.200228	Bracket, mounting, port ...	1	L.72	MR/C	JB.6
7571	A.200229	Bracket, mounting, starboard ...	1	L.72	MR/C	JB.6
7433	B.202113	Diaphragm, forward, port, frame 37 to frame 38	1	L.72	MR/C	JB.6
7434	B.202114	Diaphragm, forward, starboard, frame 37 to frame 38	1	L.72	MR/C	JB.6
7435	B.202115	Diaphragm, centre, port, frame 38 to frame 39	1	L.72	MR/C	JB.6
7436	B.202116	Diaphragm, centre, starboard, frame 38 to frame 39	1	L.72	MR/C	JB.6
7437	B.202117	Diaphragm, aft, port, frame 39 to frame 40A ...	1	L.72	MR/C	JB.6
7438	B.202118	Diaphragm, aft, starboard, frame 39 to frame 40A ...	1	L.72	MR/C	JB.6
2815	B.177323	Lug, for rail ...	1	Stamping	MR/C	JB.6
7439	B.200283	Mounting, for rail ...	1	Stamping	MR/C	JB.6
7440	B.200225	Rail ...	1	—	MR/C	JB.6
	Std.1507/2/134	Tube, distance, 1" o.d. x 22 S.W.G. x 1-34" long	8	T.26		
	D.275941	SKIN, COVERING, FRAME 25 TO FRAME 32, ASSEMBLY (Mod. 1260)	—	—		
	A.206000	Angle, reinforcing, frame 27 to frame 29, port ...	1	DTD.364		
	A.206001	Angle, reinforcing, frame 27 to frame 29, starboard	1	DTD.364		
7441	Std.1551/5/270	Bolt, special, for attachment of diaphragm "M" to lower drag members	4	S.99.B	MR/C	
	C.205772	BRACKET, CRADLE FOR FUEL FILTER DE-ICING ALCOHOL TANK, ASSEMBLY	—	—		
	A.205145	Bracket, cradle ...	1	L.72		
	A.215836	Bracket, cradle ...	1	L.72		
	A.215837	Bracket, cradle ...	1	L.72		
	A.215838	Bracket, cradle ...	1	L.72		
	F.205772/1	Felt, 1" wide x 5" long ...	2	DTD.590		
	B.265605	Bracket, plug mounting (Mod. 1260) ...	1	L.72		
7528	A.206929	Bracket, for hydraulic pipe cleat, port ...	1	L.72	MR/C	JB.2
7529	A.206930	Bracket, for hydraulic pipe cleat, starboard ...	1	L.72	MR/C	JB.2
	F.217660	Bracket, mounting (Mod. 510) ...	8	L.72		
	B.202153	BRACKET, FOR STARTER FUEL TANK, PORT ONLY, ASSEMBLY	—	—		
7442	A.202152	Bracket ...	1	L.72	MR/C	JB.3

RESTRICTED

RESTRICTED

Page JB.15

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7553 28FP/341	B.201705					LANDING, FOR ACCESS DOOR TO STARTER TANK, PORT ONLY, ASSEMBLY	—	—		
	B.201706					Landing, group	1	L.73	MR/C	JB.2
	Dzus S.5.325					Spring, fastener	1	—	C.	
11381	B.200515					LEVELLING, POINTS, SUB-ASSEMBLY	—	—	C.	
	F.184598					Bearing, forward and aft levelling points, port only	2	Stamping		
	A.200516					Bracket, bearing, C of G datum point, port	1	S.3		
	A.200517					Bracket, bearing, C of G datum point, starboard	1	S.3		
6148 7534	Std.1718/5					Nut, special	2	S.95.B		5
	F.206361					Plate, attachment, for weather covers	2	S.3	C.	
	F.203845					Plate, reinforcing, at fuel starter drain outlet, port only	1	L.72	MR/C	
7530	D.201050/1					Skin, top, main spar to rear spar, port	1	DTD.546	MR/B	JB.2
7531	D.201050/2					Skin, top, main spar to rear spar, starboard	1	DTD.546	MR/B	JB.2
7532	D.201050/3					Skin, side, main spar to rear spar, port	1	DTD.546	MR/B	JB.2
7533	D.201050/4					Skin, side, main spar to rear spar, starboard	1	DTD.546	MR/B	JB.2
	C.205998-9					STOP, FOR UNDERCARRIAGE FAIRING DOOR, AND SEQUENCE VALVE MOUNTING, SUB-ASSEMBLY	—	—		
5177‡	B.201691					Bracket, forward, port (8 morse No. 21 holes omitted)	1	L.72	C.	JB.1
5178‡	B.201692					Bracket, forward, starboard (8 morse No. 21 holes omitted)	1	L.72	C.	JB.2
5179‡	B.201693					Bracket, aft, port (8 morse No. 21 holes omitted)	1	L.72	C.	JB.2
5180‡	B.201694					Bracket, aft, starboard (8 morse No. 21 holes omitted)	1	L.72	C.	JB.2
5815	A.189625					Bracket, mounting, for sequence valve, port	1	DTD.610	C.	JB.2
5816	A.189626					Bracket, mounting, for sequence valve, starboard	1	DTD.610	C.	JB.2
5732	A.201677					Bracket, reinforcing, port	1	S.3	MR/C	JB.2
5733	A.201678					Bracket, reinforcing, starboard	1	S.3	MR/C	JB.2
7443	C.205994					Bracket, lower, forward, port	1	L.72	MR/C	JB.2
7444	C.205995					Bracket, lower, forward, starboard	1	L.72	C.	JB.2
7445	C.205996					Bracket, lower, aft, port	1	L.72	MR/C	JB.2
7446	C.205997					Bracket, lower, aft, starboard	1	L.72	MR/C	JB.2
5738	A.202891					Bracket, guide, port	1	DTD.364 & St. St.	MR/C	JB.2
5739	A.202892					Bracket, guide, starboard	1	DTD.364 & St. St.	MR/C	JB.2
8402	F.209988					Bush, for operating lever	2	BSS.369	C.	
7855	A.209986					Lever, operating, sequence valve, port	1	Casting	B.	JB.2
7856	A.209987					Lever, operating, sequence valve, starboard	1	Casting	B.	JB.2
1014	F.189628					Rod, operating	2	S.96.B	C.	JB.2
1013	F.189627					Screw, special	2	S.95.B	C.	JB.2
4650	F.198997					Screw, special, for stop adjustment	2	S.96.B	C.	JB.2
1015	F.189629					Stop, at top of operating rod	2	S.95.B	C.	JB.2
4651	F.196854					Stud, special	2	S.3 & S.21	C.	JB.2
1016	F.187086					Trunnion	2	S.94.B	C.	JB.2
	C.205785/1					Tube, distance (May be made from Std.1567/23/060)	2	T.26		

RESTRICTED

RESTRICTED

Page JB.16

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
310	Std.1547/30/12					Washer, special	6	DTD.610	C.	4
26AQ/1479	Std.1547/30/14					Washer, special	2	DTD.610	MR/C	4
2181	C.182631					Strap, reinforcing, at main spar, bottom portion, port	1	DTD.546	MR/C	JB.4
2182	C.182632					Strap, reinforcing, at main spar, bottom portion, starboard	1	DTD.546	MR/C	JB.4
6688	F.203844					Stub, outlet, at fuel starter drain, port only	1	—	C.	
7537	Std.1208/82/36/20					Washer, shim, at attachment of diaphragm "M" to lower drag member	QR	—	MR/C	4
2192	Std.915/C14					Washer, between angle and skin on rear spar	1	—	C.	4
	E.201049					SKIN, COVERING, FRAME 32 TO FRAME 40A, ASSEMBLY	—	—		
	D.203353					BRACKET, MOUNTING, FOR EXTRACTOR DUCTS, ASSEMBLY	—	—		
7538	B.203354					Bracket, mounting, top	2	L.72	MR/C	
7539	B.203356					Bracket, mounting, port	1	L.72	MR/C	
7540	B.203357					Bracket, mounting, starboard	1	L.72	MR/C	
	D.222689					BRACKETS, MOUNTING, HYDRAULIC RESERVOIR, ASSEMBLY	—	—		
	A.221296					Bracket, mounting, aft, bottom	1	L.72		JB.6
	A.221310					Bracket, mounting, aft, top	1	S.510		JB.6
	B.221291					Mounting, forward	1	DTD.364		JB.6
	C.203730-1					BRACKET, MOUNTING, FOR HIGH ENERGY IGNITER UNIT, ASSEMBLY	—	—		
7447	C.203732					Bracket, mounting, port	1	L.72	MR/C	JB.3
7448	C.203733					Bracket, mounting, starboard	1	L.72	MR/C	JB.3
7449	A.204499					Bracket, mounting, for Hymatic valve, starboard only	1	S.3	MR/C	JB.3
	F.220188					Connection and fuel drain, between frames 35 and 36	1	—		
	D.203565					DUCT, FOR BLEED VALVE, STARBOARD ONLY, ASSEMBLY	—	—		
9821	D.233587					Duct	1	S.510	B.	JB.5.
7451	C.203373					Flange, sealing	1	—	C.	JB.5
6689	A.203713					Spindle	1	S.80	C.	JB.5
6690	F.203714					Spring	1	DTD.215	C.	JB.5
6691	F.203715					Spring	1	DTD.215	C.	JB.5
7463	F.204220					Guide, for pipe	2	BSS.265 & DTD.253	MR/C	
	F.197441					Guide, for pipes between frames 35 and 36	2	S.3 & T.26		
	C.201328					INTAKE, AIR, UPPER, PORT AND STARBOARD, FOR ZONE 2 COOLING, ASSEMBLY	—	—		
	F.209716					Bracket	2	L.72		
7452	F.209715					Door	2	L.72	MR/C	JB.6
7567	C.201327					Intake, air	2	S.3 & L.72	MR/B	JB.6
7545	Std.1221Y/B182					Pin, special	2	Steel	MR/C	4
	F.211457					Plate, support	2	DTD.610		
7453	F.209713					Spring	2	Sp. St. Wire	MR/C	JB.6
7546	Std.1509/23/162					Tube, distance, 5/8" o/d x 17 S.W.G. x 1.62" long	2	T.4	MR/C	4

RESTRICTED

RESTRICTED

Page JB.17

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.203475					INTAKE, AIR, LOWER, PORT AND STARBOARD, FOR ZONE 2 COOLING, ASSEMBLY	—	—		
	F.209716					Bracket	2	L.72		
7452	F.209715					Door	2	L.72	MR/C	JB.6
	C.203476					Intake, air	2	S.3		
7545	Std.1221/Y/B182					Pin, special	2	Steel	MR/C	4
	F.201299					Plate, support	2	DTD.610		
7454	F.209714					Spring	2	Sp. St. Wire	MR/C	
								T.4		
7546	Std.1509/23/162					Tube, distance, 5/16" o/d. x 17 S.W.G. x 1.62" long	2		MR/C	4
	C.200544					LANDING, FOR ACCESS PANEL TO GEAR BOX DRIVE, PORT, ASSEMBLY	—	—		
7547	A.209804					Bracket, for fire detector (Pre-Mod. 960)	1	S.3	MR/C	
7548	C.200544/1					Landing	1	DTD.610	MR/C	JB.4
	Std.1231/7B					Lug, locking	1	S.3		4
	B.205543					LANDING, FOR ACCESS PANEL TO SLOW RUNNING ADJUSTMENT, PORT ONLY, ASSEMBLY	—	—		
7549	B.205543/1					Landing	1	L.72	MR/C	JB.4
4751	Std.1231/8					Lug, locking	1	S.3	MR/C	4
7550	B.200821					Landing, for front engine mountings access panel, port	1	L.72	MR/C	JB.2
7551	B.200822					Landing, for front engine mountings access panel, starboard	1	L.72	MR/C	JB.2
	C.200258					LANDING, FOR IGNITER PLUG ACCESS PANEL, PORT AND STARBOARD, ASSEMBLY	—	—		
7552	C.200258/1					Landing	2	DTD.610	MR/C	JB.4
	Std.1231/7B					Lug, locking	2	S.3		4
	C.202248					LANDING, FOR OIL LEVEL INSPECTION PANEL, ASSEMBLY	—	—		
7553	B.201706					Landing, group	1	L.73	MR/C	JB.5
	B.201706/1					Landing	1	L.73		
28FP/341	Dzus					Spring	1	—	C.	
	S.5.325									
4751	Std.1231/8					Lug, locking	1	S.3	MR/C	4
	C.205588					LANDING, FOR R.P.M. ADJUSTMENT AND FUEL PUMP GOVERNOR BLEED ACCESS PANEL, STARBOARD ONLY, ASSEMBLY	—	—		
7554	C.205588/1					Landing	1	L.72	MR/C	JB.5
4751	Std.1231/8					Lug, locking	1	S.3	MR/C	4
	C.205809					MOUNTING, FUEL FILTER DE-ICING PUMP, ASSEMBLY	—	—		
	F.250569					Angle (Mod. 1043) (Make from 30B/9611218, QR)	1	L.72	—	
	C.205147					Mounting, panel	1	—		
	A.202068					Mounting, for pressure relief valves, starboard only	1	S.3		
6692	A.202068/3					Clip, half	1	S.3	C.	

RESTRICTED

RESTRICTED

Page JB.18

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE — CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6049	F.197018					Mounting, for terminal blocks, starboard only	1	DTD.610	MR/C	
2751	C.184586					Plate, reinforcing, port	1	DTD.546 & DTD.610	MR/C	JB.2
2752	C.184587					Plate, reinforcing, starboard	1	DTD.546 & DTD.610	MR/C	JB.2
	F.216515					Platform, mounting, for T.B.	1	—		
	C.202099					PLATE, REINFORCING, AT EXTRACTOR OUTLET, FRAME 36 TO FRAME 37, PORT, ASSEMBLY	—	—		
7566	D.202755					Duct, extractor	1	—	C.	JB.2
11410	C.202099/1					Plate, reinforcing	1	L.72	C.	
	C.202100					PLATE, REINFORCING, AT EXTRACTOR OUTLET, FRAME 36 TO FRAME 37, STARBOARD, ASSEMBLY	—	—		
11026	D.202756					Duct, extractor	1	—	B.	
12107	C.202100/1					Plate, reinforcing	1	L.72	C.	
7541	E.201049/1					Skin, top, rear spar to frame 40A, port	1	L.72	MR/B	JB.2
						(Supplied as Ref. 26FX/2177-E.183420/13)				
7542	E.201049/2					Skin, top, rear spar to frame 40A, starboard	1	L.72	MR/B	JB.2
						(Supplied as Ref. 26FX/2178-E.183420/14)				
7543	E.201049/3					Skin, side, rear spar to frame 40A, port	1	L.72	MR/B	JB.2
						(Supplied as Ref. 26FX/1831-E.183420/15)				
7544	E.201049/4					Skin, side, rear spar to frame 40A, starboard	1	L.72	MR/B	JB.2
						(Supplied as Ref. 26FX/1832-E.183420/16)				
	A.203670					Sleeve, locating, for centrifugal breather vent pipe ...	1	T.26 or T.45 & S.3		
4498	F.184234					Socket, for engine oil filter drain pipe	1	S.3 & T.26	C.	
	C.200501					Strap, rear spar, bottom, group	1	—		
28FP/620	Dzus					Spring	6	—	C.	
	S.F.L.A.5/200									
7458	C.200501/1					Strap	1	L.72	MR/C	JB.4
7459	E.201049/6					Strap, reinforcing, bottom, at frame 34	1	L.72	MR/C	JB.4
	C.200409					TRAY, DRIP, FOR HYDRAULIC RESERVOIR, AND REINFORCING PLATE, ASSEMBLY	—	—		
1009	F.184599					Ring, reinforcing	1	DTD.610	C.	JB.5
9384	A.222093					Sealing, rubber	1	DTD.458	C.	JB.5
	B.197868					Tray, drip	1	L.69 & L.54		
	D.201054					SKIN, COVERING, BOTTOM, MAIN SPAR TO REAR SPAR, ASSEMBLY	—	—		
7460	A.201246					Angle, support, for external supply sockets mounting	1	DTD.610	MR/C	JB.4
7461	A.201247					Angle, support, for external supply sockets mounting	1	DTD.610	MR/C	JB.4
7462	F.203174					Bracket, for attachment of pipe clip	1	L.72	MR/C	
6693	F.205158					Clip, for pipe, on rear spar	1	S.84 or S.3	C.	
8370	F.216465					Flange, pipe for liquid starter drain (Pre-Mod. 823) ..	1	—	B.	
3843	King C.3903/1					Fitting, attachment	3	—	C.	JB.5
3844	King C.3903/2					Fitting, attachment	1	—	C.	JB.5
7463	F.204220					Guide, for pipe at frame 30	1	BBS.265 & DTD.253	MR/C	
10257	F.226643					Guide, for pipe between frames 27—29	1	DTD.283 & DTD.253	C.	

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

Page JB.19

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7464	D.201054/3					Landing, for engine starter and gearbox access doors, port	1	DTD.610	MR/C	JB.4
7465	C.200461					Landing, for gearbox filler access panel, group	1	—	MR/C	JB.5
28FP/620	Dzus					Spring	4	—	C.	
	S.F.L.A.5/200									
1024	King C.3100/H					Lever and catch pin	4	—	C.	JB.5
	C.201752					MOUNTING, FOR EXTERNAL SUPPLY SOCKETS, ASSEMBLY	—	—		
7466	A.201754					Bracket	1	DTD.610	MR/C	JB.4
7467	A.201755					Bracket	1	DTD.610	MR/C	
7468	B.201753					Plate, mounting	1	DTD.610	MR/C	JB.4
7469	B.205148					Mounting, for self sealing couplings	1	L.72	MR/C	JB.4
	D.201054/11					Packing	1	DTD.610		
7470	D.201054/7					Plate, at frame 27	1	DTD.171	MR/C	
7471	D.201054/4					Plate, reinforcing, at starboard side of access doors	1	DTD.610	MR/C	
7472	D.201054/1					Skin, bottom, between frame 30 and rear spar	1	DTD.610	MR/C	JB.1
7473	D.201054/2					Skin, bottom, at frame 27	1	DTD.610	MR/C	JB.1
2162	E.183421/3)					Skin, bottom, at main spar	1	DTD.610	C.	JB.1
	or)									
	D.201054/9)									
7474	B.201244					Stiffener, starboard side of gearbox access door	1	L.72	MR/C	
7475	A.201245					Stiffener, starboard side of engine starter access door	1	DTD.610	MR/C	
4150	Std.915/C22					Washer, between stringer "K" and attachment fittings	9	DTD.610	C.	4
	E.201053					SKIN, COVERING, BOTTOM, REAR SPAR TO FRAME 40A, ASSEMBLY	—	—		
5855	A.205075					Cable, retaining, engine access panel	2	—	C.	JB.5
8513	F.216608					Drain, extension at frames 58 and 59	4	L.65	C.	
3843	King C.3903/1					Fitting, attachment	3	—	C.	JB.5
3845	King C.3903/3					Fitting, attachment	1	—	C.	
	A.183429					Landing, for gearbox access door	1	DTD.610		
	A.183430					Landing, for gearbox access door	1	DTD.610		
2759	A.183418					Landing, for engine access door, frame 34, starboard	1	L.72	C.	JB.5
2760	A.183419					Landing, for engine access door, frame 34, port	1	L.72	MR/C	JB.5
4275	B.183416					Landing, for engine access door, frame 34 to 37, port	1	DTD.610	MR/C	JB.5
2762	B.183417					Landing, for engine access door, frame 34 to 37, starboard	1	DTD.610	MR/C	JB.5
2761	A.183428					Landing, for engine access door, frame 37	1	L.72	MR/C	JB.5
1024	King C.3100/H					Lever and catch pin	4	—	C.	JB.5
2157	C.182692					Plate, reinforcing, at frames 37 and 40, port	1	DTD.546	MR/C	JB.5
2158	C.182693					Plate, reinforcing, at frames 37 and 40, starboard	1	DTD.546	MR/C	JB.5
1834	E.183421/2					Skin, bottom, frame 37 to frame 40A	1	DTD.610	B.	JB.1
7478	E.201053/2					Skin, bottom, at frame 34	1	DTD.610	MR/B	JB.1
2147	Std.915/C20					Washer, packing, at "King Aircraft" attachment fittings	3	DTD.610	C.	4
	D.203701					SKIN, PLATING, TOP, FRAME 18B TO MAIN SPAR, ASSEMBLY	—	—		
2755	C.181728					Landing, for fuel lever switch access panel	2	DTD.610	MR/C	JB.2
1023	F.173505					Nut, retaining, for fuel tank	10	S.3 & S.21	C.	JB.2
—	F.205515					Sealing, at transport joint, frame 18 (Make from 32C/574, QR)	2	Rubber	—	

RESTRICTED

RESTRICTED

Page JB.20

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.201052	SKIN, PLATING, TOP, BETWEEN MAIN SPAR					—	—		
		AND REAR SPAR, ASSEMBLY					—	—		
	B.201602	BRACKET, MOUNTING, FOR COLD AIR					—	—		
		UNIT, ASSEMBLY					—	—		
	B.201601	Bracket, mounting					1	L.72		
	C.201301	Outlet, for cooler duct, port and starboard,					2	—		
		group					—	—		
7555	D.201238	Outlet, for cooler duct					2	S.3	MR/C	JB.2
	E.201051	SKIN, PLATING, TOP, REAR SPAR TO FRAME					—	—		
		40A, ASSEMBLY					—	—		
11867	A.254790	Bracket, mounting for cable joint at frame 40					1	L.72	C.	
		(Mod. 1148)					—	—		
2756	A.192906	Bracket, mounting, for tank pressurising					1	DTD.610	MR/C	JB.2
		connection					—	—		
7956	B.211432	Bracket, mounting, for cable joint					1	—	C.	JB.2
7556	B.202106	Landing, for air supply access panel, port					1	DTD.610	MR/C	JB.2
7557	B.202107	Landing, for air supply access panel, starboard					1	DTD.610	MR/C	JB.2
	D.203702	SKIN, PLATING, SIDE, FRAME 18B TO MAIN					—	—		
		SPAR, ASSEMBLY					—	—		
1480	Std.218/8	Nut, special					8	S.2 or S.62	C.	4
7558	D.203702/1	Skin, top, nose spar to main spar, port (Supplied					1	DTD.546	MR/B	JB.2
		as Ref. 26FX/2173-E.183420/1)					—	—		
7559	D.203702/2	Skin, top, nose spar to main spar, starboard					1	DTD.546	MR/B	JB.2
		(Supplied as Ref. 26FX/2174-E.183420/2)					—	—		
7560	D.203702/3	Skin, side, nose spar to frame 21, port (Supplied					1	DTD.546	C.	JB.2
		as Ref. 26FX/1825-E.183420/3)					—	—		
7561	D.203702/4	Skin, side, nose spar to frame 21, starboard					1	DTD.546	C.	JB.2
		(Supplied as Ref. 26FX/1826-E.183420/4)					—	—		
7562	D.203702/5	Skin, side, frame 21 to main spar, port (Supplied					1	DTD.546	C.	JB.2
		as Ref. 26FX/1827-183420/5)					—	—		
7563	D.203702/6	Skin, side, frame 21 to main spar, starboard					1	DTD.546	MR/B	JB.2
2180	D.182826	Strap, reinforcing, at frame 21, bottom portion					1	DTD.546	MR/C	JB.4
	D.233395	SKIN, PLATING, BOTTOM, FRAME 18B TO					—	—		
		MAIN SPAR, ASSEMBLY (Mod. 794)					—	—		
3370	F.184563	Landing, for fuel pump access panel, port					1	DTD.610	MR/C	JB.5
3371	F.184564	Landing, for fuel pump access panel, starboard					1	DTD.610	MR/C	JB.5
2765	F.194029	Plate, nut, at main spar					2	S.3	MR/C	
	C.199377	Plate, reinforcing, frame 22 to frame 24, port					1	DTD.610		
2156	C.182824	Plate, reinforcing, frame 22 to frame 24, starboard					1	DTD.610	MR/C	JB.5
	D.204310-1	SKIN, SUPPORTING FORWARD FUEL TANK,					—	—		
		ASSEMBLY					—	—		
	D.203402	Skin, supporting centre wall, for front tank fuel,					1	—		
		port, group					—	—		
	D.203403	Skin, supporting centre wall, for front fuel tank,					1	—		
		starboard, group					—	—		
4721	F.195551	Angle, attaching hydraulic pipes					1	DTD.610	MR/C	
7479	D.203402/1	Angle, for diaphragm, port					1	L.72	MR/C	JB.6
7480	D.203403/1	Angle, for diaphragm, starboard					1	L.72	MR/C	JB.6
2618	A.180855	Channel, supporting diaphragm					1	Rolled Section	MR/C	
7481	B.203666	Diaphragm, bottom, aft					1	L.72	MR/C	JB.6
7482	B.199798	Diaphragm, bottom forward, port					1	L.72	MR/C	JB.6
7483	B.199799	Diaphragm, bottom forward, starboard					1	L.72	MR/C	JB.6
2622	F.182567	Plate, reinforcing, bottom portion					2	DTD.610	MR/C	JB.6
2623	A.193269	Plate, reinforcing, bottom portion					1	DTD.610	MR/C	JB.6
2624	F.192312	Plate, reinforcing, bottom portion, port					1	DTD.610	MR/C	JB.6
2625	F.192313	Plate, reinforcing, bottom portion, starboard					1	DTD.610	MR/C	JB.6

RESTRICTED

RESTRICTED

Page JB.21

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE — CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.265547	SKIN, AIR INTAKE, FRAMES 25 TO 30, ASSEMBLY (Mod. 1252)					—	—		
	F.195548	Angle, port and starboard					2	DTD.610		
12407	F.203057	Bracket, mounting, for T.B.					1	L.72	C.	JB.11
12401	B.185510	Butt-strap, port					1	DTD.610	C.	JB.11
12402	B.185511	Butt-strap, starboard					1	DTD.610	C.	JB.11
11689	D.265547/22	Butt-strap, port					1	L.72	MR/C	JB.11
—	D.265547/23	Butt-strap, starboard (Use 26FX/11689)					1	L.72	—	JB.11
11691	D.265547/24	Butt-strap, port					1	L.72	MR/C	JB.11
—	D.265547/25	Butt-strap, starboard (Use 26FX/11691)					1	L.72	—	JB.11
11512	C.201504	Butt-strap, port					1	L.72	MR/C	JB.11
—	C.201505	Butt-strap, starboard (Use 26FX/11512)					1	L.72	—	JB.11
11038	C.210611	Butt-strap, port					1	DTD.610	C.	JB.11
11920	C.210612	Butt-strap, starboard					1	DTD.610	C.	JB.11
11542	B.202322	Channel, top					1	L.72	C.	JB.11
11543	B.202323	Channel, bottom					1	L.72	C.	JB.11
11484	D.202011	Duct, cooling, forward, port					1	L.59	C.	JB.11
11485	D.202012	Duct, cooling, forward, starboard					1	L.59	C.	JB.11
10621	B.205201	Duct, entry for generator cooling, port					1	L.59	C.	JB.11
8355	A.215826	Panel, access to starter exhaust					1	—	B.	JB.11
8354	B.215509	Panel, access to safety disc					1	—	C.	JB.11
	B.215509/3	Seal					1	—		
12406	F.185899	Plate, gusset					1	DTD.160	C.	JB.11
—	D.265547/15	Plate, sealing (Make from Pattern) (L.M. from 30B/9611224)					3	L.72	—	JB.11
—	D.265547/28	Plate, sealing (Make from Pattern) (L.M. from 30B/9611224)					3	L.72	—	JB.11
9645	F.224372	Pipe, drain, top					1	—	C.	
11043	C.201441	Ring, starter fairing					1	DTD.610	B.	
8179	A.202754	Seal, air intake to engine					1	Rubber	C.	JB.11
11919	C.201218	Seal, mounting, ring					1	L.72	MR/C	JB.11
10582	F.214747	Screen, port					1	Brass or Copper Gauze	C.	JB.11
	E.184957/1	Skin, top, port					1	DTD.610		JB.11
	E.184957/2	Skin, bottom, port					1	DTD.610		JB.11
	E.184958/1	Skin, top, starboard					1	DTD.610		JB.11
	E.184958/2	Skin, bottom, starboard					1	DTD.610		JB.11
11671	D.265547/1	Skin, port					1	L.72	MR/C	JB.11
11672	D.265547/2	Skin, starboard					1	L.72	MR/C	JB.11
11673	D.265547/3	Skin, port					1	L.72	MR/C	JB.11
11674	D.265547/4	Skin, starboard					1	L.72	MR/C	
11675	D.265547/5	Skin, port					1	L.72	MR/C	
11676	D.265547/6	Skin, starboard					1	L.72	MR/C	JB.11
11677	D.265547/7	Skin, port					1	L.72	MR/C	JB.11
11678	D.265547/8	Skin, starboard					1	L.72	MR/C	JB.11
11679	D.265547/9	Skin, port					1	L.72	MR/C	
11680	D.265547/10	Skin, starboard					1	L.72	MR/C	JB.11
11681	D.265547/11	Skin, port					1	L.72	MR/C	JB.11
11682	D.265547/12	Skin, starboard					1	L.72	MR/C	JB.11
11683	D.265547/13	Skin, port					1	L.72	MR/C	JB.11
11684	D.265547/14	Skin, starboard					1	L.72	MR/C	JB.11
11693	D.265547/16	Skin, inner, top, at frame 27					1	L.72	MR/C	JB.11
11694	D.265547/17	Skin, inner, bottom, at frame 27					1	L.72	MR/C	JB.11

RESTRICTED

RESTRICTED

Page JB.22

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
11685	D.265547/18					Skin port	1	L.72	MR/C	JB.11
11686	D.265547/19					Skin starboard	1	L.72	MR/C	JB.11
11687	D.265547/20					Skin port	1	L.72	MR/C	JB.11
11688	D.265547/21					Skin starboard	1	L.72	C.	
12270	C.210613					Skin port	1	L.72	C.	JB.11
11967	C.210614					Skin starboard	1	L.72	C.	
11927	B.202957					Stiffener, port	1	L.72	MR/C	JB.11
11894	B.202958					Stiffener, starboard	1	L.72	C.	JB.11
11921	E.184957/8					Stiffener, top port, bottom starboard	2	L.72	MR/C	JB.11
11922	E.184957/9					Stiffener, top starboard, bottom port	2	L.72	MR/C	JB.11
11923	E.184957/10					Stiffener, top port, bottom starboard	2	L.72	MR/C	JB.11
11924	E.184957/11					Stiffener, top starboard, bottom port	2	L.72	MR/C	JB.11
11925	E.184957/12					Stiffener, top port, bottom starboard	2	L.72	MR/C	JB.11
11926	E.184957/13					Stiffener, top starboard, bottom port	2	L.72	MR/C	JB.11
11797	E.217000					Trailing-edge piece, top	1	L.72 & S.3	C.	
—	C.217001					Trailing-edge piece, bottom (Use 26FX/11798)	1	L.72 & S.3	—	
9129	C.218808					Trailing-edge piece, top	1	L.72 & S.3	MR/C	
						(Alternative to C.217000)				
9130	C.218809					Trailing-edge piece, bottom	1	L.72 & S.3	MR/C	
						(Alternative to C.217001)				
2626	B.178521					Stringer "J", nose spar to frame 21, port	1	DTD.364	MR/C	JB.4
2627	B.178522					Stringer "J", nose spar to frame 21, starboard	1	DTD.364	MR/C	JB.4
2628	C.178523					Stringer "J", frame 21 to main spar, port	1	DTD.364	MR/C	JB.4
2629	C.178524					Stringer "J", frame 21 to main spar, starboard	1	DTD.364	MR/C	JB.4
7484	C.200919					Stringer "J", main spar to rear spar, port	1	DTD.364	MR/C	JB.4
7485	C.200920					Stringer "J", main spar to rear spar, starboard	1	DTD.364	MR/C	JB.4
	D.200866					Stringer "J", rear spar to frame 40A, port	1	DTD.364		JB.4
7487	C.205585					Stringer "J", rear spar to frame 40A, starboard	1	DTD.364	MR/C	
7488	D.200586					Stringer "K", between rear spar and frame 40A, port ...	1	DTD.364	MR/C	JB.4
7489	D.200587					Stringer "K", between rear spar and frame 40A,	1	DTD.364	MR/C	JB.4
						starboard				
2636	B.178525					Stringer "K", between nose spar and frame 21, port	1	DTD.364	MR/C	JB.4
2637	B.178526					Stringer "K", between nose spar and frame 21,	1	DTD.364	MR/C	JB.4
						starboard				
2638	C.178527-8					Stringer "K", between frame 21 and main spar	2 prs.	DTD.364	MR/C	JB.4
7490	C.200785					Stringer "K", main spar to rear spar, port, group	1	DTD.364	MR/C	JB.4
5721	F.197126					Stud, earthing	1	S.94.B	MR/C	
7491	C.200786					Stringer "K", main spar to rear spar, starboard, group ..	1	DTD.364	MR/C	JB.4
5721	F.197126					Stud, earthing	1	S.94.B	MR/C	
7492	D.200588					Stringer "L", between frames 37 and 40A, port	1	DTD.364	MR/C	JB.4
7493	D.200589					Stringer "L", between frames 37 and 40A, starboard ...	1	DTD.364	MR/C	JB.4

RESTRICTED

RESTRICTED

Page JB.23

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - CENTRE PORTION

Ref No	Part No	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.180831	STRUCTURE, SUPPORTING, FOR FUEL TANKS, ASSEMBLY					—	—		
4675	F.180854	Bracket					2	DTD.364	MR/C	JB.10
4676	C.180832	Channel					1	DTD.610	MR/C	JB.10
4677	C.180833	Channel					1	DTD.610	MR/C	JB.10
4678	C.180834	Channel					1	DTD.610	MR/C	JB.10
4679	C.180835	Channel					1	DTD.610	MR/C	JB.10
4680	B.180846	Member, inter-costal, port					1	—	MR/C	JB.10
4681	B.180847	Member, inter-costal, starboard					1	—	MR/C	JB.10
4682	A.180848	Member, inter-costal, frames 21-22, port					1	DTD.610	MR/C	JB.10
4683	A.180849	Member, inter-costal, frames 21-22, starboard					1	DTD.610	MR/C	JB.10
4684	A.180850	Member, inter-costal, frames 22-23, port					1	DTD.610	MR/C	JB.10
4685	A.180851	Member, inter-costal, frames 22-23, starboard					1	DTD.610	MR/C	JB.10
4686	B.180852	Member, inter-costal, frames 23-25, port					1	DTD.610	MR/C	JB.10
4687	B.180853	Member, inter-costal, frames 23-25, starboard					1	DTD.610	MR/C	JB.10
4688	C.180840	Plate, fuel pump mounting					2	DTD.610	MR/C	JB.10
4689	C.180841	Plate, recuperator mounting, port					1	DTD.610	MR/C	JB.10
4690	C.180842	Plate, recuperator mounting, starboard					1	DTD.610	MR/C	JB.10
8431	Chakaleke	Plug					16	—	C.	
or	No. 5 or									
8432	No. 6									
4652	Std.1299/3	Stud, securing guard and clips, for attaching electrical cables and fuel tank access panels					39	S.95.B	C.	4
9061	F.219800	Stud, of fuel tank access panels					2	S.1	C.	
	E.201500-1	SUB-WING, ASSEMBLY					—	—		
	D.182684-5	BOUNDARY LAYER DUCT, SUB-ASSEMBLY					—	—		
2643	B.183782	Leading edge section, forward of nose spar, port					1	DTD.364	MR/C	JB.4
2644	B.183783	Leading edge section, forward of nose spar, starboard					1	DTD.364	MR/C	JB.4
5712	A.183784	Spacer, at forward end of duct					4	DTD.364	C.	JB.4
11471	D.230215	Diaphragm "A", port					1	—	C.	
12479	D.230216	Diaphragm "A", starboard					1	—	C.	
11470	D.230217	Diaphragm "B", port					1	—	C.	
12480	D.230218	Diaphragm "B", starboard					1	—	C.	
11469	D.230219	Diaphragm "C", port					1	—	C.	
12478	D.230220	Diaphragm "C", starboard					1	—	C.	
10744	D.200976/A	Diaphragm "E", starboard					1	—	C.	
	C.222754-5	DUCT, ASSEMBLY					—	—		
	F.216328	Angle, port					1	L.72		
	F.216329	Angle, starboard					1	L.72		
	A.216330	Bracket, port					1	L.72		
	A.216331	Bracket, starboard					1	L.72		
	Std.841/39	Clip, securing duct					2	DTD.610		4
	Std.1188/1	Clip, securing duct					2	DTD.610		4
	F.216332	Duct					2	L.67		
	D.200841	Fillet, for wing aft of rear spar, port, group					1	—		
	D.200842	Fillet, for wing aft of rear spar, starboard, group					1	—		
7494	B.200840	Angle, for seal retaining, top port					1	L.72	MR/C	JB.2
7495	B.200839	Angle, for seal retaining, top starboard					1	L.72	MR/C	JB.2
2647	B.181499	Angle, for seal retaining, bottom, port					1	DTD.610	MR/C	JB.2
2648	B.181500	Angle, for seal retaining, bottom starboard					1	DTD.610	MR/C	JB.2
2649	A.188212	Angle, for seal retaining, top forward, port					1	DTD.610	MR/C	JB.2
2650	A.188213	Angle, for seal retaining, top forward, starboard					1	DTD.610	MR/C	JB.2
2651	A.188214	Angle, for seal retaining, bottom forward, port					1	DTD.610	MR/C	JB.2
2652	A.188215	Angle, for seal retaining, bottom forward, starboard					1	DTD.610	MR/C	JB.2

RESTRICTED

RESTRICTED

Page JB.24

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE — CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
1027	D.179488/A					Fillet, top, removable, port	1	L.72	B.	JB.1
1029	D.179488/C					Fillet, bottom, aft, removable, port	1	L.72	B.	JB.1
6694	D.200841/A					Fillet, bottom, forward, removable, port	1	L.72	B.	JB.1
6695	D.200841/B					Fillet, bottom, centre, removable, port	1	L.72	B.	JB.1
1030	D.179489/A					Fillet, top, removable, starboard	1	L.72	B.	JB.1
1032	D.179489/C					Fillet, bottom, aft, removable, starboard	1	L.72	B.	JB.1
6696	D.200842/A					Fillet, bottom, forward, removable, starboard	1	L.72	B.	JB.1
6697	D.200842/B					Fillet, bottom, centre, removable, starboard	1	L.72	B.	JB.1
	C.200408					LANDING, FOR ACCESS PANEL TO	—	—		
						HYDRAULIC RESERVOIR FILLER,				
						STARBOARD ONLY, SUB-ASSEMBLY				
7564	B.201068					Landing, group	1	L.72	MR/C	
28FP/341	Dzus S.5/325					Spring	1	—	C.	
3762	Std.915/A/18					Washer	2	DTD.610	MR/C	4
2653	F.181992					Plate, nut, at rear spar	2	S.2	MR/C	
12033	C.222371					Plate, for rubber seal retaining, port	1	L.72	C.	
10959	C.222372					Plate, for rubber seal retaining, starboard	1	L.72	C.	
7565	F.201120					Socket, for drain tube, starboard only	1	S.3 & T.6	MR/C	
2654	A.182036					Trailing, edge	2	L.33, L.51 or L.1	MR/C	
	A.209237					Plate, mounting, for time switch refuelling indicators	1	L.72		
2655	C.180004					Member, top, at leading edge, port	1	DTD.610	MR/C	JB.2
2656	C.180005					Member, top, at leading edge, starboard	1	DTD.610	MR/C	JB.2
2657	C.180006					Member, bottom, at leading edge, port	1	DTD.610	MR/C	JB.2
2658	C.180007					Member, bottom, at leading edge, starboard	1	DTD.610	MR/C	JB.2
2659	C.178820					Mounting, for undercarriage wheel door hinge,	1	—	MR/C	JB.2
						port, group				
10578	F.173639					Bracket, frame 28, port	1	DTD.610	MR/C	
2660	C.178821					Mounting, for undercarriage wheel door hinge,	1	—	MR/C	JB.2
						starboard, group				
10579	F.173640					Bracket, frame 28, starboard	1	DTD.610	MR/C	
2661	C.180008					Rib, No. 1, at leading edge, top, port	1	DTD.610	MR/C	JB.2
2662	C.180009					Rib, No. 1, at leading edge, top, starboard	1	DTD.610	MR/C	JB.2
	B.222750					Rib, No. 2, at leading edge, top, port	1	DTD.610		JB.2
12826	B.222751					Rib, No. 2, at leading edge, top, starboard	1	DTD.610	C.	JB.2
2665	B.180012					Rib, No. 3, at leading edge, top, port	1	DTD.610	MR/C	JB.2
2666	B.180013					Rib, No. 3, at leading edge, top, starboard	1	DTD.610	MR/C	JB.2
2667	B.180014					Rib, No. 1, at leading edge, bottom, port	1	DTD.610	MR/B	JB.2
2668	B.180015					Rib, No. 1, at leading edge, bottom, starboard	1	DTD.610	MR/B	JB.2
2669	B.180016					Rib, No. 2, at leading edge, bottom, port	1	DTD.610	MR/C	JB.2
2670	B.180017					Rib, No. 2, at leading edge, bottom, starboard	1	DTD.610	MR/C	JB.2
2671	B.180018					Rib, No. 3, at leading edge, bottom, port	1	DTD.610	MR/C	
2672	B.180019					Rib, No. 3, at leading edge, bottom, starboard	1	DTD.610	MR/C	
2673	B.180020					Rib, outboard, at leading edge	1	DTD.610	C.	JB.2
2674	B.180021					Rib, outboard, at leading edge	1	DTD.610	MR/C	JB.2
	D.204877-8					SEALING, BETWEEN STUB WING AND WING, ...	—	—		
						SUB-ASSEMBLY				
3847	A.196439					Pad, sealing, at trailing edge	2	Volcrepe T.L.S.	C.	JB.2
3848	A.196438					Strip, sealing, at leading edge	2	Volcrepe T.L.S.	C.	JB.2
32C/660	—					Strip, sealing, 1" wide x 3/16" thick	30'	Volcrepe	C.	
						(D.196440/1, 4 and 5, D.196441/1 and D.204878/1 and 2)				
4023	Std.1509/12/018					Tube, distance, 1/4" o/d x S.W.G. x 0.18" long ...	6	T.4	MR/C	4

RESTRICTED

RESTRICTED

Page JB.25

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.201497-8					SKIN, COVERING, ASSEMBLY	—	—		
7875	C.216760					Fairing, outboard, port (undrilled)	1	DTD.610	B.	JB.1
7876	C.216761					Fairing, outboard, starboard (undrilled)	1	DTD.610	B.	JB.1
7496	A.205205					Landing, for fuel pipe access panel	2	L.72	MR/C	
2676	B.192636					Landing, forward, for stub-wing access panel, port	1	DTD.610	MR/C	JB.4
2677	B.192637					Landing, forward, for stub-wing access panel, starboard	1	DTD.610	MR/C	JB.4
2678	B.192640					Landing, aft, for stub-wing access panel, port	1	DTD.610	MR/C	JB.4
2679	B.192641					Landing, aft, for stub-wing access panel, starboard	1	DTD.610	MR/C	JB.4
2680	B.192638					Landing, inboard, for stub-wing access panel, port	1	DTD.610	MR/C	JB.4
2681	B.192639					Landing, inboard, for stub-wing access panel, starboard	1	DTD.610	MR/C	JB.4
7497	A.209626					Landing, for hydraulic connection access door	2	L.72	MR/C	
1821	C.182596					Nosing, top, port	1	—	B.	JB.1
1822	C.182597					Nosing, top, starboard	1	—	B.	JB.1
1823	C.182598					Nosing, bottom, port	1	—	B.	JB.1
1824	C.182599					Nosing, bottom, starboard	1	—	B.	JB.1
	C.222752					PANEL, ACCESS TO STUB-WING, PORT, ASSEMBLY	—	—		
	C.222753					PANEL, ACCESS TO STUB-WING, STARBOARD, ASSEMBLY	—	—		
9418	B.216139					Panel, access, port	1	—	C.	JB.1
9419	B.216140					Panel, access, starboard	1	—	C.	JB.1
6698	A.205206					Panel, access to fuel pipe	2	L.72	C.	JB.1
1038	D.188722					Panel, access to pin-joint at main spar, top, port	1	DTD.610	B.	JB.1
1039	D.188723					Panel, access to pin-joint at main spar, top, starboard	1	DTD.610	B.	JB.1
5818	C.200861					Panel, access to pressure relief valve, port	1	L.72	C.	JB.1
5819	C.200862					Panel, access, to pressure relief valve, starboard	1	L.72	C.	JB.1
4723	F.199630					Panel, access to undercarriage hydraulic connection	2	—	MR/C	JB.1
1040	D.188724					Panel, access to pin joint at main spar, bottom, port	1	DTD.610	B.	JB.1
1041	D.188725					Panel, access to pin joint at main spar, bottom, starboard	1	DTD.610	B.	JB.1
7839	D.211964					Panel, access, on underside of stub-wing, group	1	DTD.610	B.	JB.1
7988	B.211962					Door, access to armament safety plug, group	1	—	B.	JB.1
12292	Fairey FS.430/E					Fastener, type 3	1	—	C.	
—	F.211961					Packing (Make from 30B/1730, 4-1/2" x 1/2")	2	L.72	—	
1781	D.192980					Panel, access, on underside of stub-wing, starboard	1	DTD.610	B.	JB.5
6699	A.209625					Panel, access, to hydraulic connections	2	L.72	C.	JB.1
4724	A.199629					Plate, reinforcing, for undercarriage hydraulic connections	2	DTD.610	MR/C	JB.2
4725	F.196550					Retainer, for sealing, port	2	DTD.610	MR/C	
4726	F.196551					Retainer, for sealing, starboard	2	DTD.610	MR/C	
1807	D.182688/1					Skin, top, nose spar to main spar, inboard, port	1	DTD.610	B.	JB.1
11468	D.182688/22					Skin, top, nose spar to main spar, outboard, port	1	L.72	B.	JB.1
1809	D.182688/3					Skin, forward of nose spar, top, port	1	DTD.610	C.	JB.1
11136	D.200965/2					Skin, forward of nose spar, top, port	1	DTD.610	C.	JB.1
1811	D.182688/5					Skin, forward of nose spar, top, port	1	DTD.610	C.	JB.1
1812	D.182688/6					Skin, top, aft of main spar, port	1	L.72	B.	JB.1
2682	D.182688/9					Skin, forward of nose spar, bottom, port	1	DTD.610	MR/B	JB.1
2683	D.182688/10					Skin, forward of nose spar, bottom, port	1	DTD.610	MR/B	JB.1
2684	D.182688/11					Skin, forward of nose spar, bottom, port	1	DTD.610	MR/B	JB.1

RESTRICTED

RESTRICTED

Page JB.26

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE — CENTRE PORTION

Ref. No.	Part No	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
1813†	D.182688/15					Skin, bottom, inboard of wheel door, port	1	DTD.610	B.	JB.1
1807	D.182689/1					Skin, top, nose spar to main spar, inboard, starboard (Supplied as D.182688/1 for spares)	1	DTD.610	B.	JB.1
12894	D.182689/22					Skin, top, nose spar to main spar, outboard, starboard	1	L.72	B.	JB.1
1816	D.182689/3					Skin, forward of nose spar, top, starboard	1	DTD.610	C.	JB.1
11473	D.200966/2					Skin, forward of nose spar, top, starboard	1	DTD.610	C.	JB.1
1818	D.182689/5					Skin, forward of nose spar, top, starboard	1	DTD.610	C.	JB.1
1819	D.182689/6					Skin, top, aft of main spar, starboard	1	L.72	B.	JB.1
2685	D.182689/9					Skin, forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
2686	D.182689/10					Skin, forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
2687	D.182689/11					Skin, forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
1820	D.182689/15					Skin, bottom, inboard of wheel door, starboard ...	1	DTD.610	C.	JB.1
	D.202637-8					SLOTS, FOR AIR INTAKE, TOP, ASSEMBLY ...	—	—		
10503	F.231548					Bracket	4	—	C.	
11126	C.260929					Diaphragm, aft, port	1	S.521	C.	
11127	C.260930					Diaphragm, aft, starboard	1	S.521	C.	
9770	C.229884					Door, port, group	1	—	B.	JB.1
1035	A.187071					Spring	3	Sp. St.	C.	JB.4
9771	C.229885					Door, starboard, group	1	—	B.	JB.1
1035	A.187071					Spring	3	Sp. Stl.	C.	JB.4
	D.201942-3					SLOTS, FOR AIR INTAKE, BOTTOM, ASSEMBLY	—	—		
10503	F.231548					Bracket	4	—	C.	
11128	C.260956					Diaphragm, aft, port	1	S.521	C.	
11129	C.260957					Diaphragm, aft, starboard	1	S.521	C.	
9772	C.229886					Door, port, group	1	—	B.	JB.1
1035	A.187071					Spring	3	Sp. St.	C.	JB.4
9773	C.229887					Door, starboard, group	1	—	B.	JB.1
1035	A.187071					Spring	3	Sp. St.	C.	JB.4
12964	A.226244					Stiffener, skin, outboard, port	1	L.72	C.	
	A.226245					Stiffener, skin, outboard, starboard	1	L.72		
12965	A.226246					Stiffener, skin, outboard, port	1	L.72	C.	
	A.226247					Stiffener, skin, outboard, starboard	1	L.72		
12966	A.226248					Stiffener, skin, port	1	L.72	C.	
	A.226249					Stiffener, skin, starboard	1	L.72		
12967	A.226250					Stiffener, skin, port	1	L.72	C.	
	A.226251					Stiffener, skin, starboard	1	L.72		
	A.215361					Stiffener, skin, port	1	L.72		
	A.215362					Stiffener, skin, starboard	1	L.72		
	A.215363					Stiffener, skin, port	1	L.72		
	A.215364					Stiffener, skin, starboard	1	L.72		
	A.231616					Stiffener, forward, port	1	—		
	A.231617					Stiffener, forward, starboard	1	—		
	A.231618					Stiffener, aft, port	1	—		
	A.231619					Stiffener, aft, starboard ..	1	—		
	A.204277-8					SKIN, COVERING, AIR INTAKE, ASSEMBLY	—	—		
	C.222756-7					MOUNTING, FOR D.M.E. AERIAL, ASSEMBLY	—	—		
	F.216141					Bracket for eye bolt	4	S.95.B		
	F.217474					Bracket	2	L.72		
	F.216142					Eyebolt	4	S.96.B		

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9

Page JB.29



FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5							
28W/9419402	SP.13.C	Washer,	2	B.A....	...	...	...	...	...	—	—	—	
28W/9419474	SP.15.B	Washer,	4	B.A....	...	...	...	...	...	—	—	—	
28W/9419425	SP.15.C	Washer,	2	B.A....	...	...	...	...	...	—	—	—	
28W/9419405	SP.15.E	Washer,	$\frac{1}{4}$ "	dia.	...	...	...	...	...	—	—	—	
28W/9419476	SP.15.G	Washer,	$\frac{5}{16}$ "	dia.	...	...	...	...	...	—	—	—	
28W/9419477	SP.15.J	Washer,	$\frac{3}{8}$ "	dia.	...	...	...	...	...	—	—	—	
28W/9419478	SP.15.L	Washer,	$\frac{7}{16}$ "	dia.	...	...	...	...	...	—	—	—	
28W/9419479	SP.15.N	Washer,	$\frac{1}{2}$ "	dia.	...	...	...	...	...	—	—	—	
28W/9419404	SP.16.C	Washer,	2	B.A....	...	...	...	...	...	—	—	—	
28W/9419487	SP.16.E	Washer,	$\frac{1}{4}$ "	dia.	...	...	...	...	...	—	—	—	
28W/9419488	SP.16.G	Washer,	$\frac{5}{16}$ "	dia.	...	...	...	...	...	—	—	—	
28W/9419489	SP.16.J	Washer,	$\frac{3}{8}$ "	dia.	...	...	...	...	...	—	—	—	
28W/9419493	SP.16.Q	Washer,	$\frac{5}{8}$ "	dia.	...	...	...	...	...	—	—	—	
28W/3097	AGS.162/B	Washer,	4	B.A....	...	...	...	...	...	—	—	—	

RESTRICTED


PLATE NO JB.1


(ISSUE 22)




RESTRICTED

PLATE N° JB.2
(ISSUE 7)








RESTRICTED


PLATE NO JB.5
(ISSUE 17)



CENTRE FUSELAGE

RESTRICTED


PLATE NO JB.6
(ISSUE 3)



CENTRE FUSELAGE

RESTRICTED

PLATE N° JB.7
(ISSUE 3)




CENTRE FUSELAGE

RESTRICTED

PLATE NO JB.8

(ISSUE 3)

FR 26




CENTRE FUSELAGE

RESTRICTED

PLATE No JB.9


(ISSUE 5)




CENTRE FUSELAGE

RESTRICTED

PLATE NO JB 10 -
(ISSUE 3)





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

