

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 9

Page JC.1

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.272604	FRONT FUSELAGE STRUCTURE, ASSEMBLY					1	—		
		(Mod. 1260)								
	C.242946	Additional details of structure between frames 12 & 14					—	—		
		(Mod. 538)								
10527	A.233626	Angle, attachment for R.E. unit mounting place					1	L.72	C.	
10528	C.234276	Plate, mounting for R.F. unit					1	L.72	C.	
10529	B.243273	Shroud, detachable at flying controls casing					1	DTD.213	C.	JC.1
	D.218728	DECKING, FRONT, ASSEMBLY (Mod. 378)					—	—		
	F.184657	Angle, frame 7, windscreen platform support, port					1	DTD.610		
	F.184658	Angle, frame 7, windscreen platform support,					1	DTD.610		
		starboard								
7150	F.208959	Angle, support, for accumulator					1	L.72	MR/C	
5381	Dtd.487-11C	Bolt, 2 B.A., attachment of G.G.S. mounting					6	—	C.	
	Dtd.487-12C	Bolt, 2 B.A., attachment of G.G.S. mounting plate					2	—		
		(Mod. 378)								
	Dtd.487-20C	Bolt, 2 B.A., attachment of G.G.S. mounting					1	—		
5382	Dtd.487-22C	Bolt, 2 B.A., attachment of G.G.S. tie mounting					4	—	C.	
	Dtd.487-23E	Bolt, 1/4" B.S.F., attachment of G.G.S. centre					2	—		
		mounting and bearers (Mod. 378)								
	Std.1929-130E	Bolt, 1/4" B.S.F., attachment of G.G.S. mounting					2	—		
		tubes to sockets								
	Std.1929-140E	Bolt, 1/4" B.S.F., attachment of G.G.S. mounting					6	—		
		tubes to sockets								
1507	F.191788	Bolt, attachment of G.G.S. mounting tubes to					10	DTD.487	C.	JC.1
		socket, starboard (Mod. 378)								
12190	B.184667	Bracket, G.G.S. mounting, port					1	DTD.721	C.	
	B.184668	Bracket, G.G.S. mounting, starboard					1	DTD.721		
	A.184661	Bracket, support, frame 7, port					1	DTD.610		
	A.184662	Bracket, support, frame 7, starboard					1	DTD.610		
	F.187888	Bracket, windscreen platform, starboard					1	DTD.610		
	F.186804	Connection, outlet, at windscreen platform					2	DTD.364		
	F.186805	Connection, inlet, at windscreen platform					2	DTD.364		
	F.214495	Ferrule, at G.G.S. centre mounting and bearers					4	NMSS.		
		attachments bolts (Mod. 378)								
	C.184652	Frame, No. 7, top portion					1	DTD.610		
3771	Std.1231/6 or	Lug, locking					4	S.3	MR/C	4
	Gloster GSP.288/3									
	B.180639	Member, tie, G.G.S. mounting					1	T.4		
	F.218738	Packing, at G.G.S. mounting brackets (Mod. 378)					2	L.72		
	B.214568	Mounting, and bearers, centre G.G.S., group					1	—		
		(Mod. 378)								
	Dtd.487-23E	Bolt, 1/4" B.S.F.					2	—		
	F.214495	Ferrule (non-magnetic)					4	NMSS.		
	Simmonds	Nut, single anchor cap					8	—		
	A.01387/01/20									
	Std.1547/25/12	Packing, at mounting plate (Mod. 378)					2	DTD.610		4

RESTRICTED

RESTRICTED

Page JC.2

Hunter F.G.A. Mk. 9
Issued with A/L No. 9

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.215653					Plate, mounting (Mod. 378)	1	L.72		
	C.184659					Platform, windscreen, port	1	DTD.610		
	C.184660					Platform, windscreen, starboard	1	DTD.610		
	A.196174					Shim, at G.G.S. mounting brackets	2	Brass		
	A.214283					Shim, at G.G.S. mounting (Mod. 378)	1	Lam. Alum.		
	F.214284					Shim, at G.G.S. mounting (Mod. 378)	2	Lam. Alum.		
	D.218727/1					Skid (Mod. 378)	1	DTD.610		
	Std.1509/23/070					Tube, distance, at G.G.S. mounting plate (Mod. 378)	2	—		4
	Std.1509/23/064					Tube, distance, at G.G.S. mounting bolts	7	—		4
	Std.1509/23/189					Tube, distance, at tie member bolts	4	—		4
	Std.1509/24/088					Tube, distance, at G.G.S. mounting tube bolts	10	—		4
	A.214521					Tube, support, for G.G.S. centre mounting bearers (Mod. 378)	2	T.55		
	C.182059					DIAPHRAGM, CENTRE, BETWEEN FRAMES 10 AND 11, ASSEMBLY	—	—		
1917	F.196153					Bearing, rudder control lever	1	DTD.364	C.	JC.4
612	F.177165					Bearing, nosewheel door jack anchorage	1	S.95.8	C.	JC.4
613	A.177446					Bearing and housing, elevator	1	—	C.	JC.4
614	A.179408					Bearing and housing, elevator	1	—	C	JC.4
6808	A.170514					Boom, bottom for frame 11	1	—	MR/C	
6809	B.176990					Diaphragm, nosewheel jack anchorage	1	DTD.610	MR/C	
3118	B.176989					Landing, access panel	1	DTD.610	MR/C	
6818	F.178257					Packing, at thimbles, frame 10	3	DTD.690	MR/C	
9627	A.226679					Panel, access to nosewheel, undercarriage jack	1	DTD.610	C.	JC.1
6807	A.175489					Plate, reinforcing, for frame 11	1	DTD.610	MR/C	
2144	Std.1231/3					Tab, locking, nosewheel jack anchorage bearing	1	S.3	C.	4
6819	F.178337					Trimble, frame 10	2	S.1	C.	
11095	D.260098					Fairing, detachable, aft of hood group (Mod. 1175)	1	—	B.	JC.1
	C.215171					DETAILS OF ACCESS DOOR, ASSEMBLY (Mod. 417)	—	—		
7862	C.215171/3					Panel, access (Mod. 417)	1	L.72	C.	
	E.183254					FLOOR, PILOT'S, ASSEMBLY	—	—		
	F.201279					Angle	1	L.72		
5808	B.201113					Bearer, for invertors	2	L.72	C.	
	A.178021					Bracket, support, for seat rail	2	Stamping		
	F.192689					Channel, mounting	1	DTD.610		
4002	A.195033					Channel, mounting	1	DTD.610	C.	
8313	F.210664					Fork, fitting leg restraint anchorage	2	—	C.	
616	A.183787					Gasket, access panel, starboard, front	1	DTD.5509/D	C.	JC.3
617	A.183789					Gasket, access panel, starboard, rear	1	DTD.5509/D	C.	JC.3
618	B.183790					Gasket, access panel, port, rear	1	DTD.5509/D	C.	JC.3
619	A.183788					Gasket, access panel, port, front	1	DTD.5509/D	C.	JC.3

RESTRICTED

Page JC.3

Hunter F.G.A. Mk. 9
Issued with A/L No. 9

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.190917					Mounting, inverter	2	—		
3119	F.183590					Packing, at attachment of pilots foot ramp	4	DTD.610	MR/C	
622	B.183347					Panel, access, flying controls, port, rear	1	DTD.610	C.	JC.3
623	A.183791					Panel, access, flying controls, port, front	1	DTD.610	C.	JC.3
620	A.183792					Panel, access, flying controls, starboard, front	1	DTD.610	C.	JC.3
621	B.183348					Panel, access, flying controls, starboard, rear	1	DTD.610	C.	JC.3
5805	C.208876					Panel, control column access, group	1	—	B.	JC.3
625	F.183710					Block, control column stop	2	DTD.364	C.	JC.3
9693	F.225619					Block, guard for brake control cable	1	—	C.	
	F.203267					Packing	2	—		
4895	F.203268					Stud	2	S.95.B	C.	JC.3
	A.190904					Platform, mounting, for voltage regulator	1	DTD.610		
1509	C.189998					Rack, air bottle, group	1	—	B.	JC.3
1510	F.189993					Channel, air bottle attachment	2	DTD.610	C.	JC.3
1511	F.189992					Channel, air bottle attachment	4	DTD.610	C.	JC.3
2155	C.189998/2					Seating, 1/8" thick x 0.60" wide	2	DTD.590	MR/C	JC.3
1512	F.189988					Washer, profile, at attachment channels	6	—	C.	JC.3
627	B.166318					Ramp, pilot's foot, port	1	—	C.	JC.3
628	B.166319					Ramp, pilot's foot, starboard	1	—	C.	JC.3
—	Dowty SP.815/2					Seal, bonded (Use 28F/9429636)	37	—	—	
1918	Std.1341/2					Stud, control column access panel	2	—	C.	4
1919	Std.1341/3					Stud, control column access panel	3	—	C.	4
1920	Std.1341/8					Stud, air access panel, port	1	—	C.	4
1921	F.168421					Stud, control column access panel	2	—	C.	JC.3
	Std.1509/23/068					Tube, distance, 5/16" o/d x 17 S.W.G. x 0.58" long	1	T.4	—	4
	C.182946					GUN PACKAGE, FORWARD LIFTING POINT AND JOINT, FRAMES 12 AND 13, ASSEMBLY ..	—	—		
3120	F.179897					Angle, channel attachment to frame 13	2	DTD.610	MR/C	
3121	A.178092					Angle, frame 13	1	DTD.610	MR/C	
3122	A.179896					Bracket	1	DTD.166	MR/C	
3123	B.179895					Channel	1	DTD.610	MR/C	
3124	A.181790					Channel, joint, frame 12	1	DTD.610	MR/C	
3125	A.181709					Plate, joint, frame 13	2	DTD.610	MR/C	
3126	A.181710					Strap, lower, frame 13	1	DTD.610	MR/C	
3127	A.181711					Strap, upper, frame 13	1	DTD.610	MR/C	
4691	Std.1547/26/12					Washer, profile, channel attachment to frame 12	4	DTD.610	MR/C	4
1393	Std.1547/26/14					Washer, profile, channel attachment to frame 12	4	DTD.610	C.	4
	D.179206-7					LANDINGS, GUN BLAST TUBE ACCESS DOORS, ASSEMBLY ..	—	—		
3128	D.179206/1					Landing, blast tube, port	1	DTD.610	MR/C	JC.1
3129	D.179206/2					Landing, blast tube, port	1	DTD.610	MR/C	JC.1
3130	D.179206/3					Landing, blast tube, port	1	DTD.610	MR/C	JC.1
3131	D.179206/4					Landing, blast tube, port	1	DTD.610	MR/C	JC.1
3133	D.179207/1					Landing, blast tube, starboard	1	DTD.610	MR/C	JC.1
3134	D.179207/2					Landing, blast tube, starboard	1	DTD.610	MR/C	JC.1
3135	D.179207/3					Landing, blast tube, starboard	1	DTD.610	MR/C	JC.1
3136	D.179207/4					Landing, blast tube, starboard	1	DTD.610	MR/C	JC.1
7583	F.195695					Nut plate (Pre Mod. 611)	2	S.3	MR/C	
9098	F.221504					Nut, anchor, at frames 5 and 7 (Mod. 611)	6	—	C.	
9097	F.220784					Nut plate, at frame 8 (Mod. 611)	2	—	C.	

RESTRICTED

RESTRICTED

Page JC.4

Hunter F.G.A. Mk. 9
Issued with A/L No. 9

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
3132	D.179206/5					Packing, blast tube landing, port	1	DTD.610	MR/C	JC.1
3137	D.179207/5					Packing, blast tube landing, starboard	1	DTD.610	MR/C	JC.1
	Std.1687/1					Saddle, securing cables	2	DTD.610		5
4211	Std.1687/2					Saddle, securing cables	7	DTD.610	C.	5
1705	Std.1703/5C					Screw, attachment of detachable fairing	24	S.95.B	C.	5
1706	Std.1703/6C					Screw, attachment of detachable fairing	4	S.95.B	C.	5
5809	F.205514					Sealing, at transport joint, frame 18	2	Rubber	C.	
	D.233457					STRUCTURE, FRAMES 3 TO 6, ASSEMBLY	—	—		
						(Mod. 794)				
7584	F.190905					Angle, thermostat mounting	1	DTD.610	MR/C	JC.2
630	B.183655					Bearing, radar ranging unit mounting, port	1	—	C.	JC.2
631	B.183656					Bearing, radar ranging unit mounting, starboard	1	—	C.	JC.2
3141	B.179028					Bracket, nose wheel door jack anchorage, group	1	—	MR/C	JC.2
	F.179027					Bearing	1	S.1		
7585	B.187529					Bracket, pressure controller mounting	2	DTD.610	MR/C	JC.2
3142	B.179029					Bracket, nose wheel door jack anchorage	1	DTD.610	MR/C	JC.2
11084	A.256155					Bracket, mounting for radar J.B.	1	—	C.	
	C.178624					FASTENERS, NOSE PIECE ATTACHMENT,	—	—		
						ASSEMBLY				
632	F.178628					Hook (Pre Mod. 587)	4	S.1	C.	
9390	F.220447					Hook (Mod. 587)	4	S.96.B	C.	JC.4
633	F.178626					Latch, top	2	S.3	C.	JC.4
634	F.178627					Latch, bottom	2	S.3	C.	
5838	A.207961					Lever (Pre Mod. 587)	4	DTD.166	C.	
9391	A.220638					Lever (Mod. 587)	4	DTD.166	C.	JC.4
	Aviation Developments									
28FP/9469299	A.409					Pin, pin	4	—	C.	
636	F.166450					Spring, latch	4	Sp. St.	C.	JC.4
3794	Std.1509/2/104					Tube, distance, 1/4" o/d x 22 S.W.G. x 1.04"	8	T.4	MR/C	4
						long				
	Std.1509/2/112					Tube, distance, 1/4" o/d x 22 S.W.G. x 1.2"	4	T.4	—	4
						long				
9392	F.220446					Washer, rubber (Mod. 587)	4	Oil Res.	C.	
1506454	Std.914/E/22					Washer (Mod. 587)	4	S.1	C.	4
10605	F.246491					Frame, No. 3, group (Modified to E.244026)	1	—	B.	
						(Mod. 942)				
	F.276452					Angle, support, port (Mod. 1244)	1	DTD.610		JC.2
	F.276453					Angle, support, starboard (Mod. 1244)	1	DTD.610		JC.2
	D.222061/3					Angle, starboard	1	DTD.610		JC.2
12721	C.272594					Angle, starboard (Mod. 1244)	1	L.72	C.	
	F.244011					Angle, inboard, bottom, starboard strut, support ..	1	—		
	F.244010					Angle, inboard, bottom, port strut, support	1	—		
	F.218944					Angle, attachment, group	2	—		
8541	F.218942					Bush	2	Rubber	C.	
8542	F.218943					Washer	4	Rubber	C.	
	D.243828					Ballast, weights, at frame 3, assembly	—	—		
						(Mod. 942)				
	C.243815					Weight, ballast, port	1	Lead		
	C.243816					Weight, ballast, starboard	1	Lead		
	B.243812					Weight, ballast, forward, lower	1	Lead		
	B.244037					Weight, ballast, rear, upper	1	Lead		
	B.243764					Weight, ballast, rear, lower	1	Lead		

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

Page JC.5

FUSELAGE - FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.243817					Block, packing, at ballast weight mounting, top . . .	2	—		
	B.244038					Bracket, mounting, for ballast weight, aft, top . . .	1	—		
	B.243765					Bracket, mounting, for ballast weight aft, bottom	1	—		
	B.243755					Bracket, stiffener top, frames 3 to 4, port	1	—		
	B.243756					Bracket, stiffener, top, frames 3 to 4 starboard	1	—		
	A.218945					Bracket, attachment group	1	—		
8541	F.218942					Bush	2	Rubber	C.	
8542	F.218943					Washer	4	Rubber	C.	
	A.218538					Channel, attachment, port	1	S.3		
	A.218539					Channel, attachment, starboard	1	S.3		
	D.222061/1					Diaphragm	1	DTD.610		JC.1
	D.222061/13					Packing, at stiffener, joint	4	L.72		
7594	A.178985					Plate, reinforcing	1	DTD.610	MR/C	
	C.243897					Plate, reinforcing	2	—		
	F.245970					Plate, reinforcing	1	—		
7595	F.174476					Plate, joint, at stiffener	4	DTD.610	MR/C	
	F.213351					Spigot, at centre stiffener	2	S.1		
7259	B.174469					Stiffener, centre, port	1	DTD.610	C.	JC.2
7260	B.174470					Stiffener, centre, starboard	1	DTD.610	C.	JC.2
	C.243890					Stiffener, lower (Mod. 942)	1	—		
	D.222061/12					Stiffener, lower, centre	1	DTD.610		JC.2
	Std.1509/23/100					Tube, distance	4	—		4
1327	Std.1547/24/12					Washer	18	—	C.	4
7602	F.183514					Washer, packing, at attachment channel	2	—	MR/C	
	D.233449					Frame, No. 4, group (Mod. 794)	1	—		
	F.272533					Angle, port (Mod. 1244)	1	—		
	F.272534					Angle, starboard (Mod. 1244)	1	—		
	D.233449/3					Frame, side, port (Use 26FX/3143-D.176890/3) . . .	1	—	—	JC.2
	D.233449/4					Frame, side, starboard	1	—		JC.2
	D.233450					Frame, No. 5, group (Mod. 794)	1	—		
	D.233450/3					Frame, side, port, group (Mod. 794)	1	—		JC.2
11315	D.233450/4					Frame, side, starboard, group (Mod. 794)	1	—	B.	JC.2
6637	A.210013					Angle, reinforcing (Mod. 289)	2	L.65.C	C.	
	A.217895					Bracket, mounting, port only (Mod. 794)	1	L.72		
	F.217896					Bracket, mounting, port only (Mod. 794)	1	L.72		
7110	F.207383					Packing, profile (Mod. 289)	4	L.65.C	MR/C	
6640	F.207734					Plate, serrated (Mod. 289)	2	L.72	C.	
6642	Std.914/U14					Washer (Mod. 289)	6	S.3	C.	4
	D.233451					Frame, No. 6, group (Mod. 794)	1	—		
6057	F.200427					Angle	2	L.72	MR/C	
6636	F.210012					Angle, reinforcing	2	L.65.C	C.	
6637	A.210013					Angle, reinforcing	2	L.65.C	C.	
—	D.233451/3					Angle, port, identical to D.177214/3 (26FX/7603) (Mod. 794)	1	DTD.610	—	
—	D.233451/4					Angle, starboard, identical to D.177214/4 (26FX/7604) (Mod. 794)	1	DTD.610	—	
7605	A.202070					Angle, skin attachment, inboard, port	1	S.3	MR/C	
7606	A.202071					Angle, skin attachment, inboard, starboard	1	S.3	MR/C	
7607	A.202072					Angle, skin attachment, outboard, port	1	S.3	MR/C	
7608	A.202073					Angle, skin, attachment outboard, starboard	1	S.3	MR/C	
—	D.233451/7					Channel, identical to D.177214/7 (26FX/7609) (Mod. 784)	1	DTD.610	—	

RESTRICTED

RESTRICTED

Page JC.6

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - FRONT PORTION

Ref. No.	Part No	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7110	D.233451/1					Diaphragm (Mod. 794)	1	DTD.610	MR/C	
	F.207383					Packing, profile	4	L.65.C		
	F.177304					Packing, cover plate	2	LFS.21		
	F.177305					Plate, cover	2	DTD.610		
6640	F.207734					Plate, serrated	2	L.72	C.	
6641	F.207735					Plate, serrated	2	L.72	C.	
6642	Std.914/U14					Washer	10	S.3	C.	4
10946	A.221142					Landing, nose wheel door, frames 3 to 5, port	1	DTD.610	C.	JC.1
10884	A.221143					Landing, nose wheel door, frames 3 to 5, starboard	1	DTD.610	C.	JC.1
7075	A.214466					Landing, nose wheel door, frame 3	1	DTD.610	C.	JC.1
1506213	C.272507					Member, edge, port (Mod. 1244)	1	—	C.	
1506214	C.272508					Member, edge, starboard (Mod. 1244)	1	—	C.	
	D.186056					MOUNTING, OXYGEN BOTTLE, ASSEMBLY	—	—		
637	F.186589					Bolt, eye, oxygen cylinder cables	1	S.94.B	C.	JC.2
638	F.186588					Bolt, eye, oxygen cylinder cables	1	S.94.B	C.	JC.2
639	A.186063					Bracket, oxygen cylinder support tubes	1	DTD.610	C.	JC.2
	A.272593					Bracket, oxygen cylinder support tubes (Mod. 1244)	1	DTD.610		JC.2
640	A.186062					Bracket, oxygen cylinder support tubes	1	DTD.610	C.	JC.2
641	F.186439					Packing	6	DTD.610	C.	
3150	D.186056/1					Packing, 3/16" thick x 1-1/2" wide x 5.70" long	1	DTD.590	MR/C	JC.2
3151	D.186056/2					Packing, 3/16" thick x 1/2" wide x 1.50" long	9	DTD.590	MR/C	JC.2
3152	D.186056/3					Packing, 3/16" thick x 1-1/2" wide x 4.70" long	1	DTD.590	MR/C	JC.2
—	Dowty SP.815/3					Seal, bonded (Use 28F/14253)	1	—	—	
7612	B.185643					Mounting, brake relay valve	1	DTD.610	MR/C	JC.2
	C.203190					PANEL, ACCESS AND LANDING, FOR AIRCRAFT DESTRUCTION, ASSEMBLY	—	—		
	F.208741					Cable, check	1	—		
4869	C.201287					Landing	1	L.72	MR/C	
6185	C.211572					Panel, access	1	—	C.	
4494	B.201289					Clip, support, for destructor	1	L.72	C.	
	F.215180					Fastener, group (Mod. 461)	2	—		
	F.215180/1					Plate, sealing	1	L.72		
	Fairey FS.430.D					Fastener	1	—		
	B.212676					Skin, top	1	DTD.610		JC.1
1840	C.182347					Skin, side, port	1	DTD.610	B.	JC.1
1841	C.182348					Skin, side, starboard	1	DTD.610	B.	JC.1
	D.233457/1					Skin, bottom (Identical to D.182512/1)	1	DTD.610		JC.1
	B.180205-6					SPIGOT, LOCK, NOSEWHEEL DOOR, ASSEMBLY	—	—		
4052	F.196849					Bolt, spigot attachment	4	S.94.B	C.	JC.1
	B.219193					Bracket, spigot mounting, port	1	S.3		JC.4
	B.219194					Bracket, spigot mounting, starboard	1	S.3		JC.4
12905	F.220611					Bracket, reinforcing, port	1	S.3	C.	
12944	F.220612					Bracket, reinforcing, starboard	1	S.3	C.	
12942	F.219173					Packing, reinforcing, port	1	S.3	C.	
12943	F.219174					Packing, profile, starboard	1	S.3	C.	
12076	F.219316					Plate, serrated	2	S.95.B	C.	JC.1
642	A.186326					Spigot	2	Stamping	C.	JC.1
8505	F.219449					Strip, locking	4	S.84	C.	
	B.220061-2					SPIGOT, FORWARD, NOSEWHEEL DOOR, ASSEMBLY	—	—		
8494	B.220061/A					Housing, group	2	—	C.	
	F.217492					Consisting of:— Housing	1	S.96.B		
28M/9403520	A27-CP					Nut, 2 B.A.	1	—	C.	
	F.217491					Spigot	1	S.96.B		
	Std.915/U12					Washer	1	DTD.610		4
8438	F.217467					Shim	QR	Brass	C.	
8496	F.218753					Shim, taper	QR	L.72	C.	

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 9

Page JC.7

FUSELAGE--FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6793	A.179237					Stiffener, between frames 3 and 4, port	1	DTD.610	MR/C	
6794	A.179238					Stiffener, between frames 3 and 4, starboard	1	DTD.610	MR/C	
	B.179459					Stiffener, skin, frames 4 and 5, port	1	DTD.610		
	B.179460					Stiffener, skin, frames 4 and 5, starboard	1	DTD.610		
	B.179461					Stiffener, skin, frames 5 and 6, port	1	DTD.610		
	B.179462					Stiffener, skin, frames 5 and 6, starboard	1	DTD.610		
3810	Std.1547/20/10					Washer, packing, at attachment of nosewheel door ... Jack anchorage brackets	6	DTD.610	MR/C	4
	D.182410					STRUCTURE, BETWEEN KEEL MEMBERS,	—	—		
						FRAMES 6 TO 10, ASSEMBLY				
10690	F.222146					Angle, attachment of bearing bracket to frame 8 ... and sealing box (Mod. 1007)	2	DTD.610	C.	
	F.181817					Angle, joint, frame 8	1	DTD.610		
10691	F.248723					Angle (Mod. 1007)	1	S.520	C.	
7022	A.215915					Block, stop, nose under carriage, group	1	—	C.	JC.4
7023	A.215915/1					Pad, 5/16" thick x 1.00" wide x 3.50" long	1	Rubber	C.	JC.4
	B.180865					Box, sealing, aileron torque tube	1	L.17		
	B.176985					Box, sealing, control column, group	1	—		
1867	A.194272					Gasket	1	Hibudine	C.	JC.4
4443	A.202036					Panel, access	1	L.72	C.	JC.4
	A.176987					Box, sealing	1	L.17		
10692	A.222131					Bracket, bearing, rudder lever, group (Mod. 1007) ...	1	—	C.	
611	F.177456					Bearing, rudder control lever	1	DTD.364	C.	JC.4
	F.182411					Bracket, switch mounting	1	S.3		
8136	F.182409					Bolt strap, at keel member between frames 9 ... and 10	1	DTD.610	C.	
7617	B.184073					Bolt strap, at keel member, frame 9	1	DTD.610	C.	
8135	F.178279					Bolt strap, at keel member, frame 9	1	DTD.610	C.	
	A.181816					Channel, joint, frame 8	1	DTD.610		
	A.177644					Channel, attachment of rudder pedestal mounting ...	1	DTD.610		
	B.176982					Diaphragm, centre, frame No. 7, group	1	—		
	A.177495					Bracket, lever and switch mounting	1	S.3		
	A.177496					Bracket, undercarriage sequence valve mounting ...	1	S.3		
6812	B.181996					Diaphragm, frame No. 9	1	DTD.610	MR/C	
645	A.180433					Housing, bearing, rudder lever, group	1	—	B.	JC.4
2A/9500419	BRT.1-1/16"					Bearing	1	—	C.	
613	A.177446					Housing, bearing, rudder lever, group	1	—	B.	JC.4
2A/9500419	BRT.1-1/16"					Bearing	1	—	C.	
	A.176979					Mounting, rudder pedestal, port	1	DTD.610		
	A.176980					Mounting, rudder pedestal, starboard	1	DTD.610		
6914	A.181814					Plate, joint, forward, frame 8	1	DTD.610	MR/C	
	A.181815					Plate, joint, aft, frame 8	1	DTD.610		
	F.182412					Plate, profile, frame 8	1	DTD.610		
6849	A.177739					Stiffener, at keel member, frame 9	1	DTD.610	MR/C	
6813	B.177144					Stop, nose wheel block	1	Stamping	MR/C	
3819	Std.1548/28/14					Washer, profile	1	DTD.610	MR/C	4
	E.204678-9					STRUCTURE, FRAMES 6 TO 18A, ASSEMBLY	—	—		
6058	F.202753					Angle, support, for cable clip	1	L.72	MR/C	
6141	F.207678					Channel	2	—	C.	

RESTRICTED

RESTRICTED

Page JC.8

Hunter F.G.A. Mk. 9
Issued with A/L No. 9

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.181460-1	ATTACHMENTS, STUB WING, ASSEMBLY					—	—		
3158	F.187779	Bracket, upper attachment					2	S.3	MR/C	JC.1
3159	F.187780	Bracket, lower, attachment					2	S.3	MR/C	JC.1
3160	D.181460/1	Landing, upper, port					1	DTD.610	MR/C	JC.1
3161	D.181460/2	Landing, lower, port					1	DTD.610	MR/C	JC.1
3162	D.181461/1	Landing, upper, starboard					1	DTD.610	MR/C	JC.1
3163	D.181461/2	Landing, lower, starboard					1	DTD.610	MR/C	JC.1
3816	Std.1547/30/16	Washer, 3/16" dia. x 16 S.W.G.					8	DTD.610	MR/C	4
	B.194834	Bracket, mounting, hydraulic pressure switch					1	DTD.610		
	B.189130	Bracket, support, for spool					1	DTD.610		JC.3
	A.195034	Bracket, mounting, for electrical plug					1	DTD.610		
4002	A.195033	Bracket, mounting, for electrical plug					1	DTD.610	MR/C	
	F.268201	Bracket, mounting, for air relay box (Mod. 1260) ...					2	L.72		
5807	F.204432	Bracket, support, at frame 16					1	S.3	C.	
7613	A.207202	Bracket, mounting, between frames 17B and 18A ...					1	L.72	MR/C	
5927	A.193717	Bracket, mounting, for anti "G" installation					1	L.72	MR/C	
7614	B.202917	Bracket, for engine anti-icing controls, between ...					1	L.72	MR/C	
		frames 9 and 10								
7615	B.184071	Butt strap, lower side portion, port					1	DTD.610	MR/C	
7616	B.184072	Butt strap, lower side portion, starboard					1	DTD.610	MR/C	
7617	B.184073	Butt strap, bottom portion					1	DTD.610	C.	
1047	F.187998	Clip, mounting, for shuttle valves					1	S.3	C.	JC.1
8486	F.216030	Clip, at frame 15					1	S.3, T.26	C.	
4889	B.200745	Door, footstep, group					1	—	B.	JC.1
1518	Mills G.P.4	Pin, 3/16" dia. x 5/8" long					2	M.S.	C.	JC.1
4922	F.200736	Plunger					2	S.1	C.	JC.1
1520	F.189113	Spring, release					1	Sp. Stl.	C.	JC.1
1521	F.189105	Spring, torsion, front					1	Sp. Stl.	C.	JC.1
1522	F.189106	Spring, torsion, rear					1	Sp. Stl.	C.	JC.1
	C.187149-50	DUCT, SERVICE, BETWEEN FRAMES 6 AND 11, .					—	—		
		ASSEMBLY								
5F/	C.187149/1	Duct, 1.875" o/d x 22 S.W.G.					1	L.54		
	—	Sleeve, .50" wide x 0.48" thick x 6.0" long					1	P.V.C.	C.	
	A.188490	Socket					1	—		
	B.183140	Floor, front side portion, port					1	L.72		
	B.183141	Floor, front side portion, starboard					1	L.72		
	D.204680	FLOOR, REAR SIDE PORTION, PORT,					—	—		
		ASSEMBLY								
	A.211889	FLOOR, REAR SIDE PORTION, STARBOARD, ...					—	—		
		ASSEMBLY								
	F.208207	Bracket, mounting, for junction box					1	L.72		
	F.206067	Bracket, support, for cable assembly, F6					1	L.72		
	F.189128	Spool, hood jettison gear lever mounting					1	DTD.364		
3164	D.181805	Frame 7, port, group					1	—	MR/B	JC.2
3165	D.181806	Frame 7, starboard, group					1	—	MR/B	JC.2
	F.273390	Angle, port (Mod. 1244)					1	S.521		
	F.273391	Angle, starboard (Mod. 1244)					1	S.521		
	F.273392	Angle, port (Mod. 1244)					1	S.521		
	F.273393	Angle, starboard (Mod. 1244)					1	S.521		
6637	A.210013	Angle, reinforcing					2	L.65.C	C.	
7110	F.207383	Packing, profile					4	L.65.C	MR/C	
	C.272495	Plate, joint, port (Mod. 1244)					1	S.521		
	C.272496	Plate, joint, starboard (Mod. 1244)					1	S.521		
6640	F.207734	Plate, serrated					2	L.72	C.	
6642	Std.914/U.14	Washer					6	S.3	C.	4

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 12

Page JC.9

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
3166	E.181803					Frame 8, port, group	1	—	MR/B	JC.2
6638	A.210014					Angle, reinforcing	1	L.65.C	C.	
6635	A.207737					Plate, serrated	1	L.72	C.	
6642	Std.914/U14					Washer	3	S.3	C.	4
3167	E.181804					Frame 9, starboard, group	1	—	MR/B	JC.2
6639	A.210015					Angle, reinforcing	1	L.65.C	C.	
6634	A.207736					Plate, serrated	1	L.72	C.	
6642	Std.914/U14					Washer	3	S.3	C.	4
	E.176257					Frame 9, upper portion, port, group	1	—		
6059	A.201836					Mounting, for target rejector switch	1	L.72	MR/C	
3168	E.176258					Frame 9, lower portion, port	1	—	MR/C	JC.2
	E.176259					Frame 9, upper portion, starboard	1	—		
3169	E.176260					Frame 9, lower portion, starboard	1	—	MR/C	JC.2
	E.176261					Frame 10, upper portion, port	1	—		
	A.268198					Bracket (Mod. 1260)	1	L.72		
3170	E.176262					Frame 10, lower portion, port	1	—	MR/B	JC.2
	E.176263					Frame 10, upper portion, starboard	1	—		
3171	E.176264					Frame 10, lower portion, starboard	1	—	MR/B	JC.2
	E.181756					Frame 11, upper portion, port, group	1	—		
	A.268199					Bracket (Mod. 1260)	1	L.72		
	E.181757					Frame 11, upper portion, starboard	1	—		
3172	E.181758					Frame 11, lower portion, port	1	—	MR/B	JC.2
12203	B.263159					Bracket, for gun harmonization (Mod. 1212)	1	MS. & S.510	C.	
3173	E.181759					Frame 11, lower portion, starboard	1	—	MR/B	JC.2
6060	C.206128					Frame 12, port, group	1	—	MR/B	JC.2
	B.217703					Bracket	1	L.72		
11141	Std.1547/24/16					Washer, packing	2	DTD.610	C.	4
	Std.1547/40/16					Washer, packing	2	DTD.610		4
3175	D.181699					Frame 12, starboard, group	1	—	MR/B	
	F.179046					Angle, relay mounting	2	DTD.610		
	F.206508					Angle	1	L.72		
6061	C.206129					Frame 13, port	1	—	MR/B	JC.2
3177	D.181678					Frame 13, starboard	1	—	MR/B	
	F.189129					Frame 14, side portion, port, group	1	—		
	F.178049					Angle	2	DTD.610		
	F.178047					Angle, floor	1	DTD.610		
	A.190946					Block, sealing	1	LFS.21		
1922	Std.1341/13					Mounting, hood motor relay, group	1	DTD.610		
						Stud, special	1	—	C.	4
	F.177747					Plate, mounting, hood motor	4	DTD.610		
6760	A.209279					Steady, for gun pack	1	Casting	C.	JC.3
1179	A.177021					Union, bulkhead	2	DTD.364	C.	JC.3

RESTRICTED

RESTRICTED

Page JC.10

Hunter F.G.A. Mk. 9
Issued with A/L No. 12

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.207393					Frame 14, side portion, starboard, group	1	—		
	F.178050					Angle, floor	1	DTD.610		
	F.178048					Block, sealing	1	LFS.21		
	F.191001					Bracket, mounting, compass amplifier	3	DTD.610		
	F.191002					Bracket, mounting, compass amplifier	3	DTD.610		
6660	A.207435					Housing	1	L.65.C	C.	
6760	A.209279					Steady, for gun pack	1	Casting	C.	
	E.182122					Frame 14, centre portion, group	1	—		
	F.194165					Block, sealing	1	LFS.21		
	F.216374					Bracket, stop	1	L.65		
10900	A.216524					Channel	1	S.3	C.	
1708	A.193141					Mounting, anti "G" air filter	1	S.3	C.	JC.3
	A.190947					Mounting, hood motor relay, group	1	DTD.610		
1922	Std.1341/13					Stud, special	1	—	C.	4
	Std.1509/12/055					Tube, distance, at stop bracket	1	T.4		4
	F.177747					Plate, hood motor mounting	2	DTD.610		
	C.189999					RACK, ANTI "G" AIR BOTTLE, ASSEMBLY	—	—		JC.3
1511	F.189992					Channel, attachment	1	DTD.610	C.	JC.3
	B.189997					Rack, group	1	DTD.610		
2155	C.189998/2					Seating, 1/8" thick x 0.60" wide	2	DTD.590	MR/C	JC.3
1512	F.189988					Washer	6	DTD.610	C.	JC.3
	D.176249					Frame 15, port	1	—		
	D.176250					Frame 15, starboard	1	—		
	D.181890					Frame 16, side portion, port	1	—		
	D.181891					Frame 16, side portion, starboard	1	—		
	D.176269					Frame 17A, port	1	DTD.610		
	D.176270					Frame 17A, starboard, group	1	DTD.610		
6062	A.204431					Bracket, support, for circuit breaker angles	1	L.72	MR/C	
	D.180278					Frame 17B, port	1	DTD.610		
	D.180279					Frame 17B, starboard	1	DTD.610		
	D.176272					Frame 18A, port	1	—		
	D.176273					Frame 18A, starboard	1	—		
3178	A.178277					Landing, gun package door, rear	2	DTD.610	MR/C	JC.1
3179	A.179799					Landing, gun package door, front, port	1	DTD.610	MR/C	JC.1
3180	A.179800					Landing, gun package door, front, starboard	1	DTD.610	MR/C	JC.1
3181	A.178266					Landing, nosewheel door, port	1	DTD.610	MR/C	JC.4
3182	A.178267					Landing, nosewheel door, starboard	1	DTD.610	MR/C	JC.4
3183	B.182482					Landing, gun package access door, frame 11, port	1	DTD.610	MR/C	JC.1
3184	B.182483					Landing, gun package access door, frame 11, starboard	1	DTD.610	MR/C	JC.1
	E.177824-25					LONGERON, BOTTOM, FRAMES 8 TO 19, ASSEMBLY	—	—		
	F.175839					Angle, frame 18A, port	1	DTD.610		
	F.175840					Angle, frame 18A, starboard	1	DTD.610		
	F.178540					Angle, frame 18A	2	DTD.610		
	F.178539					Angle, wireless bay access door hinge bracket, frame 16	2	DTD.610		
	F.177637					Angle, frame 9, 10 and 11, port	3	DTD.364		
	F.177638					Angle, frames 9, 10 and 11, starboard	3	DTD.364		

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

Page JC.11

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.178350					Angle, frame 11, port	1	DTD.364		
	F.178351					Angle, frame 11, starboard	1	DTD.364		
	F.178352					Angle, frame 10, port	1	DTD.364		
	F.178353					Angle, frame 10, starboard	1	DTD.364		
	F.178117					Block, distance, frames 9, 10 and 11	6	Casting		
647	Std.325/90N					Bolt, special, wireless bay access door hinge	4	S.2	C.	4
3185	F.178013					Bracket, hinge, gun access doors	4	S.95.B	MR/C	
3186	F.178014					Bracket, hinge, gun access doors	4	S.95.B	MR/C	
	A.177973					Bracket, frame 14	2	Stamping		
5810	A.200576					Bracket, gun package locating	2	S.3	C.	
	A.177941					Bracket, frame 15	2	Stamping		
	A.176903					Bracket, frame 16	2	Stamping		
	F.187882					Bracket	1	S.3		
	A.177942					Channel, frame 12	2	Stamping		
	F.177989					Channel, frame 13	2	DTD.610		
	A.180325					Fitting, frame 18A	2	S.98.B		
648	F.173339					Nut, special, support spigot	6	S.97.B	C.	JC.4
	F.178015					Packing, at wireless bay access door, 16 and 18A ..	4	DTD.610		
	Std.1648/32/14					Packing, attachment angle, frame 13	2	DTD.610		4
7618	E.180215					Plate, top, port	1	DTD.610	MR/B	
7619	E.180216					Plate, top, starboard	1	DTD.610	B.	
7620	E.180217					Plate, bottom, port	1	DTD.610	MR/B	
7621	E.180218					Plate, bottom, starboard	1	DTD.610	MR/B	
3187	F.178016					Shim, at gun access door hinge brackets, frames 11 and 12	8	Brass	MR/C	
649	F.182539					Spigot, support, gun package	6	S.97.B	C.	JC.4
	E.177342-43					LONGERON, TOP, ASSEMBLY	—	—		
	F.240465					Angle, outboard, frame 18A, port (Mod. 943)	1	DTD.610		
	F.240466					Angle, outboard, frame 18A, starboard (Mod. 943) ..	1	DTD.610		
	F.240463					Angle, inboard, frame 18A, port (Mod. 943)	1	DTD.610		
	F.240464					Angle, inboard, frame 18A, starboard (Mod. 943) ..	1	DTD.610		
	F.240481					Bolt, special	32	S.96.B		
	F.240482					Bolt, special	26	S.96.B		
5811	A.201367					Bracket, lamp	1	L.72	C.	
6063	F.203581					Bracket, lamp	1	—	MR/C	
9051	F.216177					Bracket, pivot, hood rails, port	1	—	C.	JC.2
9052	F.216178					Bracket, pivot, hood rails, starboard	1	—	C.	JC.2
	A.180324					Fitting, frame 18A	2	S.98.B		
10095	A.234638					Lock, hood release, port, group (AS.840/8)	2	—	B.	JC.2
10096	A.234639					Lock, hood release, starboard, group (AS.840/8) ..	2	—	B.	JC.2
3188	F.186501					Bolt, spring anchorage	2	S.95.B	MR/C	JC.2
3189	F.186502					Nut, spring anchorage	2	S.95.B	MR/C	JC.2
3190	F.151094					Spring, seat	1	Sp. St.	MR/C	JC.2
1709	F.186574					Lug, hinge	1	DTD.364	C.	JC.3
1710	F.186575					Lug, hinge	1	DTD.364	C.	JC.3
1923	F.183864					Plate, nut, at pivot brackets	1	S.3	C.	JC.2
	A.211754					Plate, nut, at frame 12	2	—		
	E.175729-30					MEMBER, KEEL, ASSEMBLY	—	—		
7622	A.175746					Angle, attachment, frame 6, port	1	L.72	MR/C	JC.4
6912	A.175747					Angle, attachment, frame 6, starboard	1	L.72	MR/C	
7623	F.175752					Angle, port	1	DTD.610	MR/C	JC.4
7624	F.175753					Angle, starboard	1	DTD.610	MR/C	JC.4
7625	F.175750					Angle, port	1	DTD.364	MR/C	JC.4
7626	F.175751					Angle, starboard	1	DTD.364	MR/C	JC.4

RESTRICTED

RESTRICTED

Page JC.12

Hunter F.G.A. Mk. 9
Issued with A/L No. 12

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7627	F.177164					Bearing, nosewheel door jack anchorage	1	S.95.B	MR/C	JC.4
611	F.177456					Bearing, rudder control lever	2	DTD.364	C.	JC.4
7628	A.165906					Block, pivot bolt support, port	1	DTD.166	MR/C	JC.4
7269	A.165907					Block, pivot bolt support, starboard	1	DTD.166	MR/C	JC.4
6965	F.177756					Block, hinge, nosewheel door	2	—	MR/C	
6798	E.175729/3					Bdom, bottom, port	1	DTD.364	MR/C	
6835	E.175730/3					Bdom, bottom, starboard	1	DTD.364	MR/C	
7630	E.175729/4					Bdom, top, aft of frame 8, port	1	DTD.364	MR/C	JC.4
7631	E.175730/4					Bdom, top, aft of frame 8, starboard	1	DTD.364	MR/C	JC.4
7632	E.175729/5					Bdom, top, forward of frame 8, port	1	DTD.364	MR/C	JC.4
7633	E.175730/5					Bdom, top, forward of frame 8, starboard	1	DTD.364	MR/C	JC.4
7634	E.175729/6					Bdom, top, forward of frame 8, port	1	DTD.364	MR/C	JC.4
7635	E.175730/6					Bdom, top, forward of frame 8, starboard	1	DTD.364	MR/C	JC.4
6795	C.175734					Channel, between frames 6 and 8, port	1	DTD.166	MR/C	
6911	C.175735					Channel, between frames 6 and 8, starboard	1	DTD.166	MR/C	
652	F.177166					Nut-plate, at nosewheel door jack anchorage bearing	1	S.3	C.	
1924	F.177757					Nut-plate, at nosewheel door hinge block	2	S.3	C.	JC.4
7636	C.175732					Plate, reinforcing, port	1	DTD.166	MR/C	JC.4
7637	C.175733					Plate, reinforcing, starboard	1	DTD.166	MR/C	JC.4
7638	A.175740					Plate, reinforcing, forward of frame 9, port	1	DTD.610	MR/C	JC.4
7639	A.175741					Plate, reinforcing, forward of frame 9, starboard	1	DTD.610	MR/C	JC.4
7640	F.175754					Plate, reinforcing, at frame 8, port	1	DTD.610	MR/C	JC.4
7641	F.175755					Plate, reinforcing, at frame 8, starboard	1	DTD.610	MR/C	JC.4
7642	F.177952					Stiffener, between frames 6 and 7	2	DTD.610	MR/C	JC.4
7643	E.175729/1					Web, forward of frame 9	1	DTD.610	MR/C	JC.4
6797	E.175729/2					Web, aft of frame 9	1	DTD.610	MR/C	JC.4
6910	E.175730/1					Web, forward of frame 9	1	DTD.610	C.	JC.4
6834	E.175730/2					Web, aft of frame 9	1	DTD.610	MR/C	JC.4
8231	A.213297					Mounting, for Arm JB.7 and 8, starboard only	1	L.72	MR/C	
646	A.178256					Panel, access to nosewheel pivot bolt	2	DTD.610	C.	JC.1
	A.198857					Pipe, drain, for hood rail, port	1	—		
	A.198858					Pipe, drain, for hood rail, starboard	1	—		
1844†	E.183242/1					Skin, side, port	1	DTD.610	B.	JC.1
7644	E.204890/1					Skin, side, starboard	1	DTD.610	MR/B	JC.1
	E.204887					Skin, side, port, group	1	—		
	E.204888					Skin, side, starboard, group	1	—		
7645	A.178271					Butt-strap, between frames 9 and 11, port	1	DTD.610	MR/C	
7646	A.178272					Butt-strap, between frames 9 and 11, starboard	1	DTD.610	MR/C	
7647	A.178269					Butt-strap, between frames 6 and 9, port	1	DTD.610	MR/C	
7648	A.178270					Butt-strap, between frames 6 and 9, starboard	1	DTD.610	MR/C	
7649	E.180213					Capping, bottom, port	1	DTD.610	MR/C	JC.2
7650	E.180214					Capping, bottom, starboard	1	DTD.610	MR/C	JC.2
7651	B.178260					Capping, top, port	1	DTD.610	MR/C	
7652	B.178261					Capping, top, starboard	1	DTD.610	MR/C	
7653	B.178258					Capping, top, forward, port	1	DTD.610	MR/C	
7654	B.178259					Capping, top, forward, starboard	1	DTD.610	MR/C	
10853	F.250417					Drain, vent (Port only) (Mod. 1038)	1	Tungum	C.	
3192	A.178273					Landing, gun access door, front	2	DTD.610	MR/C	JC.1
3193	A.178278					Landing, gun access door, rear	2	DTD.610	MR/C	JC.1
7657	F.178285					Plate, joint, between frames 14 and 15	2	DTD.610	MR/C	
7655	E.204887/1					Skin, side, port	1	L.72	MR/B	JC.1
7656	E.204888/1					Skin, side, starboard	1	L.72	MR/B	JC.1
1846	E.183244					Skin, bottom, frames 9 to 11, port (A.195133 to be supplied loose)	1	DTD.610	B.	JC.1

RESTRICTED

RESTRICTED

Page JC.13

Hunter F.G.A. Mk. 9
Issued with A/L No.9

FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
1847	E.183245					Skin, bottom, frames 9 to 11, starboard (A.195133 to be supplied loose)	1	DTD.610	B.	JC.1
1848	E.183246					Skin, bottom, frames 6 to 9, port	1	DTD.610	B.	JC.1
1849	E.183247					Skin, bottom, frames 6 to 9, starboard	1	DTD.610	B.	JC.1
	C.179465					TUBE, BLAST, FIXED, ASSEMBLY	—	—		
1506215	B.273849					Liner, flanged (Mod. 1244)	1	—	C.	
3194	A.190410					Plate, locking	3	DTD.610	MR/C	JC.4
11347	A.221595					Sleeve	2	S.521	C.	
1925	F.179410					Stud, gun pedestal attachment	16	S.99.B	C.	JC.4
	B.179466					Tube, blast	2	T.55		
11344	B.228711					Tube, blast	2	T.55	C.	
	E.204317					STRUCTURE, COCKPIT SHELF, PORT, ASSEMBLY	—	—		
	F.214689					Angle, mounting	1	—		
	F.214690					Angle, mounting	1	L.72		
4223	B.199577					Bracket, mounting, for triple pressure gauge (Pre Mod. 699)	1	L.72	MR/C	
	B.222070					Bracket, mounting, for triple pressure gauge (Mod. 699)	1	L.72		
	A.184303					Bracket, lower pressure fuel cock mounting	1	DTD.610		
7658	A.191920					Bracket, mounting, for air release valve	1	DTD.610	MR/C	JC.3
7659	F.192112					Bracket, mounting, for air release valve cable pulley	1	DTD.610	MR/C	
	A.184304					Cover, lower pressure fuel cock	1	DTD.610		
4224	Std.1590/C					Packing	2	DTD.610	MR/C	5
	Std.1933/C.18					Packing (Mod. 699)	1	L.72		
	B.184550					Support, throttle box, inboard	1	DTD.610		
	B.184551					Support, throttle box, outboard	1	DTD.610		
	C.202313					Shelf, fixed, forward, between frames 8 and 10	1	DTD.610		
	B.184288					Shelf, fixed, aft, between frames 10 and 12	1	DTD.610		
	E.233458					STRUCTURE, COCKPIT SHELF, STARBOARD, ASSEMBLY (Mod. 794)	—	—		
1565	A.188228					Bracket, for oxygen gauge	1	DTD.610	C.	
	A.185367					Landing, cockpit shelf	1	DTD.610		
	A.206946					Landing, cockpit shelf	1	DTD.610		
	B.185368					Mounting, compass control unit	1	DTD.610		
	B.185358					Mounting, oxygen regulator	1	DTD.610		
629	B.185362					Panel, access to oxygen regulator	1	DTD.610	C.	JC.2
	B.233459					Shelf, fixed, frames 10 to 11 (Mod. 794)	1	DTD.610		
	E.272631					STRUCTURE, BETWEEN FRAMES 12 AND 18A, ASSEMBLY (Mod. 1260)	—	—		
	F.214903					Bracket, at top diaphragm, frame 16	1	L.72		
	B.214898					Bracket, for combined monitor mounting	1	—		
	B.214899					Bracket, for combined monitor mounting	1	—		
	D.272638					DECKING, REAR, ASSEMBLY (Mod. 1260)	—	—		
	B.233454					Diaphragm, frame 16 (Mod. 794)	1	DTD.610		
	B.248995					Frame 18A, top portion (Mod. 1014)	1	DTD.610		

RESTRICTED

RESTRICTED

Page JC.14

Hunter F.G.A. Mk. 9
Issued with A/L No. 9


FUSELAGE—FRONT PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.176268					Frame 17A, top portion	1	DTD.610		
	D.180277					Frame 17B, top portion	1	DTD.610		
	D.272638/1					Skin, 16 S.W.G. (Mod. 1260)	1	DTD.610		
	C.182894					Diaphragm, frame 14-16, group	1	—		
	F.220413					Bracket, mounting	1	—		
	D.184552					FAIRING, FIXED, AFT OF HOOD, ASSEMBLY ...	—	—		
	C.272552					Diaphragm, frame 14, group (Mod. 1260)	1	—		
	F.214719					Bracket	1	—		
	A.209955					Bracket, mounting, group	1	—		
	C.272603					Landing, for hood fairing, group (Mod. 1260)	1	—		
	A.267052					Bracket, support (Mod. 1260)	1	L.72		
	C.267047					Plate, mounting (Mod. 1260)	1	L.72		
3813	Std.1547/22/10					Washer, at amplifier mounting	2	—		4
	D.184552/1					Skin	1	DTD.610		
	D.233453					Frame 16, centre portion (Mod. 794)	1	DTD.610		
653	A.182899					Gasket, detachable, flying control shroud	1	Rubber	C.	JC.1
	C.182877					LONGERON, TIE SEAT RAIL, ATTACHMENT AND FLYING CONTROL CASING, ASSEMBLY	—	—		
	B.179049					Bracket, top longeron tie, frame 13, forward	1	DTD.610		
	B.179050					Bracket, top longeron tie, frame 13, aft	1	DTD.610		
	B.179051					Bracket, top longeron tie, frame 13, forward	1	DTD.610		
	B.179052					Bracket, top longeron tie, frame 13, aft	1	DTD.610		
	B.182883					Bracket, seat guide rail, attachment	1	Stamping		
	A.192039					Bracket, mic-tel socket mounting	1	S.3		
	C.182878					Casing, flying controls	1	DTD.610		
	C.190601					Platform, mounting	1	DTD.610		
	B.214900					Plate, mounting, for combined monitor, group	1	—		
						(Mod. 417)				
10AJ/131	—					Mounting, anti-vibration	3	—	B.	
3871	A.197684					Strip, washer, at detachable shroud	2	DTD.610	C.	
3872	A.197685					Strip, washer, at detachable shroud	2	—	C.	
3873	A.197686					Strip, washer, at detachable shroud	2	—	C.	
4728	Std.1231/4					Tab, locking	1	—	C.	4
3771	Std.1231/6					Tab, locking, at frame 6, attachment to keep member ..	1	S.3	MR/C	4

RESTRICTED

PLATE N^o. JC.I
(ISSUE 33)






RESTRICTED

PLATE N° JC.3


(ISSUE 3)



FRONT FUSELAGE

RESTRICTED

PLATE N° JC. 4-
(ISSUE 9)



FRONT FUSELAGE

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

