

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L Nol 7

Page JD.1

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
12135	C.269834	FUSELAGE, REAR, COMPLETE, GROUP (Mod. 1271) (Fully equipped and complete with air-brake and tail cone, less tail parachute)	1	—	MR/A	JD.1
—	D.207295	AIR BRAKE, ASSEMBLY (See Page No. JD.17)	—	—	—	
—	E.236298	ELECTRICAL SYSTEM, ASSEMBLY ... (See Section EC)	—	—	—	
—	C.202951	FIRE PROOFING AND TANK PANELS, ASSEMBLY (See Section JL)	—	—	—	
—	D.202256	FUEL SYSTEM, ASSEMBLY (See Section NP) ...	—	—	—	
—	E.217437	FLYING-CONTROL, ASSEMBLY (See Section DE)	—	—	—	
—	D.234198	HYDRAULICS, ASSEMBLY (See Section NG) ...	—	—	—	
—	D.273998	I.F.F. INSTALLATION, ASSEMBLY ... (See Section MC)	—	—	—	
—	E.224471	Tail cone, group (See Page JD.21) ...	—	—	—	
—	E.273966	U.H.F. INSTALLATION, ASSEMBLY ... (See Section MD)	—	—	—	
	E.269833	FUSELAGE, REAR STRUCTURE, GROUP (Mod. 1271)	1	—		JD.2
	A.182188	Angle, joint, at top of frame 51 ...	1	DTD.610		
	F.182189	Angle, joint, port, at stringer H, frame 51 ...	1	DTD.610		
	F.182190	Angle, joint, starboard, at stringer H, frame 51 ...	1	DTD.610		
7661	F.183577	Angle, starboard, at frame 55 for stringers B, C, D, J, K and L	6	DTD.364	MR/C	
7662	F.183578	Angle, port, at frame 55 for stringers A, B, C, D, J, K and L	7	DTD.364	MR/C	
6937	B.204673	Angle, reinforcing, port, frame 46 ...	1	L.72	MR/C	
6938	B.204674	Angle, reinforcing, starboard, frame 46 ...	1	L.72	MR/C	
	D.203888/3	Boom, inner, top, frame 50 ...	1	DTD.264		
7663	D.203888/4	Boom, frame 50 ...	1	DTD.364	MR/C	
7664	D.203888/5	Boom, frame 50 ...	1	DTD.364	MR/C	
6943	A.203926	Bracket, support, for jet pipe rail at frame 40 ...	1	L.72	MR/C	
	C.205594	COVER, PROTECTIVE, FOR HYDRAULIC COMPONENTS BETWEEN FRAMES 49 AND 50, ASSEMBLY	—	—		
	A.205598	Angle ...	1	L.72		
	F.205599	Angle ...	1	L.72		
	F.205600	Angle ...	1	L.72		
	A.205621	Angle ...	1	L.72		
	B.205597	Diaphragm ...	1	L.72		
8176	D.205595	Member, side ...	1	L.72	MR/C	
5702	C.205596	Panel, access ...	1	L.72	C.	JD.2
	C.206138	DRAIN, RETRACTABLE, AT ENGINE SUMP, ASSEMBLY	—	—		
	A.214180	Bracket, support ...	1	L.72		JD.4
4024	F.195740	Clip ...	1	S.84 or S.3	MR/C	JD.4
8524	F.216645	Drain, extension ...	1	L.65	C.	JD.4
6662	B.206377	Funnel ...	1	S.3 & T.26	C.	JD.4
1871	B.193009	Guide ...	1	S.3 & T.26	C.	JD.4
1872	F.193010	Spring ...	1	Spg. Stl.	C.	JD.4
2379	F.193011	Washer, retaining ...	1	DTD.610	MR/C	JD.4

RESTRICTED

Page JD.2

Hunter F.G.A. Mk. 9
Issued with A/L No. 7

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	A.198547	Duct, cable	1	L.54		
	C.250552	FAIRING, FOR AIR BRAKE LEADING EDGE, ASSEMBLY (Mod. 1025)	-	-		
10840	C.250552/B	Fairing, inner portion, group (Mod. 1025) ...	1	-	C.	JD.3
8513	F.216608	Drain, extension	1	L.65	C.	JD.1
10839	C.250552/A	Fairing, outer portion, port (Mod. 1025) ...	1	L.59	C.	JD.3
10841	C.250552/C	Fairing, outer portion, starboard (Mod. 1025) ...	1	L.59	C.	JD.3
	D.223756	Fin, dorsal, group	1	-		JD.1
7666	A.185853	Bracket, front, for charging valve	1	DTD.610	MR/C	JD.5
7667	A.185854	Bracket, rear, for charging valve	1	DTD.610	MR/C	JD.5
711	B.186345	Bracket, clamp, for hydraulic accumulator ...	1	S.3 & Felt	C.	JD.2
7668	B.204655	Bracket, flying control, group	1	-	MR/B	JD.3
713	F.173109	Bracket, bearing	1	DTD.364	C.	JD.3
	F.183604	Bracket, port	1	DTD.610		
	F.209247	Bracket	1	DTD.610		
	B.204690	Bracket, starboard	1	L.72		
	A.204689	Channel	1	L.72		
	F.202691	Plate, reinforcing	2	L.72		
714	F.183607	Shim	1	Laminum	C.	JD.3
26FH/3474	Std.1547/20/12	Washer, profile	4	DTD.610	MR/C	4
715	F.186346	Clamp, for hydraulic accumulator	1	S.3 & Felt	C.	JD.2
	F.186245	Cleat	1	DTD.610		
3738	Std.840/29	Clip, support, for cable duct	1	DTD.610	MR/C	4
	A.207598	Duct, cable	1	L.67		
	A.207599	Duct, cable	1	L.67		
	C.211484	Former, at frame 46	1	L.72		
	B.183728	Former, at frame 47	1	DTD.610		
	B.211485	Former, at frame 48	1	L.72		
	C.183729	Former, at frame 49	1	DTD.610		
	C.211486	Former, at frame 50	1	L.72		
10721	C.204653	Former, at frame 51	1	-	C.	
	F.185858	Label, at charging valve	1	DTD.610		
	B.225947	Landing, for access panel to flying controls ...	1	DTD.610		JD.2
2377	F.183736	Landing, for access panel to flying control bolt ...	2	DTD.610	MR/C	JD.2
	C.225946	Landing, for access panel to hydraulic accumulator, charging valve, electrical relays, terminal blocks and hydraulic connections	1	DTD.610		JD.2
7669	B.202689	Landing, for access panel to flying controls ...	1	L.72	MR/C	
7670	C.210096	Landing, for access panel	1	L.72	MR/C	
	C.215203	Landing, for access panel to micron filter ...	1	L.72		
4728	Std.1231/4	Lug	2	S.3	MR/C	4
4242	Std.1231/7	Lug	1	S.3	C.	4
	Std.1231/7B	Lug, locking	3	S.3		
	F.189514	Packing, starboard, on former, at frame 51 ...	1	DTD.610		
	F.189515	Packing, port, on former at frames 51 ...	1	DTD.610		
716	B.183735	Panel, access to flying controls	1	DTD.610	C.	JD.1
717	F.183737	Panel, access to flying control bolt	2	DTD.610	C.	JD.1

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 12

Page JD.3

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
718	C.188863					Panel, access to hydraulic accumulator, charging valve, electrical relays, terminal block and hydraulic connections, group	1	DTD.610	B.	JD.1
4888	Std.1509/1/012					Tube, distance, 3/16" o/d x 22 S.W.G. x 0.12" long (Make from 30B/618)	5	T.4	MR/C	4
4555	Std.915/A22					Washer	5	DTD.610	C.	4
4602	A.200876					Window	1	Perspex	C.	JD.1
9345	B.215202					Panel, access to micronic filter	1	L.72	C.	
7859	A.202690					Panel, access to flying controls	1	L.72	C.	JD.3
6666	B.210097					Panel, access to elevator feel unit	1	L.72	C.	JD.3
	B.188907					Panel, mounting	1	DTD.610		
	B.186243					Plate, side	1	DTD.610		
	C.183733					Rib, horizontal, between formers at frames 50 and 51	1	DTD.610		
7671	D.183727/1					Skin, port	1	DTD.610	MR/B	JD.1
10629	D.223756/2					Skin, starboard	1	DTD.610	B.	JD.3
6907	D.183727/7					Stiffener, top, port, between formers at frames 50 and 51	1	DTD.610	MR/C	JD.2
6908	D.183727/8					Stiffener, top, starboard, between formers at frames 50 and 51	1	DTD.610	MR/C	JD.2
	A.184750					Stiffener, centre, port, between formers at frames 49 and 50	1	DTD.610		
	A.184751					Stiffener, centre, starboard, between formers at frames 49 and 50	1	DTD.610		
	A.186197					Stiffener, lower, port, between formers at frames 49 and 50	1	DTD.610		
	A.186198					Stiffener, port, between formers at frames 47 and 48	1	DTD.610		
	A.186199					Stiffener, starboard, between formers at frames 47 and 48	1	DTD.610		
	A.186200					Stiffener, port, between formers at frames 46 and 47	1	DTD.610		
	A.186201					Stiffener, starboard, between formers at frames 46 and 47	1	DTD.610		
	A.186202					Stiffener, top, port, between formers at frames 49 and 50	1	DTD.610		
	A.186203					Stiffener, top, starboard, between formers at frames 49 and 50	1	DTD.610		
	A.186204					Stiffener, lower, port, between formers at frames 50 and 51	1	DTD.610		
	A.186205					Stiffener, lower, starboard, between formers at frames 50 and 51	1	DTD.610		
	D.183727/3					Strap, butt	1	DTD.610		
	D.183727/6					Strap	1	DTD.610		
	C.205130-1					FITTING, FORWARD HINGE, FOR AIR-BRAKE, SUB-ASSEMBLY	-	-		
5918	F.203982					Angle, attachment, inboard, for hinge fitting at frame 46	2	L.72	MR/C	JD.4
5919	F.203983					Angle, attachment, outboard, for hinge fitting at frame 46	2	L.72	MR/C	JD.4
5922	A.203986					Angle, attachment, port, at frame 45	1	DTD.364	MR/C	JD.4
5923	A.203987					Angle, attachment, starboard, at frame 45	1	DTD.364	MR/C	JD.4
7673	A.205076					Angle	1	L.72	MR/C	
5920	A.203984					Attachment, tee, port, at frame 45	1	L.40	MR/C	JD.4
5921	A.203985					Attachment, tee, starboard, at frame 45	1	L.40	MR/C	JD.4

RESTRICTED

RESTRICTED

Page JD.4

Hunter F.G.A. Mk. 9
Issued with A/L No. 12

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8771	A.216746					Cover, sealing	2	L.72		
	C.219512					Fitting, hinge, between frames 45 and 46, port, group	1	L.72	MR/C	JD.4
8772	C.219513					Fitting, hinge, between frames 45 and 46, starboard, group	1	L.72	MR/C	JD.4
						LEVER, FOR MICRO-SWITCH, ASSEMBLY	—	—		
5912	A.204798					Bracket	1	L.72	MR/C	JD.4
4949	F.204706					Lever	1	DTD.364	C.	JD.4
	F.216745					Plate, sealing	1	—		
5911	Std.1509/23/029					Tube, distance, 5/16" o/d x 17 S.W.G. x 0.29" long (Make from 30B/556)	2	T.4	MR/C	4
5917	F.204170					Packing, for inboard angle at frame 46	2	L.72	MR/C	JD.4
5916	F.204971					Packing, for stop	2	L.72	MR/C	JD.4
5915	F.204970					Stop	2	L.72	MR/C	JD.4
4827	Std.1509/23/080					Tube, distance, 5/16" o/d x 17 S.W.G. x 0.8" long (Make from 30B/556)	8	T.4	MR/C	4
5924	Std.1509/23/086					Tube, distance, 5/16" o/d x 17 S.W.G. x 0.86" long (Make from 30B/556)	2	T.4	MR/C	4
	B.211922					Frame 40B, group	1	—		
7674	F.163970					Angle, for spigot fitting at stringers B, C, E, G, K and L	12	DTD.364	MR/C	
7675	F.163971					Angle, for spigot fitting at stringers B, C, E, G, K and L	12	DTD.364	MR/C	
7676	F.171397					Angle, for spigot fitting at stringer J	2	DTD.364	MR/C	
7677	F.171398					Angle, for spigot fitting at stringer J	2	DTD.364	MR/C	
	A.217347					Bracket, T.B. mounting	1	L.72		
7678	A.181011					Fitting, for transport joint	8	S.99.B	MR/C	
7679	A.181012					Fitting, for transport joint	7	S.98.B	MR/C	
7680	Std.1231/3B					Lug, locking	6	S.3	MR/C	4
7681	B.211922/3					Member, frame, bottom	1	L.72	MR/C	JD.2
719	F.175758					Nut, securing, at transport joint	15	S.98.B	C.	JD.2
4156	F.200285					Packing, at rear of spigot	15	S.1 or S.3	C.	JD.2
7682	B.181007					Plate, joint, port	1	DTD.610	MR/C	JD.2
7683	B.181008					Plate, joint, starboard	1	DTD.610	MR/C	JD.2
7684	A.209797					Plate, for flanged coupling, starboard	1	L.72	C.	
7685	A.209798					Plate, for flanged coupling, port, group	1	L.72	C.	
7686	F.212771					Plate, for spring clip, port and starboard	2	L.72	MR/C	
4729	F.199064					Plate, instruction	1	L.16	MR/C	
721	F.181010					Spigot, at transport joint	15	S.98.B	C.	JD.2
7687	F.211473					Tube, distance	8	T.4	MR/C	
	D.177649					Frame 52, group	1	—		
7688	D.177575/10					Angle, aft, port	1	DTD.610	MR/C	
7689	D.177575/11					Angle, aft, starboard	1	DTD.610	MR/C	
7690	D.177575/12					Angle, forward, port	1	DTD.610	MR/C	
7691	D.177575/13					Angle, forward, starboard	1	DTD.610	MR/C	
7692	D.177575/14					Angle, joint, forward	1	DTD.610	MR/C	
6843	D.177575/15					Angle, joint, aft	1	DTD.610	MR/C	
2380	C.177113					Angle, forward, outer	1	DTD.364	MR/C	JD.4
2381	C.177114					Angle, aft, outer	1	DTD.364	MR/C	JD.4
2382	B.177115					Angle, inner	2	DTD.364	MR/C	JD.4
10445	A.189243					Angle, port	1	—	MR/C	
10446	A.189244					Angle, starboard	1	—	MR/C	
10753	F.249148					Bracket, securing firewire element (Mod. 960)	1	L.72	C.	
4906	F.197241					Bracket, securing electric cables	1	DTD.610	MR/C	
2383	B.177579					Channel	1	DTD.610	MR/C	JD.4

RESTRICTED

RESTRICTED

Page JD.5

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2384	B.167060					Fitting, for fin attachment, port	1	Stamping	MR/C	JD.4
2385	B.167061					Fitting, for fin attachment, starboard	1	Stamping	MR/C	JD.4
7693	A.177577					Plate, joint, aft port and forward starboard	2	DTD.610	MR/C	
7694	A.177578					Plate, joint, forward port, aft starboard	2	DTD.610	MR/C	
7695	F.178104					Plate, joint	4	DTD.610	MR/C	
4211	Std.1687/2					Saddle, securing electric cable	1	DTD.610	C.	5
	Std.1507/24/092					Tube, distance, 3/8" o/d x 17 S.W.G. x 0.92"	4	T.26	—	4
						long (Make from 30A/1469)				
2386	D.177575/1					Web, lower portion, forward	1	DTD.546	MR/C	JD.4
2387	D.177575/2					Web, lower portion, aft	1	DTD.546	MR/C	
	D.177823					Frame 55, group	1	—		
	F.189386					Angle, for jet pipe mounting, port	1	DTD.610		
	F.189387					Angle, for jet pipe mounting, starboard	1	DTD.610		
2389	B.177788					Boom, bottom, front	1	DTD.364	MR/C	JD.4
2388	B.177789					Boom, bottom, rear	1	DTD.364	MR/C	JD.4
4269	A.177812					Channel, inner boom	1	DTD.364	MR/C	JD.4
2390	C.177119					Fitting, for rear attachment of tailplane and fin	1	Stamping	MR/C	JD.4
2391	A.177870					Plate, joint	2	DTD.610	MR/C	JD.4
7696	A.177871					Plate, joint	4	DTD.364	MR/C	
2392	A.187418					Plate, end	2	DTD.610	MR/C	JD.4
6661	F.190604					Shim-washer, for jet pipe mounting attachment	2	Laminated Alum.	C.	
	F.190145					Spacer, at jet mounting angle	2	DTD.564		
2393	D.177749/1					Web, rear	2	DTD.546	C.	
	D.177749/4					Web, front (Supplied as Ref. 2393, D.177749/1)	2	DTD.546	—	JD.4
	E.204943					JET PIPE SUPPORTS, ASSEMBLY	—	—		
6940	A.188249					Bracket, at frame 48	1	DTD.610	MR/C	
6941	A.188250					Bracket, at frame 50	1	DTD.610	MR/C	
	A.190913					Bracket, at frame 56, group	1	DTD.610		
	A.183191					Bracket, at frame 51	1	DTD.610		
12138	F.177687					Bracket, at frame 52	1	DTD.610	C.	
	A.178068					Bracket, at frame 54	1	DTD.610		
6942	F.175708					Bracket, at frames 48, 50, 51 and 54	4	DTD.610	C.	
	D.187408-9					MOUNTING, FOR JET PIPE, ASSEMBLY	—	—		
7873	B.216692					Channel, mounting, port (Mod. 527)	1	DTD.166	C.	JD.4
7874	B.216693					Channel, mounting, starboard (Mod. 527)	1	DTD.166	C.	JD.4
722	F.187724					Nut, special	4	S.1	C.	JD.4
723	A.187721					Plate, serrated	2	S.95.B	C.	JD.4
724	B.187722					Slide, mounting	2	Stamping	C.	JD.4
726	F.187720					Shims, packing	QR	DTD.610	C.	JD.4
1606	F.190541					Stud	2	S.94.B	C.	JD.4
1607	F.190542					Stud	2	S.94.B	C.	JD.4
1608	C.190691					Rail, mounting	1	DTD.364	C.	JD.4
731	F.189443					Strap, aft, securing rail at frame 55	1	DTD.364	C.	JD.4
732	F.189442					Strap, forward, securing rail at frame 55	1	DTD.364	C.	JD.4
3813	Std.1547/22/10					Washer, profile	2	DTD.610	MR/C	4
2395	B.184011					Landing, aft, port, for detachable spine	1	DTD.610	MR/C	JD.1
2396	B.184012					Landing, aft, starboard, for detachable spine	1	DTD.610	MR/C	JD.1
2397	A.184009					Landing, forward, port, for detachable spine, group	1	—	MR/C	JD.1
28FP/341	Dzus S.5/325					Spring	1	—	C.	
751	Std.915/A20					Washer	1	DTD.610	C.	4

RESTRICTED

RESTRICTED

Page JD.6

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2398	A.184010	Landing, forward, starboard, for detachable spine,					1	—	MR/C	JD.1
28FP/341	Dzus S.5/325	Spring					1	—	C.	4
751	Std.915/A20	Washer					1	DTD.610	C.	
	D.177846	MOUNTING FOR TAILPLANE ACTUATOR,					—	—		
		ASSEMBLY								
1506453	Std.1553/E50	Bolt, securing pivot fitting					8	S.99.B	C.	5
10026	A.233319	Fitting, pivot for actuator					1	S.98.B	C.	JD.5
	B.189589	MOUNTING AND STOWAGE POINTS, FOR					—	—		
		HYDRAULIC COUPLINGS, ASSEMBLY								
8600	A.189590	Platform, mounting					1	DTD.610	C.	
	F.236266	Screw, special at attachment of dummy, stowage					4	—	—	
		(Make from 28S/1200066)								
6852	F.183903	Stowage, dummy					1	DTD.364	C.	
6853	F.183904	Stowage, dummy					1	DTD.364	C.	
	F.189441	Packing, taper, at stringers D, F, H and M					8	DTD.610		
733	B.185073	Panel, access to jet pipe coupling, fuel connections					2	DTD.610	C.	JD.1
		thermo-couples and igniter plug								
28FP/85	Dzus F.540	Fastener					3	—	C.	
735	A.184848	Panel, access, to jet pipe rear mounting					2	DTD.610	C.	JD.1
736	A.185009	Panel, access to fuel tank switch					2	DTD.610	C.	JD.1
7697	B.202806	Panel, end on frame 47					1	S.3	MR/C	
9398	B.219229	Panel, access to fuel tank explosion suppression					2	—	B.	
		equipment								
	D.220464	PARACHUTE, BRAKING, FIXED PARTS,					—	—		
		ASSEMBLY								
9906	F.230242	Bolt					1	S.80.B	C.	
	F.237806	Bracket, mounting (Mod. 848)					1	L.72		
	C.220507	Diaphragm, forward, port					1	L.72		
	C.220508	Diaphragm, forward, starboard					1	L.72		
	C.220328	Diaphragm, rear, port					1	L.72		
	C.220329	Diaphragm, rear, starboard					1	L.72		
	D.220464/1	Fairing, port					1	L.72		
	D.220464/2	Fairing, starboard					1	L.72		
—	Std.1547/22/12	Packing, profile, at mounting bracket (Mod. 848)					1	DTD.610	—	4
		(Make from 30B/9611213, 1/2" x 1/2")								
	D.219321	MOUNTING, ATTACHMENT, FOR BRAKING					—	—		
		PARACHUTE, ASSEMBLY								
9788	F.230690	Block, cable guard					1	LFS.21	C.	
	C.219182	Channel, port					1	L.72		
	C.219183	Channel, starboard					1	L.72		
10479	F.237669	Guide (Mod. 848)					1	S.96.B	C.	
10478	F.237668	Guide (Mod. 848)					1	S.96.B	C.	
	C.218352	Member, side, port					1	L.72		
	C.218353	Member, side, starboard					1	L.72		
	C.219179	Plate, mounting, top					1	—		
	C.219180	Plate, mounting, bottom					1	—		
	B.219962	Plate, reinforcing					1	M.S.P.		
10482	F.240868	Screw, grub (Mod. 848)					1	BS.94B	C.	
10480	F.237670	Shim, top (Mod. 848)					1	Laminated Alum.	C.	
10481	F.237671	Shim, bottom (Mod. 848)					1	Laminated Alum.	C.	
9674	F.230236	Strip, bonding					1	S.3 or BSS.265	C.	

RESTRICTED

RESTRICTED

Page JD.7

Hunter F.G.A. Mk. 9
Issued with A/L No. 9

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9326	A.220548					Panel, access, group	2	—	B.	
28FP/861	Dzus F5/T/12					Fastener	1	—	C.	
28FP/612	Dzus GH.5					Grommet	1	—	C.	
9364	Vickers A.5931					Release, E.M., No. 1, Mk. 1 (Modified to Vickers Drawing No. 92574—Sheet 71) (Mod. 835)	1	—	B.	JD.2
	B.188783					PECKETTING POINT AT FRAME 52, ASSEMBLY	—	—		
8603	A.188358					Bracket, port	1	DTD.610	C.	
8604	A.188359					Bracket, starboard	1	DTD.610	C.	
2399	A.180407					Socket, slinging, group	1	DTD.364	MR/C	JD.1
737	F.159451					Plug	1	DTD.364	C.	JD.1
	Std.1509/2/152					Tube, distance, 1/4" o/d x 22 S.W.G. x 1.52" long ...	2	T.4		4
	Std.1509/2/166					Tube, distance, 1/4" o/d x 22 S.W.G. x 1.66" long ...	2	T.4		4
	Std.1547/28/16					Washer, packing	4	DTD.610		4
	C.185991/2					Plate, coupling, bottom half, at frame 40B	1	DTD.610		
	B.204672					Plate, joint, top, frame 46	1	L.72		
6844	F.182976					Plate, joint	12	DTD.610	MR/C	
	F.183192					Plate, joint, at frames 48, 49 and 65	3	DTD.610		
	A.203882					Plate, joint, top, frame 50	1	L.72		
7698	A.203883					Plate, joint, at stringer "H", frame 50	1	L.72	MR/C	
7699	F.203885					Plate, joint, at stringers "K" and "D" for inner boom ... of frame 50	2	L.73	MR/C	
	A.183188					Plate, joint, top, frame 51	1	DTD.610		
6127	A.183187					Plate, joint, at stringer "H", frame 51	2	DTD.610	MR/C	
6846	F.190294					Plate, joint, at stringer "H", frame 54	2	DTD.610	MR/C	
6112	F.189187					Plate, joint, for attachment of stringer "M", to frame 55	2	—	MR/C	
6114	F.189335					Plate, nut, attachment of stringer "M", to frame 55	2	—	MR/C	
	C.188585					PLATFORM, MOUNTING, FOR SELECTOR VALVE, .. ASSEMBLY	—	—		
2400	B.188584					Platform, mounting, group	1	—	MR/C	JD.2
	B.188584/1					Platform	1	DTD.610		
1920	Std.1341/8					Stud, special	2	—	C.	4
7700	Std.1341/14					Stud, special	1	—	MR/C	4
	B.190993					SKID, TAIL, ASSEMBLY	—	—		
6088	B.207372					Skid, tail	1	L.53	C.	JD.3
6116	B.190993/1					Plug, wood	2	ASH.	C.	JD.3
	D.202162					SKIN, AND STRUCTURE SUPPORTING TANK, ASSEMBLY	—	—		
1506437	A.202184					Cover, for fuel contents gauge, port	1	L.72	C.	
	A.202185					Cover, for fuel contents gauge, starboard	1	L.72		
	A.214266					Plate, reinforcing, at float switch, frame 45	1	L.72		
	A.214267					Plate, reinforcing, at float switch, frame 45	1	L.72		
8472	A.214181					Plate, cover, for float switch, port	1	L.72	C.	
8473	A.214182					Plate, cover, for float switch, starboard	1	L.72	C.	
	B.214183					Plate, reinforcing, at float switch	1	L.72		
6198	C.211697					Spine, detachable, group (with trimming allowance)	1	—	B.	JD.1
7701	C.211697/1					Skin	1	DTD.610	MR/B	JD.1
	B.183742					Stiffener, front, group	1	DTD.610		
28FP/341	Dzus S.5/325					Spring	2	—	C.	

RESTRICTED

RESTRICTED

Page JD.8

Hunter F.G.A. Mk. 9
Issued with A/L No. 9

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.204652	STRUCTURE BELOW TAILPLANE, ASSEMBLY					—	—		
7702	F.186462	Angle, port					1	DTD.610	MR/C	
7703	F.186463	Angle, starboard					1	DTD.610	MR/C	
7704	A.209654	Bracket, bearing, port					1	L.72	MR/C	JD.5
7705	A.209655	Bracket, bearing, starboard					1	L.72	MR/C	JD.5
	A.186440	Bracket					1	DTD.610		
745	B.188224	Bracket, forward, for elevator booster unit					1	Stamping	C.	JD.2
744	B.188226	Bracket, rear, for elevator booster unit					1	Stamping	C.	JD.3
4727	A.198686	Bracket, mounting, for terminal block No. 43					1	DTD.610	MR/C	
7706	F.186244	Cleat					1	DTD.610	MR/C	
10538	F.245091	Flap, selector valve operating, group (Mod. 895)					1	—	B.	
10539	F.236518	Spring					1	Sprg. Steel Wire	C.	
	C.209708	Former, at frame 53					1	L.72		
	C.188582	Former, at frame 54					1	DTD.610		
2414	B.186518	Landing, for access panel to selector valve and elevator power assisted control					1	DTD.610	MR/C	JD.2
2413	B.189167	Landing, port, for access panel to tail plane actuator					1	DTD.610	MR/C	JD.1
2412	C.188288	Landing, starboard, for access panel to tail plane actuator					1	DTD.610	MR/C	JD.3
2415	F.188747	Landing, for access panel to elevator booster unit attachments					2	DTD.610	MR/C	JD.3
	F.214231	Landing, for access panel to elevator spring feel linkage					1	L.72		
	Std.1231/7B	Lug, locking					3	S.3		4
7707	F.188555	Packing, taper					1	DTD.610	MR/C	
	D.186503/3	Packing, port side of skin, forward of frame 55					1	DTD.610		
	D.186503/4	Packing, port and starboard					2	DTD.610		
	D.186503/5	Packing, port side of skin, forward of frame 52					1	DTD.610		
748	B.186517	Panel, access, to selector valve and elevator power assisted control					1	DTD.610	C.	JD.1
1580	F.188746	Panel, access, to elevator booster unit attachments					2	DTD.610	C.	JD.3
747	A.189166	Panel, port, access to tailplane actuator					1	DTD.610	C.	JD.1
5272	C.207286	Panel, starboard, access to tailplane actuator, group					1	—	B.	JD.3
5273	C.207286/2	Panel, lower, sub-assembly (including locking lug)					1	L.72	C.	JD.3
	C.207286/4	Panel, upper, sub-assembly (including landing)					1	—		
717	F.183737	Panel, access to elevator spring feel linkage					1	DTD.610	C.	JD.3
	F.186388	Plate, reinforcing					2	DTD.610		
	B.186387	Rib, below tailplane, between frames 52 and 55					1	DTD.610		
	B.202352	Rib, between frames 51 and 52					1	L.72		
	B.204654	Rib, above tailplane, between frames 51 and 52					1	L.72		
4211	Std.1687/2	Saddle, for clipping of electrical cables					4	DTD.610	C.	5
1581	F.189937	Shim, for elevator booster brackets					AR	Laminated Alum.	C.	JD.3
1852	D.186503/1	Skin, port					1	DTD.610	B.	JD.1
1853	D.186503/2	Skin, starboard					1	DTD.610	B.	JD.3
	A.189165	Stiffener					1	DTD.610		
	D.186503/6	Strap, starboard					1	DTD.610		
—	Std.1507/2/026	Tube, distance, 1/4" o/d x 22 S.W.G. x .26" long (Make from 30A/965)					4	T.26	—	4
—	Std.1507/24/016	Tube, distance, 3/8" o/d x 17 S.W.G. x .16" long (Make from 30A/1469)					4	T.26	—	4
3817	Std.1548/30/12	Washer, profile					4	DTD.610	MR/C	4
280	Std.1548/40/12	Washer, profile					4	DTD.610	C.	4
	Std.1549/36/12	Washer, profile					2	DTD.610		4

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

Page JD.9

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.224023	STRUCTURE, REAR, BELOW TAILPLANE,					—	—		
		ASSEMBLY								
	F.190522	Angle, piece					2	DTD.610		
	F.190523	Angle, piece					1	DTD.610		
	A.186446	Bracket, attachment					1	DTD.610		
2410	F.190513	Edge, trailing, aft portion					1	DTD.364	MR/C	JD.1
2409	F.192763	Edge, trailing, top portion					1	LFS.21	MR/C	JD.1
	B.211427	Former, aft					1	L.72		
	B.224021	Former, centre					1	L.72		
	B.190484	Former, forward					1	L.72		
2411	A.186407	Landing, for access panel to elevator control lever					1	DTD.610	MR/C	JD.3
12575	C.211429	Landing, for access panel flying tail linkage					1	L.72	C.	
1712	F.186406	Panel, access to elevator operating arm connection					1	DTD.610	C.	JD.3
7932	B.211431	Panel, access to flying tail linkage					1	L.72	B.	JD.1
11851	C.212321	Rib, tail, for attaching access and fairing panels					1	L.72	C.	
	C.224022	Rib, tail, group					1	L.72		
	B.190521	Rib					1	DTD.610		
10000	C.224023/1	Skin, port					1	DTD.610	B.	JD.1
10001	C.224023/2	Skin, starboard					1	DTD.610	B.	JD.3
	B.212322	Stiffener, forward port					1	L.72		
	B.212323	Stiffener, aft port					1	L.72		
	B.212324	Stiffener, starboard					1	L.72		
	C.224023/3	Strap, butt					1	L.72		
	C.224023/4	Strap, butt					1	L.72		
7708	E.202159	Structure, bottom portion, group					1	—	MR/B	JD.5
7709	A.203857	Angle, on frames 48 and 49					2	L.72	MR/C	JD.5
7710	A.203886	Angle, port, on frame 50					1	DTD.364	C.	JD.5
7711	A.203887	Angle, starboard, on frame 50					1	DTD.364	MR/C	JD.5
7712	A.203894	Angle, port, on aft face of frames 47 and 50					2	L.40	MR/C	JD.5
7713	A.203895	Angle, starboard, on aft face of frames 47 and 50					2	L.40	MR/C	JD.5
7714	A.203896	Angle, port, on forward face of frames 47 and 50					2	DTD.364	MR/C	JD.5
7715	A.203897	Angle, starboard, on forward face of frames 47					2	DTD.364	MR/C	JD.5
		and 50								
7716	F.203912	Angle, port, on frame 47					1	DTD.364	MR/C	JD.5
7717	F.203913	Angle, starboard, on frame 47					1	DTD.364	MR/C	JD.5
7718	F.203914	Angle, port, on frames 47 and 48					2	L.72	MR/C	JD.5
7719	F.203915	Angle, starboard, on frames 47 and 48					2	L.72	MR/C	JD.5
7720	F.203916	Angle, port, on frames 47 and 48					2	L.72	MR/C	JD.5
7721	F.203917	Angle, starboard, on frames 47 and 48					2	L.72	MR/C	JD.5
7722	F.204089	Bracket, mounting, for hydraulic valves					2	DTD.610	MR/C	JD.5
5908	A.204212	Bracket, mounting, for micro-switch on frame 47					2	L.72	MR/C	JD.5
5925	A.204354	Bracket, mounting, for pressure switch					1	DTD.610	MR/C	
7723	C.203969	Diaphragm, port, between frames 47 and 48					1	L.72	MR/C	JD.5
7724	C.203970	Diaphragm, starboard, between frames 47 and 48					1	L.72	MR/C	JD.5
7725	C.203971	Diaphragm, port, between frames 48 and 49					1	L.72	MR/C	JD.5
7726	C.203972	Diaphragm, starboard, between frames 48 and 49					1	L.72	MR/C	JD.5
7727	C.203973	Diaphragm, port, between frames 49 and 50					1	L.72	MR/C	JD.5
7728	C.203974	Diaphragm, starboard, between frames 49 and 50					1	L.72	MR/C	JD.5
8513	F.216608	Drain extension, aft of frames 41, 45, 50, 52 and 55					10	L.65	C.	

RESTRICTED

RESTRICTED

Page JD.10

Hunter F.G.A. Mk. 9
Issued with A/L. No. 11

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.189503					DUCTS, BETWEEN FRAMES 41 AND 45,	—	—		
						ASSEMBLY				
7729	B.189503/1					Duct, electrical cable	2	L.54	MR/C	JD.2
7730	B.189503/2					Duct, electrical cable	2	L.54	MR/C	
7731	F.196126					Duct, electrical cable	2	L.54	MR/C	JD.2
7732	B.204099					Duct, electrical cable, group	2	L.54	MR/C	JD.2
7733	A204256					Plate, adaptor	1	L.72	MR/C	
7734	F.189504					Socket	12	L.54	MR/C	
	F.219380					Socket	4	L.54		
	A.221312					Duct, electrical cable, forward	1	L.54		
	A.221313					Duct, electrical cable, aft	1	L.54		
5909	A203906					Fitting, jack attachment, forward of frame 50	2	Stamping	MR/C	JD.5
7735	D.202199					Frame 41, bottom portion, complete	1	—	MR/B	JD.5
7736	D.181021					Frame 42, bottom portion, complete	1	—	MR/B	JD.5
7737	D.181024					Frame 43, bottom portion, complete	1	—	MR/B	JD.5
7738	D.181027					Frame 44, bottom portion, complete	1	—	MR/B	JD.5
7739	D.181030					Frame 45, bottom diaphragm, complete	1	—	MR/B	JD.5
7740	D.204666					Frame 46, bottom portion, complete	1	—	MR/B	JD.5
7741	C.204667					Frame 47, bottom portion, complete	1	—	MR/B	JD.5
7742	C.205132					Frame 48, port half-bottom, complete	1	—	MR/B	JD.5
7743	C.205133					Frame 48, starboard half-bottom, complete	1	—	MR/B	JD.5
7744	C.204670					Frame 49, port half-bottom, complete	1	—	MR/B	JD.5
7745	C.204671					Frame 49, starboard half-bottom, complete	1	—	MR/B	JD.5
7746	D.204873					Frame 50, bottom portion, complete	1	—	MR/B	JD.5
7747	D.181048					Frame 51, bottom portion, complete	1	—	MR/B	JD.5
7748	D.181051					Frame 53, bottom portion, complete	1	—	MR/B	JD.5
7749	D.181054					Frame 54, bottom portion, complete	1	—	MR/B	JD.5
7750	C.203856					Member, bridge, on frames 48 and 49, group	2	L.72	MR/C	JD.5
8773	D.219450					Member, side, air brake jack attachment beam,	1	—	MR/B	JD.5
						port, between frames 47 and 50, group				
8774	D.219451					Member, side, air brake jack attachment beam,	1	—	MR/B	JD.5
						starboard, between frames 47 and 50, group				
7753	F.183785					Packing, taper	4	DTD.610	MR/C	
7754	F.204481					Packing, for angle, on frame 47	2	L.72	MR/C	
7756	E.204792/2					Packing	1	L.72	MR/C	
4945	B.204064					Panel, access to jack attachment fitting, port	1	L.72	C.	JD.5
4946	B.204065					Panel, access to jack attachment fitting, starboard	1	L.72	C.	JD.5
4948	F.204262					Pin, for micro-switch striker	1	—	C.	
7758	C.185646/3					Plate, doubling, at frame 52	1	DTD.610	MR/C	JD.5
7755	B.203874					Plate, reinforcing	1	L.72	MR/C	JD.3
7757	B.203875					Plate, reinforcing, frame 50 to 51	1	L.72	MR/C	JD.5
7759	C.203911					Plate, end, on frame 47	1	L.72	MR/C	JD.5
7760	B.203962					Plate, reinforcing, port	1	L.72	MR/C	
7761	B.203963					Plate, reinforcing, starboard	1	L.72	MR/C	
7762	A.204072					Plate, reinforcing, port	1	L.72	MR/C	
7763	A.204073					Plate, reinforcing, starboard	1	L.72	MR/C	
7764	B.205569					Plate, protecting, for air brake jack hose	1	L.72	MR/C	JD.5
	F.216575					Plate, sealing, on frame 45	3	L.72		
	F.216576					Plate, sealing, on frame 45	4	L.72		

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 12

Page JD.11

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.191817					PLUG, TELEBRIEFING, ASSEMBLY	—	—		
7765	F.191977					Angle	1	DTD.710	MR/C	JD.3
1611	Std.323.20N					Bolt, shoulder	2	S.2	C.	JD.3
7766	F.191826					Bracket, stop	2	DTD.364	C.	JD.3
7767	F.191827					Bracket, anchorage, on frame 53	2	DTD.610	MR/C	
7768	F.191830					Bracket, hinge	1	DTD.610	MR/C	JD.3
7769	F.191831					Bracket, hinge	1	DTD.610	MR/C	JD.3
1609	A.191823					Cover	1	DTD.213	C.	JD.3
1610	B.191822					Door, access	1	DTD.610	C.	JD.3
7770	B.191819					Landing, for access door	1	DTD.610	MR/C	JD.3
7771	B.191820					Member, side	1	DTD.610	MR/C	JD.3
7772	B.191821					Member, side	1	DTD.610	MR/C	JD.3
1612	C.191817/1					Strip, rubber, 1/16" thick, .38" wide	1	DTD.560	C.	JD.3
1613	C.191817/2					Strip, rubber, 1/16" thick, .38" wide	1	DTD.560	C.	JD.3
1854	E.202159/1A					Skin	1	L.72	C.	JD.1
7774	B.203905					Skin, top, for jack attachment beam	1	L.72	B.	JD.5
4947	F.204263					Spring, for micro-switch striker pin	1	Sp. Stl.	C.	
5910	F.205570					Stop, at jack attachment, port, forward of frame 50 ..	1	L.72	MR/C	JD.5
6120	C.186467					Strap, joint, aft of frame 55	1	DTD.610	MR/C	JD.2
7775	D.183532					Stringer, "L", port, between frames 44 and 52	1	DTD.364	MR/C	JD.5
7776	D.183533					Stringer, "L", starboard, between frames 44 and 52 ..	1	DTD.364	MR/C	JD.5
7777	C.183543					Stringer, "J", "K" and "L", port, aft of frame 52 ...	3	DTD.364	MR/C	JD.5
7778	C.183544					Stringer, "J", "K" and "L", starboard, and "M",	4	DTD.364	MR/C	JD.5
						aft of frame 52				
7779	D.183632					Stringer, "J", port, between frames 40B and 45	1	DTD.364	MR/C	JD.5
7780	D.183633					Stringer, "J", starboard, between frames 40B and 45 ..	1	DTD.364	MR/C	JD.5
7781	D.183634					Stringer, port, forward of frame 43	1	DTD.364	MR/C	JD.5
7782	D.183635					Stringer, starboard, forward of frame 43	1	DTD.264	MR/C	JD.5
4203	D.183636					Stringer, "K", port, between frames 40B and 45	1	DTD.364	MR/C	JD.5
7783	D.183637					Stringer, "K", starboard, between frames 40B and 45 ..	1	DTD.364	MR/C	JD.5
7784	D.183638					Stringer, port, forward of frame 43	1	DTD.364	MR/C	JD.5
7785	D.183639					Stringer, starboard, forward of frame 43	1	DTD.364	MR/C	JD.5
7786	D.183640					Stringer, "L", port, between frames 40B and 45	1	DTD.364	MR/C	JD.5
7787	D.183641					Stringer, "L", starboard, between frames 40B and 45 ..	1	DTD.364	MR/C	JD.5
7788	D.183642					Stringer, port, forward of frame 43	1	DTD.364	MR/C	JD.5
7612	D.183643					Stringer, starboard, forward of frame 43	1	DTD.364	MR/C	JD.5
7790	D.202506					Stringer, "J" and "K", port, between frames 44	2	DTD.364	MR/C	JD.5
						and 52				
7791	D.202507					Stringer, "J" and "K", starboard, between frames ...	2	DTD.364	MR/C	JD.5
						44 and 52				
7792	B.203876					Stringer, port, between frames 46 and 47	1	DTD.364	MR/C	JD.5
7793	B.203877					Stringer, starboard, between frames 46 and 47	1	DTD.364	MR/C	JD.5
7794	B.203878					Stringer, port, between frames 50 and 51	1	DTD.364	MR/C	JD.5
7795	B.203879					Stringer, starboard, between frames 50 and 51	1	DTD.364	MR/C	JD.5
7796	B.203880					Stringer, "M", between frames 50 and 52	1	DTD.364	MR/C	
7797	B.204818					Stringer, "M", between frames 40B and 47	1	DTD.364	MR/C	JD.5
6949	F.204224					Tube, support, for micro-switch striker	1	T.26 & S.3	MR/C	

RESTRICTED

RESTRICTED

Page JD.12

Hunter F.G.A. Mk. 9
Issued with A/L No. 12

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.224027					Structure, rear extension, group	1	—		JD.1
6125	F.190667					Angle, for catch-pin bracket	4	DTD.610	MR/C	
6111	A.190584					Bracket, for lower lever and catch-pin, port and	2	DTD.610	MR/C	JD.2
						starboard				
6115	A.190585					Bracket, for lower lever and catch-pin, port and	2	DTD.610	MR/C	JD.2
						starboard				
1614	F.190589					Bracket, locating spigot on tail cone	4	DTD.364	C.	JD.3
513	F.216608					Drain, extension	2	L.65	C.	
4907	King D.5067					Fitting, attachment	4	—	MR/C	JD.3
	D.190473					Frame 56, side portion, port	1	DTD.610		
	D.190474					Frame 56, side, portion, starboard	1	DTD.610		
6122	D.190475					Frame 56, bottom portion	1	DTD.610	B.	JD.4
	D.224024					Frame 57, side portion, port	1	L.72		
	D.224025					Frame 57, side portion, starboard	1	L.72		
	D.224026					Frame 57, bottom portion	1	L.72	—	JD.4
	B.190529					Landing, top, locating tail cone	1	DTD.610		
	B.190530					Landing, side, locating tail cone, port	1	DTD.610		
11032	B.190531					Landing, side, locating tail cone, starboard	1	DTD.610	C.	
6119	B.190532					Landing, bottom, locating tail cone	1	DTD.610	C.	JD.1
6109	King C.3103/H					Lever, and catch-pin	4	—	C.	JD.3
	F.190580					Plate, top joint, on frame 56	1	DTD.610		
6117	F.190591					Plate, joint, port and starboard, frame 56	2	DTD.610	MR/C	
6113	F.190592					Plate, joint, port and starboard, frame 57	2	DTD.610	MR/C	
	F.219856					Plate, top joint, frame 57	1	—		
4211	Std.1687/2					Saddle, on stringer "G", starboard, and bottom	3	DTD.610	C.	5
						portion of frame 57				
1025	King D.3060/2					Screw, locking (Alt. to A55.B2)	4	—	C.	JD.3
	A55.B2					Screw (Alt. to King D.3060/2)	4	—		
	D.224027/1					Skin, side, port	1	L.72		
	D.224027/2					Skin, side, starboard	1	L.72		
	D.224027/3					Skin, bottom	1	L.72		JD.1
6118	B.190669					Strap, joint, port and starboard	2	DTD.610	MR/C	JD.2
6124	A.190586					Stringer, forward of frame 56	19	DTD.610	MR/C	JD.2
6110	A.190588					Stringer, between frames 56 and 57	13	DTD.610	C.	JD.2
4555	Std.915/A22					Washer	2	DTD.610	C.	4
	D.202157					Structure, side portion, port, group	1	—		
	D.202158					Structure, side portion, starboard, group	1	—		
	A.188174					Beam, for slinging socket, group	2	—		
	B.188104					Beam, group	1	—		
2401	A.188105					Socket, slinging	1	DTD.364	MR/C	JD.2
113	F.180423					Plug, screwed	1	DTD.364	C.	JD.2
	B.204353					Bracket, for control valve, port side only	2	DTD.610	MR/C	JD.2
	C.184956					Landing, for access panel to jet pipe coupling, fuel	2	DTD.610		
						connections, thermo-couple and igniter plug				
28FP/4062657	Dzus					Fastener, housing type	3	—	C.	
	SFLA.5/225									

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 9

Page JD.13

FUSELAGE-REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
3771	Std.1231/6					Lug	2	S.3	MR/C	4
2402	C.185010					Plate, reinforcing, for access panel to fuel tank	1	DTD.610	MR/C	JD.2
						switch, port				
2403	C.185011					Plate, reinforcing, for access panel to fuel tank	1	DTD.610	MR/C	JD.2
						switch, starboard				
2404	B.184847					Plate, reinforcing, for access panel to jet pipe rear ...	1	DTD.610	MR/C	JD.2
						mounting				
4211	Std.1687/2					Saddle	5	DTD.610	C.	5
1855	D.202157/1A					Skin, port	1	L.72	C.	JD.1
1856	D.202158/1A					Skin, starboard	1	L.72	C.	JD.3
	B.191149					VENTILATOR, BETWEEN FRAMES 46 AND	—	—		
						47, ASSEMBLY				
2405	A.191151					Louvre	2	L.59	MR/C	JD.1
	A.191150					Plate, reinforcing	2	DTD.610		
	Std.1507/3/094					Tube, distance, for attachment of stringers at	32	T.26		4
						frame 40B				

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 13

Page JD.15

FUSELAGE-AIR BRAKE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	D.207295	AIR BRAKE ASSEMBLY					-	-		
6212	E.207296	Air Brake group					1	-	A.	JD.6
	B.204309	Anchorage, for jack, group					1	Stamping		JD.6
4939	F.204324	Bush					2	S.96.B	C.	JD.6
5970	F.204386	Angle, cleat, attaching former No. 1, outer portion, port					1	DTD.364	MR/C	
5971	F.204387	Angle, cleat, attaching former No. 1, outer portion, starboard					1	DTD.364	MR/C	
5972	F.204390	Angle, cleat, attaching former No. 1, centre portion, port					1	DTD.364	MR/C	
5973	F.204391	Angle, cleat, attaching former No. 1, centre portion, starboard					1	DTD.364	MR/C	
5974	F.204401	Angle, cleat, attaching former No. 2, outer portion, port					1	DTD.364	MR/C	
5975	F.204402	Angle, cleat, attaching former No. 2, outer portion, starboard					1	DTD.364	MR/C	
4940	Std.1553/G/140	Bolt, securing jack anchorage					1	S.99.B	C.	5
4941	Std.1553/G/180	Bolt, securing jack anchorage					3	S.99.B	C.	5
5976	B.204357	Channel, port, front					1	L.72	MR/C	JD.6
5977	B.204358	Channel, centre, rear					1	L.72	MR/C	JD.6
5978	B.204482	Fitting, hinge, port, group					1	Stamping	MR/C	JD.6
4943	F.204036	Bush					2	BSS.369	C.	JD.6
5979	B.204483	Fitting, hinge, starboard, group					1	Stamping	MR/C	JD.6
4944	F.205200	Bush					2	BSS.369	C.	JD.6
5980	D.204359	Former, No. 1, centre portion					1	L.72	MR/C	JD.6
5981	D.204360	Former, No. 1, outer portion, port					1	L.72	MR/C	JD.6
5982	D.204361	Former, No. 1, outer portion, starboard					1	L.72	MR/C	JD.6
5983	C.204369	Former, No. 1A, centre portion, port					1	L.72	MR/C	JD.6
5984	C.204370	Former, No. 1A, centre portion, starboard					1	L.72	MR/C	JD.6
5985	D.204362	Former, No. 2, centre portion					1	L.72	MR/C	JD.6
5986	D.204363	Former, No. 2, outer portion, port					1	L.72	MR/C	JD.6
5987	D.204364	Former, No. 2, outer portion, starboard					1	L.72	MR/C	JD.6
7798	D.207310	Member, leading edge, port					1	L.72	MR/B	JD.6
7799	D.207311	Member, leading edge, starboard					1	L.72	MR/B	JD.6
7800	B.207297	Rib, nose, centre					1	L.72	MR/B	JD.6
7801	B.207305	Rib, nose, outer, port					1	L.72	MR/B	JD.6
7802	B.207306	Rib, nose, outer, starboard					1	L.72	MR/B	JD.6
7803	C.207298	Rib, hinge, inner, port					1	L.72	MR/B	JD.6
7804	C.207299	Rib, hinge, inner, starboard					1	L.72	MR/B	JD.6
7805	D.207300	Rib, hinge, outer, port					1	L.72	MR/B	JD.6
7806	D.207301	Rib, hinge, outer, starboard					1	L.72	MR/B	JD.6
5996	D.204379	Skin, outer					1	L.72	MR/B	JD.6
5995	D.204378	Skin, inner					1	L.72	MR/B	JD.6
7807	D.207307	Skin, nose, outer, port					1	L.72	MR/B	JD.6
7808	D.207308	Skin, nose, outer, starboard					1	L.72	MR/B	JD.6
7809	D.207302	Skin, nose, inner, port					1	L.72	MR/B	JD.6
7810	D.207303	Skin, nose, inner, starboard					1	L.72	MR/B	JD.6
5826	A.205985	Spring, operating micro switch					1	DTD.187	C.	JD.6
6001	C.204380	Strap, butt, between main and nose skins, port					1	L.72	MR/C	JD.6
6002	C.204381	Strap, butt, between main and nose skins, starboard					1	L.72	MR/C	JD.6

RESTRICTED

RESTRICTED

Page JD.16

Hunter F.G.A. Mk. 9
Issued with A/L No. 13

FUSELAGE-AIR BRAKE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4933	F.204144	Bolt	securing	jack	to	flap	1	S.99.B	C.	JD.6
4934	Std.1551/5/135	Bolt	securing	flap	to	forward hinge fittings	2	S.99.B	C.	5
4935	Std.1551/8/475	Bolt	securing	jack	to	fuselage, forward of frame 50	1	S.99.B	C.	5
—	Std.1996/8	Chain	rigid link (LM.29H/4113)				1	Comm'l Brass	—	
4936	A.204797	Clip	at	jack,	for	check chain attachment	1	S.3	C.	JD.6
27QM/1888	Dowty 08674Y A03	Jack	hydraulic				1	—	A.	
4937	Std.1921/QS	Nut	for	jack	attachment	bolts	2	S.94.B	C.	5

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 13

Page JD.17

FUSELAGE-TAIL CONE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10820	E.247659	TAIL CONE, GROUP, less Parachute and Towing Cable . . . (AS.970/76)					1	—	A.	JD.7
15D/	B.246487	Cable, towing, group (Supplied with Parachute Pack) . . .					1	—	B.	
15D/590	A.222111	Cable					1	—	C.	
15D/632	F.234352	Pin, shear					1	S.80.B	C.	
15D/721	F.246486	Shackle, group (Mod. 848)					1	—	B.	
15D/722	Std.1551/1/65	Bolt					2	—	C.	5
15D/723	F.237558	Fork (Mod. 848)					1	S.98.B	C.	
4488	Std.1718/1	Nut					2	—	C.	5
15D/	F.228548	Shackle					1	S.98.B	C.	
15D/591	F.222207	Shackle					1	—	C.	
8513	F.216608	Drain extension					2	L.65	C.	
—	—	Electrical Installation (See Section EC) (Appropriate parts to be fitted when Tail Cone is supplied as spare)					—	—	—	
937	KAC.C.3102	Housing, fastener					4	—	C.	JA.2
	E.222063	MECHANISM, RELEASE, FOR PARACHUTE DOORS, ASSEMBLY					—	—		
9304	Std.1639/18EX	Bolt, attaching link to starboard door					1	S.95.C	C.	JD.7
9305	B.223075	Cable, door release					1	—	C.	JD.7
9306	A.220003	Lever, operating, port door					1	—	C.	JD.7
9307	A.220330	Lever, operating, starboard door					1	—	C.	JD.7
9308	F.222994	Link, connecting					1	—	C.	JD.7
9309	A.220002	Link, operating, port and starboard					2	—	C.	JD.7
9310	B.222895	Lock, for door					1	—	B.	JD.7
9311	F.223076	Plate, serrated, at lock attachment					1	S.95.B or S.520	C.	JD.7
	F.221345	Plug, for spring box, port					1	L.65.C		
9312	F.220615	Shim, laminated, at lock attachment					1	Shim Alum.	C.	
9313	F.219838	Spring					2	Spr. Stl.	C.	JD.7
11827	F.220315	Tube, distance					6	T.26	C.	
11828	F.220319	Tube, distance, at attachment of link to door					2	T.26	C.	
11829	F.220320	Tube, distance, at lever attachment					1	T.26	C.	
11830	F.220321	Tube, distance, at lever attachment					1	T.26	C.	
	F.220323	Tube, distance, at attachment of spring box, starboard					1	BSS.369		
12141	A.220009	Tube, outer, for spring box, port					1	—	C.	
	A.220111	Tube, outer, for spring box, starboard					1	—		
10949	A.220010	Tube, inner, for spring box					2	—	C.	
	B.221759	Unit, spring release, group					1	—		
	B.221760	Bracket, mounting					1	—		
9314	A.221762	Lever					1	—	C.	JD.7
9315	A.221857	Lever, group					1	—	B.	JD.7
2A/9500409	BRA.3/16"	Bearing					1	—	C.	
9316	F.221967	Shim, laminated, 1/32" thick					1	Alum.	C.	JD.7
5CW/6694	Rotax D.5320	Solenoid					1	—	B.	
	F.221763	Tube, distance					1	S.62.B		
	F.221807	Tube, distance					1	T.26		
—	Std.1507/2/225	Tube, distance, 1/4" o/d x 22 S.W.G. x 2.25" long (Make from 30A/965)					1	T.26	—	4
9317	F.222024	Washer, at attachment of spring box, starboard					2	BSS.369	C.	JD.7

RESTRICTED

RESTRICTED

Page JD.18

Hunter F.G.A. Mk. 9
Issued with A/L No. 13

FUSELAGE-TAIL CONE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/6741	E.224297	PARACHUTE, BRAKING, ASSEMBLY					—	—		
	Burgess	Actuator, auxiliary type CB (Mod. 848)					1	—	C.	
	F.235724	Angle, support (Mod. 848)					1	L.72		
	F.222315	Bracket, mounting, at access panel in fin fairing					1	—		
	B.221093	Bracket, mounting, for micro switch					1	—		
	A.221094	Bracket, stop, at micro switch					1	L.62		
	B.224259	Bracket, support, at cable duct					1	—		
	10987 G.250612	Door, port, group (Mod. 1055)					1	—	A.	JD.7
	10988 G.250613	Door, starboard, group (Mod. 1055)					1	—	A.	JD.7
	F.220325	Boss, special, starboard					1	—		
	F.222112	Bracket, attachment, port					1	—		
	A.222993	Bracket, latch, port					1	S.95.B		
	11345 G.250612-3A	Fairing (Supplied loose) (Mod. 1055)					1	—	C.	
							each			
28FP/9570403	D.233811	DETAILS OF STARBOARD DOOR,					—	—		
		ASSEMBLY								
	F.221355	Landing, group					1	—		
	Dzus R.5	Receptacle					1	—	C.	
	F.222166	Packing, for door landing					1	L.72		
	Std.1231/7B	Lug, locking					1	S.3		4
	9321 A.222104	Panel, access, group					1	—	B.	JD.7
	28FP/745 Dzus F5/T/14	Fastener					1	—	C.	
	28FP/1042309 Dzus GH.5	Grommet					1	—	C.	
	C.223963	Hinge, door					2	—		
10006	Std.1507/2/048	Tube, distance, at latch bracket, 1/4" o/d x					2	T.26	—	4
		22 S.W.G. x .048" long (Make from 30A/965)								
	B.220131	Duct					1	—		
	C.224295	Duct, for cable, port					1	—	MR/C	
	C.246293	GUARD, FORWARD DOOR LOCK, ASSEMBLY ..					—	—		
		(Mod. 947)								
	10571 A.245322	Bracket					1	S.510	C.	JD.7
	10570 B.245172	Guard					1	—	C.	JD.7
	A.220529	Landing, access panel, group					1	—		
	A.220530	Landing, access panel, group					1	—		
28FP/9570403	Dzus R.5	Receptacle					1	—	C.	
	B.221882	Landing, for access panel, in fin fairing, group					1	L.72		
	Dzus R.5	Receptacle					1	—	C.	
	9322 F.222114	Lever, micro switch operating					1	—	C.	JD.7
	9323 F.222113	Link, at micro switch					1	—	C.	JD.7
	4242 Std.1231/7	Lug, locking (Mod. 848)					1	S.3	C.	4

RESTRICTED

RESTRICTED


Hunter F.G.A. Mk. 9
Issued with A/L No. 13


Page JD.19

FUSELAGE-TAIL CONE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.237526					Mechanical Switching Tail Parachute Slip,	—	—		
						Assembly (Mod. 848)				
10487	A.237529					Bracket, support, for micro switch	1	—	C.	JD.7
10488	B.237528					Door, access, starboard, group	1	—	B.	JD.7
28FP/9434076	Dzus AJ3/30					Fastener, Dzus	2	—	C.	
10536	F.237531					Plate, nut	—	S.510	C.	
9494	F.221158					Plate, locking	1	—	C.	
	A.238436					Plate, stop	1	—		
	A.238437					Plate, stop	1	—		
5CW/6376	—					Switch, micro, type 4A	1	—	C.	
	C.224296					MOUNTING, RELEASE MECHANISM,	—	—		
						ASSEMBLY				
	F.222663					Bracket, mounting, for terminal block	1	—		
	F.220317					Bracket, anchorage, for spring box	1	L.72		
	A.220312					Bracket, stop, for release cable	1	S.510 & S.92.B		
9324	F.223077					Plate, serrated	1	S.95.B	C.	JD.7
10485	A.237749					Panel, access, in fin fairing, for cocking test plug, . . .	1	—	B.	JD.7
						group (Mod. 848)				
28FP/4069671	Dzus F5/T/12					Fastener	1	—	C.	
28FP/1042309	Dzus GH.5					Grommet	1	—	C.	
9495	F.221085					Plate, nut (Mod. 848)	1	—	C.	
5CW/6376	—					Switch, micro, type 4A (Mod. 848)	2	—	C.	
4150	Std.915/C/22					Washer, at micro switch link	3	DTD.610	C.	4
15D/732	G.Q.M.R.I.410 (issue 4)					Parachute pack, type LB.52 Mk. 3 (complete with	1	—	A.	
						towing cable, see page JD.21)				
15D/596	G.Q.30783					Cangpy, bridle	1	—	A.	
15D/	—					Cord, connecting (Cut length 2' 10") (1200 lb. nylon)	1	DTD.5502	C.	
15D/	G.Q.10334					Parachute, 10' 6" dia., ring slot	1	—	A.	
15D/589	G.Q.1716					Parachute, auxiliary vent type	1	—	A.	
15D/588	G.Q.10339					Pack	1	—	A.	
15D/595	G.Q.30681					Ripcord	1	—	C.	
15D/594	G.Q.20819					Sleeve	1	—	C.	
15D/	—					Strop, auxiliary (cut length 6') (400 lb. nylon)	1	DTD.5502	C.	
10004	E.224471/1					Skin, port (alternative to E.247659/1)	1	L.72	MR/B	
10005	E.224471/2					Skin, starboard (alternative E.247659/2)	1	L.72	MR/B	
10688	E.247659/1					Skin, port (alternative to E.224471/1)	1	L.72	B.	JD.7
10636	E.247659/2					Skin, starboard (alternative to E.224471/2)	1	L.72	B.	JD.7
938	F.190633					Spigot, lower, port	1	DTD.364	C.	JA.2
939	F.190634					Spigot, lower, starboard	1	DTD.364	C.	JA.2
940	F.168707					Spigot	2	DTD.364	C.	JA.2
941	F.168708					Washer	4	Rubber	C.	JA.2

RESTRICTED









PLATE NO. JD.4 -
(ISSUE 6)



RESTRICTED


PLATE No JD.5
(ISSUE 4)



REAR FUSELAGE


RESTRICTED

PLATE NO JD.6-



RESTRICTED

PLATE NO JD.7
(ISSUE 14)



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

