

RESTRICTED

Page JE.1

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - HOOD JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M R Class of Store	Plate No
		1	2	3	4	5				
5275	E.215670	HOOD JETTISON GEAR, ASSEMBLY					—	—		
	Std.1954/45	Adaptor, for bell crank lever lubricator					1	L.65.C	C.	5
	F.229402	Adaptor, at "T" barrel					2	S.96.B		
	D.215814	ADDITIONAL DETAILS, ASSEMBLY					—	—		
	C.224218	Bracket, mounting (Mod. 378)					1	S.3		JE.1
	A.216373	Bracket, pivot					1	—		
875	A.189300	Cable, emergency release, group					1	—	B.	JE.1
		Consisting of:—								
28X/5870	Bowden	Cable, 5 cwt.					QR	W.11	C.	
29H/4186	Bowden PN.1997	Nipple					1	—	C.	
		Ring, split key, 1.50" i/d.					1	Steel		
	A.189300/2	Sleeve, Duratube, yellow, 5 mm. i/d. x 45 mm.					1	—		
		thick x 4.57" long								
30B/1006	—	Wire, 26 S.W.G.					QR	Copper	C.	
9048	F.218222	Cable, hood jettison					1	—	C.	
6740	F.210559	Cap					1	S.96.B	C.	JE.1
9766	F.231429	Disc, at hood cylinder					2	L.72	C.	
12782	B.228487	Duct					1	—	C.	
9047	F.218197	Eye-end, for hood jettison cable (Mod. 281)					1	S.96.B	C.	
	F.230906	Fork-end					1	S.94.B		
4882	F.200921	Guard, pulley					1	L.72	MR/C	JE.1
9141	B.199424	Handle					1	Stamping	B.	JE.1
9767	F.229452	Buffer					1	Neoprene	C.	JE.1
4558	F.199940	Latch					1	DTD.610	C.	JE.1
—	F.231629	Latch (Make from 26F X/4881)					1	L.72	—	JE.1
9034	A.214841	Lever (Alternative to A.217885)					1	BS.1648	C.	JE.1
	A.217885	Lever (Alternative to A.214841)					1	S.94.B		
9041	F.216316	Lever					1	S.3 & S.92	C.	JE.1
881	A.189124	Lever					1	S.80	C.	JE.1
9046	F.218221	Lever, group (Alternative to A.218271)					1	—	C.	JE.1
	F.218196	Bracket					1	DTD.171		
	F.216326	Lever					1	S.95.B		
4042	Std.1509/23/030	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.30"					1	T 4	MR/C	4
		long								
9033	A.218271	Lever, group (Alternative to F.218221)					1	—		
	F.214646	Link					1	DTD.166	C.	JE.1
	A.211755	Nut, strip (Alternative to A.217433)					2	—		
	A.217433	Nut, strip (Alternative to A.211755) (For use when ..					2	—		
		tooling hole is in top longeron)								
	F.211757	Packing (Alternative to F.217432)					2	L.72		
	F.217432	Packing (Alternative to F.211757) (For use when ..					2	L.72		
		tooling hole is in top longeron)								
885	F.189708	Pin					1	S.95.B or S.96.B	C.	JE.1
699	F.187671	Pin					1	S.1	C.	JE.1
	F.214644	Pivot					1	S.96.B		
6739	A.209223	Plate, catch					1	DTD.166	C.	JE.1
28R/13515	AS.104	Pulley					1	—	B.	
	F.228481	Pulley, for jettison cable					1	—		JE.1
9035	F.211758	Seal, at hood cylinder					2	Rubber	C.	JE.1
893	F.189299	Shackle					1	S.1	C.	JE.1
	A.228722	Shaft, cable anchorage					1	L.65.C		JE.1

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

Page JE.2

FUSELAGE - HOOD JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9042	A.216324					Spindle (Mod. 281)	1	S.95.B	C.	JE.1
4559	F.199942					Spring	1	Steel	C.	JE.1
	Std.1507/26/044					Tube, distance, 1/2" o/d x 17 S.W.G. x 0.44"	1	T.26		4
						long				
	Std.1509/23/148					Tube, distance, 5/16" o/d x 17 S.W.G. x 1.48"	2	T.4		4
						long				
3763	Std.915/B24					Washer, special, 4 B.A.	4	DTD.364	C.	4
3765	Std.915/C24					Washer, special, 2 B.A.	4	DTD.364	C.	4
	Std.915/E6					Washer, special	1	DTD.364		4
	Std.915/U12					Washer, special	1	DTD.364		4
5274	F.205020					Bolt, grasper, for bell crank lever	2	S.95.B	C.	JE.1
873	F.189282					Bush, spherical	4	S.95.B	C.	JE.1
1935	F.196363					Bush, for emergency release cable	1	Rubber	C.	JE.1
874	A.189119					Cable, de-seal valve control, group	1	—	B.	JE.1
						Consisting of:—				
	Std.1920/1					Adjuster	1	DTD.364		5
	Std.1920					Adjuster, complete with sleeve and nut	1	—		5
28X/5870	Bowden					Cable, 5 cwt.	QR	W.11	C.	
29H/	Bowden T.3					Conduit, Bowdenex T.3	QR	—		
28U/15288	SP.38A					Fork-end	2	—	C.	
29H/4110	Bowden PN.23					Nut	1	—	C.	
	Std.1920/2					Sleeve	1	DTD.364		5
29H/	Bowden PN.999					Stop	1	—		
9043	A.216335					Cable, ejection, group	1	—	B.	JE.1
	Std.1920					Adjuster	2	—		5
	A.216335/1					Cable, 5 cwt.	1	W.11		
	A.216335/2					Conduit, Bowdenex T.3 B.W.C.	1	—		
	A.224509					Fork-end	2	S.1B		
29H/	Bowden PN.999					Stop	1	—		
	A.230905					Cable, jettison handle to lever group	1	—		JE.1
	Std.1920					Adjuster	2	—		5
28X/5870	—					Cable, 5 cwt.	1	W.11	C.	
29H/	—					Conduit, Bowdenex T.3 B.W.C.	1	—		
28U/16264	SP.37A					Eye-end	1	—	C.	
29H/	Bowden PN.999					Stop	1	—		
28U/18845	SP.36-C5					Tapped end	1	—		
877	A.189120					Cable, jettison control to release unit, group	1	—	B.	JE.1
						Consisting of:—				
	Std.1920/1					Adjuster, stop	1	DTD.364	—	5
	Std.1920					Adjuster, complete with sleeve and nut	1	—		5
28X/5870	Bowden					Cable, 5 cwt.	QR	W.11	C.	
29H/	Bowden T.3					Conduit, Bowdenex T.3	QR	—		
28U/16264	SP.37A					Eye-end	2	—	C.	
29H/4110	Bowden PN.23					Nut	1	—	C.	
	Std.1920/2					Sleeve	1	—		5
29H/	Bowden PN.999					Stop	1	—		

RESTRICTED

Page JE.3

Hunter F.G.A. Mk. 9
Issued with A/L No. 12

FUSELAGE-HOOD JETTISON GEAR

Rel. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
26VA/6042329	Std.2045/16/20					Clip, sleeved	2	S.510 or S.511	C.	
9664	Std.2045/22/24					Clip, sleeved	2	S.510 or S.411	C.	6
3745	Std.841/17					Clip, support, 7/16" wide x 22 S.W.G. x 1.7" long	1	DTD.610	C.	4
	F.231116					Clip, securing cable	1	L.72		
11194	B.231232					Cover, for levers	1	Plastic	C.	JE.1
27L/5019	Martin Baker M.B.C.J.36					Cylinder, hood, port	1	—	B.	
27L/5020	Martin Baker M.B.C.J.37					Cylinder, hood, starboard	1	—	B.	
	A.189296					Duct	1	T.26		JE.1
27L/5021	Martin Baker M.B.C.J.159					Gun, hood, group (With Martin Baker Mod. MB.CJ/83 embodied) (Mod. 1102)	1	—	A.	
12K/1403	Martin Baker M.B.C.J.560					Cartridge, No. 2, Mk. 2	1	—	C.	
10473	F.234618					Label, indicator, port (Mod. 846)	1	L.72	C.	
10474	F.234619					Label, indicator, starboard (Mod. 846)	1	L.72	C.	
6083	F.192126					Lever	2	S.80	C.	JE.1
883	F.189280					Link	1	S.95.B	C.	JE.1
10227	F.234620					Pin, special (Mod. 846)	2	S.95.B	C.	JE.1
1714	F.193684					Pin, special (Mod. 846)	2	S.95.B	C.	JE.1
27L/5022	Martin Baker M.B.C.J.310					Pipe, tee-piece to gun	1	—	C.	
27L/5023	Martin Baker M.B.C.J.311					Pipe, cylinder to tee-piece, port	1	—	C.	
27L/5024	Martin Baker M.B.C.J.312					Pipe, cylinder to tee-piece, starboard	1	—	C.	
886	F.189342/1					Plate, sealing	1	S.3	C.	JE.1
	F.214716					Plate, stop	1	DTD.124		
887	A.189278					Rod, connecting	1	—	C.	JE.1
10224	A.235733					Rod, connecting, telescopic, group (Mod. 846)	2	—	B.	JE.1
	F.214530					Cap	1	S.96.B		
	F.189276					Eye-end	1	S.95.B		
	F.235736					Eye-end (Alternative to F.235781) (Mod. 846)	1	S.96.B		
10225	F.235735					Spring (Mod. 846)	1	Spr. Steel	C.	
	A.235734					Sliding, fitting (Mod. 846)	1	S.96.B		
10226	A.234637					Rod, connecting, group (Mod. 846)	2	—	C.	JE.1
	F.234613					Eye-end (Mod. 846)	1	S.95.B		
6632	A.213160					Rod, connecting group	1	—	B.	JE.1
6210	F.212690					Bellows	1	Rubber or B.109 Neoprene	C.	JE.1
892	F.189342					Support	1	T.26 or S.3	C.	JE.1
10223	A.234652					Rod, connecting, group (Mod. 846)	2	—	B.	JE.1
	A.234611					Fork-end (Mod. 846)	1	S.95.B		
895	F.189297					Spring	1	—	C.	JE.1
27L/5013	Martin Baker T.476/S					Tee-piece	1	—	C.	

RESTRICTED

RESTRICTED

Page JE.4

Hunter F.G.A. Mk. 9
Issued with A/L No. 12

FUSELAGE-HOOD JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9031	B.215644	Unit, release, group					1	—	B.	JE.1
2A/9500491	B.S.I.SFE.3/8"	Bearing					1	—	C.	
897	F.189118	Bolt, special					3	S.95.B	C.	JE.1
	F.211177	Bolt, special					1	S.96		
898	A.127278	Bolt, special					4	S.1	C.	JE.1
899	F.189074	Bolt					2	S.1	C.	JE.1
								S.95.B or S.96.B		
	A.189071	Casing					1	—		
900	F.189069	Coupling					2	S.95.B or S.96.B	C.	JE.1
901	F.189068	Eye-end					2	S.95.B or S.96.B	C.	JE.1
9032	F.214647	Lever					1	BSI.648	C.	JE.1
903	F.189077	Lever					1	S.80	C.	JE.1
904	A.126610	Nut, special					1	S.20	C.	JE.1
	A.127030	Packing					1	L.1		
905	A.189073	Plug					1	S.1	C.	JE.1
906	F.189067	Plug					1	DTD.364	C.	JE.1
907	F.169854	Plunger					1	DTD.364	C.	JE.1
8182	F.210867	Rod					1	S.95.B or S.95.B	C.	JE.1
909	F.189070	Sleeve					2	S.1	C.	JE.1
	A.126828	Spring					1	DTD.239		JE.1
910	A.127031	Washer					2	Rubber	C.	JE.1
	Std.915/E6	Washer					1	DTD.610		4
911	F.189343	Washer, sealing					1	Rubber	C.	JE.1
1570	Std.914/B24	Washer, special, 4 B.A.					1	S.1 or S.3	C.	4
2147	Std.915/C20	Washer, special					4	DTD.364	C.	4
912	F.176949	Window					1	Perspex	C.	JE.1

RESTRICTED

RESTRICTED

Page JE.5

Hunter F.G.A. Mk. 9
Issued with A/L No. 4

FUSELAGE-HOOD JETTISON GEAR

Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5	6	7	8				
SUMMARY OF STOCK ITEMS													
28D/1010658	A25.1.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	-	-	-	
28D/1008149	A25.2.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	-	-	-	
28D/9436920	A25.1.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	-	-	
28D/9133011	A25.2.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	-	-	
28D/1200119	A25.4.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	-	-	
28D/12517	A25.17.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	-	-	
28D/1011022	A25.18.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	-	-	
28D/1011024	A25.21.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	-	-	
28D/1011301	A25.8.J	Bolt, 3/8" B.S.F.	...	...	...	...	...	...	...	-	-	-	
28D/8306	AS.1242/1C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	-	-	
28D/8309	AS.1242/4C	Bolt, 2 B.A.	...	...	...	...	...	...	...	-	-	-	
28D/8331	AS.1242/13E	Bolt, 1/4" B.S.F.	...	...	...	...	...	...	...	-	-	-	
28D/8333	AS.1242/16E	Bolt, 1/4" B.S.F.	...	...	...	...	...	...	...	-	-	-	
28D/9128739	AS.1248/1/2B	Bolt, 4 B.A.	...	...	...	...	...	...	...	-	-	-	
28D/9744	AS.1248/2B	Bolt, 4 B.A.	...	...	...	...	...	...	...	-	-	-	
28D/13789	AS.2920/1B	Bolt, 4 B.A.	...	...	...	...	...	...	...	-	-	-	
28E/8182	AGS.605/0	Clip	...	...	...	...	...	...	...	-	-	-	
28E/10154	AGS.605/00	Clip	...	...	...	...	...	...	...	-	-	-	
28U/16264	SP.37A	Eye-end	...	...	...	...	...	...	...	-	-	-	
28K/549	SP.3Y.412	Fork-end	...	...	...	...	...	...	...	-	-	-	
28M/1006504	A27.BT	Nut, 4 B.A.	...	...	...	...	...	...	...	-	-	-	
28M/13121	A27.CS	Nut, 2 B.A.	...	...	...	...	...	...	...	-	-	-	
28M/13124	A27.CT	Nut, 2 B.A.	...	...	...	...	...	...	...	-	-	-	
28M/1011467	A27.ES	Nut, 1/4" B.S.F.	...	...	...	...	...	...	...	-	-	-	
28M/1011476	A27.JS	Nut, 3/8" B.S.F.	...	...	...	...	...	...	...	-	-	-	
28M/1011470	A58.GT	Nut, 1/16" B.S.F.	...	...	...	...	...	...	...	-	-	-	
28M/10287	AGS.2001.B1	Nut, 4 B.A.	...	...	...	...	...	...	...	-	-	-	
28M/10288	AGS.2001.C1	Nut, 2 B.A.	...	...	...	...	...	...	...	-	-	-	
28M/10290	AGS.2001.E1	Nut, 1/4" B.S.F.	...	...	...	...	...	...	...	-	-	-	
28M/10327	AGS.2002.B1	Nut, 4 B.A.	...	...	...	...	...	...	...	-	-	-	
28M/10328	AGS.2002.C1	Nut, 2 B.A.	...	...	...	...	...	...	...	-	-	-	
28M/10330	AGS.2002.E1	Nut, 1/4" B.S.F.	...	...	...	...	...	...	...	-	-	-	
28M/10331	AGS.2002.G1	Nut, 2 B.A.	...	...	...	...	...	...	...	-	-	-	
28N/9156370	SP.21	Nipple, lubricating	...	...	...	...	...	...	...	-	-	-	
28P/812	SP4.Y.A2	Pin	...	...	...	...	...	...	...	-	-	-	
28P/816	SP4.Y.A6	Pin	...	...	...	...	...	...	...	-	-	-	
28P/824	SP4.Y.A14	Pin	...	...	...	...	...	...	...	-	-	-	
28P/828	SP4.Y.B2	Pin	...	...	...	...	...	...	...	-	-	-	
28P/829	SP4.Y.B3	Pin	...	...	...	...	...	...	...	-	-	-	
28P/831	SP4.Y.B5	Pin	...	...	...	...	...	...	...	-	-	-	
28P/834	SP4.Y.B8	Pin	...	...	...	...	...	...	...	-	-	-	
28P/835	SP4.Y.B9	Pin	...	...	...	...	...	...	...	-	-	-	
28P/5960	SP4.Z.D9	Pin	...	...	...	...	...	...	...	-	-	-	
28P/1006943	SP9.C6	Pin, split	...	...	...	...	...	...	...	-	-	-	
28R/13515	AS.104	Pulley, 3" dia.	...	...	...	...	...	...	...	-	-	-	
28S/1200040	A31.B.20	Screw, 4 B.A.	...	...	...	...	...	...	...	-	-	-	
28S/9131095	A31.C14	Screw, 2 B.A.	...	...	...	...	...	...	...	-	-	-	
28S/9992522	A32.B16	Screw, 4 B.A.	...	...	...	...	...	...	...	-	-	-	

RESTRICTED

Page JE.6

Hunter F.G.A. Mk. 9
Issued with A/L No. 4


FUSELAGE-HOOD JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28W/3098	AGS.162C	Washer, 2 B.A....	...	...	...	...	...	—	—	—
28W/9419401	SP.10B	Washer ...	...	...	...	...	...	—	—	—
28W/9419454	SP.11.C	Washer, 2 B.A....	...	...	...	...	...	—	—	—
28W/9419456	SP.10.J	Washer, 1" dia.	...	...	...	...	...	—	—	—
28W/9436801	SP.11.E	Washer ...	...	...	...	...	...	—	—	—
28W/9418921	SP.13.E	Washer ...	...	...	...	...	...	—	—	—
28W/9419474	SP.15.B	Washer ...	...	...	...	...	...	—	—	—
28W/9419475	SP.15.C	Washer, 2 B.A....	...	...	...	...	...	—	—	—
28W/9419405	SP.15.E	Washer, 1" dia.	...	...	...	...	...	—	—	—
28W/9419476	SP.15.G	Washer ...	...	...	...	...	...	—	—	—
28W/9419404	SP.16.C	Washer, 2 B.A....	...	...	...	...	...	—	—	—
28W/9419487	SP.16.E	Washer ...	...	...	...	...	...	—	—	—
28W/9419489	SP.16.J	Washer ...	...	...	...	...	...	—	—	—

RESTRICTED

RESTRICTED

PLATE NO JE.1
(ISSUE 14)



HOOD JETTISON GEAR



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.