

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

Page JH1

FUSELAGE - PITOT INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
		1 2 3 4 5				
	C.204968	PITOT INSTALLATION IN CENTRE FUSELAGE,	—	—		
		ASSEMBLY				
4450	F.199063	Adaptor, for drain valve	2	S.65	C.	JJ.1
2690	F.195016	Clamp	2	LFS.21	C.	JJ.1
3734	Std.840/14	Clip, 7/16" wide x S.W.G. x 1.4" long	20	DTD.610	MR/C	4
9663	Std.2045/19/24	Clip, sleeved (AS.760/96)	2	—	C.	6
	Std.840/52	Clip, 7/16" wide x 22 S.W.G. x 5.2" long	1	DTD.610		4
5K/3420	AS.3360/B/2/B	Lead, bonding	1	—	C.	
5K/7000230	AS.3360/B/3/B	Lead, bonding	1	—	C.	
5K/7000231	AS.3360/B/3/C	Lead, bonding	1	—	C.	
2149	F.133671	Pipe, drain	4	T.9	C.	
†	B.196210/1	Pipe, pressure, joint to joint	1	L.54 or T.9		JJ.1
†	B.196210/2	Pipe, static, joint to joint	1	L.54 or T.9		JJ.1
†	B.196210/3	Pipe, pressure, joint to tee-piece	1	L.54 or T.9		JJ.1
†	B.196210/4	Pipe, static, joint to tee-piece	1	L.54 or T.9		JJ.1
7155†	A.202552/1	Pipe, pressure, tee-piece to joint	1	L.54 or T.9	MR/C	JJ.1
7156†	A.202552/2	Pipe, static, tee-piece to joint	1	L.54 or T.9	MR/C	JJ.1
7159†	A.202552/15	Pipe, pressure, joint to joint	1	L.54 or T.9	MR/C	JJ.1
7160†	A.202552/16	Pipe, static, joint to joint	1	L.54 or T.9	MR/C	JJ.1
7161†	A.202552/17	Pipe, pressure, joint to joint	1	L.54 or T.9	MR/C	JJ.1
7162†	A.202552/18	Pipe, static, joint to joint	1	L.54 or T.9	MR/C	JJ.1
†	A.202552/19	Pipe, pressure, joint to joint	1	L.54 or T.9		JJ.1
†	A.202552/20	Pipe, static, joint to joint	1	L.54 or T.9		JJ.1
5F/9454141	Hellermann N.Y.18007A	Strapping (AS.760/96)	QR	—	C.	
5F/9138822	Hellermann N.Y.3342	Stud (AS.760/96)	QR	—	C.	
	Std.1509/22/030	Tube, distance, 1/4" o/d x 22 S.W.G. x .3" long	1	T.4		4
	Std.1509/12/012	Tube, distance, 1/4" o/d x 22 S.W.G. x .12" long	2	T.4		4
5218	King C.5183	Valve, drain	2	—	B.	JJ.1
† For details see Piping Chart.						

RESTRICTED

RESTRICTED

Page JH.2

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - PITOT INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28D/1010658	A25.1.B	Bolt, 4 B.A.					-	-	-	
28D/1008149	A25.2.B	Bolt, 4 B.A.					-	-	-	
28D/1009984	A25.7.B	Bolt, 4 B.A.					-	-	-	
28D/9140638	A25.4.B	Bolt, 4 B.A.					-	-	-	
28F/1037653	AGS.838/13	Nut, union, and bush assembly					-	-	-	
28M/10327	AGS.2002.B.1	Nut, 4 B.A.					-	-	-	
28F/1046307	AGS.838/1	Union, straight					-	-	-	
28F/1046308	AGS.838/2	Union, tee					-	-	-	
28F/1046309	AGS.838/3	Union, elbow					-	-	-	
28W/9419474	SP.15.B	Washer, 4 B.A.					-	-	-	
28F/1046310	AGS.838/9	Washer, rubber					-	-	-	
28F/8014021	AGS.1138.B	Washer, joint					-	-	-	

RESTRICTED

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

