

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

Page JJ.1

FUSELAGE - PITOT INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.263421	PITOT INSTALLATION, IN FRONT FUSELAGE,					-	-		
		ASSEMBLY (Mod. 1015)								
	C.187563	PITOT INSTALLATION, IN FRONT FUSELAGE,					-	-		
		ASSEMBLY (Pre Mod. 975)								
	F.220412	Clamp, port side frame 16 (Mod. 417)					1	LFS.21		
2690	F.195016	Cleat, top					1	LFS.21	C	JJ.1
2691	F.195017	Cleat, bottom					1	LFS.21	C	JJ.1
3734	Std.840/14	Clip, earthing connection					20	DTD.610	MR/C	4
3737	Std.840/22	Clip					22	DTD.610	MR/C	4
4543	Std.840/24	Clip					1	DTD.610	C.	4
	Std.840/28	Clip					1	DTD.610		4
	Std.1285/2BB	Connector, earthing					1	-		
	Std.1285/3BB	Connector, earthing					8	-		
2149	F.133671	Pipe, drain					2	T.9	C.	JJ.1
†	B.187565/5	Pipe, pressure, joint to joint					1	L.54		JJ.1
†	B.187565/6	Pipe, static, joint to joint					1	L.54		JJ.1
†	B.187565/7	Pipe, pressure, joint to bulkhead connection					1	L.52		JJ.1
†	B.187565/8	Pipe, static, joint to tee-piece					1	L.54		JJ.1
†	B.187565/9	Pipe, static, tee-piece to elbow union					1	L.54		JJ.1
†	B.187565/10	Pipe, static, tee-piece to bulkhead connection					1	L.54		JJ.1
†	B.187565/13	Pipe, pressure, tee-piece to joint					1	L.54		JJ.1
†	B.187565/14	Pipe, static, tee-piece to joint					1	L.54		JJ.1
†	B.187565/15	Pipe, pressure, flexible pipe to tee-piece					1	L.54		JJ.1
†	B.187565/16	Pipe, static, flexible pipe to tee-piece					1	L.54		JJ.1
†	B.187565/17	Pipe, pressure, bulkhead connection to tee-piece					1	L.54		JJ.1
		(Mod. 417)								
†	B.187565/18	Pipe, static, bulkhead connection to tee-piece					1	L.54		JJ.1
		(Mod. 417)								
†	B.187565/19	Pipe, pressure, tee-piece to union (Mod. 147)					1	L.54		
†	B.187565/20	Pipe, static, tee-piece to union					1	L.54		
†	B.187565/21	Pipe, pressure, tee-piece to union (Mod. 417)					1	T.54		
		(Pre Mod. 975)								
†	B.187565/22	Pipe, static, tee-piece to union (Mod. 417)					1	L.54		
		(Pre Mod. 975)								
†	B.187565/25	Pipe, pressure, union to rubber tubing (Mod. 417)					1	L.54		
		(Pre Mod. 975)								
†	B.187565/26	Pipe, static, union to rubber tubing (Mod. 417)					1	L.54		
		(Pre Mod. 975)								
	F.253705	Spacer, at frame 9					1	LFS		
	F.253706	Spacer, at frame 11					1	LFS,		
	F.253707	Spacer, at frame 15					1	LFS		
	Std.1509/12/012	Tube, distance					1	T.4		4
5767	Std.1509/12/030	Tube, distance, 1/4" o/d x 22 S.W.G. x .3" long					1	T.4	MR/C	4
32C/679	-	Tubing, flexible, 9/16" o/d x 0.3" i/d (Maricon					QR	-	C.	
		type "H") (For manufacture of								
		C.187563/3 & /4) (AS.860/3)								
		† For details see Piping Chart.								

RESTRICTED


RESTRICTED

Page JJ.2

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

FUSELAGE - PITOT INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28F/5104	AGS.838/1	Body, union					-	-	-	
28D/1010058	A.25.1.B	Bolt, 4 B.A.					-	-	-	
28D/1008149	A.25.2B	Bolt, 4 B.A.					-	-	-	
28D/9419452	A.25.3.B	Bolt, 4 B.A.					-	-	-	
28D/1010029	A.25.6.B	Bolt, 4 B.A.					-	-	-	
28D/1009984	A.25.7.B	Bolt, 4 B.A.					-	-	-	
28D/1010142	A.25.9.B	Bolt, 4 B.A.					-	-	-	
28D/16312	AS.1248/15B	Bolt, 4 B.A.					-	-	-	
28E/3321	AGS.606/D	Clip					-	-	-	
28E/3322	AGS.606/E	Clip					-	-	-	
28E/20347	SP.91A	Clip, hose (Cheney type only)					-	-	-	
28F/5107	AGS.838/3	Elbow					-	-	-	
5K/7000230	AS.3360/B/3/B	Lead, bonding					-	-	-	
5K/7000231	AS.3360/B/3/C	Lead, bonding					-	-	-	
5K/7000206	AS.3360/B/4/B	Lead, bonding					-	-	-	
28F/17910	AGS.838/13	Nut, union and bush assy.					-	-	-	
28M/10327	AGS.2002/B1	Nut, 4 B.A.					-	-	-	
28F/6105	AGS.838/2	Tee					-	-	-	
28F/11696	AGS.838/6	Trap, drain					-	-	-	
28F/13604	AGS.838/9	Washer, rubber					-	-	-	
28W/9419474	SP.15.B	Washer					-	-	-	



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

