

RESTRICTED

Page KB.1

Hunter F.G.A. Mk. 9
Issued with A/L No. 13

MAIN PLANES-AILERON

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10505	G.244300	AILERON, PORT GROUP (Less Actuator, known as G.244300/A) (Mod. 961)					1	—	A.	KB.1
10506	G.244301	AILERON, STARBOARD GROUP (Mod. 961)					1	—	A.	KB.1
10177	G.239033*	AILERON, PORT GROUP (Less Actuator, known as G.239033/A) (Pre Mod. 961)					1	—	A.	
10178	G.239034*	AILERON, STARBOARD GROUP (Pre Mod. 961)					1	—	A.	
	F.244295	Angle (Mod. 961)					2	L.72		
	F.244309	Angle (Mod. 961)					2	L.72		
	F.244310	Angle (Mod. 961)					2	L.72		
	A.238950	Angle, for attachment of auxiliary ribs					10	L.72		
	A.238951	Angle, for attachment of auxiliary ribs					2	L.72		
	A.238952	Angle, for attachment of auxiliary ribs					2	L.72		
	F.238953	Angle, for attachment of auxiliary ribs					4	L.72		
	F.238986	Angle					2	L.72		
2A/9500557	N.R.15	Bearing					2	—	C.	
2196	B.181494	Block, for centre hinge (Pre Mod. 473)					2	Stamping	MR/C	
12725	B.233509	Block, centre hinge (Mod. 932)					2	Stamping	C.	KB.1
12743	F.169064	Ferrule					4	—	C.	
4086	A.181542	Block, for outer hinge					2	Stamping	MR/C	KB.1
12743	F.169064	Ferrule					2	—	C.	
4087	Std.1639/3EX	Bolt, securing spigot to spar					8	—	C.	5
12323	F.215376	Bolt, special, for attachment of hinge block (Mod. 473)					8	S.99	C.	
12883	F.215383	Bolt, special, for attachment of hinge block (Mod. 473)					8	S.99	C.	
11710	F.233862	Bolt, centre hinge attachment (Mod. 932)					4	S.99	C.	
10935	F.233861	Bolt, centre hinge attachment (Mod. 932)					6	S.99	C.	
11711	F.233863	Bolt, centre hinge attachment (Mod. 932)					4	S.99	C.	
4902	A.202935	Bracket, mounting for transmitter					1	S.3	C.	KB.1
	A.244845	Bracket, reinforcing, at trim tab actuator bracket on spar, port only (Mod. 956)					1	S.510		
6759	A.210699	Bracket, stop, for indicator operating cable (Mod. 349)					1	S.3	C.	KB.1
1318	F.187794	Cable, operating, indicator at the control					1	—	C.	KB.1
2197	B.181541	Channel, inboard front rib attachment					2	DTD.610	MR/C	
2198	B.171976	Channel, front rib attachment					2	DTD.610	MR/C	KB.1
2199	B.171977	Channel, rear rib attachment					2	DTD.610	MR/C	KB.1
69	F.181674	Door, access, at washout skin, port					1	DTD.610	C.	KB.1
70	F.181675	Door, access, at washout skin, starboard					1	DTD.610	C.	KB.1
	A.187807	Duct, for electrical cables at trim tab transmitter					1	T.9 or L.54		
	B.181578	Fitting, for rib attachment group					2	—		
	A.215183	Plate, nut (Mod. 473)					4	—		
	A.215240	Plate, nut (Mod. 473)					2	—		
9572	B.217243	Former, forward, between tail ribs 11 and 12					2	DTD.610	MR/C	
9573	B.217244	Former, forward, between tip rib and tail rib No. 12					2	DTD.610	MR/C	
9577	B.217248	Former, centre, between tip rib and tail rib No. 12					2	DTD.610	MR/C	
9575	B.217246	Former, rear, between tip rib and tail rib No. 12					2	DTD.610	MR/C	
2200	C.181671	Member, trailing edge, port					1	DTD.364	MR/C	KB.1
2201	C.181672	Member, trailing edge, starboard					1	DTD.364	MR/C	KB.1
10835	Std.1921/PS	Nut, slotted					2	S.96.8	C.	
	F.244419	Packing, for auxiliary ribs (Mod. 961)					2	L.72		
	F.244420	Packing, for auxiliary ribs (Mod. 961)					2	L.72		
	F.244421	Packing, for auxiliary ribs (Mod. 961)					2	L.72		
1319	B.187552	Panel, access, for trim tab control					1	DTD.610	C.	KB.1
12742	A.247707	Plate, shim (AS.970/69)					2	Lam. Al.	C.	
	F.237192	Plate, gusset (Mod. 961)					2	S.520		
	F.245130	Plate, gusset (Mod. 961)					2	S.520		
10861	A.220122	Plate, gusset, top port bottom starboard					2	S.520	C.	
	A.220123	Plate, gusset, top starboard bottom port					2	S.520		
	A.220124	Plate, gusset, top port					1	S.520		
10864	A.220125	Plate, gusset, top starboard					1	S.520	C.	
10863	A.220126	Plate, gusset, bottom port					1	S.520	C.	
10865	A.220127	Plate, gusset, bottom starboard					1	S.520	C.	

RESTRICTED

RESTRICTED

Page KB.2

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

MAIN PLANES - AILERON

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2202	B.180557	Rib, No. 1, port					1	DTD.610	MR/C	KB.1
2203	B.180558	Rib, No. 1, starboard					1	DTD.610	MR/C	KB.1
2204	B.187451	Rib, nose, No. 2, port					1	DTD.610	MR/C	KB.1
2205	C.188586	Rib, nose, No. 2, starboard					1	DTD.610	MR/C	KB.1
2206	C.188587	Rib, tail, No. 2, port					1	DTD.610	MR/C	KB.1
2207	C.188588	Rib, tail, No. 2, starboard					1	DTD.610	MR/C	KB.1
2208	B.187452	Rib, nose, No. 3, port					1	DTD.610	MR/C	KB.1
2209	C.188589	Rib, nose, No. 3, starboard					1	DTD.610	MR/C	KB.1
2210	C.188590	Rib, tail, No. 3, port					1	DTD.610	MR/C	KB.1
2211	C.188591	Rib, tail, No. 3, starboard					1	DTD.610	MR/C	KB.1
2212	C.188592	Rib, nose, No. 4, port					1	DTD.610	MR/C	KB.1
2213	C.188593	Rib, nose, No. 4, starboard					1	DTD.610	MR/C	KB.1
2214	B.187627	Rib, tail, No. 4, port					1	DTD.610	MR/C	KB.1
2215	C.188594	Rib, tail, No. 4, starboard					1	DTD.610	MR/C	KB.1
2216	B.181078	Rib, nose, No. 5, port					1	DTD.610	MR/C	KB.1
2217	B.181079	Rib, nose, No. 5, starboard					1	DTD.610	MR/C	KB.1
2218	B.181080	Rib, tail, No. 5, port					1	DTD.610	MR/C	KB.1
2219	B.196740	Rib, tail, No. 5, starboard					1	DTD.610	MR/C	KB.1
2220	B.181070	Rib, nose, No. 6, port					1	DTD.610	MR/C	KB.1
2221	B.181071	Rib, nose, No. 6, starboard					1	DTD.610	MR/C	KB.1
2222	B.181072	Rib, interspar, No. 6					2	DTD.610	MR/C	KB.1
2223	B.181073	Rib, tail, No. 6					2	DTD.610	MR/C	KB.1
2224	B.181074	Rib, nose, No. 7, port					1	DTD.610	MR/C	KB.1
2225	B.181075	Rib, nose, No. 7, starboard					1	DTD.610	MR/C	KB.1
2226	B.181076	Rib, interspar, No. 7					2	DTD.610	MR/C	KB.1
2227	B.181077	Rib, tail, No. 7					2	DTD.610	MR/C	KB.1
2228	B.181081	Rib, nose, No. 8, port					1	DTD.610	MR/C	KB.1
2229	B.181082	Rib, nose, No. 8, starboard					1	DTD.610	MR/C	KB.1
2230	B.181083	Rib, tail, No. 8, port					1	DTD.610	MR/C	KB.1
2231	B.196741	Rib, tail, No. 8, starboard					1	DTD.610	MR/C	KB.1
2232	C.188595	Rib, nose, No. 9, port					1	DTD.610	MR/C	KB.1
2233	C.188596	Rib, nose, No. 9, starboard					1	DTD.610	MR/C	KB.1
2234	C.188597	Rib, tail, No. 9, port					1	DTD.610	MR/C	KB.1
2235	B.196742	Rib, tail, No. 9, starboard					1	DTD.610	MR/C	KB.1
2236	C.188598	Rib, nose, No. 10, port					1	DTD.610	MR/C	KB.1
2237	C.188599	Rib, nose, No. 10, starboard					1	DTD.610	MR/C	KB.1
2238	C.188600	Rib, tail, No. 10, port					1	DTD.610	MR/C	KB.1
2239	B.196743	Rib, tail, No. 10, starboard					1	DTD.610	MR/C	KB.1
2240	B.181084	Rib, nose, No. 11, port					1	DTD.610	MR/C	KB.1
2241	B.181085	Rib, nose, No. 11, starboard					1	DTD.610	MR/C	KB.1
9605	B.217254	Rib, tail, No. 11, port (Mod. 518)					1	DTD.610	MR/C	KB.1
9603	A.217255	Rib, tail, No. 11, starboard (Mod. 518)					1	DTD.610	MR/C	KB.1
2244	B.181436	Rib, nose, No. 12, port					1	DTD.610	MR/C	KB.1
2245	B.181437	Rib, nose, No. 12, starboard					1	DTD.610	MR/C	KB.1
9578	B.217249	Rib, tail, No. 12					2	DTD.610	MR/C	KB.1
2247	B.181089	Rib, nose, No. 6A, port					1	DTD.610	MR/C	KB.1
2248	B.181090	Rib, nose, No. 6A, starboard					1	DTD.610	MR/C	KB.1
2249	B.181091	Rib, interspar, No. 6A					2	DTD.610	MR/C	KB.1
2250	B.181092	Rib, nose, No. 7A, port					1	DTD.610	MR/C	KB.1
2251	B.181093	Rib, nose, No. 7A, starboard					1	DTD.610	MR/C	KB.1
2252	B.181094	Rib, interspar, No. 7A					2	DTD.610	MR/C	KB.1
	B.244658	Rib, inter (Mod. 961)					2	L.72		
9604	A.217256	Rib, No. 12A					2	DTD.610	MR/C	KB.1
2254	B.180967	Rib, diagonal centre					2	DTD.610	MR/C	KB.1
2255	B.180968	Rib, diagonal centre					2	DTD.610	MR/C	KB.1
2256	B.180933	Rib, diagonal outer					2	DTD.610	MR/C	KB.1
2257	B.180934	Rib, diagonal outer					2	DTD.610	MR/C	KB.1
2258	B.181095	Rib, main tip					2	DTD.610	MR/C	KB.1
2259	B.181365	Rib, tip, No. 1					2	DTD.610	MR/C	KB.1
2260	B.181366	Rib, tip, No. 2					2	DTD.610	MR/C	KB.1
	C.238276	Rib, auxiliary					2	L.72		
	C.238277	Rib, auxiliary					4	L.72		

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 9

Page KB.3

MAIN PLANES—AILERON

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.238278	Rib, auxiliary					4	L.72		
	C.238279	Rib, auxiliary					6	L.72		
	C.238280	Rib, auxiliary					2	L.72		
	C.238281	Rib, auxiliary					2	L.72		
	C.238282	Rib, auxiliary					2	L.72		
	B.238985	Rib, auxiliary					2	L.72		
	B.241523	Rib, auxiliary					10	L.72		
	A.244935	Rib (Mod. 961)					2	L.72		
	C.245136-7	RIBS, AUXILIARY ATTACHMENTS, CENTRE					—	—		
		HINGE, ASSEMBLY (Mod. 961)								
	F.241514	Angle, port					1	L.72		
	F.241515	Angle, starboard					1	L.72		
	F.241516	Angle, starboard					1	L.72		
	F.241517	Angle, port					1	L.72		
	F.241518	Angle, port outboard starboard inboard					2	L.72		
	F.241519	Angle, starboard outboard port inboard					2	L.72		
	F.244295	Angle (Mod. 961)					2	L.72		
	F.244418	Angle (Mod. 961)					2	L.72		
	F.245535	Packing (Mod. 961)					4	L.72		
	F.244297	Plate, gusset (Mod. 961)					4	L.72		
	F.241521	Plate, gusset					4	L.72		
	F.241522	Plate, gusset					4	L.72		
	F.237192	Plate, gusset (Mod. 961)					4	S.520		
	C.188785	SECTIONS AND DETAILS, ASSEMBLY					—	—		
	A.190373	ACTUATOR, GROUP					1	—		
5W/310	Rotax C.5021/2	Actuator					1	—	A.	
5X/9400061	—	Tag					4	—	C.	
5X/9400062	—	Thimble					4	—	C.	
8406	F.217733	Bolt, actuator fins (Mod. 578)					4	S.96	C.	
1876	F.193539	Bolt, securing mounting bracket					1	S.96.B	C.	KB.1
10507	B.244624	Bracket, mounting, group (Mod. 956)					1	—	C.	KB.1
2261	F.187753	Bush, 7/16" i/d					1	BSS.369	MR/C	KB.1
3756	Std.850/27	Clip, securing, 7/16" wide x 22 S.W.G. x 2.7" long					1	DTD.610	MR/C	4
1321	Std.1221/YB55	Pin, securing rod to trim tab (Pre Mod. 568)					1	S.3 or S.11	C.	4
4905	F.204410	Pin, for transmitter					1	—	C.	KB.1
1322	Std.1221/YB30	Pin, securing rod and lever on shaft (Pre Mod. 568)					1	S.3 or S.11	C.	4
8405	F.217716	Plate, locking for actuator fixing bolts					1	S.3	C.	
1324	A.187785	Rod, operating trim tab (Pre Mod. 568)					1	T.4 or DTD.364	C.	
9350	A.218102	Rod, operating, trim tab, group (Mod. 568)					1	—	B.	KB.1
9351	F.218053	Fork-end					1	S.1	C.	
8422	F.217360	Shaft, at actuator (Mod. 578)					1	S.92 or S.3	C.	KB.1
6A/4373	Smiths 553/FL	Transmitter (Pre Mod. 349)					1	—	A.	
6A/4455	Smiths 568/FL	Transmitter (Mod. 349)					1	—	A.	
7419	Std.1509/23/140	Tube, distance					1	T.4	MR/C	4
2147	Std.915/C/20	Washer					2	—	C.	4
1327	Std.1547/24/12	Washer, profile					2	DTD.610	C.	4
1328	Std.1547/34/12	Washer, packing					2	DTD.610	C.	4
4868	F.203094	Shackle, for trim tab control					1	S.3	C.	KB.1
2262	E.180551	Skin, nose, top, port					1	DTD.610	MR/B	KB.1
2263	E.180552	Skin, nose, top, starboard					1	DTD.610	MR/B	KB.1
2264	E.180553	Skin, nose, bottom, port					1	DTD.610	MR/B	KB.1
2265	E.180554	Skin, nose, bottom, starboard					1	DTD.610	MR/B	KB.1
2266	C.181396	Skin, nose, washout, port, group					1	DTD.610	MR/B	KB.1
2267	C.181397	Skin, nose, washout, starboard, group					1	DTD.610	MR/B	KB.1
71	F.181676	Nut, anchor					4	S.3	C.	
—	G.244300/1	Skin, top, port (Alternative to G.232400/1 or G.239033/1) (Mod. 961) (Use 26FX/9510)					1	L.72	—	
—	G.244300/2	Skin, bottom, port (Alternative to G.232400/3 or G.239033/2) (Mod. 961) (Use 26FX/9511)					1	L.72	—	
—	G.244300/3	Skin, tip, port (Alternative to G.232400/2 or G.239033/3) (Mod. 961) (Use 26FX/9374)					1	L.72	—	

RESTRICTED

RESTRICTED

Page KB.4

Hunter F.G.A. Mk.9
Issued with A/L No. 9

MAIN PLANES—AILERON

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	G.244300/4					Skin reinforcing (Alternative to G.232400/4 or G.239033/4) (Mod. 961)	4	—		
—	G.244301/1					Skin, top, starboard (Alternative to G.232401/1 or G.239034/1) (Mod. 961) (Use 26FX/9512)	1	L.72	—	
—	G.244301/2					Skin, bottom, starboard (Alternative to G.232401/3 or . G.239034/2) (Mod. 961) (Use 26FX/9514)	1	L.72		
—	G.244301/3					Skin, tip, starboard (Alternative to G.232401/2 or G.239034/3) (Mod. 961) (Use 26FX/9513)	1	L.72	—	
	E.245504					Spar, main, port, group (Mod. 961)	1	—		
	E.245505					Spar, main, starboard, group (Mod. 961)	1	—		
	A.219708					Plate, nut (Mod. 473)	2	—		
	F.215262					Packing (Mod. 473)	2	L.72		
2268	F.180559					Spigot, for inner hinge	2	S.96.B	MR/C	KB.1
4469	F.157015					Spring, compression, for trim tab control	2	DTD.215	C.	KB.1
	C.244941					Stiffener, No. 1, top port bottom starboard (Mod. 961) .	2	L.72		
	C.244943					Stiffener, No. 1, top, starboard (Mod. 961)	1	L.72		
	C.244944					Stiffener, No. 2, top port bottom starboard (Mod. 961) .	2	L.72		
	C.244946					Stiffener, No. 2, top, starboard (Mod. 961)	1	L.72		
	C.244948					Stiffener, No. 3, bottom, port (Mod. 961)	1	L.72		
	C.236888					Stiffener, No. 3, top port bottom starboard	2	L.72		
	C.236889					Stiffener, No. 3, top starboard bottom port	2	L.72		
	C.244947					Stiffener, No. 4, top port bottom starboard (Mod. 961) .	2	L.72		
	C.244948					Stiffener, No. 4, top, starboard (Mod. 961)	1	L.72		
	C.244949					Stiffener, No. 4, bottom, port (Mod. 961)	1	L.72		
	C.238948					Stiffener, No. 5, top port bottom starboard	2	L.72		
	C.238949					Stiffener, No. 5, top starboard bottom port	2	L.72		
4728	Std.1231/4					Tab, locking	1	—	MR/C	4
1330	C.187570					Trim-tab, group (port only) (Pre Mod. 568)	1	—	B.	
9349	C.218045					Trim-tab, group (Mod. 568)	1	—	B.	KB.1
	B.187499					Hinge	1	DTD.610		
3817	Std.1548/30/12					Washer, packing, at hinge block	3	DTD.610	MR/C	1
72	F.180560					Washer, special	4	DTD.610	C.	KB.1
	C.247517					Weight, balance, inboard, port (AS.970/73)	1	S.3 and Lead		KB.1
	C.247518					Weight, balance, inboard, starboard (AS.970/73)	1	S.3 and Lead		KB.1
	C.247515					Weight, balance, outboard, port (AS.970/73)	1	S.3 and Lead		KB.1
	C.247516					Weight, balance, outboard, starboard (AS.970/73)	1	S.3 and Lead		KB.1

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 12

Page KC.1

MAIN PLANES—LANDING FLAP

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10011	E.234711	FLAP, LANDING, PORT, GROUP					1	—	A.	KC.1
10012	E.234712	FLAP, LANDING, STARBOARD, GROUP					1	—	A.	KC.1
4056	C.181447	Angle, for leading edge, between ribs 1 and 6, port					1	DTD.364	MR/C	KC.1
4057	C.181448	Angle, for leading edge, between ribs 1 and 6, starboard					1	DTD.364	MR/C	KC.1
4058	C.181449	Angle, for leading edge, between ribs 6 and 9, port					1	DTD.364	MR/C	KC.1
4059	C.181450	Angle, for leading edge, between ribs 6 and 9, starboard					1	DTD.364	MR/C	KC.1
4060	C.181451	Angle, for leading edge, between ribs 9 and 14, port					1	DTD.364	MR/C	KC.1
4061	C.181452	Angle, for leading edge, between ribs 9 and 14, starboard					1	DTD.364	MR/C	KC.1
4062	C.181453	Angle, for leading edge, between ribs 14 and 15, port					1	DTD.364	MR/C	KC.1
4063	C.181454	Angle, for leading edge, between ribs 14 and 15,					1	DTD.364	MR/C	KC.1
		starboard								
4064	A.184425	Bolt, special, for spools at rib 9					12	S.99.B	MR/C	KC.1
4065	A.184426	Bolt, special, for spool at ribs 8 and 10					8	S.99.B	MR/C	KC.1
10158	Std.1551/1/245	Bolt, for spool between ribs 6 and 7					1	S.99.B	C.	5
10159	Std.1551/3/255	Bolt, for spool between ribs 6 and 7					2	S.99.B	C.	5
4066	A.193411	Bracket, sealing cut-away at lever					1	DTD.610	MR/C	
9131	D.181473	FILLET, INBOARD END, PORT, GROUP					1	—	MR/B	KC.1
9132	D.181474	FILLET, INBOARD END, STARBOARD, GROUP					1	—	MR/B	KC.1
	C.181869	Former, port, at rib No. 1					1	DTD.610		
	C.181870	Former, starboard, at rib No. 1					1	DTD.610		
	A.181871	Former, port					1	DTD.610		
	A.181872	Former, starboard					1	DTD.610		
	A.181873	Former, port					1	DTD.610		
	A.181874	Former, starboard					1	DTD.610		
	F.181875	Former, at leading edge, port					1	DTD.610		
	F.181876	Former, at leading edge, starboard					1	DTD.610		
	D.181473/1	Skin, port					1	DTD.610		
	D.181474/1	Skin, starboard					1	DTD.610		
	C.178804	Lever, operating, group					2	Stamping		
9697	F.178805	Bush					4	S.1	MR/C	KC.1
4067	F.181439	Lug, for leading edge angle					2	DTD.610	MR/C	KC.1
4068	F.181440	Lug, for leading edge angle					2	DTD.610	MR/C	KC.1
4069	F.181441	Lug, for leading edge angle					4	DTD.610	MR/C	KC.1
4070	F.181442	Lug, for leading edge angle					4	DTD.610	MR/C	KC.1
4071	F.181443	Lug, for leading edge angle					1	DTD.610	MR/C	KC.1
4072	F.181444	Lug, for leading edge angle					1	DTD.610	MR/C	KC.1
4073	F.181445	Lug, for leading edge angle					18	DTD.610	MR/C	KC.1
4074	F.181446	Lug, for leading edge angle					4	DTD.610	MR/C	KC.1
	C.236157	Member, edge, port					1	L.72		KC.1
	C.236158	Member, edge, starboard					1	L.72		KC.1
	C.234760	Plate, reinforcing, port					1	Std.1741 or DTD.610		KC.1
	C.234761	Plate, reinforcing, starboard					1	Std.1741 or DTD.610		KC.1
	C.236155	Plate, reinforcing, port					1	L.72		KC.1
	C.236156	Plate, reinforcing, starboard					1	L.72		KC.1
4077	C.181350	Rib, No. 1, port					1	DTD.610	MR/C	KC.1
4078	C.181351	Rib, No. 1, starboard					1	DTD.610	MR/C	KC.1
4079	C.180570	Rib, Nos. 2 to 13					24	DTD.610	MR/C	KC.1
	B.234741	Rib, No. 14, port					1	L.72		KC.1
	B.234742	Rib, No. 14, starboard					1	L.72		KC.1

RESTRICTED

-PLATE N° KB.I.

Exploded view diagram of a vehicle chassis, showing various components and their assembly locations. The diagram includes numerous callouts for parts and sub-assemblies, organized by letter and number:

- Top Left:** C 188600, B 196743, B 217254, A 217255, C 181671 & 2, B 217249, B 181365, B 181095, B 181366.
- Top Right:** C 181396 & 7, F 181674 & 5, A 217256, B 181542, B 181436 & 7, B 181084 & 5.
- Middle Left:** C 188597, B 196742, B 180934, B 181094, B 181083, B 196741, B 181076, B 181077, B 180968, B 180967, B 181073, B 181091, B 180933, B 181080, B 196740, B 187627, C 188594, C 188590 & 1, A 218102, MOD 568.
- Middle Right:** C 188598 & 9, C 247515 & 6, C 188595 & 6, E 180553 & 4, B 181061 & 2, B 181092 & 3, B 181074 & 5, B 181072, B 171976, B 213509, B 181070 & 1, B 181078 & 9, C 188592 & 3, B 187452, C 188589, B 187451, C 188586, B 187552, C 247517 & 8, E 180551 & 2, G 244300 & 1, F 180559, F 180560, B 180557 & 8, C 188587 & 8, C 218045, MOD 568.
- Bottom Left:** C 181396 & 7, F 181674 & 5, A 217256, B 181542, B 181436 & 7, B 181084 & 5, C 188598 & 9, C 247515 & 6, C 188595 & 6, E 180553 & 4, B 181061 & 2, B 181092 & 3, B 181074 & 5, B 181072, B 171976, B 213509, B 181070 & 1, B 181078 & 9, C 188592 & 3, B 187452, C 188589, B 187451, C 188586, B 187552, C 247517 & 8, E 180551 & 2, G 244300 & 1, F 180559, F 180560, B 180557 & 8, C 188587 & 8, C 218045, MOD 568.
- Bottom Right:** F 187753, B 244624, F 217360, F 193539, MOD 349, A 210699, F 203094, F 187794, F 157015, A 202935, F 204410, E 180551 & 2, C 247517 & 8, B 187552, C 188586, B 187451, C 188589, B 187452, C 188592 & 3, B 181078 & 9, B 181070 & 1, B 213509, B 181074 & 5, B 181092 & 3, B 181061 & 2, E 180553 & 4, C 188595 & 6, C 247515 & 6, C 188598 & 9, B 181084 & 5, B 181436 & 7, B 181542, A 217256, F 181674 & 5, C 181396 & 7.

ALL FRON



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.