

# RESTRICTED

Hunter F.G.A. Mk. 9  
Issued with A/L No. 11

Page LB.1

## POWER INSTALLATION - GEARBOX AND ACCESSORIES

| Ref. No.     | Part No.        | Description                                            | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|--------------|-----------------|--------------------------------------------------------|---------|------------------------|---------------------|-----------|
|              |                 | 1 2 3 4 5                                              |         |                        |                     |           |
|              | E.204660        | ACCESSORY DRIVE FOR GEARBOX AND EQUIPMENT, ASSEMBLY    | —       | —                      |                     |           |
| 37L/322      | —               | Arm, drive, type G.A.7/2                               | 1       | —                      | A.                  |           |
| 6391         | F.194529        | Bolt, special, for generator attachment                | 4       | S.99.B                 | C.                  | LB.1      |
| 6392         | F.194530        | Bolt, special, for generator attachment                | 2       | S.99.B                 | C.                  | LB.1      |
| 6393         | F.200766        | Bolt, "U" for safety bracket at frame 34               | 1       | S.1                    | C.                  | LB.1      |
| 6394         | B.203089        | Box, sealing, for drive shaft                          | 1       | —                      | B.                  | LB.1      |
| 6395         | F.188685        | Channel, stop, for safety bracket "U" bolt at frame 34 | 1       | DTD.610                | C.                  | LB.1      |
| 11303        | Std.2046/17/26  | Clip, sleeved                                          | 1       | S.510 or S.511         | C.                  | 6         |
| 37L/196      | —               | Gearbox, type TG.5/5, group                            | 1       | —                      | A.                  |           |
| 37L/2940     | Rotol G.16095   | Washer, for dipstick                                   | 1       | —                      | C.                  |           |
| 5UA/6088     | —               | Generator, type 517                                    | 2       | —                      | A.                  |           |
|              | C.212052        | GENERATOR COOLING AIR OUTLET, ASSEMBLY (Mod. 425)      | —       | —                      |                     |           |
| 8342         | C.212054        | Cover, bottom                                          | 1       | S.3                    | B.                  | LB.1      |
| 8343         | B.212053        | Cover, top                                             | 1       | S.3                    | B.                  | LB.1      |
| 8346         | F.212146        | Eye-bolt, securing covers                              | 2       | S.1                    | C.                  | LB.1      |
| 8344         | B.212055        | Strap, inboard generator                               | 1       | S.3                    | C.                  | LB.1      |
| 8345         | B.212056        | Strap, outboard generator                              | 1       | S.3                    | C.                  | LB.1      |
| 8347         | F.217098        | Washer, profile at strap                               | 4       | L.72                   | C.                  | LB.1      |
| 2192         | Std.915/C14     | Washer, for eyebolt pin                                | 1       | DTD.610                | C.                  | 4         |
|              | Std.1306/D20    | Hose, 1-1/4" i/d x 2" long                             | 2       | DTD.625A               |                     | 4         |
|              | A.226908        | Piece, packing, for drive arm                          | 1       | L.72                   |                     | LB.1      |
| 7171†        | F.205196        | Pipe, breather, for generator                          | 1       | DTD.253                | MR/C                | LB.1      |
| 9944         | F.230731        | Pipe, vent (Mod. 751)                                  | 1       | —                      | C.                  | LB.1      |
| 7173†        | F.206188        | Pipe, drain, for drive arm                             | 1       | DTD.253                | MR/C                | LB.1      |
| 7174†        | F.213362        | Pipe, drain, for oil filler                            | 1       | DTD.253                | MR/C                | LB.1      |
| 6398         | A.204659        | Plate, sealing, for oil filler                         | 2       | LFS.21                 | C.                  | LB.1      |
| 37J/8006     | Dowty           | Pump, 'Verdel' type A8003Y/RH/3000                     | 1       | —                      | A.                  |           |
| 37L/325      | —               | Shaft, drive, type GD.9/100                            | 1       | —                      | A.                  |           |
| 37L/369      | —               | Shaft, drive, type GD.9/37                             | 1       | —                      | A.                  |           |
| 6396         | B.205290        | Spout, inlet cooling, for outboard generator           | 1       | L.54 & L.59            | C.                  | LB.1      |
| 6397         | B.205291        | Spout, inlet cooling, for inboard generator            | 1       | L.54 & L.59            | C.                  | LB.1      |
| 7175         | Std.1509/23/028 | Tube, distance, for oil filler sealing plate           | 6       | T.4                    | MR/C                | 4         |
| 7176         | Std.1509/23/052 | Tube, distance, for safety bracket "U" bolt            | 2       | T.4                    | MR/C                | 4         |
| 26VA/6034610 | Std.1509/23/060 | Tube, distance, for clipping of pipe drain             | 1       | T.4                    | C.                  | 4         |

† For details see Piping Chart.

# RESTRICTED


Page LB.2

Hunter F.G.A. Mk. 9  
Issued with A/L No. 11

## POWER INSTALLATION - GEARBOX AND ACCESSORIES

| Ref. No.    | Part No.     | Description            |       |   |   |   | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------|--------------|------------------------|-------|---|---|---|---------|------------------------|---------------------|-----------|
|             |              | 1                      | 2     | 3 | 4 | 5 |         |                        |                     |           |
|             |              | SUMMARY OF STOCK ITEMS |       |   |   |   |         |                        |                     |           |
| 28D/9436920 | A.25.1.C     | Bolt, 2 B.A.           | ..... |   |   |   | -       | -                      | -                   |           |
| 28D/9133012 | A.25.3.C     | Bolt, 2 B.A.           | ..... |   |   |   | -       | -                      | -                   |           |
| 28D/1200119 | A.25.4.C     | Bolt, 2 B.A.           | ..... |   |   |   | -       | -                      | -                   |           |
| 28D/7002428 | A.26.6.C     | Bolt, 2 B.A.           | ..... |   |   |   | -       | -                      | -                   |           |
| 28D/1011238 | A.25.3.E     | Bolt, 1/4" B.S.F.      | ..... |   |   |   | -       | -                      | -                   |           |
| 28D/12814   | A.25.29.E    | Bolt, 1/4" B.S.F.      | ..... |   |   |   | -       | -                      | -                   |           |
| 28E/9871    | AGS.608/T    | Clip, nose             | ..... |   |   |   | -       | -                      | -                   |           |
| 28F/9501    | AGS.1142/B   | Nipple                 | ..... |   |   |   | -       | -                      | -                   |           |
| 28M/13121   | A27.CS       | Nut, 2 B.A.            | ..... |   |   |   | -       | -                      | -                   |           |
| 28M/1011467 | A27.ES       | Nut, 1/4" B.S.F.       | ..... |   |   |   | -       | -                      | -                   |           |
| 28M/1011476 | A27.JS       | Nut, B.S.F.            | ..... |   |   |   | -       | -                      | -                   |           |
| 28M/10328   | AGS.2002/C/1 | Nut, 2 B.A.            | ..... |   |   |   | -       | -                      | -                   |           |
| 28P/1007741 | SP.9.C8      | Pin, split             | ..... |   |   |   | -       | -                      | -                   |           |
| 28P/1021    | BS.SP.4Y.B19 | Pin                    | ..... |   |   |   | -       | -                      | -                   |           |
| 28P/1019    | BS.SP.4Y.B17 | Pin                    | ..... |   |   |   | -       | -                      | -                   |           |
| 28W/9419475 | SP.15.C      | Washer, 2 B.A.         | ..... |   |   |   | -       | -                      | -                   |           |
| 28W/9419477 | SP.15.J      | Washer, 3/8" B.S.F.    | ..... |   |   |   | -       | -                      | -                   |           |
| 28W/9419405 | SP.15.E      | Washer, 1/4" dia.      | ..... |   |   |   | -       | -                      | -                   |           |
| 28W/9419487 | SP.16.E      | Washer, 1/4" dia.      | ..... |   |   |   | -       | -                      | -                   |           |

RESTRICTED





This file was downloaded  
from the RTFM Library.  
Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

