

RESTRICTED

Page MD.1

Hunter F.G.A. Mk. 9
Issued with A/L No. 13

RADIO-U.H.F. INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.273966	RADIO, U.H.F. INSTALLATION, ASSEMBLY					—	—		
		(Mod. 1260)								
10B/5985-99-911-8266	—	Aerial, U.H.F. wideband, "McMichael"					1	—	A.	
		(Pre Mod. 1384)								
10B/5985-99-222-2399	Chelton	Aerial, U.H.F. (Mod. 1384)					1	—	A.	
	Type 16-1									
10B/16920	—	Aerial, stand-by, type 11789					1	—	A.	
5J/3458	—	Battery, stand-by, type Voltabloc 19-VO-7					1	—	B.	
	B.196758	Block, terminal 53 and 54, assembly					—	—		
5X/1002694	Plessey	Block, terminal					1	—	C.	
	703/1/00238									
5X/3276	Plessey	Block, terminal, 2-way					1	—	C.	
	703/1/00226									
5CZ/1053794	—	Block, terminal, 2-way, No. 1, type "B"					2	—	C.	
11165	D.252520	Box, radio supplies and relay, group (Mod. 1105)					1	—	A.	
		(Pre Mod. 1379)								
6098421	D.316757	Box, radio supplies and relay, group (Mod. 1379)					1	—	A.	
	F.234668	Angle, mounting					1	L.72		
	F.234669	Angle, mounting					1	L.72		
5X/6480	—	Bar, commoning, 4-way					2	—	C.	
5CZ/4350489	—	Block, terminal, 5-way, type "B"					1	—	C.	
10389	F.234650	Block, rubbing					1	LFS.21	C.	
5X/4491482	Plessey	Block, fuse					3	—	C.	
	703/1/00420									
	B.263512	Board, for components, group (Pre Mod. 1379)					1	—		
	B.316760	Board, for components, group (Mod. 1379)					1	—		
	A.236127	Board, tag					1	—		
10C/0115644	—	Capacitor, CP.70-A .002m/fd.					2	—	C.	
		(1 off Pre Mod. 1379)								
		(Alt. to 10C/5910-99-012-0108)								
10C/5910-99-012-0108	—	Capacitor, CPM-3A, .002 m/fd. (Mod. 1379)					2	—	C.	
		(Alt. to 10C/0115644)								
10C/0115631	—	Capacitor, CP.31-J, .10 m/fd.					1	—	C.	
10CV/	Ferranti ZS.78	Diode, type CV.9117 (Mod. 1379)					1	—	C.	
	A.236126	Plate, insulating					1	BSS.972/C		
10W/0215466	—	Resistor, RC.2-D, 200 ohms					2	—	C.	
10W/0215162	—	Resistor, RC.2-D, 220 ohms					1	—	C.	
10W/0216022	—	Resistor, RC.2-D, 10K ohms					3	—	C.	
		(1 off Pre Mod. 1379)								
20470	F.236210	Spacer					6	BSS.972/C	C.	
5E/	—	Wire, equipment, type DEF.12A2, 14/0076, black (Mod. 1379)					AR	—	C.	
	A.233753	Bracket, for earth terminal					1	L.72		
8670	F.220761	Bush					3	LFB.82	C.	
—	B.245507	Cabin, mic-tel, test (See Cable Chart)					1	—	—	
—	A.235848	Cable, electric, F.23B, form (See Cable Chart)					1	—	—	
10H/0970056	Plessey	Cap, protective (1 off Pre Mod. 1379)					2	—	C.	
	508/1/41035									
10H/0970055	Plessey	Cap, protective (2 off Pre Mod. 1379)					1	—	C.	
	508/1/41036									
	C.245804	Casing, for relay box, group					1	—		
10387	A.233504	Cover, fuse					1	—	C.	
28FP/9703273	Dzus A.3/30	Fastener, type "A"					2	—	C.	
26VA/6044080	Std.2045/18/24	Clip, securing cable at terminal block					2	S.510	C.	6
	D.244353	Detail, radio supplies and relay box, group					1	—		
28FP/1200486	Dzus S3.150	Spring					2	—	C.	
	C.252521/1	Diagram, wiring (Mod. 1260) (Pre Mod. 1379)					1	Photo		
	C.316751/1	Diagram, wiring (Mod. 1379)					1	Photo		
5X/6593	Plessey	Extractor, fuse					12	—	C.	
	703/1/00430									
10H/21797	—	Fuse, type "S", 2.5 amp.					1	—	C.	
10H/21798	—	Fuse, type "S", 5 amp. (2 off Pre Mod. 1379)					1	—	C.	
10H/21791	—	Fuse, dummy					5	—	C.	
10H/23862	—	Fuse, type "AS", H.R.C., 10 amp.					3	—	C.	
10H/23860	—	Fuse, type "AS", H.R.C., 20 amp.					2	—	C.	
5X/2790	Plessey Z.22634	Grommet, dummy					1	—	C.	
12999	A.246115/1	Label, for fuse block radio supplies relay box					1	Photo Copy	C.	

RESTRICTED

RESTRICTED

Page MD 2

Hunter F.G A. Mk. 9
Issued with A/L No. 13

RADIO-U.H.F. INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10388	F 234635					Link, for earth terminals	1	BSS.265	C.	
	F 246975					Packing	1	L.72		
6098182	A.238206					Plate, mounting, for cable	1	—	C.	
7813	F.206916					Plate, tapped, for plugs	1	L.72	MR/C	
20304	F.244487					Plate, blanking	1	L.72	C.	
	B.236196					Platform, for fuse holder	1	L.72		
10F/0119881	Plessey					Relay, SM-5A-H96 (Mod. 1105) (9 off Pre Mod. 1379)	7	—	B.	
10H/2206	—					Socket, mic-tel	1	—	C.	
	S d 1509/12/108					Tube, distance, 1/4" o/d x 20 S.W.G. x 1.08" long	1	T.4		4
	D 243538					WIRING, FOR RADIO SUPPLIES AND RELAY, ... ASSEMBLY (PRE MOD. 1379)	—	—		
	D 316758					WIRING, FOR RADIO SUPPLIES AND RELAY, ... ASSEMBLY (MOD. 1379)	—	—		
5K/7000206	AS.3360/B4 B					Lead, bonding	1	—	C.	
10395	Auto. Prod. AVM.113					Mounting, bonded	4	—	C.	
	B 243508					Mounting, relay and tag, group (Pre Mod. 1379)	1	—		
	B 294955					Mounting, relay and tag, group (Mod. 1379)	1	—		
10H/9114121	LP.736720					Base, holder (6 off Pre Mod. 1379)	7	—	C.	
10AS/1002528	LP.733615					Plate (6 off Pre Mod. 1379)	7	—	C.	
10AS/1002129	LP.733614					Spring, retaining (6 off Pre Mod. 1379)	7	—	C.	
10391	A.233475					Strip, insulating	1	—	C.	
10390	A.233474					Strip, tag	1	—	C.	
921	Std.915/B12					Washer	4	—	C.	4
10H/0560582	Plessey					Plug, panel unit	1	—	C.	
	CZ.48995/2									
10H/0560150	Plessey CZ.49112					Plug, panel unit	1	—	C.	
10H/0560151	Plessey					Plug, panel unit	1	—	C.	
	CZ.49112/1									
10H/0560154	Plessey					Plug, panel unit	1	—	C.	
	CZ.49112/4									
10H/0560050	Plessey CZ.48992					Plug, panel unit	1	—	C.	
10H/0560070	Plessey CZ.48994					Plug, panel unit	1	—	C.	
5F/	Hellermann					Sleeve, helsyn, 150 HT.15 x 1/2" (Mod. 1379)	QR	—	C.	
5F/	Hellermann					Sleeve, helsyn, 150 HT.20 x 1/2"	54	—	C.	
10H/0560332	Plessey					Socket, panel unit	1	—	C.	
	CZ.49459/2									
10H/0560232	Plessey					Socket, panel unit	1	—	C.	
	CZ.49217/2									
10H/0560330	Plessey CZ.49459					Socket, panel unit (1 off Pre Mod. 1379)	2	—	C.	
10H/0560380	Plessey CZ.49229					Socket, panel unit	1	—	C.	
10H/0560230	Plessey CZ.49217					Socket, panel unit	1	—	C.	
5K/4346693	R.C.2120					Tag, 6 amp.	7	—	C.	
5K/4346711	R.C.2121					Tag, 12 amp.	5	—	C.	
5K/	R.C.2122					Tag, 24 amp.	1	—	C.	
5X/9400381	Erma					Terminal, ring tongue, 6 amp.	2	—	C.	
5X/9400382	Erma					Terminal, ring tongue, 6 amp.	5	—	C.	
5X/9400384	Erma					Terminal, ring tongue, 12 amp.	8	—	C.	
5X/9400388	—					Terminal, ring tongue, 24 amp. (Mod. 1379)	1	—	C.	
	B.233479					Box, resistor, group	1	—		
	A.233481					Base, for resistor unit	1	—		
10396	B.233480					Box, for resistor unit	1	L.72	C.	
10H/0560050	Plessey					Plug	1	—	C.	
	508/1/40060/320									
10W/	Zenith R 8331					Resistor, 1.3 ohms	1	—	C.	
1638	S d 1606/44/B6					Screw, securing base	2	Brass	C.	5
—	B.248389					Cable, electric, U.H.F. main supply (See Cable Chart)	1	—	—	

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 13

Page MD.3

RADIO-U.H.F. INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	B 253811	Cable, electric, TS.3 (See Cable Chart)					1	—	—	
—	D 246098	Cable, electric, F. 23 (See Cable Chart)					1	—	—	
—	A 244401	Cable, electric, F.75 (See Cable Chart)					1	—	—	
—	B 244257	Cable, electric, F.153 (See Cable Chart)					1	—	—	
—	B 236085	Cable, electric, F.154 (See Cable Chart)					1	—	—	
—	A 236086	Cable, electric, F.155 (See Cable Chart)					1	—	—	
—	A 273506	Cable, F.189, group (See Cable Chart)					1	—	—	
—	A 257977	Cable, Test assembly					1	—	—	
—	A 257978	Cable, Test assembly					1	—	—	
—	B 205952	Cable, electric, TS 4 (See Cable Chart)					1	—	—	
—	B 206538	Cable, electric, TS 5 (See Cable Chart)					1	—	—	
10H/0970056	Plessey	Cap, protective					2	—	C.	
	508/1/41036									
3736	Std 840/17	Cap					1	DTD 610	C.	4
—	F 211986	Cap, securing connector at tele-briefing plug between					2	—	—	
		frame 53 and 54 (Make from 30B/9611222)								
	D 244323	Capping, details					—	—	—	
	F.196984	Angle					1	—	—	
9664	Std 2045/22/24	Cap					1	—	C.	6
	Std.2046/16/22	Cap					1	—	—	6
26VA/6041262	Std 2046/19/24	Cap					1	—	C.	6
26VA/6041267	Std.2046/27/22	Cap					1	—	C.	6
1920	Std.1341/8	Stud, earthing					1	—	C.	4
4613	Std 1335/C18	Washer					4	—	C.	4
6139	F 210064	Cap, support, for cables at radio support tubes					2	L.72	C.	
10HB/11862	D.236148/2	Connector, control unit to frame 14					1	—	B.	
10HB/11863	D 231648/4	Connector, frame 14 to relay box					1	—	B.	
10HB/9255	D.236148/5	Connector, relay box to stand-by TR.10056					1	—	B.	
10HB/9256	D.236148/6	Connector, relay box to stand-by TR.10056					1	—	B.	
10HB/9249	D 236148/7	Connector, radio relay box to frame 14					1	—	B.	
10HB/9257	D.236148/8	Connector, stand-by TR.10056 to aerial					1	—	B.	
10HB/11864	D.236148/13	Connector, transmitter/receiver ARC.52 to aerial					1	—	B.	
		switch								
10HB/12588	E.231089/16	Connector, frame 14 to TB. TM					1	—	B.	
10406	C 236703	Crate, mounting, for stand-by battery					1	—	B.	
	F.236593	Hook					2	S.520	—	
26VA/6039087	Std.2057/4	Lug, locking					2	L.72	C.	
10407	A 237914	Spacer, outboard					1	LFS.21	C.	
10408	A.237915	Spacer, port					1	LFS.21	C.	
10409	A.237918	Spacer					1	LFS.21,	C.	
	A 236619	Support					2	LFS 21	—	
	A 236620	Support					1	LFS 21	—	
	A.236621	Support					2	LFS.21	—	
10P/9700326	—	Filter, interference (Mod. 1226)					1	—	A.	
5CW/5765	Rotax ZA.2402/1	Guard, switch					1	—	C.	
	A 248766	Label, for switch					1	L.72	—	
—	F.196149	Lamp, warning, type "A", and cable, group					1	—	—	
—	B 206537	Cable, electric, TS 2 (See Cable Chart)					1	—	—	
5CX/4191	—	Lamp, warning					1	—	C.	
6038	F 202760	Plate, adaptor					1	L.72	MR/C	ME.1
5L/9951273	—	Lamp, filament, 28V., 3.5W., type "A"					1	—	C.	
9881	A 228302	Link, chain, for supporting generator panel when					1	—	C.	ME.1
		servicing (Mod. 794)								
	C.234418	MOUNTING, FOR U.H.F. AERIAL, FORWARD					—	—	—	
		OF FRAME 18, ASSEMBLY								
	F 234556	Angle					1	L.72	—	
11763	B 231887	Mounting for U.H.F. aerial					1	—	C.	
	A 319080	Packing (Mod. 1384)					1	L 72	—	

RESTRICTED

RESTRICTED

Page MD 4

Hunter F.G.A. Mk. 9
Issued with A/L No. 13

RADIO-U.H.F. INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
11764	B.234419					Plate, reinforcing	1	L.72	C.	
12578	F.245857					Plate, retaining (Pre Mod. 1384)	1	L.72	C.	
	F.319079					Plate, retaining (Mod. 1384)	1	L.72		
10614	F.245976					Spring, retaining	1	Spring Wire	C.	
	C.236589					MOUNTING, FOR U.H.F. STAND-BY AERIAL, BETWEEN FRAMES 9 TO 11, ASSEMBLY	—	—		
	F.236723					Duct	1	L.72		
10932	F.236722					Flange, reinforcing	2	L.65.E	C.	
6098430	B.236587					Landing, for aerial mounting	1	—	C.	
	B.248840					Landing	1	—		
10402	B.236588					Mounting, for stand-by aerial	1	—	C.	
	B.236586					Packing, at aerial mounting	1	L.72		
	C.236589/1					Shim	1	L.72		
	C.241023					MOUNTING, FOR CONTROL UNIT AND SWITCH, ASSEMBLY	—	—		
	A.249160					Angle, mounting, inboard	1	—		
	A.249161					Angle, mounting, outboard	1	—		
	A.240539					Bracket, for switch	1	—		
	A.249162					Plate, cover	1	—		
	B.252648					Plate, blanking, at frame 26, group	1	—		
	A.210681					Plate, blanking, port	1	—		
	A.210682					Plate, blanking, starboard	1	—		
	C.191818					PLUG, TELE-BRIEFING, ASSEMBLY	—	—		
	A.191832					Plug, tele-briefing, group	1	—		
						Consisting of:—				
10HA/9326	—					Connector, type 3570	1	—	B.	
5CX/6501	—					Lvg. cable	1	—	C.	
5K/2576	Hellermann					Sleeve, AP, 3/4" long	1	—	C.	
5K/4346711	RC 2121					Tag, quick release	7	—	C.	
5F/	—					Tube, dura, 1/2" i/d. x 1.5"	1	—	C.	
1681	F.191829					Spring	2	DTD.215	C.	ME.1
1682	F.191957					Stop	1	L.53	C.	ME.1
3837	Std.1606/44/B10					Screw, roundhead, 4 B.A., 5/16" long	6	Brass	C.	5
10AD/5935-99-	—					Socket, plug, "N" Series	2	—	C.	
932-2405	—									
10AD/9209000	UG/567A/U					Socket, plug, type "C"	1	—	C.	
10H/2206	—					Socket, tel-mic, type 359	2	—	C.	
10H/19482	—					Socket, bulkhead, 12-way, type 48	1	—	C.	
10H/19481	—					Socket, bulkhead, 12-way, type 47	1	—	C.	
10H/20417	Plessey CZ.51887					Socket, bulkhead	1	—	C.	
5F/9454141	NY.18007A					Strapping	QR	—	C.	
5F/9138822	NY.3342					Stud	QR	—	C.	
	F.196150					Switch, and cable, group	1	—		
	B.206414					Cable, TS.1, group (See Cable Chart)	1	—		
10F/9325304	—					Switch, push	1	—	C.	
5CW/6152	—					Switch, toggle, type Rotax D.10004	1	—	B.	
10D/5821-99-	—					Transmitter, receiver, TR 5/ARC.52	1	—	A.	
942 8542	—									
10D/20773	—					Transmitter/receiver, TR.10056 (Alternative to 10D/23507 or 10D/5821-99-945-6726)	1	—	A.	
10D/20773	—					* Transmitter, receiver, TR/10056	1	—	A.	
10D/23507	—					* Transmitter, receiver, type M4 (Alternative to 10D/20773 or 10D/5821-99-945-6726)	1	—	A.	
10D/5821-99-	—					Transmitter, receiver, type M6 (Alternative to 10D/20773 or 10D/23507)	1	—	A.	
945-6726	—									
10AJ/212	—					Tray, mounting, type 1031	1	—	B.	
10AJ/5821-99-	—					Tray, mounting, MT 1477/ARC.52	1	—	B.	
942 8544	—									
	Std.1509/2/084					Tube, distance, for cables at radio support tube, 1/4" . . o/d x 22 S.W.G. x 0.84" long	2	T.4		4
10L/5821-99-	—					Unit, control, type C.1607/2	1	—	A.	
999 0839	—									
10H/0970050	Plessey 508/2/07831/005					Washer, for panel mounting	3	—	C.	

* Use existing stocks

RESTRICTED

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

