

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 9

Page NB.1

SERVICES FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.204069	FUEL SYSTEM IN CENTRE FUSELAGE, ASSEMBLY ..					—	—		
5W/2480	—	Actuator, tank selector cock					2	—	A.	
or										
5W/2589										
6519	A.201800	Adaptor, special, at pump connection					2	L.65.C	C.	NB.1
6520	A.202469	Adaptor, at flow proportioner branch pipe					1	L.65.C	C.	NB.3
27F/2226	Saunders 42A10	Aerocock, de-fuelling, S.P., Type 42					1	—	A.	
27F/2881	Saunders 51B12	Aerocock, low pressure cock, S.P., Mk. 2					1	—	A.	
6521	F.208261	Block, mounting, for pressure switch					4	LFS.21	C.	
9080	F.219335	Block, mounting, air exhaust pipe at frame 27					1	LFS.21	C.	
1088	A.189332	Bolt, banjo					2	S.95	C.	NB.1
10696	F.250214	Bolt, special, for de-fuelling cock latch (Mod. 1031)					1	S.95.B	C.	NB.3
6522	Std.677/25	Bolt, "U", attaching reducing valve between frames					4	S.1 & S.3	C.	
		24-25								
10561	F.240286	Bracket, on frame 36 for fuel pipe (Mod. 917)					1	S.510	C.	
7235	B.202033	Bracket, for L.P. cock between frames 30-31					1	L.72	MR/C	NB.1
7236	B.206430	Bracket, mounting, for pressure switches between					1	L.72	MR/C	NB.1
		frames 19-20								
	B.203608	Bracket, mounting, for 3-way cock, port (Pre Mod. 459) ..					1	L.72		
	B.214325	Bracket, mounting, for 3-way cock, port (Mod. 459) ...					1	—		NB.1
	B.203609	Bracket, mounting, for 3-way cock, starboard					1	L.72		
		(Pre Mod. 459)								
	B.214326	Bracket, mounting, for 3-way cock, starboard					1	—		
		(Mod. 459)								
5057	F.203591	Cap, for pressure relief valve mounting bracket					2	S.3	C.	NB.3
1087	F.185874	C-clamp					2	DTD.215	C.	NB.1
6524	A.202711	Clamp, for transfer pipe at frame 38, port and starboard ..					2	LFS.21	C.	NB.1
6525	A.201803	Clamp, pipe connection, group					7	—	B.	NB.1
2723	F.184931	Bolt, eye					1	S.94.B	C.	NB.1
6526	F.213079	Nut, special					1	—	C.	NB.1
2724	F.185592	Washer					1	DTD.364	C.	NB.1
421	A.185593	Clamp, pipe connection, group					10	—	B.	NB.1
2723	F.184931	Bolt, eye					1	S.94.B	C.	NB.1
6526	F.213079	Nut, special					1	S.95	C.	NB.1
2724	F.185592	Washer					1	DTD.364	C.	NB.1
1085	A.185870	Clamp, pipe connection, group					2	—	B.	NB.1
2723	F.184931	Bolt, eye					1	S.94.B	C.	NB.1
6526	F.213079	Nut, special					1	S.95	C.	NB.1
	F.184938	Washer					1	DTD.364		NB.1
1136	A.186450	Clamp, pipe connection, group					13	—	B.	NB.1
2723	F.184931	Bolt, eye					1	S.94.B	C.	NB.1
6526	F.213079	Nut, special					1	S.95	C.	NB.1
2724	F.185592	Washer					1	DTD.364	C.	NB.1
11587	A.263786	Clamp, pipe (Mod. 1227)					1	—	C.	NB.3
11583	F.263784	Clamp, pipe (Mod. 1227)					1	—	C.	NB.3
6659	A.214175	Creat, for pressurising pipes (Mod. 459)					4	LFS.21	C.	
6527	A.203302	Creat, for transfer pipe at frame 32 (Pre Mod. 1227) ...					1	Ferobestos	C.	
6528	A.203303	Creat, for transfer pipe at frame 32 (Pre Mod. 1227) ...					1	Ferobestos	C.	
7195	F.204795	Clip, for pressurising pipe mounting brackets at frame ..					2	S.3	MR/C	
		35 and 37								
—	F.204931	Clip, pressurising pipe attachment to rear spar					1	L.72	—	
		(Make from 30B/9611220, 1/2" wide)								
—	F.205150	Clip, reducing valve attachment between frames 35 and ..					1	L.72	—	NB.1
		36, starboard								
		(Make from 30B/9611218, 1/2" wide)								

RESTRICTED

RESTRICTED

Page NB.2

Hunter F.G.A. Mk. 9
Issued with A/L No. 9

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	A.205062	Clip, attaching transfer pipe at frame 35 (Make from 30B/9611220, 1/2" wide)					1	L.72	—	
11227	Std.2045/21/24	Clip, sleeved					3	S.510 or S.511	C.	6
11304	Std.2046/21/24	Clip, sleeved					2	S.510 or S.511	C.	6
11305	Std.2046/25/24	Clip, sleeved, for pipes (Mod. 916)					2	S.510	C.	6
9735	Std.2046/33/22	Clip, sleeved, for pipes (Mod. 916)					1	S.510	C.	6
11307	Std.2046/40/20	Clip, sleeved, for pipes (Mod. 916 and 917)					8	S.510	C.	6
11306	Std.2046/34/20	Clip, sleeved, for pipes (Mod. 917)					3	S.510	C.	6
11409	Std.2046/42/22	Clip, sleeved					1	S.510 or S.511	C.	6
11405	Std.2046/59/20	Clip, sleeved					1	S.510 or S.511	C.	6
	Std.2089/56/20	Clip, sleeved					1	S.510 or S.511		6
3741	Std.840/20	Clip, recuperator drain pipe					1	DTD.610	C.	4
11303	Std.2046/17/26	Clip, sleeved					1	S.510 or S.511	C.	6
3747	Std.841/28	Clip, 7/16" wide x 22 S.W.G.					2	DTD.610	MR/C	4
3749	Std.841/38	Clip, 7/16" wide x 22 S.W.G.					4	DTD.610	C.	4
	Std.841/39	Clip, 7/16" wide x 22 S.W.G.					2	DTD.610		4
	Std.2046/67/20	Clip, sleeved (AS.770/86)					1	S.510 or S.511		6
—	Std.842/53	Clip, 7/16" wide x 22 S.W.G. (Make from 30A/549) ...					2	S.3	—	4
—	Std.842/17	Clip, 7/16" wide x 22 S.W.G. (Make from 30A/549) ...					3	S.3	—	4
4165	Std.850/35	Clip, 7/16" wide x 22 S.W.G.					4	DTD.610	C.	4
4164	Std.850/50	Clip, 7/16" wide x 22 S.W.G.					2	DTD.610	C.	4
	Std.850/58	Clip, 7/16" wide x 22 S.W.G.					9	DTD.610		4
	Std.850/19	Clip, 7/16" wide x 22 S.W.G.					1	DTD.610		4
4281	Std.850/20	Clip, 7/16" wide x 22 S.W.G.					1	DTD.610	MR/C	4
4038	Std.851/47	Clip, 7/16" wide x 22 S.W.G.					2	DTD.610	MR/C	4
	Std.851/90	Clip, 7/16" wide x 22 S.W.G.					1	DTD.610		4
11383	Std.851/48	Clip, 7/16" wide x 22 S.W.G.					1	DTD.610	C.	4
27F/2840	Saunders 216.CH80	Cock, tank selector, port					1	—	A.	
27F/2841	Saunders 216.CJ80	Cock, tank selector, starboard					1	—	A.	
1086	F.185873	Collar, half					4	DTD.364	C.	NB.1
1729	A.192904	Connection, tank pressurising, group					1	—	B.	NB.2
1730	A.193370	Cap, blanking					1	DTD.364	C.	NB.2
	A.192905	Connection					1	DTD.364		
	A.184691	Guide, valve					1	DTD.364		
1731	F.193381	Ring, sealing, for blanking cap					1	Rubber	C.	NB.2
3976	F.197676	Ring, retaining, for blanking cap					1	—	C.	NB.2
27QA/150	Dowty Seals GD.1307/H	Seal, bonded					1	—	C.	
1732	F.184693	Spring					1	DTD.215	C.	NB.2
1733	F.184692	Valve					1	DTD.364	C.	NB.2
27F/2327	Flight Refuelling F.R.S.110/H	Connector, pipe, 1" B.S.P.					2	—	A.	
27F/2330	Flight Refuelling F.R.S.110/L	Connector, pipe, 1-3/4" B.S.P.					6	—	A.	
27F/2329	Flight Refuelling F.R.S.110/K	Connector, pipe, 1-1/2" B.S.P.					1	—	A.	
6529	King C.5338	Coupling, flexible, 1-1/2" B.S.P.					2	—	B.	

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

Page NB.3

SERVICES - FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
27F/	Flight Refuelling C.0724000/1	Coupling, refuelling, group					1	—	A.	
		(Alternative to Avery Hardoll F.C.110)								
27F/2596	Flight Refuelling B.0724140	Cover, duct					1	—	C.	
27F/2227	Avery Hardoll F.C.110	Coupling, refuelling, group					1	—	A.	
		(Alternative to Flight Refuelling C.0724000/1)								
27F/2228	Avery Hardoll F.C.109	Cover, duct, group					1	—	C.	
27F/2599	Avery Hardoll F.C.339	Ring, sealing					1	—	C.	
28Y/1036632	AS.4760	Drain, water/sediment					8	—	C.	
6530	F.205063	Fairlead, for pressure pipe at frame 29, aft					1	LFS.21	C.	NB.3
6531	F.203312	Fairlead, for external charging and pressurising branch					6	LFS.21	C.	NB.1
		pipes at frame 36								
8351	F.216492	Fairlead, for transfer pipe (Mod. 459)					2	LFS.21	C.	
8352	F.216493	Fairlead, for transfer pipe (Mod. 459)					2	LFS.21	C.	
27VA/4943	Dunlop ACM.17994	Filter, air, at frame 35 (Pre Mod. 917)					2	—	A.	
27VC/89	Palmer D.10721	Filter, air (Mod. 917)					1	—	A.	
9082	A.218433	Gasket, for front tank vent extension at frame 25					1	E.75	C.	
		(Alternative to A.226377)								
9657	A.226377	Gasket, for front tank vent extension at frame 25					1	DTD.1177	C.	NB.3
		(Alternative to A.218433)								
27F/2241	Saunders A.102/3	Handle, for defuelling cock					1	—	C.	
2852	F.189214	Label, instruction, for fuelling cock					1	DTD.610	MR/C	NB.2
10697	A.250121	Latch, for defuelling cock (Mod. 1031)					1	Nylon	C.	
2144	Std.1231/3	Lug, locking, at non-return valves in stub wing and at					6	S.3	C.	4
		frame 36								
	C.203026	MOUNTING, FOR FLOW PROPORTIONER,					—	—		
		ASSEMBLY								
6533	F.205949	Bolt, attaching flow proportioner to bracket					1	S.95.B	C.	
	A.215324	Bracket, support, at frame 22					1	S.84, T.26		
8034	F.202967	Link, at frame 23					2	L.72	C.	
8374	F.215325	Washer, special, for support bracket					1	S.3	C.	
8375	F.215326	Washer, special, for support bracket					1	S.3	C.	
	B.190411	MOUNTING, FOR REFUELLING COUPLING,					—	—		
		ASSEMBLY								
11375	A.201806	Label					1	Alum	C.	
1061	C.189254	Mounting					1	S.3	C.	NB.1
1081	F.188372	Nipple					1	S.1	C.	
1082	F.188057	Nipple					4	S.1	C.	
5067	F.190837	Nut, retaining, at vapour release connection, forward					2	DTD.364	C.	NB.3
		tanks								
12421	F.205061	Packing, for "U" bolt at reducing valve, frame 24					1	LFS.21	C.	
7241	F.203498	Packing, for clip at transfer and pressure pipes					1	LFS.21	C.	
		between frames 25-26								
	Std.1938/3	Packing, pressurising pipe, frame 27					1	Plastic		
	Std.1939/3	Packing, reducing valve, frame 35					1	Plastic		5
1506495	Std.1939/4	Packing, transfer pipe, frame 35					5	Plastic	C.	5
	Std.1939/6	Packing, pressurising pipe, frame 33					QR	Plastic		5

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

SERVICES - FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
1722	C.188051/16	Pipe	pressurising	connection at frame 38 to bulkhead	..	connection, frame 39, port	1	DTD.253	C.	
1723	C.188051/17	Pipe	pressurising	connection at frame 38 to bulkhead	..	connection, frame 39, starboard	1	DTD.253	C.	
6539	C.200368	Pipe	delivery	four-way	at flow proportioner		1	DTD.253	B.	NB.1
9103	C.214000	Pipe	refuelling branch	from connection at frame 26	...	to refuelling valves at frames 27 and 29, port	1	DTD.253	B.	
9104	C.214001	Pipe	refuelling branch	from connection at frame 26	...	to refuelling valves at frames 27 and 29, starboard	1	DTD.253	B.	
6590	C.201517	Pipe	transfer branch	frame 30 to non-return valve		at frame 27, port	1	DTD.253	B.	
6589	C.201518	Pipe	transfer branch	frame 30 to non-return valve at	...	frame 27, starboard	1	DTD.253	B.	NB.1
6540	C.201520	Pipe	delivery branch	four-way pipe to frame 27	port ..		1	DTD.253	B.	NB.1
6596	C.201521	Pipe	transfer branch	selector cock frame 26 to front	..	tank, port	1	DTD.253	B.	NB.1
6595	C.201522	Pipe	transfer branch	selector cock frame 26 to front	..	tank, starboard	1	DTD.253	B.	
6578	C.201523	Pipe	refuelling branch	from connection between		frames 25-26 to refuelling valve, starboard	1	DTD.253	B.	
6574	C.201525/3	Pipe	recuperator charging	recuperator to four-way		pipe, port	1	DTD.253	B.	
6600	C.201525/4	Pipe	vent	at "Y" piece pipe, between frames 25-26			1	DTD.253	B.	
6541	C.201525/6	Pipe	delivery	frame 27 to L.P. cock, frames 30-31,		port	1	DTD.253	B.	NB.1
6542	C.201525/7	Pipe	delivery	between frames 31-32	port		1	DTD.253	B.	NB.1
6584	C.201525/9	Pipe	transfer	frame 37 to 35	port		1	DTD.253	B.	
6585	C.201525/10	Pipe	transfer	frame 37 to 34	starboard		1	DTD.253	C.	NB.1
6582	C.201525/11	Pipe	transfer	transport joint to frame 37	port		1	DTD.253	B.	NB.1
6583	C.201525/12	Pipe	transfer	transport joint to frame 37	starboard ...		1	DTD.253	B.	NB.1
6592	C.201525/15	Pipe	transfer	elbow at tank selector cock, frames		26-27, port	1	DTD.253	B.	
6591	C.201525/16	Pipe	transfer	elbow at tank selector cock, frames		26-27, starboard	1	DTD.253	B.	
6586	C.201525/19	Pipe	transfer	frame 35 to 32	port		1	DTD.253	C.	
6588	C.201525/21	Pipe	transfer	frame 32 to 30	port		1	DTD.253	C.	
7246†	C.201525/22	Pipe	pressure tapping	from tee-piece to refuelling		branch pipe at frame 26	1	DTD.253	MR/C	
7244†	C.201525/23	Pipe	pressure tapping	wing tank pressure relief		valve to tee-piece, frame 26, port	1	DTD.253	MR/C	
7245†	C.201525/24	Pipe	pressure tapping	wing tank pressure relief		valve to tee-piece, frame 26, starboard	1	DTD.253	MR/C	
6598	C.201525/25	Pipe	vent	connecting "Y" piece pipes at frame 26			1	DTD.253	B.	
6537	C.201525/26	Pipe	delivery	front tank to flow proportioner	port ...		1	DTD.253	B.	NB.1
6538	C.201525/27	Pipe	delivery	front tank to flow proportioner,		starboard	1	DTD.253	B.	NB.1
6543	C.201525/28	Pipe	delivery	between frames 31-32 to flexible		coupling, starboard	1	DTD.253	B.	NB.1
6544	C.201525/29	Pipe	delivery	flexible coupling to flexible coupling,	...	frames 32-34, starboard	1	DTD.253	B.	NB.1
6587	C.201525/30	Pipe	transfer	frame 34 to 30	starboard		1	DTD.253	B.	NB.1
6599	B.201526	Pipe	vent	"Y" piece between frames 25-26 connecting	...	suction and pressure relief valves	1	DTD.253	B.	NB.1

† For details see Piping Chart

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

Page NB.5

SERVICES — FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6549	C.202088/6	Pipe, pressurising, external charging between frames				35-36	1	DTD.253	B.	NB.1
6560	C.202088/7	Pipe, pressurising, reducing valve branch pipes to				connection at frame 38, port	1	DTD.253	B.	NB.1
6561	C.202088/8	Pipe, pressurising, reducing valve branch pipes to				connection at frame 38, starboard	1	DTD.253	C.	NB.1
6564	C.202088/9	Pipe, pressurising, reducing valve at frame 35 branch . . .				pipe to connection frame 34, port (Pre Mod. 916)	1	DTD.253	B.	
6565	C.202088/10	Pipe, pressurising, reducing valve at frame 35 branch . . .				pipe to connection frame 34, starboard (Pre Mod. 916)	1	DTD.253	B.	
6572	C.202088/20	Pipe, pressurising, at wing tank pressure relief valve, . . .				port	1	DTD.253	B.	
6573	C.202088/21	Pipe, pressurising, at wing tank pressure relief valve, . . .				starboard	1	DTD.253	C.	
6556	C.202088/22	Pipe, pressurising, branch at reducing valve to inverted . .				flight recuperator, port	1	DTD.253	C.	
6557	C.202088/23	Pipe, pressurising, branch at reducing valve to inverted . .				flight recuperator, starboard	1	DTD.253	C.	
6562	C.202088/24	Pipe, pressurising, reducing valve at frame 35 to air				filter, port (Pre Mod. 917)	1	DTD.253	B.	
6563	C.202088/25	Pipe, pressurising, reducing valve at frame 35 to air				filter, starboard (Pre Mod. 917)	—	DTD.253	B.	
7257†	C.202088/26	Pipe, vent, from "Y" piece to front tank vapour				release valve connection, port	1	DTD.253	MR/C	
7258†	C.202088/27	Pipe, vent, from "Y" piece to front tank vapour				release valve connection, starboard	1	DTD.253	MR/C	
6534	C.202088/29	Pipe, air exhaust, at front tank inverted flight				recuperator, port	1	DTD.253	C.	
7254†	C.202088/31	Pipe, recuperator to water sediment drain, port					1	DTD.253	MR/C	
7255†	C.202088/32	Pipe, recuperator to water sediment drain, starboard . . .					1	DTD.253	MR/C	
7256†	C.202088/33	Pipe, recuperator union to water sediment drain, port . . .					1	DTD.253	MR/C	
7247†	C.202088/37	Pipe, pressure balance, from refuelling branch pipe at . . .				frame 26 to selector cock transfer branch pipe	1	DTD.253	MR/C	
7250†	C.202088/38	Pipe, pressure, in stub wing branch pipe to pressure				switch on diaphragm "D", port	1	DTD.253	MR/C	
7251†	C.202088/39	Pipe, pressure, in stub wing branch pipe to pressure				switch on diaphragm "D", starboard	1	DTD.253	MR/C	
7248†	C.202088/41	Pipe, pressure, from delivery pipe to pressure switch . . .				between frames 20-21, port	1	DTD.253	MR/C	
7249†	C.202088/42	Pipe, pressure, from delivery pipe to pressure switch . . .				between frames 20-21, starboard	1	DTD.253	MR/C	
7242†	C.202088/46	Pipe, drain, fuel booster pump front tank, port					1	L.67	MR/C	NB.1
7243†	C.202088/47	Pipe, drain, fuel booster pump front tank, starboard . . .					1	L.67	MR/C	NB.1
6545	C.202088/48	Pipe, drain, water/sediment front tank, port					1	DTD.253	C.	NB.1
6546	C.202088/49	Pipe, drain, water/sediment front tank, starboard					1	DTD.253	C.	NB.1
7252†	C.202088/50	Pipe, pressure, transfer pipe to pressure switch at				frame 29, port	1	DTD.253	MR/C	
7253†	C.202088/51	Pipe, pressure, transfer pipe to pressure switch at				frame 29, starboard	1	DTD.253	MR/C	

† For details see Piping Chart

RESTRICTED

RESTRICTED

SERVICES - FUEL SYSTEM CENTRE FUSELAGE

Hunter F.G.A. Mk 9
Issued with A/L No. 11

Ref. No.	Part No	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7863	C.202088/54	Pipe, pressurising, conn. to conn. (Mod. 472)					2	DTD.253	C.	NB.1
7864	C.202088/55	Pipe, pressurising, conn. to N.R.V. (Mod. 472) (Pre Mod. 716)					2	DTD.253	C.	
6558	C.202202	Pipe, pressurising branch, at reducing valve to frame 35, port					1	DTD.253	B.	NB.1
6559	C.202203	Pipe, pressurising branch, at reducing valve, frame 35, starboard					1	DTD.253	B.	
6555	C.202208	Pipe, pressurising branch, at reducing valve, frame 24					1	DTD.253	C.	NB.1
6548	C.203370	Pipe, pressurising branch, between frames 35-36 (Pre Mod. 916)					1	DTD.253	B.	
6547	B.203411/1	Pipe, pressurising, non-return valve frame 36 to flexible pipe connection, frame 37 (Pre Mod. 916)					1	DTD.253	B.	NB.1
6550	B.203411/2	Pipe, pressurising, between frames 32-35					1	DTD.253	C.	
6551	B.203411/3	Pipe, pressurising, between frames 29-32					1	DTD.253	C.	NB.1
6552	B.203411/4	Pipe, pressurising, between frames 26-29					1	DTD.253	C.	
6553	B.203411/5	Pipe, pressurising, at frame 26					1	DTD.253	C.	NB.1
6554	B.203411/6	Pipe, pressurising, reducing valve at frame 24 to connection at frame 26					1	DTD.253	C.	
10555	A.239540/1	Pipe, 4-way piece to reducing valve, port (Mod. 917)					1	DTD.253	C.	NB.1
10556	A.239540/2	Pipe, 4-way piece to reducing valve, starboard (Mod. 917)					1	DTD.253	C.	
10554	A.239541	Pipe, flexible hose from engine to U-tube connection (Mod. 917)					—	DTD.253	C.	NB.1
10559	A.239543	Pipe, internal charging connection to branch pipe (Mod. 917)					1	DTD.253	C.	
10560	A.239544	Pipe, connection to non-return valve (Mod. 917)					1	DTD.253	C.	NB.1
10557	B.239309	Pipe, branch (Mod. 917)					1	DTD.253	C.	
10558	B.239310	Pipe, branch (Mod. 917)					1	DTD.253	C.	NB.1
10547	B.240544	Pipe, pressurising, joint to joint port (Mod. 916)					1	DTD.253	C.	
10548	B.240545	Pipe, pressurising, joint to joint starboard (Mod. 916)					1	DTD.253	C.	NB.1
10549	B.240546	Pipe, pressurising, joint to N.R. valve, port (Mod. 916)					1	DTD.253	C.	
10551	B.240547	Pipe, pressurising, joint to N.R. valve, starboard (Mod. 916)					1	DTD.253	C.	NB.1
10550	B.240548	Pipe, pressurising, N.R. valve to joint, port (Mod. 916)					1	DTD.253	C.	
10552	B.240549	Pipe, pressurising, N.R. valve to joint, starboard (Mod. 916)					1	DTD.253	C.	NB.1
10553	B.240550	Pipe, pressurising, joint to joint (Mod. 916)					2	DTD.253	C.	
6575	B.209656	Pipe, refuelling, from refuelling coupling valve to connection, frames 25-26, port					1	DTD.253	B.	NB.1
6597	A.212046	Pipe, vent, "Y" piece connecting wing tank pressure relief valves					1	DTD.253	B.	
6577	A.212532	Pipe, refuelling branch, between frames 25-26					1	DTD.253	B.	NB.1
6594	B.214125	Pipe, transfer branch, non-return valve to wing connection at frame 26, port					1	DTD.253	B.	
6593	B.214126	Pipe, transfer branch, non-return valve to wing connection at frame 26, starboard					1	DTD.253	B.	NB.1
6566	B.214173	Pipe, pressurising, connection at frame 34 to connection in stub wing, frame 33, port (Pre Mod. 916)					1	DTD.253	B.	
6567	A.213174	Pipe, pressurising, connection at frame 34 to connection in stub wing, frame 33, starboard (Pre Mod. 916)					1	DTD.253	B.	NB.1
6576	B.214127	Pipe, refuelling branch, from connection to refuelling valve and aero-cock frames 25-26					1	DTD.253	B.	

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 12

Page NB.7

SERVICES-FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9071	B.219014/1	Pipe, air, exhaust at reducing valve, frame 35, port	1				1	DTD.253	C.	NB.1
†	B.219014/2	Pipe, air, exhaust, joint to joint, port	1				1	DTD.253		
9072	B.219014/3	Pipe, air, exhaust at reducing valve frame 35, starboard	1				1	DTD.253	C.	NB.1
†	B.219014/4	Pipe, air exhaust, joint to joint, starboard	1				1	DTD.253		NB.1
	B.219014/5	Pipe, air exhaust, joint to "Y" piece, starboard	1				1	DTD.253		
9073	B.219014/6	Pipe, air exhaust, joint to "Y" piece, port	1				1	DTD.253	C.	
9074	B.219014/7	Pipe, air exhaust, "Y" piece	1				1	DTD.253	C.	
9075	B.219014/8	Pipe, air exhaust, boss to reducing valve to frame 24	1				1	DTD.253	C.	
9076	B.219014/9	Pipe, vent, branch at front tank inverted flight recuperator, starboard	1				1	DTD.253	C.	NB.1
9069	B.219228	Pipe, vent, from connection at frame 25, to atmosphere	1				1	DTD.253	C.	
6603	F.203076	Plate, sealing, for delivery pipe at frame 30	2				2	LFS.21	C.	
6604	F.203077	Plate, sealing, for transfer pipe at frame 30	2				2	LFS.21	C.	
9078	F.219336	Plate, sealing air exhaust pipes at frame 30	2				2	LFS.21	C.	
9077	F.219341	Plate, sealing (AS.840/63)	2				2	LFS.21	C.	
4644	F.196784	Plate, clamp, for transfer pipe at frame 32 (Pre Mod. 1227)	2				2	DTD.610	C.	NB.2
11584	F.262021	Plate, clamp (Mod. 1227)	2				2	—	C.	NB.3
11586	F.263791	Plate, clamp (Mod. 1227)	2				2	—	C.	NB.3
	A.203497	Plate, blanking, on front tanks	2				2	L.72		
27F/2602	Rotol Ltd. F.F.P. 2/2	Proportioner, flow	1				1	—	A.	
5UE/7517	—	Pump, fuel booster (S.P.E.2009A Mk. 6) (Pre Mod. 1136)	2				2	—	A.	
5UE/4412104	—	Pump, fuel booster (S.P.E.2009A Mk. 7) (Mod. 1136)	2				2	—	A.	
5UE/4407053	SPE.10306	Gasket, between pump and base plate	2				2	—	C.	
27F/2932	Self-Priming Pump or	Recuperator, inverted flight, RC.38A, Mk. 5	2				2	—	A.	
27F/2842	Self-Priming Pump	Recuperator, inverted flight, RC.28.A Mk. 4	2				2	—	A.	
27QA/383	Dowty Seals GD.1309/27	Ring, sealing	2				2	—	C.	NB.1
5099	F.192028	Ring, sealing, at vapour release connection	2				2	Rubber	C.	
27QA/379	Dowty Seals GD.1309/21	Ring, sealing, 1" B.S.F.	2				2	—	C.	
27QA/360	Dowty Seals GD.1308/1	Ring, sealing, "O" type 1-1/2" B.S.P.	7				7	—	C.	
27QA/361	Dowty Seals GD.1308/2	Ring, sealing, "O" type 1-3/4" B.S.P.	10				10	—	C.	
27QA/381	Dowty Seals GD.1309/25	Ring, sealing, "O" type 1-1/4" B.S.P.	13				13	—	C.	
27QA/152	Dowty Seals GD.1307/K	Seal, bonded, 1-1/2" B.S.P.	2				2	—	C.	NB.1
27QA/147	Dowty Seals GD.1307/C	Seal, bonded	3				3	—	C.	
27QA/144	Dowty Seals GD.1307/A	Seal, bonded, 1/8" B.S.P.	16				16	—	C.	
27QA/139	Dowty Seals GD.1307/3	Seal, bonded	12				12	—	C.	
27QA/145	Dowty Seals GD.1307/B	Seal, bonded	5				5	—	C.	
27QA/146	Dowty Seals GD.1307/BB	Seal, bonded	4				4	—	C.	

† For details see Piping Chart.

RESTRICTED

RESTRICTED

Page NB.8

Hunter F.G.A. Mk. 9
Issued with A/L No. 12

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
27F/2423	Flight Refuelling F.R.S. 185/K	Shield, heat, delivery pipe connection between frames . .					1	—	C.	
		31—32								
27F/2336	Flight Refuelling F.R.S. 185/L	Shield, heat, transfer pipe connection					6	—	C.	
6606	A.201802	Sleeve, at pump connections					2	L.65.C	C.	NB.1
5CW/5390	Thermal Control T.P.5250	Switch, pressure					2	—	A.	
5CW/5913	Thermal Control T.P.5252/1 or T.P.1200	Switch, pressure (Mod. 476)					4	—	A.	
	D.201703	TANKS, FORWARD, INSTALLATION, ASSEMBLY . .					—	—		
6A/433733	Smiths JM14	Bq, terminal, contents gauge					2	—	B.	
5101	B.190833	Connection, vapour release					2	DTD.364	C.	NB.3
1186	B.181004	Connection, vent					2	DTD.364	C.	
1127	F.181002	Plate, locking					4	DTD.610	C.	NB.2
1124	A.169270	Plate, mounting, refuelling valve					2	DTD.610	C.	NB.2
1125	F.170684	Piece, distance					8	DTD.364	C.	NB.2
	Marston CM.3467	Ring, packing (supplied with Marston Tanks)					2	—		
5CW/6001	Flight Refuelling D.3504100/47	Switch, fuel level (Alternative to D.215808)					2	—	A.	
	D.215808	Switch, fuel level, group					2	—		
		(Alternative to D.3504100/47)								
	B.215810	Shield, group					1	—		
	F.215812	Plug					1	L.65.C		
	F.215813	Spacer					1	L.65.C		
11123	F.219141	Washer, sealing					2	DTD.560	C.	
	—	TANKS (SEE SECTION Q)					—	—	—	
	Marston CM.2930/1	Washer, joint (supplied with Marston Tanks)					2	—		
1126	F.170685	Washer, special					8	DTD.610	C.	NB.2
9647	F.226366	Washer, sealing					2	—	C.	
9648	F.226367	Washer, sealing					2	—	C.	
6A/1495	Smiths FG.558	Washer, sealing for fuel level switch (D.215808 only)					1	—	C.	
8350	F.214324	Thimble, for 3-way cock mounting (Mod. 459)					6	S.1	C.	
26VA/6034612	Std.1509/23/070	Tube, distance, at air exhaust pipe fixing frame 29					1	T.4	C.	4
26VA/6034613	Std.1509/23/076	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.76" long					1	T.4	C.	4
	Std.1509/2/056	Tube, distance, 1/4" o/d x 22 S.W.G. x .56" long					1	T.4		4
		(Mod. 916)								
	Std.1509/2/100	Tube, distance, 1/4" o/d x 22 S.W.G. x 1.0" long					1	T.4		4
		(Mod. 916)								
26VA/6045609	Std.1509/2/120	Tube, distance, 1/4" o/d x 22 S.W.G. x 1.2" long					1	T.4	C.	4
		(Mod. 916)								
	Std.1509/2/140	Tube, distance, 1/4" o/d x 22 S.W.G. x 1.4" long					1	T.4		4
		(Mod. 916)								
1734	A.189594	Union, bulkhead, 3/4" B.S.P., for pressurising pipes at . .					2	DTD.364	C.	NB.2
		Frame 39								
6607	F.204590	Union, restrictor, at branch transfer pipe, front tank . .					1	—	C.	NB.2
		port								

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 9

Page NB.9

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
27F/3043	Flight Refuelling C.111700/6A	Valve, refuelling, Mk. 17					4	—	A.	
27F/3044	Flight Refuelling C.111700/6B	Valve, refuelling, Mk. 17					2	—	A.	
27VB/4996	Hymatic C.51658 or C.51886	Valve, pressure reducing					1	—	A.	
1071	A.186567	Valve, non-return, group					3	—	B.	NB.2
2144	Std.1231/3	Lug, locking					1	S.2	C.	4
1072	F.185048	Pin					1	DTD.364	C.	NB.2
1076	F.186616	Screw					10	—	C.	NB.2
1073	F.171937	Spring					1	Phos. Br.	C.	NB.2
1074	A.186567/A	Valve, hinge, group					1	—	C.	NB.2
		Consisting of:—								
	F.185046	Hinge					1	DTD.610		
	F.185047	Valve					1	DTD.364		
	F.186594	Washer (Make from 30B/9611218, QR)					1	DTD.610	—	
1075	F.185049	Washer, sealing					1	Klingerit	C.	NB.2
27F/1455562	Saunders 708AA/25B	Valve, non-return (Mod. 1235)					3	—	A.	
6981	B.214443	Valve, pressure relief, group (Pre Mod. 694)					2	—	A.	
9713	B.225865	Valve, pressure relief, group (Mod. 694)					2	—	A.	NB.3
11832	C.266331	Valve, vapour release, group (Mod. 1263)					2	—	B.	NB.3
	A.190835	Float, group					1	—		
5406	F.190839	Float					1	Cork	MR/C	NB.3
5407	Std.915/T18	Washer					1	DTD.610	MR/C	4
	F.190841	Pin					1	S.80.B		
5408	F.191984	Seal					1	Rubber	MR/C	NB.3
5409	F.204291	Spring					1	Bronze	MR/C	NB.3
7973	F.215242	Valve (alternative to F.207669)					1	—	MR/C	NB.3
8137	B.217334	Valve, suction and pressure relief, group (Mod. 564)					2	—	A.	NB.2
428	F.184477	Adjuster, valve					1	DTD.364	C.	NB.2
429	F.184476	Cap, valve					1	DTD.364	C.	NB.2
6200	F.209640	Collar					1	DTD.364	C.	NB.2
430	F.184480	Collar					1	DTD.364	C.	NB.2
1882	F.195019	Plug					2	DTD.364	C.	NB.2
431	A.184478	Ring, cap					1	DTD.364	C.	NB.2
27QA/120	Dowty Seals GD.1288	Ring, sealing					1	—	C.	
27QA/365	Dowty Seals GD.1308/8	Ring, sealing "O" type					1	—	C.	
27QA/141	Dowty Seals GD.1307/6	Seal, bonded					2	—	C.	
27QA/143	Dowty Seals GD.1307/23	Seal, bonded					1	—	C.	NB.2

RESTRICTED

RESTRICTED

Page NB.10

Hunter F.G.A. Mk. 9
Issued with A/L No. 9

SERVICES-FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
434	F.184473					Seat, valve	2	DTD.364	C.	NB.2
432	F.184482					Screw	6	—	C.	NB.2
1068	F.185613					Spring	1	DTD.239	C.	NB.2
6199	F.209155					Spring	1	Phos. Br.	C.	NB.2
441	A.184484					Valve	1	DTD.364	C.	NB.2
7050	F.215727					Valve	1	DTD.610	C.	NB.2
4666	F.201931					Washer	1	DTD.610	C.	NB.2
27VB/4896	Hymatic C 51642					Valve, pressure reducing	2	—	A.	
9081	C.218432					Vent, extension, front tank	1	S.3	C.	
1327	Std.1547/24/12					Washer, profile	4	DTD.610	C.	4
—	A.213098					Washer, special, between 3-way fuel cock mounting	6	L.72	—	
						bracket and frame 26 (Make from	(Max.			
						30B/9611218) (Pre Mod. 459)	Qn.)			
9656	A.226376					Washer, sealing, at blanking plate on front tanks	2	DTD.1177 & L.72	C.	NB.2
1393	Std.1547/26/14					Washer, packing, reducing valve securing bolt,	2	DTD.610	C.	4
						starboard				
9649	F.226368					Washer, sealing, transfer pipe to tank	2	DTD.1177 & L.72	C.	NB.3
9658	A.226378					Washer, sealing, at cover plate	2	DTD.1177 & L.72	C.	NB.3
6608	F.201934					Washer, Gaco, sealing, at front tank recuperator	2	E.75	C.	NB.3
						connection to delivery branch pipe				
8353	F.216941					Washer, for 3-way cock mounting (Mod. 459)	6	L.72	C.	
9651	F.226370					Washer, sealing, at vent pipe to atmosphere frame 25 ...	1	DTD.1177 & L.72	C.	
						WING-FUSELAGE CONNECTION, ASSEMBLY	—	—		
8131	C.208250					Bolt, 2 B.A., at main spar connector	12	S.99.B	C.	
	F.207610									
421	A.185593					Camp, pipe, connection, group	2	—	B.	NB.1
2723	F.184931					Bolt, eye	1	S.94.C	C.	NB.1
2724	F.185592					Washer	1	DTD.364	C.	NB.1
5059	A.186451					Camp, pipe, connection, group	2	—	B.	
2723	F.184931					Bolt, eye	1	S.94.B	C.	NB.1
2724	F.185592					Washer	1	DTD.364	C.	NB.1
	Std 850/58					Clip, 7/16" x 22 S.W.G.	6	DTD.610		4
10883	Std 851/30					Clip, 7/16" x 22 S.W.G.	1	DTD.610	C.	4
27F/2330	Flight Refuelling					Connector, pipe, 1-3/4" B.S.P.	4	—	A.	
	F.R.S.110/L									
4994	Std 1939/1					Packing	3	LFS.21	C.	5
8050	A.214304					Pipe, branch, to pressure relief valve (Mod. 459)	2	DTD.253	B.	NB.1
8048	B.214302					Pipe, branch, port (Mod. 459)	1	DTD.253	B.	NB.1
8049	B.214303					Pipe, branch, starboard (Mod. 459)	1	DTD.253	B.	
6611	C.202205					Pipe, branch, port	1	DTD.253	B.	NB.1
6612	C.202206					Pipe, branch, starboard	1	DTD.253	B.	
6613	C.202088/18					Pipe, branch, port	1	DTD.253	C.	NB.1
9096	C.202088/56					Pipe, branch, starboard	1	DTD.253	B.	
6094	A.208096					Pipe, stub	2	DTD.253	B.	
8051	C.201525/31					Pipe, front spar to connection, port (Mod. 459)	1	DTD.253	B.	NB.1
8052	C.201525/32					Pipe, front spar to connection, starboard (Mod. 459) .	1	DTD.253	B.	

RESTRICTED

RESTRICTED

Page NB.11

Hunter F.G.A. Mk 9
Issued with A/L No. 9

SERVICES-FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
27QA/379	Dowty Seals GD.1309/21					Ring, sealing	2	—	C.	
27QA/380	Dowty Seals GD.1309/23					Ring, sealing	4	—	C.	
27QA/361	Dowty Seals GD.1308/2					Ring, sealing	4	—	C.	
27QA/145	Dowty Seals GD.1307/B					Seal, bonded, 1/4" B.S.P.	2	—	C.	
27QA/144	Dowty Seals GD.1307/A					Seal, bonded, 1/8" B.S.P.	4	—	C.	
27QA/151	Dowty Seals GD.1307/J					Seal, bonded	2	—	C.	
1706	Srd.1703/6C					Screw, at refuelling pressure relief valve	8	S.95.B	C.	5
8348	A.214274					Sleeve, centre (Mod. 459)	2	L.65.C	C.	
8349	A.214240					Sleeve, outer (Mod. 459)	2	L.65.C	C.	
8129	B.211551					Valve, refuelling, pressure relief, group	2	—	A.	NB.3
8186	F.209643					Spring	1	DTD.239	MR/C	NB.3
	F.199296					Valve	1	S.80.C		
11784	F.199297					Washer	1	DTD.364	C.	

RESTRICTED

RESTRICTED


Hunter F.G.A. Mk. 9
Issued with A/L No. 9

Page NB.12

SERVICES—FUEL SYSTEM CENTRE FUSELAGE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28F/10797	AGS.1129/A	Body, banjo	1/8"	B.S.P.			—	—	—	
28F/10798	AGS.1129/B	Body, banjo	1/4"	B.S.P.			—	—	—	
28F/11079	AGS.1129/BB	Body, banjo	3/16"	B.S.P.			—	—	—	
28F/9423226	AGS.1135/A	Bolt, banjo	3/8"	B.S.P.			—	—	—	
28F/9423227	AGS.1135/B	Bolt, banjo	1/4"	B.S.P.			—	—	—	
28F/11017	AGS.1136/B	Bolt, banjo	3/4"	B.S.P.			—	—	—	
28D/9131782	AGS.1242/2B	Bolt, 4 B.A.					—	—	—	
28D/8307	AGS.1242/2C	Bolt, 2 B.A.					—	—	—	
28D/1013284	AS.1248/2C	Bolt, 2 B.A.					—	—	—	
28D/1010658	A.25.1.B	Bolt, 4 B.A.					—	—	—	
28D/1008149	A.25.2.B	Bolt, 4 B.A.					—	—	—	
28D/9419452	A.25.3.B	Bolt, 4 B.A.					—	—	—	
28D/9140638	A.25.4.B	Bolt, 4 B.A.					—	—	—	
28D/9436920	A.25.1.C	Bolt, 2 B.A.					—	—	—	
28D/9133011	A.25.2.C	Bolt, 2 B.A.					—	—	—	
28D/9133012	A.25.3.C	Bolt, 2 B.A.					—	—	—	
28D/1200119	A.25.4.C	Bolt, 2 B.A.					—	—	—	
28D/12533	A.25.5.C	Bolt, 2 B.A.					—	—	—	
28D/1010030	A.25.7.C	Bolt, 2 B.A.					—	—	—	
28D/12534	A.25.9.C	Bolt, 2 B.A.					—	—	—	
28D/12515	A.25.10.C	Bolt, 2 B.A.					—	—	—	
28D/9419397	A.25.12.C	Bolt, 2 B.A.					—	—	—	
28D/12517	A.25.17.C	Bolt, 2 B.A.					—	—	—	
28D/12970	A.25.36.C	Bolt, 2 B.A.					—	—	—	
28D/1008151	A.25.4.E	Bolt, 1/4"	B.S.F.				—	—	—	
5K/3373	AS.3360/B5B	Connection, earthing					—	—	—	
5K/3403	AS.3360/C6C	Connection, earthing					—	—	—	
28F/9838	AGS.1104/A	Cone, adaptor					—	—	—	
28F/10610	AGS.1118/B	Cone, tee-jail					—	—	—	
28F/9619	AGS.1142/C	Nipple					—	—	—	
28F/9620	AGS.1142/D	Nipple					—	—	—	
28F/8278	AGS.1142/E	Nipple					—	—	—	
28F/8235	AGS.1142/F	Nipple					—	—	—	
28F/8280	AGS.1142/H	Nipple					—	—	—	
28F/8216	AGS.1142/J	Nipple					—	—	—	
28F/11777	AGS.1142/K	Nipple					—	—	—	
28F/14529	AGS.1170/C	Nipple					—	—	—	
28F/14530	AGS.1170/D	Nipple					—	—	—	
28F/9710	AGS.1170/E	Nipple					—	—	—	
28F/9711	AGS.1170/F	Nipple					—	—	—	
28F/11905	AGS.1170/H	Nipple					—	—	—	
28F/11906	AGS.1170/J	Nipple					—	—	—	
28F/12071	AGS.1170/K	Nipple					—	—	—	
28M/10287	AGS.2001/B1	Nut, 4 B.A.					—	—	—	
28M/10327	AGS.2002/B1	Nut, 4 B.A.					—	—	—	
28M/10288	AGS.2001/C1	Nut, 2 B.A.					—	—	—	
28M/10328	AGS.2002/C1	Nut, 2 B.A.					—	—	—	


RESTRICTED



RESTRICTED


PLATE NO NB2
(ISSUE 5)





RESTRICTED

PLATE NO NB3
(ISSUE 5)



FUEL SYSTEM

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

