

RESTRICTED

Page NM.1

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

SERVICES — PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	C.234827	CABIN PRESSURE AIR CONDITIONING,	—	—		
		FRONT FUSE LAGE, ASSEMBLY	—	—		
	E.233364	CABIN PRESSURISING EQUIPMENT, FORWARD . . .	—	—		
		OF FRAME 7, ASSEMBLY (Mod. 794)				
1370	F.187763	Cap, special, for cabin pressure static pipe union	2	DTD.364	C.	NM.2
		and gauge				
	E.233364/1	Chain, for securing pipe connection caps, 4" long	3	Brass		
		(Identical to E.182797/1) (Mod. 794)				
924	Std.1682/12	Clip, securing ram air pipe and non-return valve	4	S.3 & T.26	C.	5
		guard				
752	Std.1166/8	Clip, supporting ram air pipe	1	S.511 & T.26	C.	4
2793	A.185675	Clip, supporting ram air pipe	1	S.3	MR/C	NM.1
27KD/510	Normalair 509930 with Normalair Mod. 146	Controller, pressure, type A (Mod. 1065)	1	—	A.	
27KD/10	Normalair 504600	Connection, for ground pressurising, group	1	—	C.	
27KD/371	Normalair 506431	Washer, sealing	1	—	C.	
7850	C.215217	Duct, for ground pressurising, between frames 3	1	—	B.	NM.2
		and 6, group (Mod. 294)				
1380	C.182798	Duct, for ground pressurising between frames 3	1	—	B.	
		and 6, group (Pre Mod. 294)				
2790	F.179155	Nut-plate (supplied in halves)	2	S.3	C.	NM.2
1375	A.182801	Guard, for ground pressurising duct	1	BSS.265 and Brass Gauze	C.	NM.2
		Guard, for cabin pressure static pipe	1	DTD.610		
	A.183593	Label, for cabin pressure static pipe	1	L.59		
2144	F.187482	Leg, locking, for studs on frame 6 and ground	7	S.3	C.	4
	Std.1231/3	pressure duct mounting, at frame 3				
	B.187402	Plate, locking, for hood seal and cabin pressure	1	DTD.610		
		gauge connections				
2791	F.187586	Plate, clamp, for ram air pipe at frame 3	1	DTD.610	MR/C	NM.2
1378	F.187764	Pipe, between locking plate and pressure controller . .	1	DTD.253	C.	NM.1
†	C.185829/35	Pipe, combined valve unit to connection at frame 6 . .	1	DTD.253		NM.1
		(Mod. 794)				
2786†	C.185829/18	Pipe, guard to connection, at frame 6	1	DTD.253	MR/C	NM.1
7076†	B.209954/1	Pipe, connection at frame 6, to tee-piece (Mod. 321) .	1	DTD.253	MR/C	NM.1
7077†	B.209954/2	Pipe, tee-piece to pressure controller discharge	1	DTD.253	MR/C	
		connection (Mod. 321)				
11229	A.217910	Pipe, ram air, forward (Mod. 794)	1	—	C.	NM.1
11230	B.217909	Pipe, ram air, aft (Mod. 794)	1	—	C.	NM.1
9892	F.233545	Restrictor, in aft ram air pipe (Mod. 794)	1	Nylon A100/M	C.	NM.1
		Ring, packing	1	Felt	MR/C	NM.2
2792	F.187585	Ring, "B" type (Identical to E.182797/2) (Mod. 794)	1	Brass		
27QA/139	E.233364/2	Seal, bonded	8	—	C.	
	GD.1307/3	Seal, bonded	1	—	C.	
27QA/144	Dowty Seals GD.1307/A	Seal, bonded	3	—	C.	
27QA/145	Dowty Seals GD.1307/B	Sleeve, sealing	2	Silicone Rubber	C.	5
1715	Std.1744/12	Stud, at frame 6, securing guard and locking plate . .	8	S.95.B	C.	NM.2
1371	F.182800	Stud, for 2/15 combined valve unit	2	S.95.B	C.	NM.2
1377	F.187120	Union, flanged type, at cabin pressure static pipe . .	1	DTD.364	C.	NM.2
1369	A.187762					

† For details see Piping Chart.

RESTRICTED

Page NM.2

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

SERVICES - PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6332	B.205529					Valve, air extractor, group (Mod. 209)	1	—	A.	NM.2
1362	A.185216					Diaphragm	1	—	C.	NM.2
2144	Std.1231/3					Lug	3	S.3	C.	4
27QA/145	Dowty Seals					Seal, bonded	1	—	C.	
	GD.1307/B									
1363	F.172452					Spring	1	Phos. Bronze Wire	C.	NM.2
27KD/514	Normalair					Valve, Unit, 2/15 combined type, complete with	1	—	A.	
	510250					shroud No. 550662				
1372	F.179156					Washer, tapered, at ground pressurising duct	6	—	C.	NM.2
						mounting				
1373	F.179157					Washer, tapered, at ground pressurising duct	2	LFS.21	C.	NM.2
						mounting				
1374	F.174892					Washer, sealing, at ground pressurising duct	1	DTD.378A	C.	NM.2
						mounting				
1376	F.174891					Washer, sealing, at ground pressurising guard	1	DTD.378A	C.	NM.2
	D.234826					CABIN PRESSURISING EQUIPMENT, BETWEEN	—	—		
						FRAMES 7 AND 13, ASSEMBLY				
	F.202881					Angle, bracket, for hood seal connections	1	L.72		
5145	F.205189					Block, clamp (Mod. 209)	2	LFS.21	C.	4
7114	F.206498					Block, clamp (Mod. 209)	2	LFS.21	MR/C	
11303	Std.2045/17/26					Clip, sleeved	5	DTD.610	C.	6
11748	Std.2045/38/22					Clip, sleeved	1	DTD.610	C.	6
2732	A.193578					Clip, securing feed pipe, at forward hood de-misting	2	DTD.610	MR/C	NM.2
						duct				
11303	Std.2046/17/26					Clip, sleeved	4	DTD.610	C.	6
4295	Std.850/22					Clip, 7/16" wide x 22 S.W.G. x 2.2" long	2	DTD.610	MR/C	4
	Std.850/42					Clip, 7/16" wide x 22 S.W.G. x 4.2" long	1	DTD.610		4
2733	A.193577					Clip, securing feed pipe at rear hood de-misting duct	2	DTD.610	MR/C	NM.2
1336	Std.1682/8					Clip, securing supply pipe to hood de-misting feed	6	S.3 & T.26	C.	5
						pipe				
1366	Std.1682/10					Clip	4	S.3 & T.26	C.	5
924	Std.1682/12					Clip, securing feed pipes	5	S.3 & T.26	C.	5
6995	A.208005					Guide, windscreen spray	1	L.72	C.	NM.1
7009	Std.1511/C					Net, dome	3	—	C.	
8195	B.215005					Packing	2	L.65.C	MR/C	
10703	C.251103					Piece, 4-way, non-return valves to cabin feed pipes	1	—	C.	NM.2
						(Mod. 1045)				
27V/4813	Teddington					Ductstat	1	—	A.	
	FHG/A/49									
11040	A.250536					Guard (Mod. 1045)	1	—	C.	
26VA/6034431	F.211739					Plate, locking	1	—	C.	
8993	F.211740					Washer, sealing	1	—	C.	NM.2

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

Page NM.3

SERVICES — PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
6996	B.215271					Pipe, feed for windscreen de-misting duct, port	1	BSS.265	C.	NM.1
6997	B.215272					Pipe, feed for windscreen de-misting, duct,	1	BSS.265	C.	NM.1
						starboard				
7005	A.207975					Pipe, interconnecting windscreen spray, port and	2	—	C.	NM.1
						starboard				
11061	C.258496					Pipe, spray, windscreen and port quarter light	1	—	C.	NM.1
						(Mod. 1147)				
10851	F.250289					Drain, screen spray, port	1	M.S.	C.	
11062	B.258497					Pipe, spray, starboard quarter light (Mod. 1147)	1	—	C.	NM.1
10854	F.251468					Drain, screen spray, starboard	1	M.S.	C.	
10591	C.242794					Pipe, supply, for windscreen side panel spray, port,	1	—	B.	NM.1
						group (Mod. 884)				
10053	F.229266					Gasket, sealing	1	DTD.762	C.	NM.1
10593	F.244316					Plate, nut	3	S.510	C.	
10592	A.244405					Louvre, punkah	1	—	C.	
3839	Std.1606/44/B16					Screw	3	Brass	C.	5
10583	C.242795					Pipe, supply, for windscreen side panel spray,	1	—	B.	NM.1
						starboard, group (Mod. 928)				
10053	F.229266					Gasket, sealing	1	DTD.762	C.	NM.1
10593	F.244316					Plate, nut	3	S.510	C.	
10592	A.244405					Louvre, punkah	1	—	C.	
3939	Std.1606/44/B16					Screw	3	Brass	C.	5
6105	A.206499					Pipe, supply, 4-way piece to hood de-misting feed	1	—	C.	NM.1
						pipe, port				
6106	A.206500					Pipe, supply, 4-way piece to hood de-misting feed	1	—	C.	NM.1
						pipe, starboard				
9049	C.218597					Pipe, feed, windscreen, port	1	—	C.	NM.1
9050	C.218598					Pipe, feed, windscreen, starboard	1	—	C.	NM.1
11059	E.258410					Pipe, hoodspray, port, group (Mod. 1147)	1	—	B.	NM.1
10855	F.250287					Drain, hood spray, port	1	M.S.	C.	
10586	B.247689					Slide, port, assembly (AS.970/84)	1	—	C.	NM.1
11060	E.258411					Pipe, hoodspray, starboard, group (Mod. 1147)	1	—	B.	NM.1
10850	F.250288					Drain, hood spray, starboard	1	M.S.	C.	
	F.241567					Guide (Mod. 923)	1	—		
10587	B.247690					Slide, starboard (AS.970/84)	1	—	C.	
7002	C.207904					Pipe, 4-way piece to hood spray	1	—	C.	NM.1
10947	C.221349					Plate, guard, for de-misting duct feed pipe, port	1	DTD.213	C.	
10948	C.221350					Plate, guard, for de-misting duct feed pipe,	1	DTD.213	C.	
						starboard				
27QA/142	Dowty Seals GD.1307/14					Seal, bonding, for supply pipe to windscreen side	2	—	C.	
						panel spray				
27QA/147	Dowty Seals GD.1307/C					Seal, bonding	2	—	C.	
1885	Std.1744/8					Sleeve, sealing	1	Silicone Rubber	C.	5
1659	Std.1744/10					Sleeve, sealing	2	Silicone Rubber	C.	5
1715	Std.1744/12					Sleeve, sealing	5	Silicone Rubber	C.	5
11766	Bells Asbestos Engineering Ltd.					Sleeve, silicone rubber, 3/4" i/d. x 1/16" wall	2	DTD.818 L.4	C.	
						x 1-1/2" (70 shore) (Mod. 1147)				
11767	Bells Asbestos Engineering Ltd.					Sleeve, silicone rubber, 1" i/d. x 1/16" wall	2	DTD.818 L.4	C.	
						x 1-3/4" (70 shore) (Mod. 1147)				
10893	Std.1509/12/050					Tube, distance	1	T.4	C.	4
5924	Std.1509/23/086					Tube, distance	3	T.4	MR/C	4
26VA/6034610	Std.1509/23/060					Tube, distance	1	T.4	C.	4
10698	Std.914/X14					Washer	2	—	C.	4

RESTRICTED

RESTRICTED

Page NM.4

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

SERVICES — PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.191110	CABIN PRESSURISING EQUIPMENT,					—	—		
		BETWEEN FRAMES 13 AND 19,								
		ASSEMBLY								
1390	F.173561	Block, securing actuator temperature control valve . . .					1	LFS.23	C.	NM.1
6748	F.209784	Block, securing actuator for temperature control valve					1	Casting	C.	
	A.189270	Bracket, mounting, for electro-magnetic valve					1	DTD.610		
6136	A.206505	Chamber, mixing, forward of frame 16					1	—	B.	
		(Pre Mod. 559)								
8187	A.217964	Chamber, mixing, forward of frame 16 (Mod. 559) . .					1	—	B.	NM.1
1359	B.187401	Clamp, half, for pipe coupling at water extractor					4	Stamping	C.	NM.1
2767	F.173562	Clip, securing actuator for temperature control valve .					1	DTD.610	MR/C	NM.1
2768	F.189595	Clip, special, securing hood seal pipes at pressure . . .					2	DTD.610	MR/C	NM.2
		diaphragm, frame 14								
1364	F.187147	Clip, supporting mixing chamber					1	S.3	C.	NM.2
752	Std.1166/8	Clip, supporting mixing chamber					1	S.511 & T.26	C.	4
924	Std.1682/12	Clip, securing, for air supply pipes					8	S.3 & T.26	C.	5
1366	Std.1682/10	Clip, securing, for air supply pipes					2	S.3 & T.26	C.	5
3750	Std.842/10	Clip, securing drain vent pipe, 7/16" wide x 22					1	S.3	MR/C	4
		S.W.G. x 1" long (Make from 30A/549)								
9664	Std.2045/22/24	Clip, sleeved					2	S.510 or S.511	C.	6
26VA/6044412	Std.2045/17/26	Clip, sleeved					2	S.510 or S.511	C.	6
10372	Std.853/90	Clip, securing hot and cold air pipes (Mod. 538)					2	—	C.	4
3751	Std.842/12	Clip, securing hood seal and air extraction valve					3	S.3	C.	4
		pipes, 7/16" wide x 22 S.W.G. x 1.2" long								
1358	A.186831	Coupling, special cone type at non-return valve					1	DTD.364	C.	NM.2
1360	A.185338	Coupling, at pressure diaphragm for reducing valve . .					1	DTD.364	C.	NM.2
3776	Std.1306/J20	Coupling, flexible, for hood seal pipe connection . . .					1	DTD.625A	C.	4
		(Make from 32C/447)								
6336	A.206506	Extractor, water					1	—	A.	NM.1
1940	Std.1231/1	Lug, locking, for wire locking of pipe					1	S.3	C.	4
2144	Std.1231/3	Lug, locking, for wire locking of pipe					2	S.3	C.	4
1355	F.183339	Pin, special, connecting rod at temperature control . .					1	S.11 or S.95.8	C.	NM.1
		valve								
2769†	C.185829/1	Pipe, from connection at frame 18 to non-return					1	DTD.253	MR/C	
		valve at pressure diaphragm								
2770†	C.185829/2	Pipe, from banjo at reducing valve to connection					1	DTD.253	MR/C	
		at pressure diaphragm								
2772†	C.185829/4	Pipe, from electro-magnetic valve atmosphere					1	DTD.253	MR/C	
		connection to air extractor duct								
2775†	C.185829/7	Pipe, from connection at pressure diaphragm to					1	DTD.253	MR/C	
		hood seat connection								
2776†	C.185829/8	Pipe, from banjo at reducing valve to electro-					1	DTD.253	MR/C	
		magnetic valve inlet								
2777†	C.185829/9	Pipe, from electro-magnetic valve atmosphere					1	DTD.253	MR/C	
		connection to pressure diaphragm								
† For details see Piping Chart.										

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

Page NM.5

SERVICES - PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2778†	C.185829/10					Pipe, from connection at diaphragm to air extractor . . . duct	1	DTD.253	MR/C	
2782†	C.185829/14					Pipe, from connection to connection	1	DTD.253	MR/C	
2783†	C.185829/15					Pipe, from connection to banjo at reducing valve	1	DTD.253	MR/C	
4860†	C.185829/20					Pipe, from connection to connection	1	DTD.253	MR/C	
4861†	C.185829/21					Pipe, from seal test connection at frame 6 to connection	1	DTD.253	MR/C	
7115†	C.185829/22					Pipe, forward extractor valve to connection	1	DTD.253	MR/C	NM.1
7118†	C.185829/25					Pipe, E.M. valve outlet connection to tee-piece	1	DTD.253	MR/C	
7119†	C.185829/26					Pipe, aft, extractor valve to tee-piece (Pre Mod. 417) . .	1	DTD.253	MR/C	
†	C.185829/27					Pipe, union to union (AS.830/92)	1	DTD.253		NM.1
†	C.185829/28					Pipe, union to union (AS.830/92)	1	DTD.253		NM.1
†	C.185829/29					Pipe, union to tee-piece (AS.830/92)	1	DTD.253		NM.1
†	C.185829/32					Pipe, aft, extractor valve to tee-piece (Mod. 417)	1	DTD.253		NM.1
†	C.185829/33					Pipe, from connection at diaphragm to electro- magnetic valve inlet (Mod. 538)	1	DTD.253		
†	C.185829/34					Pipe, from electro-magnetic valve to outlet con- nection at pressure diaphragm (Mod. 538)	1	DTD.253		
†	C.185829/41					Pipe, from water extractor to drainage vent (Mod. 1038)	1	DTD.253		
10525	B.218991					Pipe, hot air, between frames 16 and 18, complete . . . with lagging (Mod. 538)	1	L.54	C.	NM.1
10526	B.218990					Pipe, cold air, between frames 16 and 18, complete . . with lagging (Mod. 538)	1	L.54	C.	NM.1
5CZ/4335549	Teddington FLJ/A/2					Resistor, follow-up type	1	—	A.	
1357	F.185498					Rod, connecting, group	1	—	C.	NM.1
13096	F.152671					Eye-end	2	S.1	C.	
27QA/143	Dowty Seals G.D.1307/23					Seal, bonded	1	—	C.	
27QA/145	Dowty Seals G.D.1307/B					Seal, bonded	1	—	C.	
27QA/148	Dowty Seals G.D.1307/D					Seal, bonded	1	—	C.	
27QA/152	Dowty Seals G.D.1307/K					Seal, bonded	1	—	C.	
1659	Std.1744/10					Sleeve, sealing, for pipe connection	1	Silicone Rubber	C.	5
1715	Std.1744/12					Sleeve, sealing, for pipe connection	1	Silicone Rubber	C.	5
3806	Std.1509/23/032					Tube, distance, for electro-magnetic valve mounting . . bracket, 5/16" o/d x 16 S.W.G. x .32" long	3	T.4	MR/C	4
	B.184967					Valve, temperature control and actuator, group	1	—		
5W/307	Plessey CZ.54709/10/A					Actuator	1	—	A.	
	A.184969					Lever, quadrant, group	1	—		
2766	A.183331					Block, mounting	1	DTD.364	MR/C	NM.1
1354	F.183338					Bolt, shoulder	1	S.11 or S.95.B	C.	NM.1
1353	A.183332					Lever, quadrant	1	DTD.124 or S.95.B	C.	NM.1
1355	F.183339					Pin, special	1	S.11 or S.95.B	C.	NM.1

† For details see Piping Chart.

RESTRICTED

RESTRICTED

Page NM.6

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

SERVICES - PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
1347	B.184968					Valve, group	1	—	B.	NM.1
1662	F.184647					Bearing, at inlet connection	1	St. St. and Phos. Bronze	C.	NM.1
	—					Body and Sleeve, group (B.184968)	—	—		
	B.184971					Consisting of:—				
	A.173149					Body) Not to be supplied	1	Stamping		
						Sleeve) separately				
	A.173147					Connection, inlet	1	DTD.364		
	F.196870					Plate, serial number	1	Aluminium		
	A.184970					Spindle, group	1	—		NM.1
1350	F.172947					Lever, operation	1	Casting	C.	NM.1
1349	F.183333					Pinion	1	S.21 or S.95.B	C.	NM.1
								S.62.B	C.	NM.1
1351	F.184869					Shaft, top coupling	1	Sp. St.	C.	NM.1
1348	F.172951					Spring	1			
						Washer, sealing	2	—	C.	NM.1
	1352	F.179471								
	666	B.185327				Valve, non-return, at frame 14, group	1	—	B.	NM.2
	1940	Std.1231/1				Lug, locking	2	S.3	C.	4
	669	F.185406				Pin, pivot	1	DTD.364	C.	NM.2
	668	F.185333				Plate, valve, assembly	1	—	C.	NM.2
27QA/151	Dowty Seals					Seal, bonded	1	—	C.	
	G.D.1307/J									
	670	F.177073				Seating, for valve	1	Rubber	C.	NM.2
	2708	A.185331				Shroud	1	L.16 or DTD.212	MR/C	NM.2
						Spring	1	Bronze Wire	C.	NM.2
	671	F.185336						DTD.378	C.	NM.2
	672	F.185335				Washer, joint	1			
	1361	B.185213				Valve, air extractor, group (Pre Mod. 417)	1	—	B.	
	9534	B.220008				Valve, air extractor, group (Mod. 417)	1	—	B.	NM.2
	1362	A.185216				Diaphragm	1	—	C.	NM.2
	2144	Std.1231/3				Lug, locking	3	S.3	C.	4
27QA/145	Dowty Seals					Seal, bonded	1	—	C.	
	G.D.1307/B									
	1363	F.172452				Spring	1	Phos. Br. Wire	C.	NM.2
	27VB/3455	Hymatic D.9206				Valve, non-return NR.9 Mk. 6	1	—	A.	
	27VB/3454	Hymatic D.9206				Valve, reducing, type PS.29/4	1	—	A.	
	27V/4125	Teddington				Valve, electro-magnetic, for air extraction	1	—	A.	
	ES/A/430									
	27V/3453	Teddington				Valve, electro-magnetic, for air extraction	1	—	A.	
	ES/A/390									
	1365	Std.1695/7				Washer, sealing, 2-1/4" i/d, at water extractor	2	DTD.378	C.	5
	3812	Std.1547/22/14				Washer, packing, for block securing actuator	2	DTD.610	MR/C	4
	D.251755					DRAINS, HOOD AND WINDSCREEN SPRAY,	—	—		
						ASSEMBLY (Mod. 1038)				
	10843	B.251062				Bottle, group	1	—	B.	
		B.251062/1				Bottle, 20 oz. Pt. No. 2001	1	Polythene		
		A.251061				Bracket, mounting	1	L.72		
26VA/6039043	Std.1996/4					Chain, 4" long	1	Brass	C.	
	Std.853/81					Clip (Make from 30A/549)	1	—		
	10845	A.251058				Clip, bottle	1	S.510	C.	
28FP/869	Aviation					Pin, pin	1	—	C.	
	Developments									
	5134/417									

RESTRICTED

Page NM.7

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

SERVICES - PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10844	F.251074					Pin, special	1	S.95.B or S.96.B	C.	
	A.251060					Pipes	1	M.S.		
	F.251054					Plate, mounting	1	S.510		
	F.251053					Ring, packing	1	LFS.21		
	—					Ring, key, 1/2" dia. (double split)	2	—		
10846	A.253259					Sponge	1	—	C.	
	F.251052					Washer	1	L.72		
26VA/6047214	Std.1547/20/18					Washer, profile	2	—	C.	4
10847	B.251063					Bottle, group	1	—	B.	
	B.251063/1					Bottle, 10 oz. Pt. No. 1001	1	Polythene		
	A.251056					Bracket, mounting	1	L.72		
26VA/6039043	Std.1996/4					Chain, 4" long	1	Brass	C.	5
10848	A.251057					Clip, bottle	1	S.510	C.	
28FP/869	Aviation Developments 5134/417					Pin, pip	1	—	C.	
10844	F.251074					Pin, special	1	—	C.	
	A.251059					Pipes	1	M.S.		
	F.251054					Plate, mounting	1	S.510		
	F.251053					Ring, packing	1	LFS.21		
	—					Ring, key, 1/2" dia. (double split)	2	—		
10849	F.253258					Sponge	1	—	C.	
	F.251052					Washer	1	L.72		
26VA/604724	Std.1547/20/18					Washer, profile	2	—	C.	4
10852	B.251064					Bottle, group	1	—	B.	
	B.251064/1					Bottle, 10 oz. Pt. No. 1001	1	Polythene		
	A.251055					Bracket, mounting	1	L.72		
26VA/6039043	Std.1996/4					Chain, 4" long	1	Brass	C.	5
10848	A.251057					Clip, bottle	1	S.510	C.	
28FP/869	Aviation Developments 5134/417					Pin, pip	1	—	C.	
10844	F.251074					Pin, special	1	—	C.	
	A.251059					Pipes	1	S.510		
	F.251054					Plate, mounting	1	S.510		
	F.251053					Ring, packing	1	LFS.21		
	—					Ring, key 1/2" dia. (double split)	2	—		
10849	F.253258					Sponge	1	—	C.	
	F.251052					Washer	1	—		
26VA/6047214	Std.1547/20/18					Washer, profile	2	—	C.	4
6F/9454141	NY.18007A					Strapping	QR	—	C.	
5F/9138822	NY.3342					Stud	QR	—	C.	
	Std.1507/2/077					Tube, distance	1	M.S.		4
	Std.1507/23/070					Tube, distance	3	M.S.		4
	Std.1507/24/070					Tube, distance	1	M.S.		4
—	D.251755/1					Tube, 1/2" o/d x 1/4" i/d x 31.0" long (Make from 26FX/10842)	—	—	—	
—	D.251755/2					Tube, 1/2" o/d x 1/4" i/d x 16.50" long (Make from 26FX/10842)	—	—	—	
10842	D.251755/3					Tube, 1/2" o/d x 1/4" i/d x 38.0" long, Gryflex	1	—	C.	
—	D.251755/4					Tube, 1/2" o/d x 1/4" i/d x 24.0" long (Make from 26FX/10842)	—	—	—	

RESTRICTED

RESTRICTED

Page NM.8

Hunter F.G.A. Mk. 9
Issued with A/L No. 11


SERVICES - PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	D.209953	VALVE, REAR DISCHARGE, FRAME 14, ASSEMBLY (Pre Mod. 378)	-	-		
	D.224088	VALVE, REAR DISCHARGE, FRAME 14, ASSEMBLY (Mod. 378)	-	-		
2052	F.194338	Block, clamp (Mod. 538)	2	LFS.21	C.	NM.1
1370	F.187763	Cap, special	1	DTD.364	C.	
4761	Std.840/13	Clip, securing	5	DTD.610	C.	4
2145	Std.841/13	Clip, securing	1	DTD.610	C.	4
-	Std.851/57	Clip, securing (Make from 30B/9611222, 7/16" wide x 6-1/4" long)	1	L.72	-	4
2144	Std.1231/3	Lug, locking	1	S.3	C.	4
7078†	B.209954/3	Pipe, tee piece to joint	1	DTD.253	MR/C	NM.1
7079†	B.209954/4	Pipe, joint, frame 7 to frame 12 (Pre Mod. 378)	1	DTD.253	MR/C	NM.1
7081†	B.209954/6	Pipe, bulkhead connection to electro-pneumatic valve	1	DTD.253	MR/C	NM.1
7082†	B.209954/7	Pipe, electro-magnetic valve to discharge valve	1	DTD.253	MR/C	NM.1
7083†	B.209954/8	Pipe, bulkhead connection to electro-pneumatic valve	1	DTD.253	MR/C	NM.1
†	B.209954/12	Pipe, joint to bulkhead connection (Mod. 538)	1	DTD.253		
†	B.209954/10	Pipe, joint to joint (Mod. 378)	1	DTD.253		
†	B.209954/11	Pipe, joint to joint, frame 7 to frame 12 (Mod. 378)	1	DTD.253		NM.1
	A.270388	Plate, guard (Mod. 1260)	1	S.520	-	
6742	F.212694	Plate, nut	2	-	C.	NM.1
9521	F.214163	Stud	2	S.95.B	C.	
10892	Std.1509/12/038	Tube, distance, 1/4" o/d x 20 S.W.G. x 0.38" long	1	T.4	C.	4
26VA/6034612	Std.1509/23/070	Tube, distance	1	T.4	C.	4
27KD/509	Normalair 509920	Valve, discharge (less shroud, 504050)	1	-	A.	
27V/3453	Teddington ES/A/390	Valve	1	-	A.	


† For details see Piping Chart

RESTRICTED

PLATE N° NM.I
(ISSUE 19)



PRESSIONNEMENT



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

