

RESTRICTED

Page NN.1

Hunter F.G.A. Mk. 9
Issued with A/L No. 6

SERVICES—FUEL FILTER DE-ICING

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plane No.
		1 2 3 4 5				
	C.204905	FUEL FILTER DE-ICING SYSTEM, ASSEMBLY (Mod. 254)	—	—		
3905	F.196092	Block, clamp	2	LFS.21	C.	NN.1
	Auto Prod.					
27BA/8832	AVA.64-7B	Cap, blanking (AS.830/26)	1	—	C.	
	Auto Prod.					
27BA/8775	AVA.64-7C	Cap, blanking (AS.830/26)	1	—	C.	
11227	Std.2045/21/24	Clip, sleeved (AS.770/47)	1	—	C.	
	Std.2046/17/26	Clip, sleeved (AS.770/47)	1	—	C.	
11304	Std.2046/21/24	Clip, sleeved (AS.770/47)	2	—	C.	
11305	Std.2046/25/24	Clip, sleeved (AS.770/47)	1	—	C.	
11302	Std.851/44	Clip, support, for pipes $\frac{1}{16}$ " wide x 22 S.W.G.	1	DTD.610	C.	4
	F.218519	Clip, support, for pipe, at frame 31	1	L.72		
6314	Std.1959/5	Clip, support, for pipes	2	S.3	MR/C	
	Auto Prod.					
27BA/11760	AVA.1150/B	Coupling	1	—	B.	
	Auto Prod.					
27BA/11415	AVA.1150/C	Coupling	1	—	B.	
1940	Std.1231/1	Lug, locking	2	S.3	C.	4
	B.207900	MOUNTING FOR SOLENOID VALVE, ASSEMBLY	—	—		
7816	A.211021	Angle, mounting	1	L.72	MR/C	
4821	Std.841/22	Clip, at valve attachment	1	DTD.610	MR/C	4
10746	F.211092	Label	1	L.59	C.	
	B.205149	Mounting, valve	1	—		
5CW/7544	—	Switch, S.P. centre "off," spring return	1	—	B.	
	F.218976	Packing, at pump	2	L.72		
	Std.1939/3	Packing, for solenoid valve support clip	1	LFS.21		
6243	B.204904/1	Pipe, overflow, tank to coupling	1	T.55 or DTD.743	B.	NN.1
6244	B.204904/2	Pipe, pump drain to atmosphere	1	T.55 or DTD.743	C.	NN.1
6245	B.204904/3	Pipe, pump to solenoid valve	1	T.55 or DTD.743	C.	NN.1
6246	B.204904/4	Pipe, solenoid valve to non-return valve	1	T.55 or DTD.743	C.	NN.1
6247	B.204904/5	Pipe, non-return valve to fuel delivery pipe connection	1	T.55 or DTD.743	B.	NN.1
6248	B.204904/6	Pipe, filler coupling to adaptor	1	T.55 or DTD.743	B.	NN.1
6249	B.204904/7	Pipe, vent, tank to connection	1	T.55 or DTD.743	B.	NN.1
6250	B.204904/8	Pipe, filter to pump	1	T.55 or DTD.743	C.	NN.1
6251	B.204904/9	Pipe, vent, connection to atmosphere	1	T.55 or DTD.743	C.	NN.1
6252	A.205044	Pipe, branch	1	T.55 or DTD.743	B.	NN.1
10763	F.250992	Pipe, link (Mod. 1043)	1	—	C.	
5UE/6294	Plessey	Pump, FP3 Mk. 9	1	—	A.	
6253	A.205848	Shield, heat, for non-return valve	2	S.95	C.	NN.1

RESTRICTED

Page NN.2

Hunter F.G.A. Mk. 9
Issued with A/L No. 6

SERVICES—FUEL FILTER DE-ICING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6254	B.205142	Strap, tank mounting ($\frac{1}{16}$ " dia. hole in screw omitted)					2	DTD.166	C.	NN.1
6255	C.205140	Tank, group					1	—	B.	NN.1
6256	A.205045	Adaptor					1	—	C.	NN.1
6257	A.205270	Valve, pressure and suction relief, group ...					1	—	B.	NN.1
2A/9500570	—	Ball, $\frac{3}{32}$ " dia.					1	Steel	C.	NN.1
6258	F.205271	Spring					1	Steel	C.	NN.1
6259	F.205269	Spring					1	T.4		4
	Std.1509/23/055	Tube, distance, $\frac{1}{16}$ " o/d $\times$ 17 S.W.G. $\times$.55" long ...					1	T.4		4
	Std.1509/23/072	Tube, distance, $\frac{5}{16}$ " o/d $\times$ 17 S.W.G. $\times$.72" long					4	T.4		4
6260	F.204903	Union, jet, at fuel delivery pipe					1	—	C.	NN.1
27V/4814	Teddington FAW/A/325	Valve, solenoid					1	—	A.	
27F/2661	Saunders N.1002	Valve, non-return					1	—	A.	

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

Page NN.1

SERVICES - FUEL FILTER DE-ICING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	C.204905	FUEL FILTER DE-ICING SYSTEM, ASSEMBLY					—	—		
		(Mod. 254)								
3905	F.196092	Block, clamp					2	LFS.21	C.	NN.1
	Auto Prod.									
27BA/8832	AVA.64-7B	Cap, blanking (AS.830/26)					1	—	C.	
	Auto Prod.									
27BA/8775	AVA.64-7C	Cap, blanking (AS.830/26)					1	—	C.	
11227	Std.2045/21/24	Clip, sleeved (AS.770/47) (Alt. to Std.1959/5)					2	—	C.	6
11303	Std.2046/17/26	Clip, sleeved (AS.770/47) (Alt. to F.218519)					1	—	C.	6
11304	Std.2046/21/24	Clip, sleeved (AS.770/47)					2	—	C.	6
11305	Std.2046/25/24	Clip, sleeved (AS.770/47)					1	—	C.	6
11302	Std.851/44	Clip, support, for pipes 7/16" wide x 22 S.W.G.					1	DTD.610	C.	4
	F.281519	Clip, support, for pipe, at frame 31					1	L.72		
		(Alt. to Std.2046/17/26)								
6314	Std.1959/5	Clip, support, for pipes (Alt. to Std.2045/21/24)					2	S.3	MR/C	5
	Auto Prod.									
27BA/11760	AVA.1150/B	Coupling					1	—	B.	
	Auto Prod.									
27BA/11415	AVA.1150/C	Coupling					1	—	B.	
1940	Std.1231/1	Lug, locking					2	S.3	C.	4
	B.207900	MOUNTING FOR SOLENOID VALVE, ASSEMBLY ..					—	—		
7816	A.211021	Angle, mounting					1	L.72	MR/C	
4821	Std.841/22	Clip, at valve attachment					1	DTD.610	MR/C	4
10746	F.211092	Label					1	L.59	C.	
	B.205149	Mounting, valve					1	—		
5CW/1047692	—	Switch, S.P. centre "off", spring return					1	—	C.	
	F.218976	Packing, at pump					2	L.72		
	Std.1939/3	Packing, for solenoid valve support clip					1	LFS.21		5
6243	B.204904/1	Pipe, overflow, tank to coupling					1	T.55 or DTD.743	B.	NN.1
6244	B.204904/2	Pipe, pump drain to atmosphere					1	T.55 or DTD.743	C.	NN.1
6245	B.204904/3	Pipe, pump to solenoid valve					1	T.55 or DTD.743	C.	NN.1
6246	B.204904/4	Pipe, solenoid valve to non-return valve					1	T.55 or DTD.743	C.	NN.1
6247	B.204904/5	Pipe, non-return valve to fuel delivery pipe connection ..					1	T.55 or DTD.743	B.	NN.1
6248	B.204904/6	Pipe, filler coupling to adapter					1	T.55 or DTD.743	B.	NN.1
6249	B.204904/7	Pipe, vent, tank to connection					1	T.55 or DTD.743	B.	NN.1
6250	B.204904/8	Pipe, filter to pump					1	T.55 or DTD.743	C.	NN.1
6251	B.204904/9	Pipe, vent, connection to atmosphere					1	T.55 or DTD.743	C.	NN.1
6252	A.205044	Pipe, branch					1	T.55 or DTD.743	B.	NN.1
10763	F.250992	Pipe, link (Mod. 1043)					1	—	C.	
5UE/6294	Plessey	Pump, FP3 Mk. 9					1	—	A.	
6253	A.205848	Shield, heat, for non-return valve					2	S.95	C.	NN.1

RESTRICTED

RESTRICTED


Page NN.2

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

SERVICES - FUEL FILTER DE-ICING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6245†	B.205142	Strap, tank mounting (1/16" dia. hole in screw omitted)					2	DTD.166	C.	NN.1
6255	C.205140	Tank, group					1	—	B.	NN.1
6256	A.205045	Adaptor					1	—	C.	NN.1
6257	A.205270	Valve, pressure and suction relief, group					1	—	B.	NN.1
2A/9500570	—	Ball, 9/32" dia.					1	Steel	C.	
6258	F.205271	Spring					1	Steel	C.	NN.1
6259	F.205269	Spring					1	Steel	C.	NN.1
	Std.1509/23/055	Tube, distance, 5/16" o/d x 17 S.W.G. x .55" long					1	T.4		4
	Std.1509/23/072	Tube, distance, 5/16" o/d x 17 S.W.G. x .72" long					4	T.4		4
6260	F.204903	Union, jet, at fuel delivery pipe					1	—	C.	NN.1
	Teddington									
27V/4814	FAW/A/32b	Valve, solenoid					1	—	A.	
	Saunders									
27F/2661	N.1002	Valve, non-return					1	—	A.	

RESTRICTED



This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rftm
Please see site for usage terms,
and more aircraft documents.

