

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 10

Page PB.1

TAIL UNIT-FIN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9338	D 223171	FIN GROUP (Less actuator, servo motor and supporting brackets) (Mod. 794) (Complementary parts, e.g., inter component attachments, are listed on page PE.1 and will not be supplied with the assembly spare)					1	—	A	PB.1
	F.202220	Angle, for spring anchorage					1	L 72		
2930	A.185164	Angle, skin support, at lower diaphragm, port					1	DTD 610	MR/C	PB.2
2931	A.185165	Angle, skin support, at lower diaphragm, starboard					1	DTD 610	MR/C	PB.2
2932	F.183048	Angle, shroud attachment to rib G					1	DTD 610	MR/C	PB.1
2933	F.183050	Angle, shroud attachment to rib H					1	DTD 610	MR/C	PB.1
	B.227637	Angle, support, at detachable tip, port (Mod. 794)					1	DTD 610		PB.2
	B.227638	Angle, support, at detachable tip, starboard (Mod. 794)					1	DTD 610		PB.2
	C.203729	AUTOSTABILISER, ASSEMBLY (See page EF.1)					—	—	—	
2A/9500442	BAM.1/2	Bearing, lower hinge					1	—	C.	
2A/9500466	BAA.5/16B	Bearing, upper hinge					1	—	C.	
1602	F.192389	Bolt, lower hinge bearing					1	S 94 B	C.	PB.1
	A.184161	BRACKET, RUDDER CONTROL, UPPER, ASSEMBLY					—	—		
	B.222601	Bracket, starboard					1	DTD 610		PB.2
2937	B.184159	Bracket, port					1	DTD 610	MR/C	PB.2
2938	F.184160	Stiffener					1	DTD 610	MR/C	PB.2
2939	A.183547	Bracket, rudder control, lower, port					1	S 3	MR/C	PB.2
2940	A.183548	Bracket, rudder control, lower, starboard					1	S 3	MR/C	PB.2
3738	Std 840/29	Cap, for duct, upper, 7/16" wide x 22 S.W.G. x 2.9" long					1	DTD 610	MR/C	4
3742	Std 840/37	Cap, for duct, lower, 7/16" wide x 22 S.W.G. x 3.7" long					1	DTD 610	MR/C	4
—	C.171698	CONTROLS, FLYING (See section "D")					—	—	—	
	F.193403	Duct, for aerial connection, upper					1	L 54		
	A.193404	Duct, for aerial connection, lower					1	L 54		
2941	A.185201	Diaphragm, at tail rib "D"					1	DTD 610	MR/C	PB.2
2942	A.188102	Diaphragm, at detachable portion					1	DTD 610	MR/C	PB.2
—	D.229649	ELECTRICAL INSTALLATION (Mod. 794) (For details see section "E")					—	—	—	
	A.184946	Diaphragm, lower					1	DTD 610		
2944	A.186895	End, tip					1	L 53	MR/C	PB.2
	B.227636	Extension, rear spar (Mod. 794)					1	DTD 610		
193	C.186356	Fin, detachable portion					1	DTD 610	B	PB.1
	C.172170	Fornix, front					1	DTD 610		
	F.183345	HINGE, TOP, ASSEMBLY					—	—	—	
2948	B.183142	Bracket, upper					1	DTD 610	MR/C	PB.2
2949	B.183143	Bracket, lower					1	DTD 610	MR/C	PB.2
2950	A.177845	Hinge					1	—	MR/C	PB.1

RESTRICTED

RESTRICTED

Page PB 2

Hunter F G A Mk. 9
Issued with A/L No. 10

TAIL UNIT-FIN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F 183358	HINGE, BOTTOM, ASSEMBLY					—	—		
2951	F.182991	Angle, bottom					1	DTD 610	MR/C	PB.1
2952	A.172196	Fitting, hinge					1	—	MR/C	PB.1
2953	F.182992	Stpp.					1	LFS 21	MR/C	PB.1
2954	B.182990	Rib, tail "D.1"					1	DTD 610	MR/C	PB.2
2955	B.183260	Rib, tail "E"					1	DTD.610	MR/C	PB.2
4035	Std 1509/23/112	Tube, distance, 5/16" o/d x 17 S.W.G. x 1.12" long					7	T.4	MR/C	4
3815	Std 1547/20/14	Washer, profile					2	DTD 610	MR/C	4
	B.184334	PANEL, ACCESS, ASSEMBLY					—	—		
1603	Std 1700/1C	Bolt					10	S 95 B	C.	5
2956	B 184094	Landing, port					1	DTD 610	MR/C	PB.1
2957	B 184095	Landing, starboard					1	DTD 610	MR/C	PB.1
191	B.183993	Panel, access to rudder controls, port					1	DTD 610	C.	PB.1
192	B 183994	Panel, access to rudder controls, starboard					1	DTD.610	C	PB.1
	B 203386	PANEL, ACCESS, CENTRE, ASSEMBLY					—	—		
9405	A 203387	Panel, access					1	L.72	C.	PB.1
	C 216175	PANEL, REAR ACCESS, ASSEMBLY					—	—		
1603	Std 1700/1C	Bolt					15	S.95 B	C.	5
	C.222459	Landing					1	L.72		PB.1
9404	B 216176	Panel, access					1	L.72	C.	PB.1
9406	B 203448	Panel, rear access, between tail ribs "E.1" and "F"					1	L.72	C	PB.1
2959	A 183897	Plate, cover, rib "A"					1	DTD 610	MR/C	PB.2
	D 273998	RADIO, IFF, INSTALLATION ASSEMBLY					—	—		
		(See page MC.1) (Mod. 1260)								
	D 222456	Rib, interspar, "A" group					1	—		PB.2
	F 183929	Angle, forward and intermediate					1	DTD 364		
	F.183930	Angle, rear					2	DTD 364		
	D 184098/3	Boom, port					1	DTD 364		
	D 184098/2	Boom, starboard					1	DTD 364		
	B.172194	Fitting, attachment, rear, port					1	Stpg.		
	B.172195	Fitting, attachment, rear, starboard					1	Stpg.		
	B 172193	Fitting, attachment, forward					2	Stpg.		
	A 172211	Fitting, tie, aft					1	DTD 364		
	A.172208	Fitting, tie, forward					1	DTD 364		
2961	B.183362	Rib, interspar "B"					1	DTD 610	MR/C	PB.2
2962	B.183363	Rib, interspar "C"					1	DTD 610	MR/C	PB.2
2963	B.183364	Rib, interspar "D"					1	DTD.610	MR/C	PB.2
2964	B.183365	Rib, interspar "D1"					1	DTD.610	MR/C	PB.2
2965	B.183366	Rib, interspar "E"					1	DTD.610	MR/C	PB.2
	B 222455	Rib, interspar "E1"					1	L.72		PB.2
	B.222454	Rib, interspar "F" group					1	DTD 610		PB.2
	F.206970	Angle, mounting					1	L.72		
	F.203693	Bracket, mounting					1	S.3		
2968	B.183369	Rib, interspar "G"					1	DTD 610	MR/C	PB.2
2969	B.183370	Rib, interspar "H"					1	DTD 610	MR/C	PB.2
2970	B.183035	Rib, top interspar					1	DTD.610	MR/C	PB.2
2971	B.183579	Rib, nose "B"					1	DTD.610	MR/C	PB.2

RESTRICTED

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 10

Page PB.3

TAIL UNIT-FIN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2972	B.183580	Rib, nose "C"					1	DTD.610	MR/C	PB.2
2973	B.183581	Rib, nose "D"					1	DTD.610	MR/C	PB.2
2974	B.183582	Rib, nose "E"					1	DTD.610	MR/C	PB.2
2975	B.183583	Rib, nose "F"					1	DTD.610	MR/C	PB.2
2976	B.183584	Rib, nose "G"					1	DTD.610	MR/C	PB.2
2977	B.183148	Rib, nose "H"					1	—	MR/C	PB.2
	C.227639	Rib, top, at detachable tip (Mod. 794)					1	DTD.610		PB.2
2979	C.185845	Rib, bottom					1	DTD.610	MR/C	PB.2
2980	B.182978	Rib, tail "Q"					1	DTD.610	MR/C	PB.2
	B.222453	Rib, tail "E1"					1	—		PB.2
	B.222460	Rib, tail "F"					1	L.72		PB.2
2983	B.182998	Rib, tail "G"					1	DTD.610	MR/C	PB.2
2984	B.182999	Rib, tail "H"					1	DTD.610	MR/C	PB.2
2985	A.183037	Rib, tail "J"					1	DTD.610	MR/C	PB.2
2986	B.185416	Rib, lower, between rear spar and diaphragm					1	DTD.610	MR/C	PB.2
3779	Std.1356/15	Slit, lower hinge bearing					2	Laminated Aluminium	MR/C	4
3778	Std.1356/13	Slit, upper hinge bearing					2	Laminated Aluminium	MR/C	4
2987	B.183216	Shroud, below, rib D					1	DTD.610	MR/C	PB.2
2988	B.183040	Shroud, between tail ribs D and D1					1	DTD.610	MR/C	PB.2
2989	B.183042	Shroud, between tail ribs F and G					1	DTD.610	MR/C	PB.2
2990	B.183043	Shroud, between tail ribs G and H					1	DTD.610	MR/C	PB.2
2991	B.183044	Shroud, between tail ribs H and top rib					1	DTD.610	MR/C	PB.2
2992	B.183045	Shroud, between top rib and tail rib J					1	DTD.610	MR/C	PB.2
2993	B.183229	Shroud, top					1	DTD.610	MR/C	PB.2
	D.183316	Spar, front					1	DTD.610		
	D.183317	Spar, rear					1	DTD.610		
2994	F.183820	Stiffener, between tail ribs D and D1					1	DTD.610	MR/C	PB.2
	B.222457	Stiffener, starboard					1	DTD.610		PB.2
2996	A.183823	Stiffener, port					1	DTD.364	MR/C	
2997	F.183835	Stiffener					2	DTD.364	MR/C	PB.2
2998	F.183821	Stiffener, skin, tip, portion					1	DTD.364	MR/C	PB.2
—	D.223171/2	Skin, main, port (Mod. 794)					1	—	—	PB.1
		(Can be supplied as D.183036/2, Ref. 26FX/2999)								
—	D.223171/3	Skin, main, starboard (Mod. 794)					1	—	—	PB.1
		(Can be supplied as D.183036/3, Ref. 26FX/3000)								
—	D.223171/1	Skin, nose (Mod. 794)					1	—	—	PB.1
		(Can be supplied as D.183036/1, Ref. 26FX/1865)								
—	D.223171/4	Skin, tip, port (Mod. 794)					1	—	—	PB.1
		(Can be supplied as D.183036/4, Ref. 26FX/3001)								
—	D.223171/5	Skin, tip, starboard (Mod. 794)					1	—	—	PB.1
		(Can be supplied as D.183036/5, Ref. 26FX/3002)								
4892	D.204063	Tip, detachable					1	Lam. Paper	B.	PB.1
	B.186606	SLINGING, ATTACHMENT, ASSEMBLY					—	—		
	A.186592	Tube, slinging					1	—		
1506450	F.195139	Washer, special lower hinge bearing					2	S.1 or S.3	MR/C	
3769	Std.915/G12	Washer, upper hinge bearing					2	DTD.610	MR/C	4

RESTRICTED


RESTRICTED


Page PB.4

Hunter F.G.A. Mk. 9
Issued with A/L No. 10

TAIL UNIT-FIN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28D/1010658	A 25.1.B	Bolt	4	B.A.			—	—	—	
28D/9436920	A 25.1.C	Bolt	2	B.A.			—	—	—	
28D/9133011	A.25.2.C	Bolt	2	B.A.			—	—	—	
28D/12533	A.25.5.C	Bolt	2	B.A.			—	—	—	
28D/1011021	A.25.16.C	Bolt	2	B.A.			—	—	—	
28D/1011242	A.25.7.E	Bolt	1/4"	B.S.F.			—	—	—	
28D/1010031	A.25.8.E	Bolt	1/4"	B.S.F.			—	—	—	
28D/1007975	AS.1242/1C	Bolt	2	B.A.			—	—	—	
28D/13132	AS.3297/1C	Bolt	2	B.A.			—	—	—	
28D/14129	A30/12G	Bolt	5/16"	B.S.F.			—	—	—	
28M/10327	AGS.2002/B1	Nut	4	B.A.			—	—	—	
28M/10328	AGS.2002.C1	Nut	2	B.A.			—	—	—	
29M/9435067	AGS.2008.C1	Nut	2	B.A.			—	—	—	
28M/753	A16.Y.CT	Nut	2	B.A.			—	—	—	
28M/776	A16.Y.EY	Nut	1/4"	B.S.F.			—	—	—	
28M/9403520	A27.CP	Nut	2	B.A.			—	—	—	
28M/13122	A27.G.S.	Nut	5/16"	B.S.F.			—	—	—	
28M/7727	AGS.572/E	Nut	1/4"	B.S.F.			—	—	—	
28S/9135205	A33.C.28	Screw	2	B.A.			—	—	—	
28W/9419474	SP.15.B	Washer	4	B.A.			—	—	—	
28W/9419475	SP.15.C	Washer	2	B.A.			—	—	—	
28W/9419476	SP.15.G	Washer	5/16"	B.S.F.			—	—	—	
28W/9419477	SP.15.J	Washer	3/8"	B.S.F.			—	—	—	
28W/9419404	SP.16.C	Washer	2	B.A.			—	—	—	
28W/9419487	SP.16.E	Washer	1/4"	B.S.F.			—	—	—	





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

