

RESTRICTED

Page PC.1

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

TAIL UNIT - RUDDER

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
11071	D.259632	RUDDER GROUP (Mod. 1189)					1	—	A.	PC.1
		(Complementary parts, e.g., intercom- ponent attachments, are listed on Page PE.1, and will not be supplied with the assembly spare)								
1596	—	Bearing, top, group					1	—	C.	PC.1
		Consisting of:—								
	A.177979	Block, bearing) Not supplied separately					1	Stamping		
	A.177978	Cap, bearing)					1	Stamping		
1597	—	Bearing, bottom, group					1	—	C.	PC.1
		Consisting of:—								
	A.177977	Block, bearing) Not supplied separately					1	Stamping		
	A.177976	Cap, bearing)					1	Stamping		
	F.183594	Block, spacer					1	—		
1598	Std.1553/C30	Bolt, attachment of lever					4	S.99.B	C.	5
1599	F.186349	Bolt, attachment of top bearing cap					2	S.1	C.	PC.1
1600	F.186350	Bolt, attachment of lower bearing cap					2	S.1	C.	PC.1
1601	Std.1639/3CX	Bolt, attachment of bearing blocks to spar					4	S.95.B	C.	5
5664	Std.1639/4CX	Bolt, attachment of bearing blocks to spar					4	S.95.B	C.	5
9411	F.213724	Bolt, special, correction of trim tab shaft					1	S.95.B	C.	PC.1
	B.214414	Channel, sub, spar					1	L.72		
2863	A.184335	Diaphragm, at rib No. 4, between main and sub spars					1	DTD.610	MR/C	PC.2
2964	F.183758	Diaphragm, at rib No. 3, between main and sub spars					1	DTD.610	MR/C	PC.2
2865	A.183759	Diaphragm, upper, aft of lever, between main and sub spars					1	DTD.610	MR/C	PC.2
2866	A.183760	Diaphragm, lower, aft of lever, between main and sub spars					1	DTD.610	C.	PC.2
	A.185826	Duct, cable					1	L.54		
	A.177975	Lever, operating					1	Stamping		
	B.183591	Member, top edge					1	L.53		
	C.226221	Nosing, assembly					1	—		
	A.226214	Bracket, mounting lower, for lower channel					1	S.510		PC.1
	A.226213	Bracket, mounting upper, for lower channel					1	S.510		PC.1
	A.226212	Bracket, mounting, lower, for channel between ribs No. 4 and 5					1	S.510		PC.1
	A.226211	Bracket, mounting upper, for channel between ribs No. 4 and 5					1	S.510		PC.1
	A.226216	Bracket, mounting, lower, for channel between ribs No. 5 and 6					1	S.510		PC.1
	A.226215	Bracket, mounting upper, for channel between ribs No. 5 and 6					1	S.510		PC.1
2869	F.184187	Bracket, mounting lower, for channel between ribs No. 8 and 9					1	S.3	MR/C	PC.1
2879	B.184423	Channel, mounting for balance weight, between ribs No. 1 and 2					1	DTD.610	MR/C	PC.1
2880	B.184422	Channel, mounting for balance weight, between ribs No. 4 and 5					1	DTD.610	MR/C	PC.1
2881	B.184421	Channel, mounting for balance weight, between ribs No. 5 and 6					1	DTD.610	MR/C	PC.1
2883	B.184419	Channel, mounting for balance weight, between ribs No. 8 and 9					1	DTD.610	MR/C	PC.1
	F.217958	Channel					1	L.72		PC.1

RESTRICTED

RESTRICTED

Page PC.2

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

TAIL UNIT - RUDDER

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.225603					Packing, at balance weight, between ribs No. 4	1	S.512		
						and 5				
	F.225604					Packing, at balance weight, between ribs No. 1	1	S.521		
						and 2				
	F.225605					Packing, at balance weight, between ribs No. 5	1	S.521		
						and 6				
2884	D.184080/2					Skin, bottom	1	DTD.610	C.	PC.1
2885	D.184080/1					Skin, top	1	DTD.610	C.	PC.1
4283	F.183706					Stop	1	DTD.364	MR/C	PC.1
11780	A.226285					Weight, mass balance	AR	Lead	B.	PC.1
	or									
11779	A.226284					Weight, mass balance	1	Lead	B.	PC.1
9409	B.203279					Panel, nosing	1	L.72	C.	PC.1
9410	Std.1221Z/A25					Pin	1	St. Steel	C.	PC.1
2867	F.148758					Plate, locating, on lower hinge bearing cap	2	STS.610	MR/C	PC.1
2868	F.165348					Plate, locating, on lower hinge bearing block	2	L.40 or DTD.364	MR/C	PC.1
2887	C.183466					Rib, No. 1	1	DTD.610	MR/C	PC.2
2888	C.183467					Rib, No. 2	1	DTD.610	MR/C	PC.2
2889	B.183468					Rib, No. 3 (Angle F.188811 wired on)	1	DTD.610	MR/C	PC.2
2890	B.183469					Rib, No. 4 (Angle F.188811 wired on)	1	DTD.610	MR/C	PC.2
2891	C.183470					Rib, No. 5	1	DTD.610	MR/C	PC.2
2892	C.183471					Rib, No. 6	1	DTD.610	MR/C	PC.2
2893	B.183472					Rib, No. 7	1	DTD.610	MR/C	PC.2
2894	C.183473					Rib, No. 8 (Angle F.183480 wired on)	1	DTD.610	MR/C	PC.2
2895	B.183474					Rib, No. 9	1	DTD.610	MR/C	PC.2
2896	B.183475					Rib, No. 10	1	DTD.610	MR/C	PC.2
2897	F.183691					Rib, nose, bottom	1	DTD.610	MR/C	PC.2
2898	F.183692					Rib, nose, below lower hinge	1	DTD.610	MR/C	PC.2
2899	F.183693					Rib, nose, between lower hinge	1	DTD.610	MR/C	PC.2
2900	A.183694					Rib, nose, above lever	1	S.3	MR/C	PC.2
	A.203277					Rib, nose, above trim tab shaft attachment	1	L.72		PC.2
	A.203278					Rib, nose, below trim tab shaft attachment	1	L.72		PC.2
2901	A.183695					Rib, nose, at rib No. 4	1	S.3 and DTD.610	MR/C	PC.2
2902	F.183696					Rib, nose, between ribs No. 4 and 5	1	DTD.610	MR/C	PC.2
2903	F.183697					Rib, nose, at rib No. 5	1	DTD.610	MR/C	PC.2
2904	F.183698					Rib, nose, lower, at rib No. 6	1	DTD.610	MR/C	PC.2
2905	F.183699					Rib, nose, upper, at rib No. 6	1	DTD.610	MR/C	PC.2
2906	F.183700					Rib, nose, between ribs No. 6 and 7	1	DTD.610	MR/C	PC.2
2907	F.183701					Rib, nose, below upper hinge	1	DTD.610	MR/C	PC.2
2908	F.183702					Rib, nose, at rib No. 8	1	DTD.610	MR/C	PC.2
2909	F.183703					Rib, nose, at rib No. 9	1	DTD.610	MR/C	PC.2
2910	F.183704					Rib, nose, at rib No. 10	1	DTD.610	MR/C	PC.2
2911	A.183568					Section, trailing edge, between ribs No. 1 and 2	1	—	MR/C	PC.2
2912	B.183569					Section, trailing edge, between rib No. 5 and top	1	—	MR/C	PC.1
						edge member				
11559	B.203272					Shaft, operating trim tab, group	1	—	B.	PC.1
28R/13507	Hoffmann CF.2.A					End, rod	1	—	C.	
	D.259632/1					Skin, port (Mod. 1189)	1	L.72		PC.1
	D.259632/2					Skin, starboard (Mod. 1189)	1	L.72		PC.1
	D.214411					Spar, main	1	L.72		
2915	A.183757					Spar, sub, forward, between ribs No. 1 and 2	1	DTD.610	MR/C	PC.2

RESTRICTED

RESTRICTED

Page PC.3

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

TAIL UNIT - RUDDER

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2916	C.183756	Spar	sub,	forward,	between ribs No. 2 and 5		1	DTD.610	MR/C	PC.2
2917	A.183571	Spar	sub,	forward,	between ribs No. 7 and 5		1	DTD.610	MR/C	PC.2
2918	A.183570	Spar	sub,	forward,	between ribs No. 8 and 9		1	DTD.610	MR/C	PC.2
2919	A.183511	Spar	sub,	aft,	between ribs No. 1 and 2		1	DTD.610	MR/C	PC.2
	C.214410	Spar	sub,	aft,	between ribs No. 2 and 5, at trim		1	DTD.610		PC.2
					tab (Angle F.188812 wired on)					
2921	A.183509	Spar	sub,	aft,	between ribs No. 5 and 6		1	DTD.610	MR/C	PC.2
2922	A.183508	Spar	sub,	aft,	between ribs No. 6 and 7		1	DTD.610	MR/C	PC.2
2923	A.183507	Spar	sub,	aft,	between ribs No. 7 and 8		1	DTD.610	MR/C	PC.2
2924	A.183506	Spar	sub,	aft,	between ribs No. 8 and 9		1	DTD.610	MR/C	PC.2
2925	A.183505	Spar	sub,	aft,	between ribs No. 9 and 10		1	DTD.610	MR/C	PC.2
	A.259639	Spoilers	(Shown on C.259641)	(Mod. 1189)			1	L.72		
	A.259640	Spoilers	(Shown on C.259641)	(Mod. 1189)			1	L.72		
2926	C.183884	Stiffener,	port				1	DTD.610	MR/C	PC.2
2927	C.183885	Stiffener,	starboard				1	DTD.610	MR/C	PC.2
2928	F.183572	Strap,	butt,	at nosing assembly skin joints			2	DTD.610	MR/C	PC.1
9739	C.228569	Tab,	trim	(Mod. 1189)			1	—	B.	PC.1
3814	Std.1547/26/18	Washer,	for operating lever fixings				4	DTD.610	MR/C	4
4254	F.184538	Washer,	tab,	for balance weight fixings			8	DTD.171	MR/C	PC.1
4255	A.184130	Weight,	balance,	between ribs No. 1 and 2			1	—	MR/B	PC.1
	A.202802	Weight,	balance,	between ribs No. 4 and 5			1	—		PC.1
	A.202803	Weight,	balance,	between ribs No. 5 and 6			1	—		PC.1
4258	C.198285	Weight,	balance,	between ribs No. 6 and 7			1	—	MR/B	PC.1
4259	A.184125	Weight,	balance,	between ribs Nos. 8 and 9			1	—	MR/B	PC.1

RESTRICTED

RESTRICTED


Page PC.4


Hunter F.G.A. Mk. 9
Issued with A/L No. 11

TAIL UNIT - RUDDER

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28D/9436920	A.25.1.C	Bolt, 2	B.A.				—	—	—	
28D/9133011	A.25.2.C	Bolt, 2	B.A.				—	—	—	
28D/12534	A.25.9.C	Bolt, 2	B.A.				—	—	—	
28D/12515	A.25.10.C	Bolt, 2	B.A.				—	—	—	
28D/12538	A.25.15.C	Bolt, 2	B.A.				—	—	—	
28D/1011021	A.25.16.C	Bolt, 2	B.A.				—	—	—	
28D/1007975	AS.1242.1C	Bolt, 2	B.A.				—	—	—	
28D/8307	AS.1242/2C	Bolt, 2	B.A.				—	—	—	
28D/8308	AS.1242/3C	Bolt, 2	B.A.				—	—	—	
28D/10168	AS.1242/11C	Bolt, 2	B.A.				—	—	—	
28M/10328	AGS.2002/C1	Nut, 2	B.A.				—	—	—	
28M/9144673	AGS.2019/C1	Nut, 2	B.A.				—	—	—	
28M/13121	A.27.CS	Nut, 2	B.A.				—	—	—	
28M/1006473	A.27.CT	Nut, 2	B.A.				—	—	—	
28M/1011467	A.27.ES	Nut, 1/4"	B.S.F.				—	—	—	
28P/19225	SP.90.C3	Pin, split					—	—	—	
28P/19154	SP.90.C7	Pin, split					—	—	—	
28S/3419	A.33/C8	Screw, 2	B.A.				—	—	—	
28W/9419475	SP.15.C	Washer, 2	B.A.				—	—	—	
28W/9419404	SP.16.C	Washer, 2	B.A.				—	—	—	

RESTRICTED





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

