

RESTRICTED

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

Page RD.1

UNDERCARRIAGE - NOSE WHEEL DOORS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		DOORS, NOSEWHEEL, ASSEMBLY					—	—	—	
5387	D.188115 Std.323/68N	Bolt, attachment of operating rod to rear nosewheel door					2	S.95.B	C.	4
682	F.188114	Bolt, rear door attachment to keel member					2	S.94.B	C.	RE.1
8506	E.221074	Door, forward, group					1	—	A.	RE.1
685	Std.323/48	Bolt, attachment of door lock micro-switch lever					2	S.95.B	C.	4
9787	Std.1988/110N	Bolt, attachment of operating lever to hinge					2	S.95.B	C.	RE.1
8445	Std.1639/1BX	Bolt, attachment of lock cover					6	S.95.B	C.	5
8440	Std.1639/2BX	Bolt, attachment of tie to former					2	S.95.B	C.	5
8444	Std.1639/9BX	Bolt, attachment of micro-switch					4	S.95.B	C.	5
1506458	Std.1639/1CZ	Bolt, attachment, support brackets					4	S.95.B	C.	5
684	F.170586	Bolt, hinge					2	S.95.B	C.	RE.1
8509	F.220194	Bolt, lock attachment					4	S.95.B	C.	RE.1
8504	F.218847	Bolt, special, attaching spring housing and lock					4	S.95.B	C.	RE.1
686‡	A.187661	Bracket, door lock cover support, port					1	S.3	C.	RE.1
687‡	A.187662	Bracket, door lock cover support, starboard					1	S.3	C.	RE.1
—	—	Cables (See cable chart)					—	—	—	
8497	B.219749	Cover, door lock, port					1	S.3	C.	RE.1
8498	B.219750	Cover, door lock, starboard					1	S.3	C.	RE.1
8507	B.221073	Duct, cable					1	—	C.	RE.1
6168	Hellermann G.2553	Grommet					2	—	C.	
8508	A.220610	Guide					2	—	C.	RE.1
691	B.188320	Hinge, port					1	Stmpg.	C.	RE.1
692	B.188321	Hinge, starboard					1	Stmpg.	C.	RE.1
8500	F.218878	Housing, spring, port					1	S.95.B	C.	RE.1
8501	F.218879	Housing, spring, starboard					1	S.95.B	C.	RE.1
9549	B.222397	Lever, hinge, port, group					1	—	B.	RE.1
4488	Std.1718/1	Nut					1	—	C.	5
8420	F.217874	Pin					1	S.94	C.	RE.1
9550	B.222398	Lever, hinge, starboard, group					1	—	B.	RE.1
4488	Std.1718/1	Nut					1	—	C.	5
8420	F.217874	Pin					1	S.94	C.	RE.1
6622	F.210047	Lever, door lock micro-switch, port					1	—	C.	RE.1
6623	F.210048	Lever, door lock micro-switch, starboard					1	—	C.	RE.1
8503	F.218761	Lever, between slide in spring housing and door lock					2	S.95.B	C.	
8455	B.219281	Lock, door, group					2	—	B.	RE.1
697	F.187678	Piece, filling, hinge, port					1	LFS.21	C.	RE.1
698	F.187679	Piece, filling, hinge, starboard					1	LFS.21	C.	RE.1
699	F.187671	Pin, attachment of door lock lever to operating rod ..					2	S.2	C.	RE.1
9428	F.276292	Pin, securing operating rod attachment pin					4	DTD.253	C.	
8499	B.218821	Rod, operating door locks					2	—	C.	RE.1
8439	F.217468	Shim, between tie and former					2	Brass	C.	
8502	F.218763	Slide, in spring housing					2	BSS.369	C.	RE.1

RESTRICTED

RESTRICTED

Page RD.2

Hunter F.G.A. Mk. 9
Issued with A/L No. 11

UNDERCARRIAGE - NOSE WHEEL DOORS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6239	F.205562					Spring, in spring housing	2	DTD.215	C.	RE.1
6624	F.209950					Stop	2	S.95.B	C.	RE.1
5F/9454141	NY.18007A					Strapping, cable attachment to saddle	QR	—	C.	
5F/9138822	NY.3342					Stud, cable attachment to saddle	1	—	C.	
5CW/1931994	Pye 4015					Switch, micro, type 401/S	2	—	B.	
	B.218685					Tie, at rear of door	1	—		
3785	Std.1507/24/078					Tube, distance, hinge lever stop	2	T.4	MR/C	RE.1
4150	Std.915/C22					Washer, at operating rod attachment pin	2	DTD.610	C.	4
702	Std.1208/75/24/10					Washer, shim at attachment of hinge bolt	QR	Shim Steel	C.	RE.1
8597	D.221644					Door, rear, group	1	—	A.	RE.1
703	F.183256					Block, hinge	2	—	C.	RE.1
704	F.187373					Block, pivot, port	1	Casting	C.	RE.1
705	F.187374					Block, pivot, starboard	1	Casting	C.	RE.1
10860	A.219788					Bracket, reinforcing, port	1	—	C.	
						(Supplied loose with spare door)				
9570	A.219789					Bracket, reinforcing, starboard	1	—	C.	
						(Supplied loose with spare door)				
706	A.179926					Panel, access to hinge block attachment bolts	1	DTD.610	C.	RE.1
	F.219813					Shim, under reinforcing bracket	12	L.72	—	
						(Supplied loose with spare door)				
						(Make from 30B/9611222, Q.R.)				
707	F.170584					Pin, hinge, forward nosewheel door	2	S.94.B	C.	RE.1
708	A.187814					Rod, rear nose wheel door, group	2	—	B.	RE.1
709	F.187818					Spring	1	DTD.239	C.	RE.1
710	Std.1208/62/20/5					Shim, at attachment of rear door to keel member	QR	Shim Steel	C.	4

RESTRICTED

Page RD.3

Hunter F.G.A. Mk. 9
 Issued with A/L No. 4

UNDERCARRIAGE—NOSE WHEEL DOORS

Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5	6	7	8				
SUMMARY OF STOCK ITEMS													
28D/9133011	A.25.2.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	—
28D/9133012	A.25.3.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	—
28D/12533	A.25.5.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	—
28D/12536	A.25.13.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	—
28D/1011246	A.25.11.E	Bolt, 1" B.S.F.	...	...	...	...	...	...	...	—	—	—	—
28D/8307	AS.1242.2C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	—
28D/8316	AS.1242/13C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	—
28D/1013301	AS.1242/4C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	—
28D/9428	AS.1248/9C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	—
28D/10471	AS.1248/11C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	—
28N/9796	SP.21	Nipple, lubricating	...	...	...	...	...	...	...	—	—	—	—
28M/9419526	A.26/Y/CP	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	—
28M/9403520	A.27.CP	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	—
28M/11121	A.27.C5	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	—
28M/1006473	A.27.C1	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	—
28M/1011467	A.27.ES	Nut, 1" B.S.F.	...	...	...	...	...	...	...	—	—	—	—
28M1011476	A.27.JS	Nut, 3/8" B.S.F.	...	...	...	...	...	...	...	—	—	—	—
28M/10328	AGS.2002/C1	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	—
28S/9992525	A.32.B.12	Screw, 4 B.A.	...	...	...	...	...	...	...	—	—	—	—
28W/9419454	SP.10.C	Washer, 2 B.A....	...	...	...	...	...	...	...	—	—	—	—
28W/9419402	SP.13.C	Washer, 2 B.A....	...	...	...	...	...	...	...	—	—	—	—
28W/9418921	SP.13.E	Washer, 1" dia.	...	...	...	...	...	...	...	—	—	—	—
28W/9419403	SP.13.G	Washer, 5/16" dia.	...	...	...	...	...	...	...	—	—	—	—
28W/9419466	SP.13.J	Washer, 3/8" dia.	...	...	...	...	...	...	...	—	—	—	—
28W/9419474	SP.15.B	Washer, 4 B.A....	...	...	...	...	...	...	...	—	—	—	—
28W/9419475	SP.15.C	Washer, 2 B.A....	...	...	...	...	...	...	...	—	—	—	—
28W/9419486	SP.16.B	Washer, 4 B.A....	...	...	...	...	...	...	...	—	—	—	—
28W/9419404	SP.16.C	Washer, 2 B.A....	...	...	...	...	...	...	...	—	—	—	—
28W/9416316	SP.41.E	Washer, 1" B.S.F.	...	...	...	...	...	...	...	—	—	—	—
28W/704	AGS.194/4	Washer, tab	...	...	...	...	...	...	...	—	—	—	—

RESTRICTED

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

