

FLYING CONTROLS—OUTER WING

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
		1 2 3 4 5				
	D.181483—4	FLYING CONTROLS, OUTER WING, ASSEMBLY	—	—		
	8358 A.215630	Bolt, flap, inboard hinge (Mod. 481)	2	S.95.B	C.	DG.2
	8356 A.215628	Bolt, flap, inner and outer hinges (Mod. 481)	4	S.95.B	C.	DG.2
	8357 A.215629	Bolt, flap hinge at flap jack (Mod. 481)	2	S.95.B	C.	DG.2
	137 F.170109	Bolt, flap jack, operating lever attachment	2	S.95	C.	DG.2
	10514 Std.1639/13EX	Bolt, at idling link fulcrum	2	S.95.B	C.	5
	C.199991	DETAILS IN PORT WING, ASSEMBLY	—	—		
10	12208 F.185694	Angle, connector rod anchor, flap inboard bearing bracket	1	L168	C.	
	8436 A.199188	Cable, operating desynn transmitter, group	1	—	C.	DG.2
	29H/4109 Latch & Batchelor 1/00	Consisting of:— Cable, flexible, special, 1/32" dia.	25"	—	C.	
10	29H/1250086	Casing, outer	21"	—	C.	
10	29H/1250087	Ferrule, plain	2	—	C.	
10	29H/1250079	Nipple	1	—	C.	
	11042 F.189497	Nipple, special	1	B.11	C.	
	Bowden 64/103	Nut (Ajt. to Bowden PN.1160)	1	—		
	29H/— Bowden PN.1160	Nut (Ajt. to Bowden 64/103)	1	—	C.	
10	29H/1250088	Stop, adjusting	1	—	C.	
	1310 A.185383	Lever, flap interconnecting, inboard hinge	1	—	C.	DG.2
10	148 F.176488	Lever, flap interconnecting, inboard hinge	1	L168	C.	DG.2
	4482 F.199213	Link, at desynn transmitter	1	L.72	C.	DG.2
	153 F.181946	Peg, attachment of flap levers, inboard, hinge	1	S.95.B	C.	DG.2
	154 Std.1221/Y/B40	Pin, attachment of control rod to position indicator lever	2	S.2	C.	4
	1315 F.185697	Rod, connecting levers, flap inboard bearing bracket	1	—	C.	DG.2
10	4480 F.199191	Shackle, at desynn transmitter	1	S510	C.	DG.2
	4469 F.157015	Spring, at desynn transmitter	1	Steel	C.	DG.2
	C.185037—8	FLAP SYNCHRONISING, JACK MOUNTING, ASSEMBLY	—	—		
10	4218 A.198798	Adaptor	4	L168	C.	DG.2
	1305 C.185039—40	Blocks, bearing, port	1 pr.	—	C.	DG.2
	1307 C.185041—2	Blocks, bearing, starboard	1 pr.	—	C.	DG.2
	74 Std.1553/C40	Bolt, special	16	S.99.B	C.	5
	1304 F.185860	Bolt, securing jack to lever	2	S.99.B	C.	DG.2
	4219 F.191499	Bolt, banjo	4	S.95.B	C.	DG.2
	7680 Std.1231/3B	Lug, locking	4	S.2	MR/C	4
	4214 A.198842/1	Pipe, greaser, port, inner	1	—	C.	DG.2
	4215 A.198842/2	Pipe, greaser, starboard, inner	1	—	C.	
	4216 A.198842/3	Pipe, greaser, port, outer	1	—	C.	DG.2
	4217 A.198842/4	Pipe, greaser, starboard, outer	1	—	C.	
10	27Q/4118311 Dowty SP.815/3	Seal	4	—	C.	
	F.202783	Shim, flap synchronising jack mounting	QR	L.72		
	F.202784	Shim, flap synchronising jack mounting	QR	L.72		
	F.202785	Shim, flap synchronising jack mounting	QR	L.72		
	F.202786	Shim, flap synchronising jack mounting	QR	L.72		
	4150 Std.915/C22	Washer	4	DTD.610	C.	4

FLYING CONTROLS-OUTER WING


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
138	B.182043	Lever, aileron, inboard, group					2	—	B.	OG.1
2A/9500415	B.R.A.½	Bearing					2	—	C.	
	Std.1357/40	Ferrule					4	S.2		4
5783	A.120920	Sleeve					1	S.2	C.	OG.1
	Std.184/58	Washer					4	S.2		4
146	B.181399	Lever, aileron control, rib "L"					2	—	B.	OG.1
151	A.181278	Link, idling, aileron control					4	—	C.	OG.1
	C.201270-1	LINKAGE, AILERON BOOSTER, ASSEMBLY					—	—		
127	A.181938	Bearing, aileron booster unit					2	—	C.	OG.1
130	F.182035*	Bolt, attachment of bearing blocks at aileron booster unit					32	S.95.B	C.	
5278	Std.1639/4EX	Bolt, attachment of bearing blocks at aileron booster unit					32	S.95.B	C.	5
5257	F.201358	Bolt, attachment for booster unit to lever					2	S.95.B	C.	OG.1
5262	C.201270/A	Housing, bearing, port, group					1	—	B.	OG.1
		Consisting of:—								
12511	Std.1553/E.145	Bolt					1	S.99	C.	5
	B.201276	Housing, group					1	—		
	F.168683	Stud					2	H.T.S.		
4189	F.198959	Stud					2	H.T.S.	C.	OG.1
28M/1011467	A27.E5	Nut, 1/4" B.S.F.					1	—	C.	
28P/9429528	SP.9.C8	Pin, split					1	—	C.	
	A.201278	Plug, end					1	H.T.S.		
28W/14183	AS.1903/E12	Washer, saddle					2	—	C.	
5263	C.201271/A	Housing, bearing, starboard, group					1	—	B.	OG.1
		Consisting of:—								
	Std.1553/E.145	Bolt					1	S.99		5
	B.201277	Housing, group					1	—	—	—
	F.168683	Stud					2	H.T.S.		
4189	F.198959	Stud					2	H.T.S.	C.	OG.1
28M/1011467	A27.E5	Nut, 1/4" B.S.F.					1	—	C.	
28P/9429528	SP.9.C8	Pin, split					1	—	C.	
	A.201278	Plug, end					1	H.T.S.		
28W/14183	AS.1903/E12	Washer, saddle					2	—	C.	
10896	B.255482	Lever, aileron booster unit, port, group (Mod. 1133)					1	—	B.	OG.1
10897	B.255483	Lever, aileron booster unit, starboard group (Mod. 1133)					1	—	B.	OG.1
2A/9501242	BRL.5/8	Bearing					2	—	C.	
1560	A.191949	Block, bearing					2	Stamping	C.	OG.1
1561	F.191951	Bolt, bearing retaining					2	S.96.B	C.	OG.1
132	F.182095	Bolt, shackle attachment					2	S.95.B	C.	OG.1
1562	A.191950	Cap, bearing retaining					2	DTD.346	C.	OG.1
	C.201274	Lever, port, group					1	—		
	C.201275	Lever, starboard, group					1	—		
5261	F.202435	Bush					2	BSS.369	C.	OG.1
12163	Std.1357/37	Ferrule					4	S.2	C.	4
12164	Std.1357/38	Ferrule					4	S.2	C.	4
174	F.182015	Pin, lever attachment					2	S.97.B	C.	OG.1


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.182065					Lever, port, group	1	—		
	B.182066					Lever, starboard, group	1	—		
10051	F.168914					Bush, special	2	S.95.B	C.	
12165	Std.1357/41					Ferrule	4	S.2	C.	4
27KF/4542728	Std.1357/42					Ferrule	4	S.2	C.	4
10895	A.254844					Shackle, group (Mod. 1133)	2	—	B.	DG.1
2A/9500365	ACL.5/8					Bearing, contact	2	—	C.	
11444	F.168716					Spindle	2	S.95.B	C.	
11191	F.168717					Spindle	2	S.95.B	C.	
7959	F.214989					Washer, special, for shackle (Mod. 467)	QR	S.1	C.	DG.1
7960	F.214990					Washer, special, for shackle (Mod. 467)	QR	S.1	C.	DG.1
7961	F.214991					Washer, special, for shackle (Mod. 467)	QR	S.1	C.	DG.1
7962	F.214992					Washer, special, for shackle (Mod. 467)	QR	S.1	C.	DG.1
1501	F.190470					Washer, special	2	DTD.610	C.	DG.1
1559	F.192086					Washer, bearing attachment bolt	2	S.510	C.	DG.1
8053	Std.1208/180/ 88/20					Washer, shim, between levers	QR	Shim Steel	C.	4
8054	Std.1208/180/ 88/30					Washer, shim, between levers	QR	Shim Steel	C.	4
8055	Std.1208/180/ 88/45					Washer, shim, between levers	QR	Shim Steel	C.	4
4109	F.199249					Plate, locking, for bearing block	2	S.510	C.	
4110	F.199250					Plate, locking, for bearing block	14	S.510	C.	
10515	B.232006					Rod, control, group (Mod. 933)	2	—	B.	DG.1
						Consisting of:—				
10566	A.232008					Fork, end	1	S.95	C.	DG.1
10667	F.232007					Nut, special	1	S.98	C.	DG.1
	B.232006/1					Rod	1	S.154		
157	F.181791					Shackle	2	Stamping	B.	DG.1
7122	F.210462					Shim, for linkage	QR	DTD.166	C.	
7123	F.210463					Shim, for linkage	QR	DTD.166	C.	
7124	F.214464					Shim, for linkage	QR	DTD.166	C.	
7125	F.210465					Shim, for linkage	QR	DTD.166	C.	
7126	F.210466					Shim, for linkage	QR	DTD.166	C.	
7127	F.210467					Shim, for linkage	QR	DTD.166	C.	
7128	F.210468					Shim, for linkage	QR	DTD.166	C.	
7129	F.210469					Shim, for linkage	QR	DTD.166	C.	
8362	F.215654					Plate, locking (Mod. 481)	2	DTD.166	C.	DG.2
8360	F.215167					Sleeve, flap, inboard hinge (Mod. 481)	2	S.95.B	C.	DG.2
8359	F.215166					Sleeve, flap, inner and outer hinges (Mod. 481)	4	S.95.B	C.	DG.2
8361	F.215165					Sleeve, flap hinge at jack (mod. 481)	2	S.95.B	C.	DG.2
164	A.180993					Tube, aileron control, inboard, port	1	—	B.	DG.1
165	A.180994					Tube, aileron control, inboard, starboard	1	—	B.	DG.1
166	A.180995					Tube, aileron control, between tail ribs "E" and "G" ...	2	—	B.	DG.1
1502	A.191584					Tube, aileron control, between tail ribs "G" and "L" ... group	2	—		

MOD 933

RESTRICTED

PLATE NO. 106.1-
(ISSUE II)







This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.