

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
		1 2 3 4 5				
		ELECTRICAL EQUIPMENT—CENTRE FUSELAGE	—	—		
5J/9496080	G.251670	Accumulator, Varley Type "J" (Mod. 386)	2	—	B.	
	—	(Pre Mod. 1436)				
	C.331985	Battery, with revised venting introduced	—	—	—	
		(Mod. 1436)				
5J/6546954	Varley	Battery	2		B.	
	24.19/25C/V2					
5J/6485307	Varley V2092	Outlet vent	2		C.	
	L187/2					
	B.206477	BLOCK, TERMINAL, No. 11, ASSEMBLY	—	—		
5X/1004088	Plessey CZ.24285	Block, terminal, 10-way	1	—	B.	
10M/9462765	Plessey CZ.26808	Cover	1	—	B.	
5X/1004082	Plessey Z.50210	Link, connecting, 2-way	1	—	C.	
5X/9450403	Plessey Z.28426	Pillar	2	—	C.	
	B.206478	BLOCK, TERMINAL, No. 12, ASSEMBLY	—	—		
5X/1004088	Plessey CZ.24285	Block, terminal, 10-way	1	—	B.	
10H/9462765	Plessey CZ.26808	Cover	1	—	B.	
5X/4491423	Plessey Z.50212	Link, commoning, 4-way	2	—	C.	
5X/9450403	Plessey Z.28426	Pillar	2	—	C.	
	A.216517	BLOCK, TERMINAL, No. 84, ASSEMBLY	—	—		
		(Mod. 452)				
5D/4340939	—	Box, junction, 5-way	1	—	B.	
5K/4329498	—	Disc, blanking	3	—	C.	
5K/4329334	—	Nut, gland	3	—	C.	
	A.216803	BLOCK, TERMINAL, No. 89, ASSEMBLY	—	—		
		(Mod. 386)				
5X/9482906	AS.2654	Block, terminal, H.D.	1	—	C.	
5X/9704508	AS.2655	Cover	1	—	C.	
	A.215761	Box, terminal, No. 83, group (Mod. 452)	1	—		
5X/1004088	Plessey CZ.24285	Block, terminal, 10-way	1	—	B.	
	A.215762	Box	1	—		
	8480	Lid	1	L.16	C.	
5X/1004082	Plessey Z.50210	Link, terminal connecting, 2-way	1	—	C.	
6A/4333790	Smiths	Box, relay (Mod. 266)	1	—	A.	
	Waymouth JX.15					
6A/4333789	Smiths	Box, relay (Mod. 266)	1	—	A.	
	Waymouth JX.13					
	D.250639	Box, junction, No. 1, group	1	—		
	D.213196	Box, junction	1	—		
5X/1002695	Plessey	Block, terminal, 20-way	4	—	B.	
	CZ.23212/1					
	—	Cable, E9/A (See Cable Chart)	1	—	LM	
	C.334172/1	Diagram, wiring (Mod. 1443)	1	Photo		
28FP/9430815	Dzus A4/30	Fastener	2	—	C.	
28FP/9409315	Dzus GA4/250	Grommet	2	—	C.	
	6714	Lid, group	1	—	B.	
5X/1012122	Plessey Z.50218	Link, 10-way	1	—	C.	
	Plessey Z.50214	Link, 6-way	1	—		
5X/1004083	Plessey Z.50211	Link, 3-way	1	—	C.	
5X/1004082	Plessey Z.50210	Link, terminal connecting 2-way	4	—	C.	
5X/1004086	Plessey Z.50219	Link, transverse	2	—	C.	
	7812	Plate, tapped	1	L.72	MR/C	
	7813	Plate, tapped	1	L.72	MR/C	
	7814	Plate, tapped	1	L.72	MR/C	
	7815	Plate, tapped	1	L.72	MR/C	
5X/4500160	Plessey	Plug, code 4	1	—	B.	
5X/4500164	Plessey	Plug, code 8	1	—	B.	
5X/4500170	Plessey	Plug, code 14	1	—	B.	
5X/4500177	Plessey	Plug, code 21	11	—	B.	
5X/1005131	—	Sleeve, 4—7 amp.	19	—	C.	
5X/1005132	—	Sleeve, 7—19 amp.	2	—	C.	
5K/4346693	RC.2120	Tag	QR	—	C.	
5K/4346711	RC.2121	Tag	QR	—	C.	
5K/	RC.2122	Tag	QR	—	C.	
5D/4341105	—	Box, distribution, R.P. firing (Mod. 1100)	1	—	A.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	C.274660	Box, junction, Arm No. 1, group (For aircraft without . . . Mod. 229) (Mod. 1255) (with wiring diagram B.265289/1)					1	—		
5X/1997586	Plessey CZ.72441	Block, terminal, 5-way					9	—	B.	
	C.251907	Box, detail					1	L.59		
	A.202570	Cable, arm earthing					1	—		
	A.159698	Ferrule					2	BSS.265		
5CZ/4340340	—	Indicator, magnetic					1	—	B.	
6029	B.202522	Lid					1	L.59	MR/C	
6015	F.195858	Link, commoning					6	BSS.265	C.	
	F.199948	Lug					8	BSS.265		
	F.246973	Mounting, for magnetic indicator					1	—		
	12432 F.246974	Packing, for mounting					1	—	C	
	F.251439	Packing, for switch					1	BSS.972	LM	
	F.214405	Plate, switch mounting					1	L.65C		
10H/0560200	Plessey	Plug, panel unit					1	—	C.	
10H/0560203	Plessey	Plug, panel unit					1	—	C.	
10H/0560150	Plessey	Plug, panel unit					1	—	C.	
	F.202523	Spacer					1	S.510		
5CW/1047692	Rotax D.5405	Switch					1	—	B.	
5CW/1055544	Rotax N.100397/1	Transfer, "ON"					1	—	C.	
5K/9559553	Ross Courtney No. 01	Tag					27	—	C.	
751	Std.915/A/20	Washer					QR	DTD.610	C.	4
	C.277702	Box, junction, Arm No. 1, group (For aircraft with Mod. 229) (Mod. 1291) (with wiring diagram B.277697/1)					1	—		
	F.214406	Block, mounting					4	L.65C		
	F.214407	Block, mounting					2	L.65C		
5X/1002695	Plessey	Block, terminal, 20-way					1	—	B.	
	CZ.23212/1									
5X/1004088	Plessey CZ.24285	Block, terminal, 10-way					3	—	B.	
	C.251212	Box					1	—		
	F.214404	Bracket, relay mounting					1	—		
	A.214844	Cable, arm, earthing					1	—		
	A.159698	Ferrule					2	BSS.265		
5X/1074460	Plessey Z.23197	Gasket					2	—	C.	
5CZ/4340340	—	Indicator, magnetic					1	—	B.	
6029	B.202522	Lid					1	L.59	MR/C	
5X/1004082	Plessey Z.50210	Link, terminal connecting, 2-way					2	—	C.	
5X/1004085	Plessey Z.50213	Link, commoning, 5-way					1	—	C.	
	Plessey Z.50214	Link, commoning, 6-way (Mod. 1256)					1	—		
	F.214405	Plate, switch mounting					1	L.65C		
10H/0560150	Plessey	Plug, panel unit					1	—	C.	
10H/0560200	Plessey	Plug, panel unit					1	—	C.	
10H/0560203	Plessey	Plug, panel unit					1	—	C.	
10F/0530032	—	Relay, type SM5—H12 (Alt. to 10F/0119273)					1	—	B.	
10F/0119273	—	Relay, type SM5—H32 (Alt. to 10F/0530032)					1	—	B.	
5F/	—	Sleeve, Helsyn, 150 HT20 x 1/2"					62	—	C.	
5CW/1102662	—	Switch, push, D.P. flange type B					1	—	B.	
5K/4346693	RC.2120	Tag, Q/R 4 amp.					61	—	C.	
5K/4346711	RC.2121	Tag, Q/R 7 amp.					2	—	C.	
6030	A.205605	Bracket, mounting, for service lamp					1	DTD.610	MR/C	
5827	B.205573	Bracket, for fuel time switch					1	L.72	C.	
	B.202334	Bracket, for ground supply plug					1	L.72		
	A.208251	Bracket, mounting, for suppressor					1	L.72		
4772	A.199648	Bracket, mounting, for suppressor					1	L.72	MR/C	
9814	A.209778	Bracket, mounting, for external supply socket					1	L.72	C.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
—	B.214725	Cable; A.3, group (See Cable Chart)					1	—	LM	
—	B.214727	Cable; A.4, group (See Cable Chart)					1	—	LM	
—	B.202750	Cable; A.5, group (See Cable Chart)					1	—	LM	
—	B.202751	Cable; A.6, group (See Cable Chart)					1	—	LM	
—	C.249582	Cable; A.28, group (See Cable Chart)					1	—	LM	
—	C.254329	Cable; C.1, group (See Cable Chart)					1	—	LM	
—	C.254330	Cable; C.2, group (See Cable Chart)					1	—	LM	
—	C.205378	Cable; C.3, group (See Cable Chart)					1	—	LM	
—	C.254334	Cable; C.4, group (See Cable Chart)					1	—	LM	
—	B.216996	Cable; C.5, group (See Cable Chart)					1	—	LM	
—	B.209086	Cable; C.6, group (See Cable Chart)					1	—	LM	
—	B.254331	Cable; C.7, group (See Cable Chart)					1	—	LM	
—	B.254332	Cable; C.8, group (See Cable Chart)					1	—	LM	
—	B.254333	Cable; C.9, group (See Cable Chart)					1	—	LM	
—	C.217597	Cable; C.10, group (See Cable Chart)					1	—	LM	
9504	B.205385	Cable; C.11, group (See Cable Chart)					1	—	B.	
9581	D.200759	Cable; C.12, group (See Cable Chart)					1	—	B.	
—	D.217569	Cable; C.13, group (See Cable Chart)					1	—	LM	
—	B.253798	Cable; C.16, group (See Cable Chart)					1	—	LM	
—	B.253799	Cable; C.18, group (See Cable Chart)					1	—	LM	
—	B.253800	Cable; C.20, group (See Cable Chart)					1	—	LM	
—	B.205791	Cable; C.21, group (See Cable Chart)					1	—	LM	
—	B.205792	Cable; C.22, group (See Cable Chart)					1	—	LM	
—	B.205793	Cable; C.23, group (See Cable Chart)					1	—	LM	
—	B.205794	Cable; C.24, group (See Cable Chart)					1	—	LM	
—	B.205795	Cable; C.25, group (See Cable Chart)					1	—	LM	
—	B.205796	Cable; C.26, group (See Cable Chart)					1	—	LM	
—	B.205797	Cable; C.27, group (See Cable Chart)					1	—	LM	
—	B.205798	Cable; C.28, group (See Cable Chart)					1	—	LM	
—	B.205799	Cable; C.29, group (See Cable Chart)					1	—	LM	
8465	C.205746	Cable; C.30, group (See Cable Chart)					1	—	B.	
8466	C.205747	Cable; C.31, group (See Cable Chart)					1	—	B.	
—	B.205390	Cable; C.34, group (See Cable Chart)					1	—	LM	
—	C.205391	Cable; C.35, group (See Cable Chart)					1	—	LM	
—	B.205392	Cable; C.36, group (See Cable Chart)					1	—	LM	
8579	C.205748	Cable; C.37, group (See Cable Chart)					1	—	B.	
—	C.205749	Cable; C.38, group (See Cable Chart)					1	—	LM	
—	C.216735	Cable; C.40, group (See Cable Chart)					1	—	LM	
—	B.221633	Cable; C.64, group (See Cable Chart)					1	—	LM	
—	C.221634	Cable; C.65, group (See Cable Chart)					1	—	LM	
—	B.213539	Cable; C.77, group (See Cable Chart)					1	—	LM	
—	B.216764	Cable; C.81, group (See Cable Chart)					1	—	LM	
—	A.216934	Cable; C.82, group (See Cable Chart)					1	—	LM	
—	B.254653	Cable; C.84, group (See Cable Chart)					1	—	LM	
11	C.333964	Cable; C.93, group (Mod. 1443) (See Cable Chart)					1	—	LM	
11	C.333965	Cable; C.94, group (Mod. 1443) (See Cable Chart)					1	—	LM	
—	B.215755	Cable; PC.5, group (See Cable Chart)					1	—	LM	
—	B.215756	Cable; PC.6, group (See Cable Chart)					1	—	LM	
—	B.215757	Cable; PC.9, group (See Cable Chart)					1	—	LM	
9527	B.216475	Cable; PC.14, group (See Cable Chart)					1	—	B.	
—	B.216734	Cable; E5/B, group (See Cable Chart)					1	—	LM	
—	B.216765	Cable; E5/D, group (See Cable Chart)					1	—	LM	
—	B.205397	Cable; E5/C, group (See Cable Chart)					1	—	LM	
11277	B.235501	Cable; PR.2 (Mod. 1023) (See Cable Chart)					1	—	B.	
—	B.235503	Cable; PR.4 (Mod. 1023) (See Cable Chart)					1	—	—	
5X/0011329	Heilerman 416125-10	Cap, protective (Mod. 1383, 1387)					1	—	C.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
—	C.225330	CLIPPING OF CABLES IN SPINE, ASSEMBLY (Mod. 629)	—	—	—	—
3741	Std.840/20	Clip	2	OTD.610	C.	4
4159	Std.841/20	Clip	2	OTD.610	C.	4
5F/9454141	NY.18007A	Strapping, 1/2" wide	QR	—	C.	—
5F/9138822	NY.3342	Stud	QR	—	C.	—
—	C.198765—6	CLIPPING, FOR CABLES, ASSEMBLY	—	—	—	—
3741	Std.840/20	Clip, 7/16" wide x 22 S.W.G. x 2" long	1	OTD.610	C.	4
4670	Std.840/23	Clip, 7/16" wide x 22 S.W.G. x 2.3" long	1	OTD.610	C.	4
3747	Std.841/28	Clip, 7/16" wide x 22 S.W.G. x 2.8" long	1	OTD.610	MR/C	4
4823	Std.841/42	Clip, 7/16" wide x 22 S.W.G. x 4.2" long	1	OTD.610	MR/C	4
5F/9454141	NY.18007A	Strapping	QR	—	C.	—
5F/9138822	NY.3342	Stud	QR	—	C.	—
—	E.199817	CLIPPING, FOR CABLES, ASSEMBLY	—	—	—	—
4776	B.198696	Bracket, mounting, for cables C.16, C.18 and C.20	1	OTD.610	MR/C	—
—	A.245839	Bracket, for switch (Mod. 1023)	1	L.72	—	—
6031	B.201234	Bracket, wing service, inboard, port	1	S.84	MR/C	—
6032	B.201235	Bracket, wing service, inboard, starboard	1	S.84	MR/C	—
6033	A.201236	Bracket, wing service, outboard, port	1	S.84	MR/C	—
10H/0569067	Plessey 2CZ/83672	Cap, protective (Mod. 229)	1	—	C.	—
4618	F.196181	Clamp, for igniter cables, frame 37	2	Ferobestos	C.	—
4778	F.197490	Clip, securing cables, lower portion of frame 32	1	S.510	—	—
4779	F.197491	Clip, securing cables, lower portion of frame 32	1	S.510	—	—
4780	F.197582	Clip, securing cable CA.30, on tank access door	1	OTD.610	—	—
4781	F.196789	Clip, securing cable at frame 19	2	OTD.610	—	—
4782	F.197059	Clip, securing cables at gun heating valve frame 19	1	S.510	—	—
4784	F.196958	Clip, securing cables at frame 26	1	OTD.610	MR/C	—
—	F.196759	(May be made from Std.850/51) Clip, securing cables at frame 19 (Mod. 386)	1	OTD.610	LM	—
4786	F.196873	(LM 308/96 11220 Q.R.) Clip, securing cables at lower portion of frame 19	1	OTD.610/ L.72	MR/C	—
4788	F.198279	(May be made from Std.850/63) Clip, securing cables, frame 31	1	OTD.610	MR/C	—
6035	F.205571	Clip, securing, cables at frame 19	3	L.72	MR/C	—
4764	Std.840/21	Clip, securing cables, 7/16" wide x 22 S.W.G. x 2.1" long	4	OTD.610	MR/C	4
4802	Std.840/31	Clip, securing high energy cables, frame 36, 7/16" wide x 22 S.W.G. x 3.1" long	1	OTD.610	MR/C	4
3749	Std.841/38	Clip, securing cables at frame 25	3	OTD.610	C.	4
—	Std.841/40	Clip, securing A 4 cable on frame 25 (alternative to Std.2046/43/20)	1	OTD.610	—	4
6010	Std.841/41	Clip, securing A3 cable on frame 25 (alternative to Std.2046/44/20)	1	OTD.610	MR/C	4
3751	Std.842/12	Clip, securing cable, 7/16" wide x 22 S.W.G. x 1.2" long (Make from 30A/9610252)	1	S.510	MR/C	4
—	Std.843/42	Clip, securing cables on strut, rear frame 19	1	S.510	—	4
4792	Std.852/36	Clip, securing cable C30, frame 34, 7/16" wide x 22 S.W.G. x 3.6" long (Make from 30A/9610252)	1	S.510	MR/C	4
26VA/6044412	Std.2045/17/26	Clip, sleeved	1	—	C.	6
26VA/6043780	Std.2045/18/26	Clip, sleeved	1	—	C.	6
26VA/6041761	Std.2045/24/24	Clip, sleeved	1	—	C.	6
—	Std.2045/32/22	Clip, sleeved	2	—	—	6
12242	Std.2045/36/22	Clip, sleeved	2	—	C.	6
26VA/6044395	Std.2045/45/20	Clip, sleeved	2	—	C.	6
26VA/6044396	Std.2045/47/20	Clip, sleeved	1	—	C.	6
26VA/6041254	Std.2045/48/20	Clip, sleeved	1	—	C.	6

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
26VA/6044403	Std.2045/52/20					Clip, sleeved	1	—	C.	6
	Std.2045/53/20					Clip, sleeved	1	—	C.	6
26VA/6042334	Std.2045/65/20					Clip, sleeved	1	—	C.	6
11303	Std.2046/17/26					Clip, sleeved	1	—	C.	6
11304	Std.2046/21/24					Clip, sleeved	1	—	C.	6
	Std.2046/41/20					Clip, sleeved, securing A3, A14 and C13 cable on frame 25 (alternative to Std. 841/38)	3	—	C.	6
26VA/6045645	Std.2046/43/20					Clip, sleeved, securing A4 cable at frame 25 (alternative to Std.841/40)	1	—	C.	6
	Std.2046/44/20					Clip, sleeved, securing A3 cable at frame 25 (alternative to Std.841/41)	1	—	C.	6
29H/9437201	Bowden PN.448					Clip	26	—	C.	
—	A.197386					EARTHING POINT, No. 9, FRAME 25, STAR-BOARD SIDE, ASSEMBLY	—	—	—	
	Std.1298/1					Stud	1	S.1	C.	4
4613	Std.1335/C.18					Washer	3	L.4	C.	4
4803	B.198028					Guard, cable, forward face of frame 19	1	DTD.166	MR/C	
9060	B.219799					Guard, cable, forward face of frame 19 (Mod. 386)	1	DTD.171	C.	
4804	F.196308					Plate, sealing, for cables C24 and C26, at frame 37	4	LFS.21	MR/C	
4805	F.198874					Plate, cover, at cable duct, frame 37	2	DTD.610	MR/C	
	F.227156					Plate, sealing, at frame 37 (Mod. 303)	2	LFS.21		
5F/9454141	NY.18007A					Strapping	QR	—	C.	
5F/9138822	NY.3342					Stud	QR	—	C.	
8	4652					Stud (Mod. 1383, 1387)	1	—	C.	
	9061					Stud, for attachment of cable guard (Mod. 386)	2	S.1	C.	
4807	Std.1509/12/028					Tube, distance, 1/4" o/d x 20 S.W.G. x 0.28" long	4	T.4	MR/C	4
26VA/6044412	Std.2045/17/26					Clip, securing cables	2	—	C.	6
8	26VA/6043471					Clip, securing cables	1	—	C.	6
	9664					Clip, securing cables	2	—	C.	6
	11294					Clip, securing cables	1	—	C.	6
	Std.2045/25/24					Clip, securing cables	1	—	C.	6
	Std.2045/32/22					Clip, securing cables	1	—	C.	6
	11209					Clip, securing cables	3	—	C.	6
	12242					Clip, sleeved	1	—	C.	6
	11748					Clip, sleeved	1	—	C.	6
26VA/6044401	Std.2045/39/22					Clip, securing cables	1	—	C.	6
26VA/6044397	Std.2045/49/20					Clip, securing cables	1	—	C.	6
	Std.2045/68/20					Clip, securing cables	1	—	C.	6
26VA/6041260	Std.2046/16/26					Clip, securing cables	2	—	C.	6
	11303					Clip, securing cables	3	—	C.	6
	11304					Clip, securing cables	1	—	C.	6
	9735					Clip, sleeved	2	—	C.	6
26VA/6044073	Std.2045/33/22					Clip, securing cables	1	—	C.	6
	Std.2046/35/22					Clip, securing cables	1	—	C.	6
	Std.2046/37/22					Clip, securing cables	1	—	C.	6
	11793					Clip, securing cables	2	—	C.	6
	Std.2046/38/22					Clip, securing cables	2	—	C.	6
	Std.2046/42/20					Clip, securing cables	3	—	C.	6
26VA/6044200	Std.2046/45/20					Clip, sleeved	2	—	C.	6
	3751					Clip, securing, cables	1	S.3	MR/C	4
4808	Std.850/24					Clip, securing ignition leads at engine mounting rail, 7/16" wide x 22 S.W.G. x 2.4" long	2	DTD.610	MR/C	4
6A/4333278	Smiths Waymouth CA/30					Connector	2	—	C.	
6A/4333085	Smiths Waymouth CA/37					Connector	1	—	C.	
6A/4333341	Smiths Waymouth CA/62					Connector	1	—	C.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
6A/4333342	Smiths Waymouth CA/125	Connector					1	—	C.	
6A/4333343	Smiths Waymouth CA/140	Connector					1	—	C.	
6A/4333793	Smiths Waymouth CS.75	Connector (Mod. 266)					2	—	C.	
4105	Std.1285/8/CC	Connector, earthing, at high energy igniter, port					1			
4809	Std.1285/6/CC	Connector, earthing, at high energy igniter,					1	—	C.	4
		starboard								
5CZ/4225579	F.200916	Cover, terminal, for ground supply plug					1	Black Plastic	C.	
5CZ/4335578	F.200892	Cover, terminal, for ground supply plug					2	Black Plastic	C.	
5J/4335379	—	Cover, venting and retaining rods (Mod. 682)					2	—	C.	
		(Pre Mod. 1436)								
—	A.197124—5	EARTHING POINTS, Nos. 10 and 16, assembly					—	—	—	
4619	Std.1335/E18	Washer					2	L.4	C.	4
5L/9953271	—	Filament, 28V 7W					1	—	C.	
5X/4491391	Z.23201/D	Guard, sealing (AS.760/61)					1	—	C.	
20154	B.224016	Guard, cable, at frame 19					1	—	C.	
	F.224947	Hose, for venting cover (Mod. 682) (Make form					2	DTD.251/D	LM	
		32C/1050, 30" long)								
37A/4387826	—	Igniter, high energy, type C.10.T.S./3 (Mod. 532)					2	—	A.	
5CX/4330002	—	Lamp, cockpit, Mk. 1A					1	—	B.	
205CX/8268	Hella	Lamp, strobe, lower (Mod. 1443)					1	—	B.	
	2LA-003-849-00									
4896	B.199981	Lead, ignition, group					1	—	B.	
		Consisting of:—								
5E/	BICC.ECM3	Cable (Alt to uniplugsheath No. 5, or					46"	—	C.	
		5E/6506940, or R.2060)								
5E/6506940	—	Cable; uniplughtemp No. 3 (alt to					46"	—	C.	
		Uniplugsheath No. 5 or R.2060 or BICC.ECM3)								
5E/	—	Cable; uniplugsheath No. 5 (alt to 5E/6506940					46"	—	C.	
		or R.2060 or BICC.ECM3)								
5E/	R.2060	Cable; spec. EC.81 (Alt to 5E/6506940 or					46"	—	C.	
		uniplugsheath No. 5 or BICC.ECM3)								
	United Metallic, Co. No. 110	Conduit, braided 0.312" i/d (Alt. to Gabriel					37"	—		
		Manufacturing Co. conduit, braided, 5/16" i/d)								
	Gabriel Manufact. Co.	Conduit, braided, 5/16" i/d (Alt. to United					37"	—		
		Metallic Co. No. 110)								
29H/9437201	Lodge CG-11	Contact-button					2	—		
	Bowden PN.448	Clip					1	—	C.	
	Lodge EA6—90°	Elbow, assembly					1	—		
	Rolls Royce D.29850	Ferrule (Alt. to F.310356)					2	—		
	F.310356	Ferrule (Alt. to Rolls Royce D.29850)					2	—		
	Lodge SF.6	Ferrule, spring type					2	—		
	Lodge N.28	Nut					2	—		
	Lodge SS.18	Sleeve					1	—		
	Lodge SS.23	Sleeve					1	—		
4897	B.199982	Lead, ignition, group					1	—	B.	
		Consisting of:—								
5E/	BICC.ECM3	Cable (Alt. to uniplugsheath No. 5 or					82"	—	C.	
		5E/6506940 or R.2060)								
5E/6506940	—	Cable; uniplughtemp No. 3 (Alt. to uniplugsheath No. 5 or R.2060 or BICC.ECM3)					82"	—	C.	

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5E/	—					Cable, unplugsheath No. 5 (Alt. to 5E/6506940 or R.2060 or BICC.ECM.3)	82"	—	C.	
5E/	R.2060					Cable, spec. EC.81 (Alt. to 5E/6506940 or Uniplugsheath No. 5 or BICC.ECM3)	82"	—	C.	
	United Metallic Co. No. 110					Conduit, braided 0.312" i/d (Alt. to Gabriel Manufacturing Co. conduit braided 5/16" i/d)	73"	—		
	Gabriel Manufact. Co. Lodge CG—11					Conduit, braided, 5/16" i/d (Alt. to United Metallic Co. No. 110)	73"	—		
29H/9437201	Bowden PN.448					Contact-button	2	—		
	Lodge EA6—90°					Clip	1	—	C.	
37B/1985	Rolls Royce D.29850					Elbow, assembly	1	—		
	F.310356					Ferrule (Alt. to F.310356)	2	—	C.	
	Lodge SF.6					Ferrule, spring type	2	—		
	Lodge N.28					Nut	2	—		
	Lodge SS.23					Sleeve	1	—		
	Lodge SS.18					Sleeve	1	—		
	A.333957					Packing, strobe lamp (Mod. 1443)	1	—		
	F.333955					Packing, taper, aft, strobe lamp (Mod. 1443)	1	—		
	F.333956					Packing, taper, fwd, strobe lamp (Mod. 1443)	1	—		
4620	F.197595					Plate, sealing, at frame 37	4	LFS.21	C.	
4621	F.197596					Plate, sealing, at frame 37	4	LFS.21	C.	
5CY/1054157	—					Plug, ground supply	1	—	C.	
26DK/9821	English Electric EB2/11635					Plug, shorting, assembly (Mod. 1013)	1	—	B.	
5CY/4376392	—					Socket (Mod. 386)	1	—	C.	
5J/4335378	—					Socket, Cannon (Mod. 386)	2	—	C.	
	A.201651					Stiffener, for inertia switch	1	L.72		
5F/9454141	NY.18007A					Strapping, 1/2" wide	QR	—	C.	
5F/9506025	NY.18067					Strapping	QR	—	C.	
5F/9138822	NY.3342					Stud	QR	—	C.	
5F/9138823	NY.3255					Stud	QR	—	C.	
	B.196635					Suppressor, group	2	—		
4811	A.196638					Angle, mounting	1	L168	MR/C	
4812	A.196639					Angle, mounting	1	L168	MR/C	
4813	A.196640					Plate, mounting	1	DTD.610	MR/C	
5CY/4376397	—					Suppressor, type "X3"	1	—	B.	
5CY/7001363	—					Suppressor, type "B4"	1	—	C.	
	Std.1548/24/10					Washer, profile	2	DTD.610	MR/C	4
5CY/4376390	—					Suppressor, type O. No. 2	1	—	B.	
5CW/4400098	Venner PTA/HA/W 19055					Switch, time	1	—	B.	
5CW/1047696	CWC. Ltd. XD.784					Switch, D.P. (Mod. 1023)	1	—	C.	
27N/4526464	—					Switch, inertia, Mk. 1	1	—	A.	
27N/4526592	—					Switch, flame detector (Mod. 1322)	8	—	B.	
	Std.1509/2/095					Tube, distance, 1/4" o/d x 22 S.W.G. x 0.95" long	2	T.4		4
	Std.1509/24/022					Tube, distance, 3/8" o/d x 17 S.W.G. x 0.22" long	4	T.4		4
205CX/8269	Hella 8ES-003-417-00					Unit, power, lower strobe lamp (Mod. 1443)	1	—	A.	
2192	Std.915/C14					Washer, packing, at timing unit	2	—	C.	4

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

