

ELECTRICAL EQUIPMENT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
	E.251862	ELECTRICAL EQUIPMENT IN FRONT FUSELAGE					—	—		
	5J/9101543	ASSEMBLY								
	5CZ/5059	Accumulator, lead acid 12V. (Mod. 502)					2	—	C.	
	Teddington Controls	Amplifier, magnetic (Pre Mod. 439)					1	—	A.	
	FLM/A/1									
10	5CZ/4335604	Amplifier, magnetic (Mod. 439)					1	—	A.	
	5CZ/4335686	Amplifier, magnetic (Mod. 437) (Alternative to Ultra A234)					1	—	A.	
10	5CZ/4335686	Amplifier, magnetic (Alternative to Smiths EC4/2)					1	—	A.	
	6A/4333796	Amplifier					2	—	A.	
	Waymouth FAB/18									
	—	Angle, mounting, top, for circuit breaker (Mod 1319)					1	L.72	L.M.	
	6013	(Make from 30B/9611568, Q.R.)								
	5X/9512504	Angle, mounting, bottom, for circuit breaker					1	L.72	C.	
	AS.2724	Bar, bus, 3-way					1	—	C.	
	A.206459	BLOCK, TERMINAL, No. 1, ON FRAME 3,					—	—		
	5X/1002694	ASSEMBLY								
	Plessey	Block, terminal, 5 way					1	—	C.	
	703/1/00238									
	5X/9149641	Cover					1	—	C.	
	5X/1004082	Link, connecting, 2 way					1	—	C.	
	5X/9450403	Pillar					2	—	C.	
	703/2/00267									
	A.206460	BLOCK, TERMINAL, No. 2, ON FRAME 4,					—	—		
	5X/1004088	ASSEMBLY								
	Plessey	Block, terminal, 10 way					1	—	C.	
	703/2/00244									
	A.218494	Bracket, mounting (Mod. 572)					1	—		
	11305	Cap, sleeved					1	—	C.	6
	8545	Cover (Mod. 572)					1	—	C.	
	5X/1004082	Link, connecting, 2 way					2	—	C.	
	703/2/00251									
	8543	Mounting (Mod. 572)					4	Rubber	C.	
	8544	Pillar (Mod. 572)					2	—	C.	
	8546	Strip, locking					1	S.84	C.	6
	8547	Strip locking					1	S.84	C.	6
	Std.1509/23/084	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.84" long					2	T.4		4
	5407	Washer					2	DTD.610	C.	4
	Std.915/T18									
	B.251690	BLOCK, TERMINAL, No. 3, 7 AND 8, AT PORT					—	—		
	5X/1004088	COCKPIT SHELF, ASSEMBLY								
	Plessey	(Mod. 1085)								
	703/2/00244	Block, terminal, 10 way					1	—	C.	
	703/1/00232									
10	10H/9462765	Block, terminal, 3 way					1	—	C.	
	5X/1957037	Cover					1	—	C.	
	5X/1957036	Cover					1	—	C.	
	CZ.26802									
	5X/9004082	Link, connecting, 2 way					1	—	C.	
	5X/9450403	Pillar					4	—	C.	
	703/2/00267									
	B.257070	BLOCK, TERMINAL, No. 4, AND 6 AT PORT					—	—		
	5X/1004088	COCKPIT SHELF, ASSEMBLY								
	Plessey	(Mod. 1085)								
	703/2/00244	Block, terminal, 10 way					1	—	C.	
	703/1/00232									
10	10H/9462765	Block, terminal, 3 way					1	—	C.	
	5X/1957037	Cover					1	—	C.	
	5X/1957036	Cover					1	—	C.	
	CZ.26802									
	5X/1004082	Link, connecting, 2 way					1	—	C.	
	5X/9450403	Pillar					4	—	C.	
	703/2/00267									

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
	A.210927	BLOCK, TERMINAL, No. 5, AT FRAME 5, ASSEMBLY (Mod. 303)					—	—		
5X/1004088	Plessey	Block, terminal, 10 way					1	—	C.	
	703/2/00244									
—	A.218494	Bracket, mounting					1	—		
	Std.843/22	Clip, 7/16" wide x 22 S.W.G. x 2.2" long					1	S.3	LM	4
		(Make from 30A/9610252, 2-3/4" x 7/16")								
10	8545	Cover (Mod. 572)					1	—	C.	
	8543	Mounting					4	Rubber	C.	
	8544	Pillar (Mod. 572)					2	—	C.	
	8546	Strip, locking					1	S.84	C.	6
	8547	Strip, locking					1	S.84	C.	6
	Std.1509/23/084	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.84" long					2	T.4		4
	5407	Washer					2	DTD.610	MR/C	4
	—	BLOCK, TERMINAL, No. 116, AT FRAME 16, ASSEMBLY (For stowage of redundant F.21 cable)					—	—		
5X/1004088	Plessey	Block, terminal, 10 way					1	—	C.	
	703/2/00244									
10	10H/9462765	Cover					1	—	C.	
	703/1/00265									
5X/9450403	703/2/00267	Pillar					2	—	C.	
	F.251304	Label					1	—		
	B.222375	BLOCK, TERMINAL, No. 99, ASSEMBLY (Mod. 629)					—	—		
5X/1004088	Plessey	Block, terminal, 10 way					1	—	C.	
	703/2/00244									
10	10H/9462765	Cover					1	—	C.	
	703/1/00265									
5X/9450403	703/2/00267	Pillar					2	—	C.	
	F.257277	Label (Mod. 1148)					1	—		
	A.206556	BLOCK, TERMINAL, No. 64, AT FRAME 12, ASSEMBLY					—	—		
5X/1002694	Plessey	Block, terminal, 5 way					1	—	C.	
	703/1/00238									
5X/9149641	703/1/00264	Cover					1	—	C.	
5X/9450403	703/2/00267	Pillar					1	—	C.	
	5880	DTD.487/118					2	DTD.487	C.	
	8482	A.216114					1	—	B.	
	C.216112	Box, special for starboard arch panel								
	A.216024	Box, for standby batteries (complete with cable PC.13), group (Mod. 502)					1	—		
	8483	Box, group					1	—		
	F.216126	Cable, PC.13, group (See Cable Chart)					1	—		
	F.216127	Clip, spring					2	Spr. Steel	C.	
	D.252294	Packing, for clip					1	—		
		Box, a/c junction, flight instruments and radar supply, group (Mod. 1347)					1	—		
5X/4491482	Plessey	Block, fuse, with ident tags, less cover					4	—	C.	
	703/1/00420									
5X/1002694	703/1/00238	Block, terminal, 5 way					4	—	C.	
	6731	Bolt, wing					6	S.3	C.	
5CY/4376883	—	Breaker, circuit, type A.3					2	—	C.	
	1632	Bus-bar					2	BSS.266	C.	
	A.190855	Cable, group					1	—		
	D.253293	Consisting of:—								
10	6A/4333075	Auto-transformer, 115/26V, 400 c/s					1	—	C.	
	5E/1116724	Cable, trimetvinsmall					10"	—	C.	
	5E/9100011	Cable, miniature 3C					QR	—	C.	
	5E/9012998	Cable, uninyvin 16					QR	—	C.	
10	5E/9993758	Cable, uninyvin 12					QR	—	C.	
10C/0119831	Dubilier	Capacitor, 25 mf. 250V. WKG (Pre Mod. 1408)					1	—	C.	
10C/0141403	—	Capacitor, 0.25 mf. (Mod. 1408)					1	—	C.	
10C/0119834	Dubilier	Capacitor, 0.5 mf. 250V. WKG (Pre Mod. 1408)					3	—	C.	
10C/0141404	—	Capacitor, 0.5 mf. (Mod. 1408)					3	—	C.	
	A.190048	Channel, relay mounting					1	DTD.610		
	A.190049	Channel, relay mounting					1	DTD.610		
10H/0970058	Plessey	Gasket, outlet, code 45					1	—	C.	
	508/2/07705/ 200									
10H/0970108	508/2/07719/ 200	Gasket, union					1	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10	5K/4329277	AGS.1696/3				Grommet	2	—	C.	
10	5CX/4331066	Plessey Z.1840				Grommet	1	—	C.	
10	5X/9462951	Plessey Z.70005				Lug, terminal	1	—	C.	
	10H/0970069	Plessey CZ.49181				Outlet, 90°, code 45	1	—	C.	
	10H/0560080	Plessey CZ.48995				Plug, panel, unit code 45	1	—	B.	
	10H/0560130	Plessey CZ.51327				Plug, panel, unit code 44	1	—	B.	
	10H/0560050	Plessey CZ.48992				Plug, panel, unit code 41	1	—	B.	
	10H/0560070	Plessey CZ.48994				Plug, panel, unit code 43	1	—	B.	
	10H/0560060	Plessey CZ.48993				Plug, panel mounting, unit code 42	1	—	B.	
	10H/0970102	Plessey Z.49040				Ring, compression	1	—	C.	
	10H/0970096	Plessey Z.49037				Ring, thrust	1	—	C.	
	5F/	—				Sleeve, 150 HT, 15 x 1/2"	2	—	C.	
10	5K/5970-99-	—				Sleeve, Helsyn A.P.	115	—	C.	
	9107065	—								
10	5K/9107066	—				Sleeve, Helsyn B.P.	12	—	C.	
10	5K/5970-99-	—				Sleeve, Helsyn C.P.	1	—	C.	
	9107067	—								
	10H/0970114	Plessey Z.62240				Sleeve, cable, code 45	1	—	C.	
	10H/0560230	Plessey CZ.49217				Socket, panel, unit code 41	1	—	C.	
	10H/0560250	Plessey CZ.49221				Socket, panel, unit code 43	1	—	C.	
	10H/0560240	Plessey CZ.49219				Socket, panel, unit code 42	1	—	C.	
	10H/0560261	Plessey CZ.49223/1				Socket, panel, mounting (Mod. 1076)	1	—	C.	
	10H/0560820	Plessey CZ.56743				Socket, panel, mounting coupler, code 45	1	—	C.	
	5CW/9729122	—				Switch, magnetic relay, type S.1	2	—	B.	
	5CW/9729123	—				Switch, magnetic relay, type S.3	4	—	B.	
10	10H/9150652	Tucker, S.79				Tag, eyelet	13	—	C.	
10	5K/2233067	R.C. No. 00				Tag, eyelet	2	—	C.	
	5K/4346693	RC.2120				Tag, 4 amp., Q/R	10	—	C.	
	5K/4346711	RC.2121				Tag, 7 amp., Q/R	39	—	C.	
	5K/	RC.2122				Tag, 19 amp.	6	—	C.	
10	2590-99-	—				Cap, protecting, circuit breaker	2	—	C.	
	8813547	—				(Alt. to 5CY/3610)				
	5CY/3610	—				Cap, protective (Alt. to 5CY/4520)	2	—	C.	
	10H/0970055	Plessey CZ.51538				Cap, protective	1	—	C.	
	—	D.292295/1				Diagram, wiring	1	Photo Copy	—	
10	10H/4709559	—				Fuse, 2.5 amp.	2	—	C.	
10	10H/4709561	—				Fuse, 10 amp.	2	—	C.	
10	10H/1043043	—				Fuse, 2.5 amp., type H.R.C.	7	—	C.	
10	10H/21794	—				Fuse, 5 amp., type S	6	—	C.	
	B.201758	—				Lead, D.C. inverter, group	1	—		
		—				Consisting of:—				
10	5E/9467424	—				Cable, uninyvin 20	8"	—	C.	
10	5E/9568884	—				Cable, uniprenmet 12 amp.	QR	—	C.	
10	5X/9999149	Plessey Z.14485/2				Ferrule, cut type	2	—	C.	
10	5325-99-	Plessey Z.22432				Grommet, helsyn type 4	1	—	C.	
	4491350	—								
10	5X/1987044	Plessey Z.24211				Sleeve, helsyn	1	—	C.	
10	5X/4491356	Plessey Z.24209				Sleeve, helsyn	2	—	C.	
	5F/	—				Sleeve, helsyn, 150 HT x 20 x 1/2"	2	—	C.	
10	5X/4500075	Plessey				Socket	2	—	C.	
	2CZ/111232	—								
10	5K/4246711	R.C.2121				Tag, 7 amp., Q/R (Use 5X/9482491)	2	—	—	
	5X/9400382	ERMA 12102				Tag, eyelet	1	—	C.	
10	—	Std.914/L/22T				Washer	1	S.1 or S.510	—	4
	—	A.201759				Lead, inverter, No. 1 (See cable chart)	1	—	—	
	—	A.201760				Lead, inverter, No. 2 (See cable chart)	1	—	—	
	1633	B.190333				Lid, front	1	DTD.213	C.	
	9634	B.225929				Lid, top (Mod. 1076)	1	DTD.213	C.	
	5X/1004083	Plessey Z.50211				Link, commoning, 3 way	1	—	C.	
	5X/1004085	Plessey Z.50213				Link, commoning, 5 way	1	—	C.	
10	10CV/5174	Ferranti ZS.10A				Rectifier, silicon	2	—	B.	
		F.197020/2				Saddle	1	DTD.610		

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
	B.190455					Screen, suppressor	1	DTD.610		
1178	Std.1606/44/B12					Screw, roundhead	17	Brass	C.	5
3839	Std.1606/44/B16					Screw, roundhead	1	Brass	C.	5
1639	Std.1606/44/A6					Screw, roundhead	4	Brass	C.	5
1640	C.190344					Shell, outer	1	DTD.213	C.	
5F/	Helsyn					Sleeve, 150 HT.50 x 1/2"	2	—	C.	
10	—					Suppressor, type F, No. 2, sub-assembly, group	2	—	—	
						(5CY/1025934)				
						Consisting of:—				
	5CY/2738					Block, terminal	2	—	C.	
	5CY/2740					Choke, assembly	3	—	B.	
10	5CY/4376386					Capacitor, type A.1004	3	—	B.	
	5CY/2739					Plate, earthing	1	—	C.	
10	5930-99-	Smiths EAP.2340				Switch, torque	2	—	A.	
	1030732									
	3796	Std.1509/12/072				Tube, distance, 1/4" o/d x 20 S.W.G. x 72" long	8	T.4	MR/C	4
						(Make from 30B/619)				
	1641	D.189839				Unit, mounting, for A.C. junction box	1	DTD.213	B.	
	10H/0970049	Plessey Z.54105				Washer, panel mounting	QR	—	C.	
10	6A/4333792	Smiths—				Box, connector (Mod. 266)	1	—	B.	
		Waymouth JX.14								
10	6A/4333791	Smiths—				Box, connector (Mod. 266)	1	—	B.	
		Waymouth JX.12								
	5868	C.206527				Box, junction No. 2, group	1	—	B.	
	5X/1002695	Plessey CZ.23212/1				Block, terminal, 20 way	1	—	C.	
	—	B.205386				Cable, F.42, group (See Cable Chart)	1	—	—	
	—	B.205502				Cable, F.43, group (See Cable Chart)	1	—	—	
	—	B.205485				Cable, F.44, group (See Cable Chart)	1	—	—	
	—	B.308633				Cable, form, F.24 (See Cable Chart)	1	—	—	
		A.200034/1				Diagram, wiring	1	Photo	—	
		A.308635				Lid assy.	1	—	—	
	5X/1004082	Plessey Z.50210				Link, terminal connecting, 2 way	3	—	C.	
		C.274661				Box, junction, No. 2, Armament, group (for	1	—	—	
						aircraft without Mod. 229) (with				
						Diagram C.265290/1) (Mod. 1255)				
		F.202933				Angle, support for relay	1	L.72	—	
10	5X/1997586	F.202934				Angle, support for relay	1	L.72	—	
		Plessey CZ.72441				Block, terminal, 5 way miniature	6	—	B.	
		C.213190				Box, group	1	L.59	—	
		F.202906				Angle, support, for T.B.	2	L.72	—	
10	26FX/	F.202912				Angle, attachment	2	L.72	—	
		Std.1569/B				Nut, side anchor	4	—	C.	5
		F.202911				Bracket, fuse holder	1	L.72	—	
10	5E/9467424	—				Cable, uninyvin 20	QR	—	C.	
10	5E/9012998	—				Cable, uninyvin 16	QR	—	C.	
	10H/0970055	Plessey CZ.51538				Cap, protective	1	—	C.	
10	10H/1047920	—				Fuse, dummy	1	—	C.	
10	10H/4709559	—				Fuse, type "S", 2.5 amp.	2	—	C.	
10	10H/4709560	—				Fuse, 2.5 amp.	1	—	C.	
10	10H/2073169	—				Holder, fuse	1	—	C.	
	6014	B.202884				Lid	1	L.59 and Rubber Strip	MR/C	
								BSS.265		
	6015	F.195858				Link, commoning	9	—	C.	
	10H/0560150	Plessey CZ.49112				Plug, panel unit	1	—	B.	
	10H/0560151	Plessey				Plug, panel unit	1	—	C.	
		CZ.49112/1								
	10H/0560152	Plessey				Plug, panel unit	1	—	C.	
		CZ.49112/2								
	10H/0560080	Plessey CZ.48995				Plug, panel unit	1	—	C.	
	5CW/9729122	—				Relay, type "S" No. 1	2	—	B.	
	5CW/9729123	—				Relay, type "S" No. 3	1	—	B.	
	5F/	—				Sleeve, helsyn, 150 HT.20 x 1/2"	45	—	C.	
10	5K/9559553	Ross Courtney				Tag	54	—	C.	
		No. 01								
		Std.1509/12/108				Tube, distance, 1/4" o/d x 17 S.W.G. x 1.08"	2	T.4	—	4
						long				

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	C.277686	Box, junction: No. 2 armament					1	—		
	F.202933	(for Aircraft with Mod. 229)					1	—		
	F.202934	Angle, support for relay					1	L.72		
5X/1997586	Plessey	Angle, support for relay					1	L.72		
	703/1/00190	Block, terminal, 5 way miniature					6	—	C.	
	C.277685	Box, group					1	L.59		
	F.202906	Angle, support, for T.B.					2	L.72		
10	F.202912	Angle, attachment					2	L.72		
	Std.1569/B	Nut, side anchor					4	—	C.	5
	F.202911	Bracket, fuse holder					1	L.72		
10	5E/9467424	Cable, uninyvin 20					QR	—	C.	
10	5E/9012998	Cable, uninyvin 16					QR	—	C.	
	B.277684/1	Diagram, wiring (Mod. 1291) (Pre Mod. 1391)					1	Photo		
10	10H/1047920	Fuse, dummy					1	—	C.	
10	10H/4709559	Fuse, type "S", 2.5 amp.					2	—	C.	
10	10H/2073169	Holder, fuse					2	—	C.	
	6014	Lid					1	59 and Rubber Strip	MR/C	
	12265	Link, commoning (Mod. 1141)					1	—	C.	
	6015	Link, commoning					7	BSS.265	C.	
10H/0560150	Plessey	Plug, panel unit					1	—	C.	
	508/1/44069/320									
10H/0560151	508/1/40069/321	Plug, panel unit					1	—	C.	
10H/0560152	508/1/40069322	Plug, panel unit					1	—	C.	
10H/0560080	508/1/40063/320	Plug, panel unit					1	—	C.	
5CW/9729122	—	Relay, type "S" No. 1					2	—	C.	
5CW/9729123	—	Relay, type "S" No. 3					1	—	C.	
5K/—	—	Sleeve, heli-syn, 150 HT.20 x 1/2"					43	—	C.	
10H/0560260	Plessey CZ.49223	Socket, panel unit					1	—	C.	
	Ross Courtney No. 01	Tag					54	—		
	Std.1509/12/108	Tube, distance, 1/4" o/d x 17 S.W.G. x 1.08" long					2	T.4		
5930	B.204560	Box, relay control for air brake group (Pre Mod. 523)					1	—	MR/B	4
10433	B.216710	Box, relay control for air brake group (Mod. 523)					1	—	B.	
	C.204561	Box					1	L.72		
	4178	Bung					1	—	C.	
10	5E/9467424	Cable, uninyvin 20					QR	—	C.	
10	5CW/4405620	Cap, sea-grey					1	—	C.	
	8460	Lid (Mod. 523)					1	—	C.	
	4955	Lid (Pre Mod. 523)					1	—	C.	
	B219892	Plug, form group					1	—		
	—	Consisting of:—								
10	5E/9467424	Cable, uninyvin 20					QR	—	C.	
	10894	Marker, sleeve					3	—	C.	
	—	Marker, sleeve					5	—		
	—	Marker, sleeve					1	—		
10H/0560150	Plessey	Plug, panel unit Mk. 4					1	—	C.	
	508/1/40069/320									
5K/—	—	Sleeve, 150 HT.20 x 1/2"					8	—	C.	
	Ross Courtney No. 01	Tag					3	—		
10	5CW/4405753	Relay, type 9B No. 1A					2	—	C.	
—	A.216688	RELAY, R.I. AND TERMINAL BLOCK,					—	—	—	
	5X/1997586	ASSEMBLY (Mod. 523)								
	703/1/00190	Block, terminal, 5 way					1	—	C.	
	A.216690	Platform, mounting					1	L.72		
	A.216689	RELAY, R.I. AND WIRING, ASSEMBLY					—	—	—	
10	5CW/9729122	Relay, type S.1					1	—	C.	
10	5CW/4405754	Relay, type 9B.2A (Pre Mod. 523)					1	—		
	Ross Courtney No. 01	Tag					4	—		

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
10	5CW/1047699	Std.1606/44/B6				Screw	4	Brass		5
	5CW/1056625	—				Switch, double pole	1	—	C.	
	—	—				Transfer, "Test"	1	—	C.	
	—	B.213688				BOX, JUNCTION ARM No. 7 and 8, ASSEMBLY	—	—	—	6
	5D/4340940	—				Box, junction, 5 way, type A	2	—	C.	
	5K/4329498	—				Disc, blanking	5	—	C.	
	—	F.265332				Label, for TB.7	1	Photo		
	5K/4329334	—				Nut, gland	5	—	C.	
	—	D.264915				BOX, JUNCTION, ARM, No. 10, ASSEMBLY	—	—	—	
	—	—				(Pre Mod. 228) (Mod. 1255)	—	—	—	
	8012	F.208578				Adaptor	4	—	C.	
10	5X/1002695	—				Block, terminal, 20 way	1	—	C.	
	—	C.264913				Box, shell	1	—	—	
	5E/9467424	—				Cable, uninyvin 20	QR	—	C.	
	5E/9012998	—				Cable, uninyvin 16	QR	—	C.	
	9663	Std.2045/19/24				Clip, sleeve, securing cable	1	—	C.	
	—	C.264978/1				Diagram, wiring	1	Photo copy		
	5X/9545649	508—2—03273				Ferrule	4	—	C.	
	10H/0970059	Z.60668				Gasket	4	—	C.	
	10H/0970109	Z.62236				Gasket	4	—	C.	
	10AD/3079	—				Holder, base	1	—	C.	
10	—	B.264916				Lid	1	L.59	—	
	5X/1004083	—				Link, commoning, 3 way	1	—	C.	
	5X/1004085	—				Link, commoning, 5 way	1	—	C.	
	10H/0970063	—				Outlet, straight	4	—	C.	
	10AS/1002528	—				Plate	1	—	—	
	—	C.264914				Platform, relay mounting	1	L.72	—	
	—	F.264930				Platform, resistor, group	1	—	—	
	—	F.264932				Plate, mounting	1	BSS.2966	—	
	—	F.264931				Platform, resistor, group	1	—	—	
	5X/9998716	R.C.G.866A				Tag, eyelet	2	—	C.	
10	20470	F.236210				Spacer	3	BSS.972/C	C.	
	10H/9993528	2CZ/84382				Plug, fixed	1	—	C.	
	10H/9729107	2CZ/84422				Plug, free	1	—	C.	
	10H/9208833	2CZ/84453/1				Plug, free, coupler	1	—	C.	
	5CW/9499193	Hendrey				Relay, type 10B. No. 15	2	—	C.	
	5CW/4405767	Hendrey				Relay, type 10B. No. 17	1	—	C.	
	10F/0530473	Std. Tel. Co.				Relay, type, SM.5A—M	1	—	C.	
	10W/0113361	—				Resistor, 33 ohms. 6 watt	1	—	C.	
	—	Std.2134/11				Sleeve	74	—	—	
	—	Std.2135/11				Sleeve	2	—	—	
10	5F/—	—				Sleeve, helsyn, 150 HT.20 × 1/2"	46	—	C.	
	5F/—	—				Sleeve, helsyn, 150 HT.30 × 1/2"	6	—	C.	
	10H/9729113	2CZ/84415/1				Socket, free	2	—	C.	
	—	F.214406				Spacer	2	L.65C	—	
	10AS/1002129	—				Spring, retaining	1	—	C.	
	5K/4346693	RC.2120				Tag, Q/R	25	—	C.	
	—	D.271068				BOX, JUNCTION ARM, No. 10, ASSEMBLY	—	—	—	
	—	—				(Post Mod. 228) (Mod. 1255)	—	—	—	
	8012	F.208578				Adaptor	4	—	C.	
	5X/1002695	—				Block, terminal, 20 way	1	—	C.	
10	—	C.271067				Box, shell	1	—	—	
	5E/1004628	—				Cable, unipren 6	QR	—	C.	
	5E/9434824	—				Clip, unipren 12	QR	—	C.	
	9663	Std.2045/19/24				Clip, sleeved, securing cable	1	—	C.	
	—	C.264978/1				Diagram, wiring	1	Photo copy	—	
	5X/9545649	508—2—03273				Ferrule	4	—	C.	
	10H/0970059	Z.60668				Gasket	4	—	C.	
	10H/0970109	Z.62236				Gasket	4	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
11	10AD/3079	—				Holder, base	1	—	C.	
	B.264916	—				Lid	1	L.59		
	5X/1004083	—				Link, commoning, 3 way	1	—	C.	
	5X/1004085	—				Link, commoning, 5 way	1	—	C.	
	10H/0970063	—				Outlet, straight	4	—	C.	
	10AS/1002528	—				Plate	1	—	C.	
	C.271066	—				Plate, relay mounting	1	L.72		
	F.264930	—				Plate, resistor, group	1	—		
	F.264932	—				Plate, insulating	1	BS.2966		
	F.264931	—				Platform, resistor, group	1	—		
	5X/9998716	R.C. G.866A				Tag, eyelet	2	—	C.	
	20470	F.236210				Spacer	3	BS.5/972/C	C.	
	10H/9993528	2CZ/84382				Plug, fixed	1	—	C.	
	10H/9729107	2CZ/84422				Plug, free	1	—	C.	
	10H/9208833	2CZ/84453/1				Plug, free, coupler	1	—	C.	
	5CW/9499153	Hendrey				Relay, type 10B, No. 15	2	—	B.	
	5CW/4405767	Hendrey				Relay, type 10B, No. 17	1	—	B.	
	10F/0530473	Std. Tel. Co.				Relay, type, SM.5A—M	1	—	B.	
	10W/0113361	—				Resistor, 33 ohms, 6 watt	1	—	C.	
		Std.2134/11				Sleeve	62	—		
		Std.2135/11				Sleeve	2	—	—	
	5F/	—				Sleeve, helvyn, 150 HT.20 x 1/2"	36	—	C.	
	10H/9729113	2CZ/84415/1				Socket, free	2	—	C.	
		F.214406				Spacer	2	L.65.C		
	10AS/1002129	—				Spring, retaining	1	—	C.	
	5X/9450396	HC.490				Tag, C/R	26	—	C.	
		B.225404				Box, junction, Power Controls, group	1	—		
	5X/1004088	Plessey CZ.24285				Block, terminal	1	—	B.	
	5X/1957037	Plessey CZ.50206				Block, terminal	1	—	B.	
		B.226144				Box	1	L.72		
	10H/4709559	—				Fuse, 2.5 amps.	2	—	C.	
	10H/2073169	—				Fuseholder, type "A"	2	—	C.	
	5X/1931479	Plessey Z.22634				Grommet	1	—	C.	
	4042	Std.1509/23/030				Tube, distance	2	T.4	C.	4
	12488	A.221292				Bracket (Mod. 488)	1	—	C.	
	13418	C.317927				Bracket, for mounting P.E.C. Unit (Mod. 1383)	1	—	C.	
	5828	A.203115				Bracket, plug mounting	3	L.72	C.	
		A.203058				Bracket, plug mounting	1	L.72		
	20152	F.251427				Bracket, for arrester hook switch	1	—	C.	
	5CY/9550803	—				Breaker, circuit, type A.2, 10 amp. (Mod. 1319)	2	—	C.	
	5CY/4376060	—				Breaker, circuit, type A, No. 6 (2 off used PR. Mk. 11)	1	—	C.	
	5CY/4376383	—				Breaker, circuit, type A, No. 3, 15 amp.	1	—	C.	
	—	B.209083				Cable, AH.1, Group (See Cable Chart)	1	—	LM	
	—	C.212241				Cable, A.7, Group (Pre Mod. 1084) (See Cable Chart)	1	—	LM	
	—	C.261226				Cable, A.7, Group (Mod. 1256) (See Cable Chart)	1	—	LM	
	—	A.202598				Cable, A.8, Group (See Cable Chart)	1	—	LM	
	—	A.202602				Cable, A.9, Group (See Cable Chart)	1	—	LM	
	—	A.212240				Cable, A.10, Group (See Cable Chart)	1	—	LM	
	—	C.278907				Cable, A.12, Group (Pre Mod. 229) (Mod. 1308)	1	—	LM	
						(See Cable Chart)				
	—	C.278971				Cable, A.12, Group (Mod. 1308) (See Cable Chart)	1	—	LM	
	—	B.277340				Cable, A.30 Group (Mod. 1291) (See Cable Chart)	1	—	LM	
	—	A.212952				Cable, A.31, Group (See Cable Chart)	1	—	LM	
	—	B.277341				Cable, A.46, Group (Mod. 1291) (See Cable Chart)	1	—	LM	
	—	B.265179				Cable, A.50, Group (Mod. 1256) (See Cable Chart)	1	—	LM	
	—	B.205394				Cable, E5/A, Group (See Cable Chart)	1	—	LM	
	—	B.205341				Cable, F.1, Group (See Cable Chart)	1	—	LM	
	—	D.199819				Cable, F.2, Group (See Cable Chart)	1	—	LM	
	—	B.205343				Cable, F.3, Group (See Cable Chart)	1	—	LM	
	—	C.205344				Cable, F.4, Group (See Cable Chart)	1	—	LM	
	—	B.332402				Cable, F.5, Group (See Cable Chart) (Mod. 1429)	1	—	LM	
	—	C.205346				Cable, F.6, Group (See Cable Chart)	1	—	LM	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	D.205347	Cable; F.7, Group (See Cable Chart)					1	—	LM	
—	C.221052	Cable; F.8, Group (See Cable Chart)					1	—	LM	
—	D.205349	Cable; F.9, Group (See Cable Chart)					1	—	LM	
—	C.332440	Cable; F.10, Group (Mod. 1429) (See Cable Chart)					1	—	LM	
—	D.205498	Cable; F.13, Group (See Cable Chart)					1	—	LM	
—	D.203691	Cable; F.14, Group (See Cable Chart)					1	—	LM	
—	C.205351	Cable; F.15, Group (See Cable Chart)					1	—	LM	
—	B.205352	Cable; F.16, Group (See Cable Chart)					1	—	LM	
—	C.246480	Cable; F.17, Group (See Cable Chart)					1	—	LM	
—	B.205354	Cable; F.18, Group (See Cable Chart)					1	—	LM	
—	D.211206	Cable; F.19, Group (See Cable Chart)					1	—	LM	
—	B.205356	Cable; F.20, Group (See Cable Chart)					1	—	LM	
—	D.251328	Cable; F.21, Group (See Cable Chart)					1	—	LM	
—	B.205358	Cable; F.22, Group (See Cable Chart)					1	—	LM	
—	D.246098	Cable; F.23, Group (See Cable Chart)					1	—	LM	
—	D.211652	Cable; F.24, Group (See Cable Chart)					1	—	LM	
—	D.205361	Cable; F.25, Group (See Cable Chart)					1	—	LM	
—	D.221051	Cable; F.27, Group (See Cable Chart)					1	—	LM	
—	B.205364	Cable; F.29, Group (See Cable Chart)					1	—	LM	
—	C.211651	Cable; F.30, Group (See Cable Chart)					1	—	LM	
—	C.205369	Cable; F.35, Group (See Cable Chart)					1	—	LM	
—	B.205370	Cable; F.38, Group (See Cable Chart)					1	—	LM	
—	B.205371	Cable; F.39, Group (See Cable Chart)					1	—	LM	
—	B.205376	Cable; F.40, Group (See Cable Chart)					1	—	LM	
—	B.205342	Cable; F.41, Group (See Cable Chart)					1	—	LM	
—	B.205372	Cable; F.45, Group (See Cable Chart)					1	—	LM	
—	B.206429	Cable; F.48, Group (See Cable Chart)					1	—	LM	
—	B.205373	Cable; F.50, Group (See Cable Chart)					1	—	LM	
—	B.205399	Cable; F.56, Group (See Cable Chart)					1	—	LM	
—	B.206369	Cable; F.61, Group (See Cable Chart)					1	—	LM	
—	B.205330	Cable; F.68, Group (See Cable Chart)					1	—	LM	
—	B.205331	Cable; F.69, Group (See Cable Chart)					1	—	LM	
—	B.205332	Cable; F.70, Group (See Cable Chart)					1	—	LM	
—	B.205694	Cable; F.72, Group (See Cable Chart)					1	—	LM	
—	A.244401	Cable; F.75, Group (See Cable Chart)					1	—	LM	
—	B.205614	Cable; F.78, Group (See Cable Chart)					1	—	LM	
7132	B.207872	Cable; F.80, Group (See Cable Chart)					1	—	MR/B	
—	B.209077	Cable; F.81, Group (See Cable Chart)					1	—	LM	
—	B.210887	Cable; F.100, Group (See Cable Chart)					1	—	LM	
—	B.215231	Cable; F.108, Group (See Cable Chart)					1	—	LM	
—	B.215972	Cable; F.112, Group (See Cable Chart)					1	—	LM	
—	A.221286	Cable; F.134, Group (See Cable Chart)					1	—	LM	
12491	A.221287	Cable; F.135, Group (See Cable Chart)					1	—	B.	
—	A.221288	Cable; F.136, Group (See Cable Chart)					1	—	LM	
12487	A.221289	Cable; F.137, Group (See Cable Chart)					1	—	B.	
11396	B.254649	Cable; F.140, Group (See Cable Chart)					1	—	B.	
—	B.221887	Cable; F.141, Group (See Cable Chart)					1	—	LM	
—	B.254855	Cable; F.142, Group (Mod. 1125) (See Cable Chart)					1	—	LM	
—	B.226183	Cable; PC:1, Group (See Cable Chart)					1	—	LM	
—	B.215752	Cable; PC:2, Group (See Cable Chart)					1	—	LM	
—	B.225771	Cable; PC:3, Group (See Cable Chart)					1	—	LM	
—	B.225772	Cable; PC:4, Group (See Cable Chart)					1	—	LM	
—	A.216460	Cable; PC:17, Group (See Cable Chart)					1	—	LM	
—	B.205613	Cable; F.77, Group (See Cable Chart)					1	—	LM	
—	B.215816	Cable; F.109, Group (See Cable Chart)					1	—	LM	
—	B.215818	Cable; F.111, Group (See Cable Chart)					1	—	LM	
—	A.255023	Cable; F.186, Group (Mod. 1126) (See Cable Chart)					1	—	LM	
—	B.250880	Cable; F.194, Group (See Cable Chart)					1	—	LM	
—	C.317521	Cable; F.199 (Mod. 1383) (See Cable Chart)					1	—	LM	
—	C.325743	Cable; F.199 (Mod. 1387) (See Cable Chart)					1	—	LM	
—	D.317522	Cable; F.200 (Mod. 1383) (See Cable Chart)					1	—	LM	
—	D.325744	Cable; F.200 (Mod. 1387) (See Cable Chart)					1	—	LM	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	F.203862	Cable, earthing, group					2	—	LM	
		Consisting of:—								
10	5E/9568884	—	Cable, uniprenmet, 12 amp.				2½ ft.	—	C.	
	5K/4329284	—	Ferrule, cut type				1	—	C.	
	5X/9400385	Plessey	Lug, terminal, 2 BA				1	—	C.	
		703/2/00359								
	5K/4329334	AGS.1658 Mk.D	Nut, coupling				1	—	C.	
	5X/4491356	Plessey Z.24209	Sleeve, helsyn				1	—	C.	
	10894	Std.1948/11	Sleeve				1	—	C.	5
		Std.1948/21	Sleeve				1	—	C.	5
	5K/9130658	R.C. No.00	Terminal				1	—	C.	
	—	283834	Cable, loom, F.57, Group (Mod. 1383, 1387)				1	—	LM	
			(C.227824 Modified by B.325479)							
	6017	F.203866	Bracket				1	—	MR/C	
	6016	F.203865	Bracket				1	—	MR/C	
10	5E/9467424	—	Cable, uniprenmet 20				150 ft.	—	C.	
	5CX/4330059	—	Lamp, type "B" No. 1 U/V				2	—	C.	
	5CX/1057219	—	Lamp, type "C" No. 2				10	—	C.	
	5892	F.203673	Screen, lamp				2	—	MR/C	
	5CX/1057503	—	Screen, lamp				8	—	C.	
	5K/—	—	Sleeve, helsyn 150 HT.20 x 4"				1	—	C.	
	5K/—	—	Sleeve, helsyn 150 HT.30 x 1"				1	—	C.	
	5K/—	—	Sleeve, helsyn 150 HT.75 x 4"				1	—	C.	
	5X/1005131	—	Sleeve				1	—	C.	
	5CY/4376512	—	Socket, type "R" (Mod. 1383, 1387)				2	—	C.	
10	5CW/4408726	—	Switch, SP				1	—	C.	
10	5X/9462952	Plessey	Tag				1	—	C.	
		703/2/00329								
	5X/9400064	703/2/00340	Thimble				1	—	C.	
	5CW/1055544	Rotax MN.100397/1	Transfer, "ON"				1	—	C.	
	14A/1380	—	Camera, type G.45B (Pre Mod. 1391)				1	—	A.	
10	2590-99-	—	Cap, protective				4	—	C.	
	8813547	—								
10	5CW/4405619	Hellermann	Cap, protective				1	—	C.	
		HV.3711								
	10H/0970055	Plessey CZ.57538	Cap, protective				2	—	C.	
	10H/0970056	Plessey CZ.57539	Cap, protective at frame 14				2	—	C.	
	—	C.274667	Clipping, Additional Details (Mod. 1255 & 1256)				—	—	—	
26VA/6044413	Std.2045/26/22		Clip (Mod. 229)				1	—	C.	6
	11209	Std.2045/34/22	Clip				2	—	C.	
26VA/6041253	Std.2045/46/20		Clip				3	—	C.	6
	5F/9454141	NY.18007A	Strapping				QR	—	C.	
	5F/9138822	NY.3342	Stud				QR	—	C.	
	5767	Std.1509/12/030	Tube, distance				2	—	MR/C	4
	—	E.326427	Clipping, additional details (Mod. 1383, 1387)				—	—	—	
	3741	Std.840/20	Clip				1	—	C.	4
	2145	Std.841/13	Clip				1	—	C.	4
	5F/9454141	Hellermann	Strapping				QR	—	C.	
		NY.18007A								
	5F/9506025	NY.18067	Strapping				QR	—	C.	
	5F/9138823	NY.3255	Stud				QR	—	C.	
	5F/9138822	NY.3342	Stud				QR	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	E.326426	CLIPPING OF ELECTRICAL CABLES, ASSEMBLY					—	—	—	
		(Mod. 1383, 1387) (See also E.326427)								
5X/4683247	Hellermann	Cap. protective (Mod. 1383)					1	—	C.	
	0003—052—000									
3733	Std.840/12	Clip					1	DTD.610	C.	4
4761	Std.840/13	Clip (Mod. 1429)					2	DTD.610	C.	4
	Std.840/20	Clip (Mod. 1429)					1			4
3951	Std.840/26	Clip					2	DTD.610	C.	4
3739	Std.840/30	Clip					1	DTD.610	C.	4
	Std.840/39	Clip					1	DTD.610	C.	4
2145	Std.841/13	Clip					2	DTD.610	C.	4
4186	Std.841/16	Clip					1	DTD.610	C.	4
26PL/6166393	Std.841/23	Clip, 7/16" wide x 22 S.W.G. x 2.3" long					1	DTD.610	C.	4
4556	Std.841/25	Clip					2	DTD.610	C.	4
4732	Std.841/29	Clip (Mod. 629)					1	DTD.610	C.	4
3750	Std.842/10	Clip (Mod. 488)					1	DTD.610	C.	4
9663	Std.2045/19/24	Clip					2	—	C.	
11538	Std.2046/18/22	Clip					2	—	C.	
6A/4333340	Smiths	Connector					1	—	C.	
	Weymouth									
	C.A.10									
6A/2767	CA.14	Connector					1	—	C.	
5X/	Hellermann	Connector (Mod. 1383)					1	—	C.	
	467—HTB—20—									
	41PS									
5X/4500004	Plessey	Ferrule, outer					3	—	C.	
	Z.22675/D									
5X/4499998	Z.22676/D	Ferrule, inner					3	—	C.	
5X/6700	Z.71632	Gland					3	—	C.	
5X/1005131	508/2/11232/	Sleeve, adaptor					70	—	C.	
	002									
5X/6194	CZ.50405	Socket, assembly, D24/2/0					3	—	B.	
5F/9454141	NY.18007A	Strapping, 1/2" wide					QR	—	C.	
5F/9506025	NY.18067	Strapping, 3/16" wide					QR	—	C.	
5F/9138822	NY.3342	Stud					QR	—	C.	
5F/9138823	NY.3255	Stud					QR	—	C.	
26VA/6034545	Std.1509/23/090	Tube, distance					2	—	C.	4
6734	Std.1335/A18	Washer, for earth lead					2	L.1	C.	4
—	D.206612	COCKPIT, LIGHTING EQUIPMENT, ASSEMBLY					—	—	—	
6018	A.201563	Bracket, for standby light switch					1	L.72	MR/C	
5894	A.201366	Bracket, mounting, lamp and switch					1	L.72	MR/C	
	F.216675	Bracket, fire test switch (Mod. 522)					1	L.72		
	A.218822	Bracket, switch unit mounting (Mod. 417)					1	L.72		
3734	Std.840/14	Clip, cable, 7/16" wide x 22 S.W.G. x 1.4" long					2	DTD.610	MR/C	4
4768	Std.841/14	Clip, cable, 7/16" wide x 22 S.W.G. x 1.4" long					2	DTD.610	MR/C	4
4186	Std.841/16	Clip, cable					2	DTD.610	C.	4
4793	Std.841/19	Clip, cable, 7/16" wide x 22 S.W.G. x 1.9" long					1	DTD.610	MR/C	4
4159	Std.841/20	Clip					1	DTD.610	C.	4
4043	Std.841/30	Clip, cable					1	DTD.610	C.	4
3750	Std.843/10	Clip, cable, 7/16" wide x 22 S.W.G. x 1.0" long					3	S.3	MR/C	4
		{Make from 30A/9610252}								
3751	Std.842/12	Clip, cable, 7/16" wide x 22 S.W.G. x 1.2" long					4	S.3	MR/C	4
		{Make from 30A/9610252}								
4297	Std.843/11	Clip, cable, 7/16" wide x 22 S.W.G. x 1.1" long					3	S.3	MR/C	4
		{Make from 30A/9610252}								
—	Std.843/22	Clip, cable, 7/16" wide x 22 S.W.G. x 2.2" long					1	S.3	LM	4
		{Make from 30A/9610252, 2-3/4" x 7/16"}								

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
—	A.197111	EARTHING CONNECTION, No. 1 ASSEMBLY					—	—	—	
4978	Std.1298/7	Stud					1	S.1	C.	4
4979	Std.1335/C20	Washer					3	L.4	C.	4
—	A.197112—3	EARTHING CONNECTIONS, ASSEMBLY					—	—	—	
4613	Std.1298/1	Stud					2	S.1		4
5CZ/4335731	Std.1335/C18	Washer					6	L.4	C.	4
	Teddington Controls FHJ/A/7	Element (Mod. 210)					1	—	A.	
	C.250638	Equipment, on port forward shelf, group					1	—		
5CZ/4350489	—	Block, terminal, for redundant cable stowage					1	—	B.	
	B.238563	Box, switch, group (Mod. 907)					1	—		
10966	B.238564	Box, group					1	—	B.	
	A.238566	Cover					1	—		
	F.238573	Lever, operating					1	S.518 TH		
	F.238574	Lever, operating					1	S.518 TH		
	F.240559	Plate, back					1	L.72		
10495	F.238579	Spindle, tappet					1	—	C.	
1642	F.190212	Spring					1	Sp. Steel	C.	
10496	F.238576	Spring					1	—	C.	
10562	F.240558	Spring					1	Sp. Steel	C.	
	Std.1509/12/046	Tube, distance, 1/4" o/d x 20 S.W.G. x 0.46"					1	T.4		4
5CY/4376481	B.T.H. Ltd.	Breaker, circuit, type LGA.24 B1					1	—	A.	
10	Std.1606/44/B6	Screw, securing switch					2	Brass	—	5
3838	Std.1606/44/B8	Screw, securing, circuit-breaker					2	Brass	C.	5
10	5CW/4407828	Switch, S.P., change-over, "off", spring return both ways (Mod. 1072)					1	—	B.	
	5CW/4405557	Transfer, "UP"					1	—	C.	
	5CW/1055022	Transfer, "DOWN"					1	—	C.	
26VA/6041199	Std.1509/12/078	Tube, distance, 1/4" o/d x 20 S.W.G. x 0.78" long					2	T.4	C.	4
	B.205363	Cable, F.28 group (See Cable Chart)					1	—	LM	
10745	B.238692	Cable, F.169 group (See Cable Chart)					1	—	C.	
	C.211084	Cable, form F.19, for cockpit shelf forward port (See Cable Chart)					1	—	—	
10	5CW/4405619	Cap, Helvin, sea-grey					1	—	C.	
	HV.3711									
	3734	Std.840/14					1	DTD.610	MR/C	4
	3737	Std.840/22					1	DTD.610	MR/C	4
	4543	Std.840/24					1	DTD.610	C.	4
	11078	F.257143					1	—	C.	
	5L/9951273	Cover, dolly (Mod. 1125)					1	—	C.	
10	5X/1931479	Filament, 28 volt, 3.5 watts					1	—	B.	
	6909	Grömmet					1	—	C.	
	F.198334	Guard, locking, for switch					1	L.72	MR/C	
10	10AP/1039477	Guard, locking, for switch					1	—	C.	
10	5CW/4401527	Honeywell 5PA/8					1	—	C.	
10	5CZ/4340340	Indicator, magnetic					1	—	B.	
	6A/4333339	Smiths 501/FL					1	—	A.	
10	5CX/1085815	Indicator, position, trim, aileron and rudder					1	—	B.	
	5264	AW.88052					1	—	C.	
	5700	AW.49162					1	S.1	MR/C	
	5701	AW.49163					1	Steel	MR/C	
	F.236326	Spring					1	L.72		
		Plate, blanking, for radar ranging switch and target rejection switch positions					2			
11363	F.254505	Plate, switch adaptor (Mod. 1125)					1	L.72	C.	
1638	Std.1606/44/B6	Screw, securing switch (Mod. 629)					4	Brass	C.	5
3838	Std.1606/44/B8	Screw, securing switches S.P.					9	Brass	C.	5
3837	Std.1606/44/B10	Screw, securing clips					3	—	C.	5
1178	Std.1606/44/B12	Screw, securing switch					2	Brass	C.	5
1637	Std.1606/44/B14	Screw, securing position indicator					2	Brass	C.	5

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
3856	Std.1606/44/C20					Screw, securing trim switch	2	Brass		5
2857	Std.1606/44/C24					Screw, securing trim switch	2	Brass	C.	5
	B.192718					Shelf, group	1	DTD.610		
	F.228658					Bracket, plug mounting (Mod. 907)	1	L.72		
	F.216695					Guard, for tailplane standby actuator control (Mod. 299)	1	L.72		
5K/9107067	Hellermann					Sleeve, P.V.C., 0.9" long	4	1738 type "B"	C.	
5CW/1047693	—					Switch, S.P., change-over no "off" position	3	—	C.	
5CW/1047690	—					Switch, S.P., "on-off", upright-off"	1	—	C.	
5CW/4408080	Honeywell 2TL1/3D					Switch, tailplane main control (Mod. 1125)	1	—	B.	
5CW/4400035	Western Mfg. LS.1611					Switch, trim, Mk. B/2, aileron and rudder	1	—	A.	
5CW/1055544	—					Transfer, "ON"	3	—	C.	
5CW/1055545	—					Transfer, "OFF"	3	—	C.	
921	Std.1509/12/014					Tube, distance, 1/4" o/d x 20 S.W.G. x 0.14" long	1	T.4		4
	Std.915/B12					Washer, for switch guard	2	DTD.610	C.	4
	D.250597					Equipment, on port rear shelf, group	1	—		
5CZ/1053794	—					Block, terminal, for redundant cable stowage	1	—	C.	
6076	F.207954					Bar, ganging	1	—	C.	
5X/4491463	Plessey 703/2/00465					Bar, commoning	2	—	C.	
—	Z.63022					Bar, commoning, L.H. (Make from 5X/6480)	1	—	—	
—	Z.63023					Bar, commoning, R.H. (Make from 5X/6480)	1	—	—	
5X/4491482	703/1/00420					Block, fuse, Q/R, with identification tags, less cover	6	—	C.	
5X/1957037	—					Block, terminal, 3-way (Mod. 554)	1	—	C.	
5X/1002695	703/1/00249					Block, terminal, 20-way	2	—	C.	
5X/1004088	703/2/00244					Block, terminal, 10-way	2	—	B.	
5CY/9992777	—					Breaker, circuit, type A, No. 4, 25amp.	1	—	A.	
5CY/4376383	—					Breaker, circuit, type A3, 15 amp. (Mod. 325)	1	—	C.	
—	C.213324					Cable, form A, for cockpit rear shelf, port (See Cable Chart)	1	—	—	
—	C.241843					Cable, form B, for cockpit rear shelf, port (See Cable Chart)	1	—	—	
5E/9467424	—					Cable, uninyvin 20	QR	—	C.	
5E/9993758	—					Cable, uninyvin 12	QR	—	C.	
5CW/4405620	Hellermann HV.3710					Cap, Helvin, sea-grey	1	—	C.	
2590-99-8813547	—					Cap, protective	2	—	C.	
11	B.189231					Channel, mounting	1	—		
	C.326072/1					Diagram, wiring (Mod. 1383) (Mod. 1429)	1	Photo		
10H/4709559	—					Fuse, 2.5 amp., type 'S'	6	—	C.	
10H/4709560	—					Fuse, 5 amp., type 'S'	12	—	C.	
10H/4709562	—					Fuse, 20 amp., type 'S'	1	—	C.	
10H/1047920	—					Fuse, dummy	1	—	C.	
10AP/1039477	—					Guard, locking, for switch	1	—	C.	
	F.254572					Guide, for hood jettison handle (Mod. 1127)	1	M.S.		
5X/1004082	Plessey 703/2/00251					Link, connecting, 2-way	3	—	C.	
5X/1004083	703/2/00252					Link, commoning, 3-way	1	—	C.	
—	703/2/00255					Link, commoning, 6-way	1	—		
5X/1012122	703/2/00259					Link, commoning 10-way	2	—	C.	
5CZ/4350503	—					Lug, cable	1	—	C.	
	C.189088					Plate, end, shelf	1	DTD.610		
	F.236326					Plate, blanking at radar test switch position	1	L.72		
—	A.207504					RELAY, 'H', ASSEMBLY	—	—	—	
5E/9467424	—					Cable, uninyvin 20	94	—	C.	
5F/	—					Sleeve, hellyn, 150 HT.20 x 3/4"	7	—	C.	
5CW/9729123	Std.1950/11					Switch, identification	1	—		4
5K/4346693	RC.210					Switch, magnetic, type 'S', No. 3	1	—	B.	
						Tag	6	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
—	A.205946					RELAY "K", ASSEMBLY	—	—	—	
5E/9467424	—					Cable, uninyvin 20	11	—	C.	
5F/	—					Sleeve, helsyn, 150 HT.20 x 3/4"	9	—	C.	
5CW/9729123	—					Switch, magnetic relay, type "S", No. 3	1	—	B.	
	—					Tag, 4 amp.	5	—		
1639	Std.1606/44/A6					Screw, securing safety cover	2	—	C.	5
—	Std.1606/44/B6					Screw, securing switches	14	—	—	5
1178	Std.1606/44/B12					Screw, securing temperature selector	4	Brass	C.	5
3839	Std.1606/44/B16					Screw, securing "Dowty" lever switch	2	Brass	C.	5
4179	Std.1606/44/B20					Screw, securing altitude switch	3	Brass	C.	5
5CZ/4335548	Teddington FHK/A/7					Selector, temperature (Pre Mod. 422)	1	—	A.	
5CZ/4335603	Teddington FHK/A/26					Selector, temperature (Mod. 422)	1	—	A.	
1643	C.189204					Shelf, rear portion, group	1	DTD.610	B.	
1644	F.189202					Fastener, hinged	3	DTD.610	C.	
1645	F.189203					Fastener, hinged	1	DTD.610	C.	
28FP/9520205	Dzus A.3/20					Fastener	2	—	C.	
28FP/9144248	Dzus A.4/25					Fastener	4	—	C.	
28FP/1200486	Dzus S.3/150					Spring	2	—	C.	
5CW/4400051	Kelvin & Hughes KSD.0201					Switch, altitude	1	—	A.	
5CW/1047700	—					Switch, D.P., "on-off" spring return to centre		—	C.	
						position				
5CW/1047693	—					Switch, S.P., change-over, no "off" position	5	—	C.	
5930-99- 4400318	Dowty C.1223Y Mk. 12					Switch, lever, cabin temperature control	1	—	A.	
5CW/5015	—					Switch, magnetic relay, type 9B, No. 2	2	—	C.	
5K/4346693	RC.2120					Tag	23	—	C.	
5K/	RC.2122					Tag	7	—	C.	
5X/1006121	Plessey Z.56547					Tag, 19 amp., closed	4	—	C.	
5CW/4405585	—					Transfer, "normal"	2	—	C.	
5CW/1056625	—					Transfer, "test"	2	—	C.	
5CW/1055544	—					Transfer, "on"	3	—	C.	
5CW/1055545	—					Transfer, "off"	3	—	C.	
5CW/1056624	—					Transfer, "Auto"	1	—	C.	
5CW/4405552	—					Transfer, "Manual"	1	—	C.	
11	E.332313					Equipment, on starboard cockpit shelf, group	1	—		
						(Mod. 1429)				
5X/4491463	Plessey 703/2/00465					Bar, commoning	2	—	C.	
11	—					Bar, commoning	1	—	—	
5X/4491482	703/2/00462 703/1/00420					Block, fuse Q/R, with identification tags	5	—	C.	
						less cover				
5X/1004088	703/2/00244					Block, terminal, 10-way	2	—	C.	
5X/1002695	703/1/00249					Block, terminal, 20-way	2	—	C.	
5CY/9992777	—					Breaker, circuit, type A, No. 4	2	—	C.	
5CY/4376060	—					Breaker, circuit, type A, No. 6	1	—	C.	
11	C.205367					Cable, F.33 & F.34, Group (See Cable Chart)	1	—	LM	
—	D.332443					Cable, form A, for cockpit shelf, starboard	1	—	LM	
						(Mod. 1429) (See Cable Chart)				
—	B.205662					Cable, form B, for cockpit shelf, starboard	2	—	LM	
						(See Cable Chart)				
11	D.332436					Cable, form C, for cockpit shelf, starboard	1	—	LM	
						(Mod. 1429) (See Cable Chart)				
11	B.332438					Cable, form, SSR 8B (Mod. 1429)	1	—	LM	
						(See Cable Chart)				
11	B.333912					Cable, form, TAC 4 (Mod. 1429)	1	—	LM	
						(See Cable Chart)				
	B.332551					Cable, VHF 1C (Mod. 1443)	1	—	LM	
						(See Cable Chart)				

Hunter GA. Mk. 11
Issued with A/L No. 11

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
2590-99-8813547	—	Cap, protecting	3	—	C.	
	B.336199	Channel, mounting (Mod. 1429)	1	—		
11792	Std.2045/31/22	Clip (Mod. 1429)	1	—	C.	6
1646	F.167745	Cover, for butt test switch	1	—	C.	
5X/9149643	Plessey	Cover, transparent	2	—	C.	
	703/1/00266					
	C.334282/1	Diagram, wiring (Mod. 1443, Pre Mod. 228)	1	Photo		
	C.334281/1	Diagram, wiring (Mod. 1443, Pre Mod. 228)	1	Photo		
10H/4709559	—	Fuse, 2.5 amp.	QR	—	C.	
10H/4709560	—	Fuse, 5 amp.	QR	—	C.	
10H/4709561	—	Fuse, 10 amp.	QR	—	C.	
10H/1047920	—	Fuse, dummy	QR	—	C.	
5X/8014671	Hellermann HV2420	Grommet (Mod. 1429, Pre Mod. 1391)	1	—	C.	
5K/5800644	Hellermann HV2553	Grommet (Mod. 1429, Pre Mod. 1391)	1	—	C.	
5CW/4405594	Rotax M.65290	Grommet	1	—	C.	
5X/1004085	Plessey	Link, commoning, 5-way	1	DTD.213	C.	
	703/2/00254					
5X/1004083	Plessey	Link, commoning, 3-way	1	—	C.	
	703/2/00252					
5X/10121122	Plessey	Link, commoning, 10-way	2	—	C.	
	703/2/00259					
5X/1004082	Plessey	Link, commoning, 2-way (Mod. 1429)	1	—	C.	
	Z.50210					
	F.264749	Mounting	6	Rubber		
	F.334400	Packing (Make from 30B/9611214) (Mod. 1429)	1		LM	
	Plessey	PiBar (Mod. 1429)	2			
	703/1/00226					
	F.334567	Plate, adaptor (Mod. 1429, retro)	1			
	B.190403	Plate, end, shelf	1	DTD.610		
5CY/4699324	—	Plug, type "F"	1	—	B.	
	F.334956	Resistor assembly (Mod. 1429)	1			
5905-99-0140421	—	Resistor, 33Ω, 6W	1		C.	
5F/9133785	—	Sleeve, Helsyn 150 HT20 x 1/2"	2		C.	
5X/9450396	Hellermann HC490	Tag	2		C.	
1639	Std.1606/44/A6	Screw, securing protection cap	6	Brass	C.	5
	Std.1606/44/B6	Screw, securing switches	4		—	5
3839	Std.1606/44/B16	Screw, securing socket	2		C.	5
	D.336198	Shelf, group (Mod. 1429)	1	DTD.610		
	B.190391	Door, access, hinge, group	1	DTD.310		
28FP/1014631	DZUS A.3/25	Fastener	2	—	C.	
1644	F.189202	Fastener, hinged	1	DTD.610	C.	
1645	F.189203	Fastener, hinged	2	DTD.610	C.	
28FP/9144248	DZUS A.4/25	Fastener	4	—	C.	
	D.336198/1	Panel, top (Mod. 1429)	1			
	D336198/2	Panel, side (Mod. 1429)	1	—		
	B.190236	Plate, reinforcing (Mod. 1429)	1	—		
28FP/1200486	DZUS S.3/150	Spring	2	—	C.	
29G/4658548	—	Stud (Lift the dot)	1	—	C.	
5K/9133786	—	Sleeve, Helsyn 150 HT.30 x 1" (Mod. 1429)	5	—	C.	
	Std.1953/1 to /20	Sleeve, marker (Mod. 1429)	1 set	—		
5CY/1059467	—	Socket, type "F"	1	—	C.	
5CW/1047698	—	Switch, D.P., "change-over" "centre off" spring				
		return both positions				
5CW/1047690	—	Switch, S.P., "on-off", "upright off"	1	—	C.	
		(Mod. 1319) (Mod. 1429)				
5K/2233607	Ross Courtney No. 00	Terminal	2	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
5CW/1055545	—					Transfer, "off" (Mod. 1429)	1	—	C.	
5CW/4405581	—					Transfer, "port"	1	—	C.	
5CW/4405582	—					Transfer, "starboard"	1	—	C.	
5CW/1056625	—					Transfer, "test"	3	—	C.	
11	—	D.332336				EQUIPMENT ON STARBOARD FORWARD SHELF (Mod. 1429)	—	—	—	
11		D.335327				Cable, form F239 and F240 (Mod. 1429) (See Cable Chart)	1	—	LM	
11	6A/4333788	Smiths				Gauge, fuel contents	1	—	A.	
11	6A/4333787	Smiths				Gauge, fuel contents	1	—	A.	
11	5CZ/4340381	EL1810				Indicator, magnetic unit (Mod. 1429)	4		B.	
11	5L/9951273	—				Lamp, filament	2		C.	
11	5CX/4330216	Rotax H2085 or Smiths				Lamp, warning	2			
11	5305-99-1287453	Std.1606/44/B20				Screw, for securing switches (Mod. 1429)	8		C.	5
11	5305-99-1215620	Std.1606/44/B24				Screw, for securing fuel indicators	8		C.	5
11		C.332441				Shelf, starboard forward (Mod. 1429)	1			
11		B.332434				Endwall	1			
11	28FP/9144248	DZUS A.4/25				Fastener	7		C.	
11		F.334399				Packing	2	L.72		
11		F.189202				Plate, hinge	2			
11	5CW/1047690					Switch, S.P. "on-off" up-right "off" (Mod. 1429)	2	—	C.	
11	5CW/1938455	Honeywell				Switch, nose lamp (Mod. 1429)	1	—	C.	
11	5CW/9788	Honeywell				Switch, navigation lights (Mod. 1429)	1	—	C.	
11	5CW/1047699	—				Switch, D.P. change over centre and one side "ON" spring return to centre	1		C.	
11		Honeywell				Switch, anti-collision lights	2			
	—	A.190430				EQUIPMENT ON STARBOARD ARCH PANEL, ASSEMBLY	—	—	—	
	5L/9951272	—				Filament, 28V., 3.5W	1	—	C.	
	3837	Std.1606/44/B10				Panel, arch, starboard (Mod. 581)	1	DTD.610		
5CW/4405748	—					Screw, securing fire extinguisher switch	4	Brass	C.	5
5CW/1047693	—					Switch, fire extinguisher (Mod. 522)	1	—	B.	
5CW/11817	—					Switch, anti-icer pump	1	—	B.	
		D326459				Window, red	1	—	C.	
		D.323906				Equipment, on leg panel, group (Mod. 1387)	1	—	—	
	5X/4491463	Plessey Z.60218				Equipment, on leg panel, group (Mod. 1383)	1	—		
	5X/4491482	Plessey CZ.73898				Bar, commoning, 4-way	3	—	C.	
	5X/1004088	Plessey CZ.24285				Block, fuse	4	—	B.	
		F.188304				Block, terminal, 10-way	3	—	B.	
5CY/9550803	—					Bracket, for plug socket	1	DTD.610		
		D.205124				Breaker, circuit, type A.2	1	—	A.	
		A.278519				Cable, form, at leg panel (See Cable Chart)	1	—	LM	
		B.205375				Cable, A, group (Mod. 1256) (See Cable Chart)	1	—	LM	
		B.205920				Cable, E.3/A, group (See Cable Chart)	1	—	LM	
		B.221285				Cable, F.31, group (See Cable Chart)	1	—	LM	
5E/9467424	—					Cable, F.32, group (See Cable Chart)	1	—	LM	
5E/9012998	—					Cable, uninyvin 20 (Mod. 1383, 1387)	A/R	—	C.	
5E/9012567	—					Cable, uninyvin 16	4-1/4"	—	C.	
						Cable, unipren, 24 amp.	10-1/2"	—	C.	
2590-99-8813547	—					Cap, protective	1	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.318786/1					Diagram, wiring (Mod. 1387)	1	Photo copy		
	C.318688/1					Diagram, wiring (Mod. 1383)	1	Photo copy		
10	Std.1512/1					Disc, identification	2	—		4
	5L/9951273					Filament, 28 volt, 3.5 watt	2	—	B.	
10	10H/4709559					Fuse, 2.5 amp., type "S" (Mod. 1383, 1387)	2	—	C.	
10	10H/1043043					Fuse, 2.5 amp., type "HRC"	2	—	C.	
10	10H/4709560					Fuse, 5 amp.	3	—	C.	
10	10H/4709561					Fuse, 10 amp.	4	—	C.	
10	10H/1047920					Fuse, dummy	7	—	C.	
	5CX/4334099					Lamp, warning, iris type (Mod. 1087)	2	—	B.	
10	5X/4491463	Plessey				Link	1	—	C.	
	703/2/00471/100									
	5X/1012122	Plessey Z.50218				Link, commoning, 10-way	1	—	C.	
	5X/1004083	Plessey Z.50211				Link, commoning, 3-way	1	—	C.	
	5X/1004082	Plessey Z.50210				Link, connecting, 2-way	1	—	C.	
	4490	F.199451				Nut, special, at transfer "on" and "off" switch	1	L.65.C	C.	
		D.253708				Panel, leg, group (Mod. 1087)	1	DTD.610		
	10448	A.188306				Bar, ganging	1	M.S.	C.	
		A.196162				Bracket, for terminal block	1	DTD.610		
	4615	B.188298				Door, group	1	DTD.610	C.	
28FP/9144248	Dzus A.4/25					Fastener	3	—	C.	
		A.188310				Lever, rudder release, group	1	—		
	1649	F.188308				Lever	1	T.26	C.	
	1650	F.188311				Shackle	1	S.510	C.	
		A.253709				Panel, front (top portion) (Mod. 1087)	1	L.72		
	5707	B.191441				Panel, front (bottom portion)	1	L.72	MR/C	
	5705	A.203256				Panel, access	1	L.72	MR/C	
10	5X/1103758	Plessey				Pin, plug (Mod. 1383, 1387)	2	—	C.	
		508/2/11245								
	10502	A.192533				Plate, identification	1	DTD.610	C.	
	4211	Std.1687/2				Saddle	4	DTD.610	C.	5
	5X/1005131	—				Sleeve (Mod. 1387)	2	—	C.	
	3190	F.151094				Spring, for ganging bar	1	—	MR/C	
	5K/4346693	RC.2120				Tag (Mod. 1383, 1387)	2	—	C.	
	—	F.199450				Plate, locking, at transfer "on" and "off" switch (Make from 308/9611215, 1-3/4" x 1-3/4")	1	L.72		
	6A/4333074	Smiths 1 A.C.R.				Ratiometer, indicator, for oil pressure	1	—	A.	
	—	B.205125				RELAY, 'S' AND 'U', ASSEMBLY	—	—	—	
	6020	F.202763				Bracket, relay mounting	1	L.72	MR/C	
	6021	F.202764				Bracket, relay mounting	1	L.72	MR/C	
10	5E/9467424	—				Cable, uninyvin 20	22'	—	C.	
10	5E/9012998	—				Cable, uninyvin 16	27"	—	C.	
	5CW/9429123	—				Relay, type 'S', No. 3, 10 amp.	2	—	B.	
	5F/	—				Sleeve, helsyn, 150 HT x 20 x 1/2"	21	—	C.	
	5K/4346693	RC.2120				Tag, quick release	14	—	C.	
	5K/4346711	RC.2121				Tag, quick release	2	—	C.	
	1639	Std.1606/44/A6				Screw, securing protective cover	2	Brass	C.	5
		Std.1606/44/B6				Screw, securing fuse block	8	Brass	—	5
	3838	Std.1606/44/B8				Screw, securing "on-off" switches	11	Brass	C.	5
	3837	Std.1606/44/B10				Screw, securing bracket for plug socket	4	Brass	C.	5
	4617	Std.1606/44/C14				Screw, securing resistance unit	3	Brass	C.	5
	3839	Std.1606/44/B16				Screw, securing cartridge selector switch and magnetic relay switch	4	Brass	C.	5
	4179	Std.1606/44/B20				Screw, securing magnetic relay switch	2	Brass	C.	5
	1720	Std.1606/44/B24				Screw, securing ratiometer oil indicator	4	Brass	C.	5
	3840	Std.1606/44/B28				Screw, securing terminal block, 10-way	6	Brass	C.	5
	4661	Std.1606/45/B12				Screw, securing relay mounting bracket	4	Brass	C.	5
	4491	F.199449				Stud, at transfer "on" and "off" switch	1	S.95.B	C.	
	5CW/1047690	—				Switch, S/P., "on-off," "upright off"	4	—	B.	
	5CW/1047699	—				Switch, D/P., "on-off," "upright off"	1	—	B.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	5CW/5015	—				Switch, magnetic, relay type 9, No. 2	1	—	A.	
	5CW/4402868	FJB/A/5				Switch, selector, cartridge	1	—	A.	
		or								
		FJB/A/3								
11	5X/9462745	Plessey Z.56545				Tag, closed end	2	—	C.	
	5X/1005121	Plessey Z.56547				Tag, closed end	2	—	C.	
	5K/4346693	RC.2120				Tag, quick release	10	—	C.	
	5K/4346711	RC.2121				Tag, quick release	1	—	C.	
	5K/—	RC.2122				Tag, quick release	6	—	C.	
	5CW/1055545	—				Transfer, "off"	5	—	C.	
	5CW/1055544	—				Transfer, "on"	5	—	C.	
	5CZ/4335544	Teddington Controls				Unit, resistance, 10 ohms	1	—	A.	
		FKX/A/1								
	14A/4290138	—				Flange, front (Pre Mod. 1391)	1	—	A.	
	10H/1047920	—				Fuse, dummy (Mod. 1319)	1	—	C.	
	10H/4709559	—				Fuse, 2.5A type S (Mod. 1383, 1387)	1	—	C.	
	10H/9019668	Belling Lee				Fuse, 5 amp. (Mod. 488)	2	—	C.	
		L.1055/5								
	10H/2073169	—				Fuseholder, type A (Mod. 1383, 1387)	1	—	C.	
	20159	F.252737				Guard, locking for RP and Bomb Switch	1	—	C.	
	10H/0590100	Belling Lee				Holder, fuse (Mod. 488)	2	—	C.	
		L.1348								
	5X/4500037	AS.2722				Insulator, busbar	2	—	C.	
	6125-99-198-	Ferranti				Inverter, type 375 (Mod. 1387)	1	—	A.	
	6443									
	6125-99-114-	Ferranti				Inverter, type F1.45E (Mod. 1383)	1	—	A.	
	1728									
	5UB/4938	—				Inverter, type 100A	2	—	A.	
11		F.333954				Label, navigation and anti-collision lights	1	—		
						(Mod. 1443)				
	5CX/4330002	—				Lamp, cockpit, Mk. 1, A (service light)	2	—	C.	
	5L/9953271	—				Lamp, filament, 28V., 7W., type "J"	2	—	C.	
	5CX/4330099	Rotax H.2802				Lamp, warning type "A", red, for arrester hook switch	1	—	C.	
	6022	A.201761				Lead, inverter connection, group	1	—	B.	
						Consisting of:—				
	5F/4349867	—				Braid, flexible T.C. nominal size 1" braid only	QR	—	C.	
	5E/9467424	—				Cable, uninyvin 20	30"	—	C.	
	5E/9993758	—				Cable, uninyvin 12	20"	—	C.	
	5X/4491288	Plessey				Ferrule, inner	2	—	C.	
		Z.18500/B								
	5K/3457	—				Sleeve, helsyn, plus L.P. x 1", white	4	—	C.	
	5K/4346294	—				Sleeve, helsyn, plus K.P. x 1", white	6	—	C.	
	5X/9525146	Plessey				Sleeve	4	—	C.	
		508/2/11231/002								
	5X/1005131	508/2/11232/002				Sleeve	6	—	C.	
	5X/6382	CZ.64770				Socket	2	—	C.	
	5F/—	—				Tube, 5/8" i/d (Thinwall)	QR	P.V.C.	C.	
	6A/6203327	—				Module, correction (Mod. 1383)	1	—	A.	
	—	B.264621				Mounting switch bracket (Mod. 1221)	1	S.510		
		F.264749				Mounting at current breaker brackets	8	Rubber		
	—	C.214585				MOUNTING FOR MAGNETIC AMPLIFIER,	—	—	—	
						ASSEMBLY (Mod. 303)				
		F.209366				Angle	2	S.510		
7058		B.209359				Channel, mounting	2	—	C.	
		F.209363				Packing	1	—		
		F.209364				Packing	1	—		
		B.209358				Rail, guide	2	L.72		
7059		F.209362				Screw, special	4	S.95.8	C.	
		A.209365				Stiffener	1	L.72		
6712		F.203133				Washer	2	Rubber	C.	
		A.222514				Packing, under forward accumulator	1	—		

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
5UC/6369631	—	Panel; control, type 12					2	—	A.	
	D.250561	Panel; generator control, group					1	—		
5X/4491482	Plessey	Block, fuse, with identification tags, less cover					2	—	C.	
	703/1/00420									
5X/1004088	703/2/00244	Block, terminal, 10-way					1	—	C.	
	F.196207	Bolt, special, for securing links					2	BSS.2058		
5CY/4376383	—	Breaker, circuit, type A, No. 3, 15 amp.					2	—	C.	
5CY/4376491	—	Breaker, circuit, type "D"					2	—	A.	
	A.198117	Breaker, mounting					1	DTD.610		
	B.222427	Bracket, for flight instrument inverter switches					1	—		
4178	Rotax N.65291	Bung, sealing					4	—	C.	
—	C.250765	Cable, loom, F.49 (See Cable Chart)					1	—	LM	
—	C.205481	Cable, loom, F.52, group (See Cable Chart)					1	—	LM	
2590-99-	—	Cap, protective					2	—	C.	
8813547	—									
3735	Std.840/16	Clip, securing cable					2	DTD.610	MR/C	4
3971	Std.840/19	Clip, securing cable					2	DTD.610	MR/C	4
3740	Std.840/33	Clip, securing cable					1	DTD.610	MR/C	4
4768	Std.841/14	Clip, securing cable					1	DTD.610	MR/C	4
4769	Std.843/10	Clip, securing cable					1	S.510	MR/C	4
26VA/6043471	Std.2045/20/24	Clip, sleeved, securing cable					1	—	C.	6
11738	Std.2045/23/24	Clip, sleeved, securing cable					4	—	C.	6
11294	Std.2045/25/24	Clip, sleeved, securing cable					1	—	C.	6
5CY/4376508	—	Cut-out, differential, type "A", Mk. 2					2	—	A.	
13393	C.250761/1	Diagram, wiring					1	Photo	C.	
10H/4709561	—	Fuse, 10 amp., type "S"					2	—	C.	
5X/9131181	—	Grommet					2	—	C.	
5CZ/4335566	—	Indicator, magnetic					2	—	A.	
5X/1012122	Plessey	Link, commoning, 10-way					1	—	C.	
	703/2/00259									
	A.190681	Link, connecting					1	BSS.1433 or BS.2870		
4181	A.190682	Link, connecting					1	BSS.1433	C.	
4182	A.190683	Link, connecting					1	BSS.1433	C.	
4183	A.190684	Link, connecting					1	BSS.1433	C.	
4184	F.190685	Link, connecting					1	BSS.1433 or BS.2870	C.	
4185	B.190680	Link, connecting					1	BSS.1433	C.	
	D.252291	Panel, detail, group					1	DTD.610		
	A.251442	Angle, mounting, relay					2	L.72		
28FP/9425773	Dzus AJW.5/35	Fastener					4	—	C.	
	A.187946	Label, amps and volts					1	L.16 or L.59		
	A.187947	Label, "Generator No. 1"					1	L.16 or L.59		
	A.187948	Label, "Generator No. 2"					1	L.16 or L.59		
	A.187949	Label, "reset"					1	L.16 or L.59		
1651	F.186573	Lug, hinge					2	L.168	C.	
5UC/4379166	—	Regulator, voltage, type 94					2	—	A.	
5CW/9729123	—	Relay, type "S", No. 3					4	—	C.	
5CW/9499153	—	Relay, type "10B" No. 15 (Alternative to					2	—	C.	
	5CW/8979)									
11 5CW/8979	—	Relay, type "20B" No. 1 (Alternative to					2	—	C.	
	5CW/9499153)									
5UC/4376135	—	Resistance trimmer, remote, type 3.5 ohms					2	—	C.	
5Q/4347802	—	Shunt, ammeter, 200 amps 50 m/v.					2	—	C.	
5CW/1047697	—	Switch, D.P. "change-over no off position"					2	—	C.	
5CY/4376392	—	Socket, 3 pole, 2 amps.					4	—	C.	
5CW/1047695	—	Switch					2	—	C.	
5CW/5820	—	Switch, D.P. "change-over no off"					2	—	C.	
5CW/4405753	—	Switch, magnetic relay, type 9B, No. 1A					2	—	C.	
5CW/3940	—	Switch, magnetic relay, type "R"					1	—	A.	
5CW/4405585	—	Transfer, "normal"					2	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
26VA/6041211	Std.1509/12/174					Tube, distance at bolt securing relay	1	T.4		4
	Std.1509/23/026					Tube, distance at bolt securing relay	1	T.4	C.	4
	Std.1546/26/16					Washer, profile, for mounting bracket	1	DTD.610		4
5781	Std.915/E/20					Washer, at differential cut-out	4	DTD.610	C.	4
—	D.250637					PANEL, SUPPLY, ASSEMBLY	—	—	—	
5X/4491482	Plessey					Block, fuse	12	—	B.	
	703/1/00420									
	703/1/00249					Block, terminal	8	—	B.	
11	10F/9323454					Breaker, circuit, 5 amp. (Mod. 1429)	1	—	C.	
11	5E/9012998					Cable, uninyvin 16	QR	—	C.	
—	E.199830					Cable, form (See Cable Chart)	1	—	LM	
	6024					Clip	2	L.72	MR/C	
	6025					Clip	2	L.72	MR/C	
	3741					Clip	1	DTD.610	C.	4
11	5X/6944					Connector, in-line (Mod. 1443)	1	—	C.	
11	C.334173/1					Diagram, wiring (Mod. 1443, Pre Mod. 228)	1	Photo		
11	C.334174/1					Diagram, wiring (Mod. 1443, Pre Mod. 228)	1	Photo		
11	C.332314					Diagram, wiring (Mod. 1441)	1	Photo		
11	C.332553					Diagram, wiring (Mod. 1441, Pre Mod. 229)	1	Photo		
11	10H/1047920					Fuse, dummy (Mod. 1387)	QR	—	C.	
11	10H/21797					Fuse, 2.5 amp.	QR	—	C.	
11	10H/4709560					Fuse, 5 amp., type "S"	QR	—	C.	
11	10H/4709561					Fuse, 10 amp.	QR	—	C.	
11	10H/4695448					Fuse, 20 amp.	QR	—	C.	
11	10H/1043046					Fuse, 20 amp., HRC type "S" (Mod. 1383)	QR	—	C.	
	5X/1004082					Link, connecting, 2-way	9	—	C.	
—	Plessey									
	703/2/00251					Link, commoning, L.H. (Make from 5X/4491463)	4	—	—	
—	Z.63022					Link, commoning, 10-way	2	—	C.	
5X/1012122	703/2/00259					Link, commoning, transverse	2	—	—	
5X/1004086	703/2/00260					Link, commoning, R.H. (Make from 5X/4491463)	4	—	—	
—	Z.63023					Link, commoning (Make from 5X/4491463)	1	—	—	
—	Z.63021					Link, wire	1	—	—	
	Std.2050/A					Panel, fuse and terminal block, group	1	DTD.610		
	D.186210					Bracket, end, for landing	1	DTD.610		
	F.186211					Bracket, end, for landing	1	DTD.610		
	F.186212					Bracket, centre, for landing	2	DTD.610		
	F.186213					Bracket, centre, for shelf	2	DTD.610		
	F.186207					Bracket, end, for shelf	1	DTD.610		
	F.186208					Plate, plug and landing, group	1	DTD.610		
	C.186214					Spring	4	—	C.	
28FP/1201748	Dzus S.5/200					Washer	8	—	MR/C	4
3762	Std.915/A/18					Shelf	1	DTD.610		
	B.186752					Plate, adaptor (Mod. 252)	1	—		
	F.215693					Plate, mounting, for fuse block	1	L.72	MR/C	
	6026					Plate, mounting, for fuse block	1	L.72	MR/C	
	6027					Plate, mounting, for fuse block	5	L.72	MR/C	
	6028					Relay, type "S", No. 1	1	—	C.	
5CW/9729122	—					Relay, type "S", No. 3	1	—	C.	
5CW/9729123	—					Relay, type "Q"	1	—	A.	
5CW/6452	—					Resistor, 100 ohms	2	—	C.	
10W/0243099	—					Resistor, 120 ohms	3	—	C.	
10W/0243107	—					Sleeve, helvyn, 1.5 mm x 3/4"	21	—	C.	
5K/9107065	—					Sleeve, insulating (Mod. 1443)	1	—	C.	
11	5K/3685					Sppol, adjustable	1	—	B.	
6A/1053066	Sangamo Weston									
	FD.871					Tube, distance, 1/4" o/d x 20 S.W.G. x 0.62"	1	T.4	LM	4
—	Std.1509/12/062					long (Make from 30A/9610294)				
5UC/5945-99-	Rotax F.1306					Relay, hood motor	1	—	A.	
4379475	—									
5CW/4405753	—					Relay, magnetic, type 9B No. 1A (Mod. 1383)	1	—	B.	
5CZ/4335589	—					Resistor, plug-in, 22508/685 (Mod. 1001)	1	—	B.	
	Std.1606/44/B6					Screw	2	Brass	—	5
	Std.1606/44/B12					Screw	2	Brass	C.	5
	Std.1606/45/B8					Screw	4	Brass	C.	5
	Std.1606/44/A6					Screw (Mod. 1319)	10	Brass	C.	5

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5829	Std.1606/44/A14	Screw					4	Brass	C.	5
5CY/4376057	—	Stowage, dummy, type "B"					1	—	A.	
5F/9454141	NY.18007A	Strapping, 1/2" wide					QR	—	C.	
5F/9138822	NY.3342	Stud					QR	—	C.	
5X/4500038	AS.2719	Stud, terminal for bus-bar					3	—	C.	
5CY/9516978	—	Suppressor, type "P" No. 1					1	—	A.	
—	B.200534	SWITCH, ENGINE ANTI-ICING, ASSEMBLY					—	—	—	
10AP/1039477	—	Guard, locking					1	—	C.	
5CZ/4335573	Plessey	Indicator, engine					1	—	C.	
—	CZ.97636/2									
4871	Std.1606/44/A8	Screw					2	Brass	C.	5
3438	Std.1606/44/B8	Screw					2	Brass	C.	5
5K/9107067	Hellermann	Sleeve, P.V.C., 9" long					1	1738	C.	
—	P3 Grey							Type B		
5CW/1047693	—	Switch, S.P.C.O. no centre position					1	—	C.	
5CW/4400328	Dowty C.1831.Y	Switch, limit; Downmic (Mod. 303)					1	—	A.	
—	Mk. 102.C									
5CW/9438526	Dowty C.5162.Y	Switch, button, fire test (Mod. 522)					1	—	A.	
—	Mk. 3									
5CW/9438275	—	Switch, micro, type 1.A					1	—	C.	
or 5CW/1124465	—									
5CW/9994686	—	Switch, micro, type 4.A					1	—	C.	
or 5CW/1191514	—									
5CW/1047693	—	Switch, S.P.G.O. no centre position					2	—	C.	
5891	F.190440	SWITCH, HOOD CONTROL, ASSEMBLY					1	—	MR/C	
—	A.183030	Bracket, mounting					1	DTD.610		
—	A.184397	Label					1	DTD.213		
5CW/1047698	—	Switch, change-over, "centre-off", spring					1	—	C.	
—	—	return both positions								
5CW/4405550	—	Transfer, "open"					1	—	C.	
5CW/4405554	—	Transfer, "closed"					1	—	C.	
5CW/4405058	Teddington	Switch, time (Mod. 303)					1	—	A.	
—	Controls									
—	FHM/A/58									
5CW/4402866	Teddington	Switch, time delay					1	—	A.	
—	Controls									
—	FHM/A/25									
5930-99-	Western	Switch, hood jettison					1	—	A.	
4400318	Manufacturing									
—	LS.561									
27N/4526464	—	Switch, inertia, Mk. 1, type S.3					1	—	A.	
5CW/4671815	Rotax D.5435	Switch, for arrester hook					1	—	A.	
5CW/1102662	—	Switch, D.P., push					1	—	C.	
5CW/1047696	—	Switch, D.P., changeover no "off" position					1	—	C.	
5CW/1055544	—	Transfer					2	—	C.	
26VA/4242643	Std.1507/23/030	Tube, distance					2	T.4	C.	4
3802	Std.1507/23/085	Tube, distance					2	T.4	C.	
11 5F/4349856	—	Tubing, P.V.C. 1" dia. black (Mod. 1429)					QR	—	MR/C	
11 10AS/9333089	Thomas & Betts	Tyrap (Mod. 1429)					QR	—	C.	
—	TY25M									
5CZ/1044107	—	Unit, flasher, type A (Mod. 1132)					1	—	A.	
6A/6203321	—	Unit, pressure error correction (Mod. 1383)					1	—	A.	

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

