

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	F.271834	ELECTRICAL INSTALLATION IN PORT WING, ASSEMBLY (Pre Mod. 228) (Mod. 1254)					—	—		
	F.207239	ANGLE, support, for cable harness (Make from 308/9611220)					2	L.72	LM	
	A.206175	BLOCK, TERMINAL, No. 21, AT INTER-SPAR RIB . . 'D', PORT, ASSEMBLY					—	—		
	5X/1004088 Plessey	Block, terminal, 10-way					1	—	C.	
	703/2/00244									
10	10H/9462765	Cover					1	—	C.	
	5X/1004082	Link, connecting, 2-way					2	—	C.	
	11973 A.206175/1	Markers					1	—	C.	
							set			
	4177 F.197297	Pillar					2	BSS.249	C.	
	A.206158	BLOCK, TERMINAL, No. 22, AT OUTER RIB, PORT, ASSEMBLY					—	—		
	5X/1002694 Plessey	Block, terminal, 5-way					1	—	C.	
	703/1/00238									
	5X/9149641	Cover					1	—	C.	
	6963 A.206158/1	Markers					1	—	MR/C	
							set			
	5X/9450403 Plessey	Pillar					2	—	C.	
	703/2/00267									
	A.206141	BLOCK, TERMINAL No. 23, AT RIB 'R', INBOARD, ASSEMBLY					—	—		
	5X/3276 Plessey	Block, terminal, 2-way					1	—	C.	
	703/1/00266									
10	5X/3272	Cover					1	—	C.	
	A.206141/1	Marker					1	—		
							set			
	5X/9450403 Plessey	Pillar					2	—	C.	
	703/2/00267									
	A.215707	BLOCK, TERMINAL, No. 24, AT RIB 'S', PORT, ASSEMBLY					—	—		
	5X/1004088 Plessey	Block, terminal, 10-way					1	—	C.	
	703/2/00244									

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	A.206139	BLOCK, TERMINAL, No. 25, AT RIB 'C', PORT, ASSEMBLY					—	—		
5X/1002694	Plessey	Block, terminal, 5-way					1	—	C.	
	703/1/00238									
5X/9149641	703/1/00264	Cover					1	—	C.	
6964	A.206139/1	Markers					1	—	MR/C	
							set			
5X/9450403	Plessey	Pillar					2	—	C.	
	703/2/00267									
	A.206171	BLOCK, TERMINAL, No. 26, AT RIB 'D', PORT, ASSEMBLY					—	—		
5X/1004088	Plessey	Block, terminal, 10-way					1	—	C.	
	703/2/00244									
10 10H/9462765	703/1/00265	Cover					1	—	C.	
5X/1004082	703/2/00251	Link, connecting, 2-way					2	—	C.	
11974	A.206171/1	Marker					1	—	C.	
							set			
4177	F.197297	Pillar					2	BSS.249	C.	
	A.206133	BLOCK, TERMINAL, No. 27, AT TAIL RIBS 'L' AND 'M', PORT, ASSEMBLY					—	—		
5X/1004088	Plessey	Block, terminal, 10-way					1	—	C.	
	703/2/00244									
	A.206133/1	Markers					1	—		
							set			
10 26FX/	F.180308	Spacer-lock					2	BSS.249	C.	
	B.206270	BLOCK, TERMINAL, No. 28, AT INTER-SPAR RIB 'F', PORT, ASSEMBLY (Pre Mod. 233)					—	—		
5X/1957037	Plessey	Block, terminal, 3-way					1	—	C.	
	703/1/00232									
6003	F.205956	Bracket, mounting					1	L72	MR/C	
5X/1957036	Plessey	Cover					1	—	C.	
	CZ.26802									
	B.206270/1	Markers					1	—	—	
							set			
4177	F.197297	Pillar					2	—	C.	
	B.208246	BLOCK, TERMINAL, No. 28, AT INTER-SPAR RIB 'F', PORT, ASSEMBLY (Mod. 233)					—	—		
5X/1004088	Plessey	Block, terminal, 10-way					1	—	C.	
	703/2/00244									
6003	F.205956	Bracket, mounting					1	L72	MR/C	
10 10H/9462765	Plessey	Cover					1	—	C.	
	703/1/00265									
5X/1004082	703/2/00251	Link, connecting, 2-way					1	—	C.	
6840	B.208246/1	Label					1	—	MR/C	
5X/9450403	Plessey	Pillar					2	—	C.	
	703/2/00267									

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.201764	BLOCK, TERMINAL, No. 29, AT INTER—SPAR					1	—	—	
		RIB 'F', PORT, ASSEMBLY								
5X/3276	Plessey CZ.50205	Block, terminal, 2-way					1	—	B.	
5X/3272	Plessey CZ.26799	Cover					1	—	B.	
	A.201764/1	Marker					1	—		
		set								
5X/9450403	Plessey Z.28426	Pillar					2	—	C.	
10 6A/4333760	Smiths CG.1	Cable, harness co-axial (Mod. 265)					1	—	B.	
10 6A/4333769	Smiths CRC.54	Cable, co-axial (Mod. 265)					1	—	B.	
—	B.266094	Cable, A.1; group (Mod. 1254) (See Cable Chart)					1	—	LM	
6836	C.205860	Cable, P.1; group (See Cable Chart)					1	—	LM	
—	C.205068	Cable, P.2; group (See Cable Chart)					1	—	LM	
—	B.205486	Cable, P.3; group (See Cable Chart)					1	—	LM	
—	B.205097	Cable, P.4; group (See Cable Chart)					1	—	LM	
—	B.205098	Cable, P.5; group (See Cable Chart)					1	—	LM	
—	B.205489	Cable, P.6; group (See Cable Chart)					1	—	LM	
—	B.205490	Cable, P.7; group (See Cable Chart)					1	—	LM	
—	B.205491	Cable, P.8; group (See Cable Chart)					1	—	LM	
—	B.205492	Cable, P.9; group (See Cable Chart)					1	—	LM	
—	B.205493	Cable, P.10; group (See Cable Chart)					1	—	LM	
—	B.265824	Cable, A.5B; group (Mod. 1254) (See Cable Chart)					1	—	LM	
		The following items are supplied loose:—								
10H/0970292	CZ.69733	Clamp, cable					1	—	C.	
10H/0970059	Z.60668	Gasket, outlet					1	—	C.	
10H/0970108	Z.62235	Gasket, union					1	—	C.	
10H/	Z.49154	Outlet, angle					1	—	C.	
10H/	2CZ/84428	Plug, free					1	—	C.	
10H/0970096	Z.49037	Ring, thrust					1	—	C.	
	D.199922	CLIPPING AND STRAPPING CABLES, ASSEMBLY . .					—	—		
	Std.2045/17/26	Clip, sleeved, securing cables at rib "A" and inter- . . .					4	—		6
		spar rib "F"								
	Std.2045/23/24	Clip, sleeved, securing cables at inter-spar rib "F" . . .					2	—		6
		and front spar								
10250	Std.2045/27/22	Clip, sleeved, securing cables at inter-spar, rib "F" . . .					1	—	C.	6
11748	Std.2045/38/22	Clip, sleeved, securing cables at front spar, inter- . . .					1	—	C.	6
		spar rib "D"								
	Std.2046/23/24	Clip, securing cables at inter-spar rib "D"					1	—		6
11208	Std.2045/15/26	Clip, securing cables at undercarriage girder between .					1	—	C.	6
		inter-spar ribs "C" and "D"								
11794	Std.2046/15/26	Clip, securing cables at rib "E"					2	—	C.	6
	Std.2089/38/22	Clip, sleeved, securing cables at undercarriage girder, .					1	—		
		inter-spar rib "D"								
10 6011	F.208013	Clip, securing cables at undercarriage girder, inter- . . .					1	S.510	C.	
		spar rib "E"								
10 6006	F.205087	Clip, securing cables at undercarriage girder, inter- . . .					1	S.510	C.	
		spar rib "F"								
5832	F.205000	Plate, sealing, at undercarriage girder, outboard of . . .					1	LFS.21	C.	
		inter-spar rib "F"								

ELECTRICAL EQUIPMENT-WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
10	5F/9454141	NY.18007A				Strapping	QR	-	C.	
	5F/9506025	NY.18067				Strapping	QR	-	C.	
		Std.1614/1				Strip, sealing, at interspar rib "D"	9"	Rubber		
	5F/9138822	NY.3342				Stud	QR	-	C.	
	5F/9138823	NY.3255				Stud	QR	-	C.	
		Std.1509/12/080				Tube, distance, for clip securing aerial	1	T.4		4
		Std.2045/20/24				Clip, securing cables at rib "Q"	1	-		6
	3734	Std.840/14				Clip, securing cables, 7/16" wide x 22 S.W.G. x 1.4" long	1	DTD.610	MR/C	4
		Std.2045/32/22				Clip, securing cables, inboard of rib "R"	1	-		6
	3741	Std.840/20				Clip, securing cables, 7/16" wide x 22 S.W.G. x 2" long	1	DTD.610	C.	4
		Std.2045/32/22				Clip, securing cables between ribs "L" and "M"	1	-		6
	6008	Std.850/110				Clip, securing cables on undercarriage jack, 7/16" wide x 22 S.W.G. x 1.1" long	1	DTD.610	MR/C	4
10	5X/4499998	-				Ferrule, inner	1	-	C.	
10	5X/4500004	-				Ferrule, outer	1	-	C.	
	5L/9952431	-				Filament, lamp, 28V. 24W	1	-	B.	
10	5CX/1043419	-				Lamp, navigation, type B, port	1	-	A.	
10	4830	F.176494				Packing, at drum switch	4	L.168	MR/C	
10	4831	F.179367				Packing, at micro switch, inter-spar, rib "D"	1	DTD.610 or L.168	MR/C	
	5833	F.205537				Plate, bolt, at micro switch, inter-spar rib "D"	1	-	C.	
	5F-	-				Sleeve, Helsyn 150 HT.20 x 3/4"	12	-	C.	
	5F-	-				Sleeve, Helsyn 150 HT.50 x 1"	QR	-	C.	
10	5X/4500093	2CZ/111238				Socket	1	-	B.	
	5F/9454141	NY.18007A				Strapping	QR	-	C.	
	5F/9138822	NY.3342				Stud	5	-	C.	
10	5CW/1124465	-				Switch, micro, type 1A	1	-	B.	
10	5CW/1191514	-				Switch, micro, type 4A	4	-	B.	
10	5CW/4400067	Dowty				Switch, drum unit	1	-	A.	
		C.1220.Y								
		Mk. 111								
10	6A/7002023	-				Transmitter, position indicator, type C	1	-	A.	

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.271835	ELECTRICAL INSTALLATION IN STARBOARD					—	—		
		WING, ASSEMBLY (Pre Mod. 228)								
		(Mod. 1254)								
	F.207239	ANGLE, support for cable harness					3	L.72	LM	
		(Make from 308/9611220)								
	A.215708	BLOCK, TERMINAL, No. 32, AT RIB 'S',					—	—		
		STARBOARD, ASSEMBLY (Mod. 452)								
7	5X/1004088	Plessey	Block, terminal, 10-way				1	—	C.	
		703/2/00244								
7	12589	F.225400/1	Label				1	—	C.	
	A.206084	BLOCK, TERMINAL, No. 33, AT RIB 'D',					—	—		
		STARBOARD, ASSEMBLY								
7	5X/1004088	Plessey	Block, terminal, 10-way				1	—	C.	
		703/2/00244								
7	5X/3275	703/1/00265	Cover				1	—	C.	
7	5X/1004082	703/2/00251	Link, connecting, 2-way				1	—	C.	
	A.206084/1	Marker				1	—			
							set			
7	5X/9450403	Plessey	Pillar				2	—	C.	
		703/2/00267								
	B.205957	BLOCK, TERMINAL, No. 34, AT INTER-SPAR					—	—		
		RIB 'F', STARBOARD, ASSEMBLY								
		(Pre Mod. 233)								
7	5X/1004088	Plessey	Block, terminal, 10-way				1	—	C.	
		703/2/00244								
	6003	F.205956	Bracket, mounting				1	L.72	MR/C	
7	5X/3275	703/1/00265	Cover				1	—	C.	
	B.205957/1	Marker				1	—			
							set			
7	5X/9450403	Plessey	Pillar				2	—	C.	
		703/2/00267								
	B.208247	BLOCK, TERMINAL, No. 34, AT INTER-SPAR					—	—		
		RIB 'F', STARBOARD, ASSEMBLY								
		(Mod. 233)								
7	5X/1004088	Plessey	Block, terminal, 10-way				1	—	C.	
		703/2/00244								
	6003	F.205956*	Bracket (Pre Mod. 197)				1	—	MR/C	
		F.217326	Bracket (Mod. 197)				1	—		
7	5X/3275	Plessey	Cover				1	—	C.	
		703/1/00265								
7	6841	B.208247/1	Label				1	—	MR/C	
7	5X/9450403	Plessey	Pillar				2	—	C.	
		703/2/00267								

RESTRICTED

Page EE.3

Hunter GA. Mk. 11
Issued with A/L No. 7

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	A.201765					BLOCK, TERMINAL, No. 36, AT INTER-SPAR RIB 'F', STARBOARD, ASSEMBLY	—	—	—	
7	5X/3276	Plessey				Block, terminal, 2-way	1	—	C.	
		703/1/00226				Cover	1	—	C.	
7	5X3272	703/1/00262				Marker	1	—	C.	
		A.201765/1					set	—	—	
7	5X/9450403	Plessey				Pillar	2	—	C.	
		703/2/00267						—	—	
7	6A/4333769	Smiths CRC.54				Cable, co-axial (Mod. 265)	1	—	C.	
7	6A/4333760	Smiths CG.1				Cable, harness, co-axial (Mod. 265)	1	—	C.	
		B.266095				Cable, A.2, group (Mod. 1254) (See Cable Chart)	1	—	LM	
	6838	C.205862				Cable, S.1, group (See Cable Chart)	1	—	LM	
		B.205496				Cable, S.2, group (See Cable Chart)	1	—	LM	
		B.205094				Cable, S.3, group (See Cable Chart)	1	—	LM	
	6959	B.205080				Cable, S.4, group (See Cable Chart)	1	—	LM	
		B.205500				Cable, S.5, group (See Cable Chart)	1	—	LM	
		B.205501				Cable, S.6, group (See Cable Chart)	1	—	LM	
		B.265825				Cable, A.59, group (Mod. 1254) (See Cable Chart)	1	—	LM	
						The following items are supplied loose:—				
	10H/0970292	CZ.69733				Clamp, cable	1	—	C.	
7	10H/0970059	508/2/07706/200				Gasket, outlet	1	—	C.	
7	10H/0970108	508/2/07719/200				Gasket, union	1	—	C.	
	10H/—	Z.49154				Outlet, angle	1	—	C.	
	10H/—	2CZ.84428				Plug, free	1	—	C.	
7	10H/0970096	508/2/07732/007				Ring, thrust	1	—	C.	
	D.199923					CLIPPING AND STRAPPING CABLES, ASSEMBLY	—	—	—	
	A.197419/2					Cap, at inter-spar rib "E"	1	S.3	—	
	11208	Std.2045/15/26				Cap, securing cables at undercarriage girder, inter-spar ribs "A" and "D"	3	—	C.	6
		Std.2045/23/24				Cap, sleeved securing cables	3	—	—	6
	10250	Std.2045/27/22				Cap, sleeved securing cables at undercarriage girder, inter-spar rib "D"	1	—	C.	6
	11294	Std.2045/25/24				Cap, sleeved securing cables	1	—	C.	6
7	12326	Std.2045/42/22				Cap, sleeved securing cables at undercarriage girder between inter-spar ribs "C" and "D"	2	—	C.	6
	11409	Std.2046/42/22				Cap, sleeved securing cables at undercarriage girder between inter-spar ribs "C" and "D"	1	—	C.	6
		Std.2089/32/22				Cap, sleeved securing cables at undercarriage girder, inter-spar rib "D"	1	—	—	
	6005	Std.850/31				Cap, securing cables at front spar, inter-spar rib "C," 7/16" wide x 22 S.W.G. x 3.1" long	2	DTD.610	MR/C	4
	6006	F.205087				Cap, securing cables at inter-spar rib "F"	1	S.3	C.	
	8481	F.218733				Cap, securing cables at inter-spar rib "E" (Mod. 452)	1	S.3	C.	
	5832	F.205000				Plate, sealing, at undercarriage girder, outboard of inter-spar rib "F"	1	LFS.21	C.	
	5F/9454141	NY.18007A				Strapping	QR	—	C.	
7	5F/9506025	NY.18067				Strapping	QR	—	C.	
	5F/9138822	NY.3342				Stud	QR	—	C.	
	5F/9138823	NY.3255				Stud	QR	—	C.	

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
4761	Std.840/13	Clip, securing cables, 7/16" wide x S.W.G. x 1.3" long ..					1	DTD.610	MR/C	4
3734	Std.840/14	Clip, securing cables, 7/16" wide x 22 S.W.G. x 1.14" ..					2	DTD.610	MR/C	4
4670	Std.840/23	Clip, securing cables, between ribs "L" and "M," 7/16" ..					1	DTD.610	C.	4
4353	Std.840/24	Clip, securing cables between ribs "Q" and "R," 7/16" ..					1	DTD.610	MR/C	4
3743	Std.840/25	Clip, securing cables, 7/16" wide x 22 S.W.G. x 2.5" ...					1	DTD.610	MR/C	4
2145	Std.841/13	Clip, securing cables, 7/16" wide x 22 S.W.G. x 1.3" ...					1	DTD.610	MR/C	4
6008	Std.850/110	Clip, securing cables on undercarriage jack, 7/16" wide x					1	DTD.610	MR/C	4
		22 S.W.G. x 11" long								
10	5X/4499998	Plessey	Ferrule, inner				1	—	C.	
		Z.22676/D								
10	5X/4500004	Plessey	Ferrule, outer				1	—	C.	
		Z.22675/D								
	5L/9952431	—	Filament, lamp, 24V. 28W.				1	—	B.	
10	5CX/1043420	—	Lamp, navigation, type B; starboard				1	—	A.	
	4831	F.179367	Packing, at micro switch, inter-spar rib "D"				1	DTD.610	MR/C	
								or		
	5833	F.205537	Plate, bolt, at micro switch, inter-spar rib "D"				1	L.168	C.	
	5X/1005131	—	Sleeve, 4—7 amp.				19	S.510	C.	
	5X/9525146	—	Sleeve, 7—19 amp.				2	—	C.	
10	5X/4500093	—	Socket				1	—	B.	
	5F/954141	NY.18007A	Strapping				QR	—	C.	
	5F/9138822	NY.3342	Stud				4	—	C.	
10	5CW/1191514	—	Switch, micro, type 4A				5	—	B.	
	5767	Std.1509/12/030	Tube, distance, 1/4" o/d. x 20 S.W.G. x 3" long				1	T.4	MR/C	4
			(Make from 30B/619)							

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

