

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10	D.207227	ELECTRICAL INSTALLATION IN PORT WING,					—	—		
		ASSEMBLY (Mod. 228)								
	F.207239	Angle, support, for cable harness					3	L.72	LM	
		(Make from 30B/9611220)								
	A.206175	BLOCK, TERMINAL, No. 21, AT INTER-SPAR RIB . .					—	—		
		"D", PORT, ASSEMBLY								
	5X/1004088	Block, terminal, 10-way					1	—	B.	
	10H/9462765	Cover					1	—	B.	
	5X/1004082	Link, connecting, 2-way					2	—	C.	
		Markers					1 set	—		
	4177	Pillar					2	BSS.249	C.	
	A.206158	BLOCK, TERMINAL, No. 22, AT OUTER RIB, . . .					—	—		
		PORT, ASSEMBLY								
	5X/1002694	Block, terminal, 5-way					1	—	C.	
	5X/9149641	Cover					1	—	B.	
	6963	Markers					1 set	—	MR/C	
	5X/9450403	Pillar					2	—	C.	
	A.215707	BLOCK, TERMINAL, No. 24, AT RIB "S", PORT, . . .					—	—		
		ASSEMBLY (Mod. 452)								
	5X/1004088	Block, terminal, 2-way					1	—	B.	
	A.206139	BLOCK, TERMINAL, No. 25, AT RIB "C", PORT, . . .					—	—		
		ASSEMBLY								
	5X/1002694	Block, terminal, 5-way					1	—	B.	
	5X/9149641	Cover					1	—	B.	
	6964	Markers					1 set	—	MR/C	
	5X/9450403	Pillar					2	—	C.	
	A.206171	BLOCK, TERMINAL, No. 26, AT RIB "D", PORT, . . .					—	—		
		ASSEMBLY								
	5X/1004088	Block, terminal, 10-way					1	—	B.	
	10H/9462765	Cover					1	—	B.	
	5X/1004082	Link, connecting, 2-way					2	—	C.	
		Markers					1 set	—		
	4177	Pillar					2	BSS.249	C.	
	A.206133	BLOCK, TERMINAL, No. 27, AT TAIL RIBS "L" AND					—	—		
		"M", PORT, ASSEMBLY								
	5X/1004088	Block, terminal, 10-way					1	—	B.	
	A.206133/1	Markers					1 set	—		
	26FX/	Spacer-lock					2	BSS.249	C.	
	B.208246	BLOCK, TERMINAL, No. 28, AT INTER-SPAR RIB . .					—	—		
		"F", PORT, ASSEMBLY								
	5X/1004088	Block, terminal, 10-way					1	—	B.	
	6003	Bracket, mounting					1	L.72	MR/C	
	10H/9462765	Cover					1	—	B.	
	5X/1004082	Link, connecting, 2-way					1	—	C.	
	6840	Label					1	—	MR/C	
	5X/9450403	Pillar					2	—	C.	
	A.201764	BLOCK, TERMINAL, No. 29, AT INTER-SPAR RIB . .					1	—		
		"F", PORT, ASSEMBLY								
	5X/3276	Block, terminal, 2-way					1	—	B.	
	5X/3272	Cover					1	—	B.	
		Markers					1 set	—		
	5X/9450403	Pillar					2	—	C.	
	B.209176	Box, junction, arm 3, group (Mod. 228)					1	—		
	5X/1004088	Block, terminal, 10-way					1	—	B.	
	5X/1002695	Block, terminal, 20-way					1	—	B.	
		CZ.23212/1								
	7928	Cover					1	L.59	B.	
		Diagram, wiring (Mod. 1292)					1	Photo copy		
	5X/1004083	Link, connecting, 3-way					1	—	C.	
		Plessey Z.24949					4	—		
		Plessey Z.28426					4	—		
		Plessey Z.28614					4	—		
		Screw, special					4	—		

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	B.208989					Box, junction, arm 4, group (Mod. 1292)	1	—		
5X/1004088	Plessey CZ.24285					Block, terminal, 10-way	1	—	B.	
5X/1002695	Plessey CZ.23212/1					Block, terminal, 20-way	1	—	B.	
7929	A.208778					Cover	1	L.59	C.	
	B.277322/1					Diagram, wiring (Mod. 1292)	1	Photo copy		
5X/1004083	Plessey Z.50211					Link, commoning, 3-way	1	—	C.	
	Plessey Z.24949					Piece, distance	4	—		
4177	F.197297					Pillar	2	BSS.249	C.	
	Plessey Z.28614					Screw, special	4	—		
—	B.207006					Cable, A.19, group (See Cable Chart)	1	—	LM	
7989	A.209702					Ferrule	1	—	C.	
8407	B.213570					Cable, A.32, group (Mod. 427) (See Cable Chart)	1	—	C.	
	A.213559					Bracket, supporting, group	1	—		
	F.213565					Clip	1	Spring Steel		
28FP/4069631	Dzus GF6-250					Grommet	1	—	C.	
5D/4664325	RAE.EL.42887/1C					Connector	1	—	B.	
8409	B.213572					Cable, A.34, group (Mod. 427) (See Cable Chart)	1	—	C.	
	A.213561					Bracket, supporting, group	1	—		
	F.213565					Clip	1	Spring Steel		
28FP/809	Dzus GF6-250					Grommet	1	—	C.	
5D/1925	RAE.EL.42887/1D					Connector	1	—	B.	
8411	B.213574					Cable, A.36, group (Mod. 427) (See Cable Chart)	1	—	C.	
	A.213559					Bracket, supporting, group	1	—		
	F.213565					Clip	1	Spring Steel		
28FP/4069631	Dzus GF6-250					Grommet	1	—	C.	
5D/4664325	RAE.EL.42887/1C					Connector	1	—	B.	
8413	B.213576					Cable, A.3, group (Mod. 427) (See Cable Chart)	1	—	C.	
	A.213563					Bracket, supporting, group	1	—		
	A.213565					Clip	1	Spring Steel		
28FP/4069631	Dzus GF6-250					Grommet	1	—	C.	
5D/4664325	RAE.EL.42887/1C					Connector	1	—	B.	
—	B.208861					Cable, A.1, group (See Cable Chart)	1	—	LM	
—	B.278079					Cable, A.15, group (Mod. 1292) (See Cable Chart)	1	—	LM	
—	C.207004					Cable, A.17, group (See Cable Chart)	1	—	LM	
—	B.208869					Cable, A.21, group (See Cable Chart)	1	—	LM	
—	B.208871					Cable, A.23, group (See Cable Chart)	1	—	LM	
—	B.208873					Cable, A.25, group (See Cable Chart)	1	—	LM	
—	B.208875					Cable, A.27, group (See Cable Chart)	1	—	LM	
—	A.212952					Cable, A.31, group (See Cable Chart)	1	—	LM	
6836	C.205860					Cable, P.1, group (See Cable Chart)	1	—	LM	
—	C.205068					Cable, P.2, group (See Cable Chart)	1	—	LM	
—	B.205098					Cable, P.5, group (See Cable Chart)	1	—	LM	
—	B.205489					Cable, P.6, group (See Cable Chart)	1	—	LM	
—	B.205490					Cable, P.7, group (See Cable Chart)	1	—	LM	
—	B.205491					Cable, P.8, group (See Cable Chart)	1	—	LM	
—	B.205492					Cable, P.9, group (See Cable Chart)	1	—	LM	
—	B.205861					Cable, P.11, group (See Cable Chart)	1	—	LM	
—	B.215058					Cable, PC.10, group (See Cable Chart)	1	—	LM	
	B.235502					Cable, PR.3 (Mod. 1023)	1	—		
6A/4333760	Smiths CG.1					Cable, harness, co-axial	1	—	B.	
6A/4333769	Smiths CRC.54					Cable, co-axial	1	—	B.	
	D.199922					CLIPPING AND STRAPPING CABLES, ASSEMBLY	—	—		
	Std.2045/17/26					Clip, sleeved, securing cables at ribs "A" and "F"	3	—		6
	Std.2045/23/24					Clip, sleeved, securing cables at inter-spar rib "F" and front spar	3	—		6
	Std.2045/36/24					Clip, sleeved, securing cables at undercarriage girder, inter-spar rib "D"	1	—		6
	Std.2045/32/24					Clip, sleeved, securing cables at front spar, rib "D"	1	—		6
3748	Std.841/34					Clip, securing cables	1	DTD.610	MR/C	4
	Std.2046/15/26					Clip, sleeved, securing cables at rib "E"	2	—		6

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	Std.2089/38/22					Clip, sleeved securing cables at undercarriage girder, inter-spar rib "D"	1	—		
4040	Std.851/41					Clip, securing cables at undercarriage girder between inter-spar ribs "C" and "D", 7/16" wide x 22 S.W.G. x 4.1" long (Make from 30B/1734)	1	L.72	MR/C	4
6011	F.208013					Clip, securing cables at undercarriage girder, inter-spar rib "E"	1	S.510	C.	
6006	F.205087					Clip, securing cables at undercarriage girder, inter-spar rib "F"	1	S.510	C.	
5832	F.205000					Plate, sealing, at undercarriage girder, outboard of inter-spar, rib "F"	2	LFS.21	C.	
5F/9454141	NY.18007A					Strapping	QR	—	C.	
5F/9506025	NY.18067					Strapping	QR	—	C.	
	Std.1614/1					Strip, sealing, at inter-spar rib "D"	17	Rubber		
5F/9138822	NY.3342					Stud	QR	—	C.	
5F/1138823	NY.3255					Stud	QR	—	C.	
	Std.2045/17/26					Clip, sleeved	1	—		6
	Std.2045/23/24					Clip, sleeved	2	—		6
	Std.2045/37/22					Clip, sleeved	1	—		6
4544	Std.841/18					Clip, cable	2	DTD.610	C.	4
	Std.2046/28/22					Clip, sleeved	1	—		6
6008	Std.850/110					Clip, securing cables on undercarriage jack, 7/16" wide x 22 S.W.G. x 11" long (Make from 30B/9611222)	1	L.72	MR/C	4
29H/9437201	Bowden PN.448					Clip, pliable	2	—	C.	
11294	Std. 2045/25/24					Clip, sleeved	1	—	C.	6
5X/4499998	—					Ferrule, inner	1	—	C.	
5X/4500004	—					Ferrule, outer	1	—	C.	
5L/9952431	—					Filament, lamp, 28V. 24W	1	—	B.	
5CX/1043419	—					Lamp, navigation, type B, port	1	—	A.	
4752	Std.1231/9					Lug, locking, 4 B.A.	1		MR/C	
4830	F.176494					Packing, at drum switch	4	L.168	MR/C	
4831	F.179367					Packing, at micro switch, inter-spar, rib "D"	1	DTD.610 or L.168	MR/C	
5833	F.205537					Plate, bolt, at micro switch, inter-spar "D"	1		C.	
5X/1005131	—					Sleeve, 4-7 amp.	23	—	C.	
5X/9525146	—					Sleeve, 7-19 amp.	3	—	C.	
5F—	—					Sleeve, helsyn, 150 HT.20 x 3/4"	26	—	C.	
5X/4500093	—					Socket, assembly "D" 24/2/10	1	—	B.	
5F/9454141	NY.18007A					Strapping	QR	—	C.	
5F/9138822	NY.3342					Stud	QR	—	C.	
5CW/1191514	—					Switch, micro type 4A	4	—	B.	
5CW/4400067	Dowty C.1220Y Mk. 111					Switch, drum, unit	1	—	A.	
6A/7002023	—					Transmitter, position indicator, type C	1	—	A.	
5767	Std.1509/12/030					Tube, distance, 1/4" o/d x 20 S.W.G. x 0.3" long	1	T.4	MR/C	4
3763	Std.915/B24					Washer, special	1	L.168	C.	4

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.207228	ELECTRICAL INSTALLATION IN STARBOARD					—	—		
	F.207239	WING, ASSEMBLY (Mod. 228)					3	L.72	LM	
	A.215708	Angle, support for cable harness								
		(Make from 30B/9611220)								
	A.215708	BLOCK, TERMINAL, No. 32, AT RIB "S"					—	—		
		STARBOARD, ASSEMBLY (Mod. 452)								
5X/1004088	Plessey CZ.24285	Block, terminal, 10-way					1	—	B.	
	A.206084	BLOCK, TERMINAL, No. 33, AT RIB "D",					—	—		
		STARBOARD, ASSEMBLY								
5X/1004088	Plessey CZ.24285	Block, terminal, 10-way					1	—	B.	
10 10H/9462765	Plessey CZ.26808	Cover					1	—	B.	
5X/1004082	Plessey Z.50210	Link, connecting, 2-way					1	—	C.	
	A.206084/1	Marker					1 set	—		
5X/9450403	Plessey Z.28426	Pillar					2	—	C.	
	B.208247	BLOCK, TERMINAL, No. 34, AT INTER-SPAR					—	—		
		RIB "F", STARBOARD, ASSEMBLY								
5X/1004088	Plessey CZ.24285	Block, terminal, 10-way					1	—	B.	
6003	F.205956	Bracket (Pre Mod. 197)					1	—	MR/C	
	F.217326	Bracket (Mod. 197)					1	—		
10 10H/9462765	Plessey CZ.26808	Cover					1	—	B.	
6841	B.208247/1	Label					1	—	MR/C	
5X/9450403	Plessey Z.28426	Pillar					3	—	C.	
	A.201765	BLOCK, TERMINAL, No. 35, AT INTER-SPAR					—	—		
		RIB "F", STARBOARD, ASSEMBLY								
5X/3276	Plessey CZ.50205	Block, terminal, 2-way					1	—	B.	
5X/3272	Plessey CZ.26799	Cover					1	—	B.	
	A.201765/1	Marker					1 set	—		
5X/9450403	Plessey Z.28426	Pillar					2	—	C.	
	B.209177	Box, junction, arm 5, group					1	—		
5X/1004088	Plessey CZ.24285	Block, terminal, 10-way					1	—	B.	
5X/1002695	Plessey CZ.23212/1	Block, terminal, 20-way					1	—	B.	
7926	A.212165	Cover					1	L.59	B.	
	B.277321/1	Diagram, wiring (Mod. 1292)					1	Photo copy		
5X/1004083	Plessey Z.50211	Link, commoning, 3-way					1	—	C.	
5X/6735	Plessey Z.24949	Piece, distance					4	—	C.	
5X/9450403	Plessey Z.28426	Pillar					4	—	C.	
	Plessey Z.28614	Screw, special					4	—		
	B.208990	Box, junction, arm 6, group					1	—		
5X/1004088	Plessey CZ.24285	Block, terminal, 10-way					1	—	B.	
5X/1002695	Plessey CZ.23212/1	Block, terminal, 20-way					1	—	B.	
7927	A.210796	Cover					1	L.59	C.	
	B.277323/1	Diagram, wiring (Mod. 1292)					1	Photo copy		
5X/1004083	Plessey Z.50211	Link, commoning, 3-way					1	—	C.	
	Plessey Z.24949	Piece, distance					4	—		
4177	F.197297	Pillar					2	BSS.249	C.	
	Plessey Z.28614	Screw, special					4	—		
—	B.207005	Cable, A.18, group (See Cable Chart)					1	—	LM	
7989	A.209702	Ferrule					1	—	C.	
8408	B.213571	Cable, A.33, group (Mod. 427) (See Cable Chart)					1	—	C.	
	A.213560	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Spring Steel		
10 28FP/4069631	Dzus GF6-250	Grpmmet					1	—	C.	
10 5D/4664325	RAE.EL.42887/1C	Connector					1	—	B.	

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8410	B.213573	Cable, A.35, group (Mod. 427) (See Cable Chart)					1	—	C.	
	A.213562	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Spring Steel		
28FP/4069631	Dzus GF6—250	Grommet					1	—	C.	
5D/1925	RAE.EL.42887/1D	Connector					1	—	B.	
8412	B.213575	Cable, A.37, group (Mod. 427) (See Cable Chart)					1	—	C.	
	A.213560	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Spring Steel		
28FP/4069631	Dzus GF—250	Grommet					1	—	C.	
5D/4664325	RAE.EL.42887/1C	Connector					1	—	B.	
8414	B.213577	Cable, A.39, group (Mod. 427) (See Cable Chart)					1	—	C.	
	A.213564	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Spring Steel		
28FP/4069631	Dzus GF6—250	Grommet					1	—	C.	
5D/4664325	RAE.EL.42887/1C	Connector					1	—	B.	
6A/4333769	Smiths CRC.54	Cable, co-axial					1	—	B.	
6A/4333760	Smiths CG.1	Cable, harness, co-axial					1	—	B.	
	B.208862	Cable, A.2, group (See Cable Chart)					1	—	LM	
	B.278078	Cable, A.14, group (Mod. 1292) (See Cable Chart)					1	—	LM	
—	C.207003	Cable, A.16, group (See Cable Chart)					1	—	LM	
—	B.208868	Cable, A.20, group (See Cable Chart)					1	—	LM	
—	B.208870	Cable, A.22, group (See Cable Chart)					1	—	LM	
—	B.208872	Cable, A.24, group (See Cable Chart)					1	—	LM	
—	B.208874	Cable, A.26, group (See Cable Chart)					1	—	LM	
6838	C.205862	Cable, S.1, group (See Cable Chart)					1	—	MR/B	
—	B.205094	Cable, S.3, group (See Cable Chart)					1	—	LM	
6959	B.205080	Cable, S.4, group (See Cable Chart)					1	—	MR/B	
—	B.205500	Cable, S.5, group (See Cable Chart)					1	—	LM	
—	B.205501	Cable, S.6, group (See Cable Chart)					1	—	LM	
—	B.205863	Cable, S.7, group (See Cable Chart)					1	—	LM	
—	B.226171	Cable, PC.7, group (See Cable Chart)					1	—	LM	
—	B.235500	Cable, PR.1 (Mod. 1023)					1	—		
	D.199923	CLIPPING AND STRAPPING CABLES, ASSEMBLY					—	—		
	A.197419/2	Clip, at interspar rib "E"					1	S.510		
11208	Std.2045/15/26	Clip, sleeved securing cables at undercarriage girder, inter-spar ribs "A" and "F"					3	—	C.	6
	Std.2045/23/24	Clip, sleeved securing cables					3	—		6
	Std.2045/29/22	Clip, sleeved securing cables at undercarriage girder, inter-spar rib "D"					1	—		6
4670	Std.840/23	Clip, securing cables					1	DTD.610	C.	4
	Std.841/40	Clip, securing cables at undercarriage girder between inter-spar ribs "C" and "D", 7/16" wide x 22 S.W.G. x 4.0" long					1	DTD.610		4
	Std.840/40	Clip, securing cables, 7/16" wide x 22 S.W.G. x 40.0" long					2	DTD.610		4
5480	Std.842/13	Clip, securing cables at inter-spar rib "D", 7/16" wide x 22 S.W.G. x 1.3" long (Make from 30A/549)					1	S.3	MR/C	4
6004	Std.850/30	Clip, securing cables at undercarriage girder, inter-spar, rib "D"					1	DTD.610	C.	4
6005	Std.850/31	Clip, securing cables, at front spar, inter-spar rib "C", 7/16" wide x 22 S.W.G. x 3.1" long					2	DTD.610	MR/C	4
6006	F.205087	Clip, securing cables at inter-spar rib "F"					1	S.510	C.	
8481	F.218733	Clip, securing cables at inter-spar rib "E" (Mod. 452)					1	S.510	C.	
5832	F.205000	Plate, sealing, at undercarriage girder, outboard of inter-spar, rib "F"					1	LFS.21	C.	

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5F/9454141	NY.18007A					Strapping	QR	—	C.	
5F/9506025	NY.18067					Strapping	QR	—	C.	
5F/9138822	NY.3342					Stud	QR	—	C.	
5F/9138823	NY.3255					Stud	QR	—	C.	
	Std.2045/17/26					Clip, sleeved	3	—	—	6
4544	Std.841/18					Clip, cable	2	DTD.610	C.	4
	Std.2045/36/22					Clip, sleeved	1	—	—	6
11794	Std.2046/15/26					Clip, sleeved	2	—	C.	6
	Std.2046/28/22					Clip, sleeved	1	—	—	6
6008	Std.850/110					Clip, securing cables undercarriage jack, 7/16"	1	DTD.610	MR/C	4
						wide x 22 S.W.G. x 11" long				
29H/9437201	Bowden PN.448					Clip, pliable	2	—	C.	
5X/4499998	Plessey					Ferrule, inner	1	—	C.	
	Z.22676/D									
5X/4500004	Plessey					Ferrule, outer	1	—	C.	
	Z.22675/D									
5L/9952431	—					Filament, lamp, 28V. 24W.	1	—	B.	
5CX/1043420	—					Lamp, navigation, type B, starboard	1	—	A.	
4752	Std.1231/9					Lug, locking	1	—	MR.C	4
4831	F.179367					Packing, at micro switch, inter-spar rib "D"	1	DTD.610	MR/C	
								or		
5833	F.205537					Plate, bolt, at micro-switch, inter-spar rib "D"	1	L.168	C.	
5X/1005131	—					Sleeve, 4-7 amp.	23	—	C.	
5X/9525146	—					Sleeve, 7-19 amp.	3	—	C.	
	—					Sleeve, Helsyn 150 HT.20 x 3/4"	26	—	C.	
5X/4500093	—					Socket, assembly D24/2/D	1	—	B.	
5F/9454141	NY.18007A					Strapping	QR	—	C.	
5F/9138822	NY.3342					Stud	QR	—	C.	
5CW/1191514	—					Switch, micro, type 4A	4	—	B.	
3763	Std.915/B24					Washer	1	L.168	C.	4

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

