

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
—	C251759	INSTRUMENT PANELS, ASSEMBLY	—	—	—	—
6A/4695406	—	Accelerometer, Mk. 2 (Mod. 268)	1	—	A.	—
—	F.215196	Angle, support, for accelerometer	1	L.72	LM	—
		(Make from 30B/9611215)				
5381	DTD.487/11C	Bolt, at top light screen lug	1	—	C.	—
8428	A.188487	Bracket, mounting for stand-by compass	1	DTD.610	C.	FC.1
	A.277654	Bracket, group (Mod. 1291)	1	L.72	—	—
	F.263821	Stud	1	—	—	—
6354	F.208961	Clip, half, for accelerometer (Mod. 268)	2	L.72	C.	—
6B/4343605	—	Compass, "Stand-by", type E2	1	—	A.	—
	Std.1285/3DE	Connector, earthing	4	—	—	4
8543	F.218495	Mounting, for port and starboard panels	12	Rubber	C.	FC.1
—	D.263351	MOUNTING PANEL, ASSEMBLY (Mod. 1383, 1387)	—	—	—	—
5384	DTD.487/13E	Bolt, for "Lord" mountings	4	DTD.487	C.	—
	A.261856	Bracket, panel mounting	1	—	—	—
5372	A.203163	Bracket, top centre panel mounting	2	—	C.	FC.1
5373	A.203162	Bracket, bottom centre panel mounting	1	—	C.	FC.1
	F.203235	Clip, for cross tube	2	S.510	—	FC.1
1538	Std.1285/3BB	Connector, earthing	4	—	C.	4
27H/4605580	—	Mounting (non-magnetic)	4	—	C.	—
	F.211792	Mounting, A.V. (Alternative to 27H/4605586)	4	—	—	—
27H/4605586	—	Mounting, "Lord" (Alternative to F.211792)	4	—	C.	—
	A.261845	Plate, support	1	—	—	—
1542	F.187614	Plate, support	1	DTD.610	C.	FC.1
	F.260316	Strut, support, port	1	T.4	—	FC.1
3867	F.195815	Strut, support, starboard	1	T.4	C.	FC.1
12474	A.203240	Tube, cross	1	L.72	C.	FC.1
3797	Std.1509/24/080	Tube, distance, 3/8" o/d x 17 S.W.G. x .80" long	2	T.4	MR/C	4
3798	Std.1509/24/034	Tube, distance, 3/8" x 17 S.W.G. x .34" long	4	T.4	MR/C	4
2724	F.185592	Washer	2	L.168	MR/C	FC.1
3868	F.168524	Washer, at "Lord" mounting	12	DTD.610	C.	FC.1
	F.215200	Packing, strip, for accelerometer mounting (Mod. 465)	QR	L.72	—	—
—	D.317932	PANEL, CENTRE, ASSEMBLY (Mod. 1383, 1387)	—	—	—	—
6A/3441276	Jaeger	Altimeter	1	—	A.	—
	64-142-200-1					
6A/1146374	Kollmann	Altimeter, Mk. 30A	1	—	A.	—
	L.83261-04-010					
	F.260318	Bracket (Mod. 1383, 1387)	1	—	—	FC.1
—	D.317651	Cable, F.12, group (See Cable Chart)	1	—	LM	—
		(Mod. 1383, 1387)				
—	A.221368	Cable, F.139, group (See Cable Chart)	1	—	LM	—
—	B.332437	Cable, F.238 (Mod. 1429) (See Cable Chart)	1	—	—	—
—	B.226184	Cable, PC.12, group (See Cable Chart)	1	—	LM	—
3735	Std.840/16	Clip, securing	2	—	MR/C	4
3971	Std.840/19	Clip, securing	2	—	MR/C	4
6A/1061012	—	Connector, static and pressure	2	—	C.	—
11567	A.236242/12	Extension, pipe	1	—	C.	—
5L/9959118	—	Filament, 28V., 0.04A	1	—	C.	—
10AP/1039477	—	Guard, switch (Mod. 488)	1	—	C.	—
5CZ/4340381	—	Indicator, magnetic	1	—	C.	—
6A/4339155	—	Indicator, rate of climb, Mk. 3 (Q) (Mod. 1233)	1	—	A.	—
6A/4333504	—	Indicator, turn and slip, Mk. 2A	1	—	A.	—
6A/4338386	—	Indicator, artificial horizon, Mk. 4E	1	—	A.	—
6A/4333224	—	Indicator, air speed, Mk. 12A	1	—	A.	—
6A/4338506	Smiths 858FL	Indicator, tail plane position (Mod. 841)	1	—	A.	—
6A/4333338	Smiths 473FL	Indicator, flap position	1	—	A.	—
5CZ/6403826	Dowty	Indicator, magnetic	1	—	A.	—
	C.5165.Y Mk. 53					
11	5CZ/5003	Indicator, magnetic, oxygen flow (Mod. 1429)	1	—	—	—
11	F.261371	Label, oxygen flow (Mod. 1429)	1	—	—	—

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
0 5CX/1143869	Thorn 80/10/0855					Lamp, pillar, red (Mod. 1383, 1387)	1	—	C.	
6A/4333270	—					Machmeter, Mk. 3A	1	—	A.	
	D.317929/1					Panel	1	—		FC.1
11720	A.191177/12					Pipe, static, rate of climb indicator to A.S.I.	1	T.9	C.	
3598	A.191177/2					Pipe, static, A.S.I. to machmeter	1	T.9	C.	
3601	A.191177/5					Pipe, pressure, A.S.I. to machmeter	1	T.9	C.	
13420	A.191177/24					Pipe, standby altimeter elbow connection to	1	—	C.	
						rate of climb tee connection (Mod. 1383, 1387)				
13421	A.191177/25					Pipe, machmeter tee union connection to	1	—	C.	
						main altimeter elbow connection (Mod. 1383, 1387)				
13418	A.191177/26					Pipe, machmeter tee union connection to pitot connection (Mod. 1383, 1387)	1	—	C.	
13419	A.191177/27					Pipe, machmeter tee union connection to static connection (Mod. 1383, 1387)	1	—	C.	
0 6A/3441277	Jaeger 54140-951-1					Plate, mooring	1	—	B.	
6A/6204138	Kollsmann L.84380-00-100					Plate, mooring	1	—	B.	
5CY/4376457	—					Plug, type R	1	—	B.	
27QA/1011352	SP.900/9					Ring, sealing "O"	1	—	C.	
1178	Std.1606/44/B12					Screw, roundhead, 4 B.A.	2	Brass	C.	5
1637	Std.1606/44/B14					Screw, roundhead, 4 B.A.	1	Brass	C.	5
1720	Std.1606/44/B24					Screw, roundhead, 4 B.A.	4	Brass	C.	5
3840	Std.1606/44/B28					Screw, roundhead, 4 B.A.	4	Brass	C.	5
3857	Std.1606/44/C24					Screw, roundhead, 2 B.A.	4	Brass	C.	5
9447	Std.1606/44/C28					Screw, roundhead, 2 B.A.	4	Brass	C.	5
4661	Std.1606/45/B12					Screw, countersunk, 4 B.A.	2	Brass	C.	5
4660	Std.1606/45/B14					Screw, countersunk, 4 B.A.	3	Brass	C.	5
1943	Std.1606/45/B16					Screw, countersunk, 4 B.A.	2	Brass	C.	5
3861	Std.1606/45/B24					Screw, countersunk, 4 B.A.	4	Brass	C.	5
8717	Std.1606/45/B28					Screw, countersunk, 4 B.A.	4	Brass	C.	5
						(Alt. to Std.1606/45/C20)				
4114	Std.1606/45/B32					Screw, countersunk, 4 B.A.	12	Brass	C.	5
4115	Std.1606/45/C20					Screw, countersunk, 2 B.A.	6	Brass	C.	5
3863	Std.1606/45/C24					Screw, countersunk, 2 B.A.	4	Brass	C.	5
4116	Std.1606/45/C28					Screw, countersunk, 2 B.A.	4	Brass	C.	5
3865	Std.1606/45/C32					Screw, countersunk, 2 B.A.	4	Brass	C.	5
9952	Std.2095/208/B24					Screw, countersunk, unified thread) For use	4	—	C.	
9954	Std.2295/208/B32					Screw, countersunk, unified thread) only if	12	—	C.	
9955	Std.2095/208/D24					Screw, countersunk, unified thread) instruments	4	—	C.	
9956	Std.2095/208/D28					Screw, countersunk, unified thread) have	4	—	C.	
9957	Std.2095/208/D32					Screw, countersunk, unified thread) unified	4	—	C.	
9959	Std.2095/209/D28					Screw, countersunk, unified thread) threads	4	—	C.	
6B/2575	—					Shield, magnetic	1	—	A.	
	Std.1948/11					Sleeve	1	—		5
5F/9454141	NY.18007A					Strapping	QR	—	C.	
5F/9138822	NY.3342					Stud	QR	—	C.	
5CW/1047697	—					Switch, D.P. changeover no centre off	1	—	C.	
5CW/1047693	—					Switch, S.P.C.O. (Mod. 488)	1	—	C.	
10 6A/4676148	—					Tachometer, engine speed, Mk. 10A	1	—	A.	
6B/1035	—					Unit, gyro, type "A" (Alternative to 6B/4343642)	1	—	A.	
6B/4343642	—					Unit, gyro, type "B" (Alternative to 6B/1035)	1	—	A.	
4162	Std.915/B22					Washer	1	—	C.	4
—	B.192073					PANEL, PORT, ASSEMBLY	—	—	—	
3951	Std.840/26					Clip, 7/16" wide x 22 S.W.G. x 2.6" long	1	DTD.610	MR/C	4
3738	Std.840/29					Clip, 7/16" wide x 22 S.W.G. x 2.9" long	1	DTD.610	MR/C	4

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
10	5CX/4330148	Std.1512/28				Disc, hydraulic warning lamp	1	—	C.	
	5L/9951286	—				Filament, 28V. 3.5W	9	—	C.	
	5L/9951273	—				Filament, 28V. 3.5W	2	—	C.	
10	5CX/4330226	—				Indicator, undercarriage position, type D.1	1	—	C.	
10	5CZ/4340381	Dowty				Indicator, magnetic, elevator	1	—	A.	
		C.5165. Y Mk. 2								
	5CZ/4335566	Dowty				Indicator, magnetic, air brake	1	—	A.	
		C.5165. Y Mk. 1								
	5CX/433099	—				Lamp, undercarriage warning, Iris type	1	—	C.	
10	5CX/1085815	—				Lamp, hydraulic pressure warning, type B	1	—	C.	
	12543	A.217498				Panel, group (Mod. 452)	1	—	B.	FC.1
		A.208107				Bracket, undercarriage position-indicator	1	L.72		FC.1
10	6098187	B.192562				Bracket, undercarriage control switch	1	S510	C.	FC.1
		F.217564				Collar	1	—		
		B.217444				Panel	1	DTD.610		FC.1
	3837	Std.1606/44/B10				Screw, roundhead, 4 B.A.	4	Brass	C.	5
	1637	Std.1606/44/B14				Screw, roundhead, 4 B.A.	2	Brass	C.	5
	3839	Std.1606/44/B16				Screw, roundhead, 4 B.A.	2	Brass	C.	5
	1720	Std.1606/44/B24				Screw, roundhead, 4 B.A.	4	Brass	C.	5
	6356	Std.1606/55/B32				Screw, roundhead, 4 B.A.	1	Brass	C.	5
	3859	Std.1606/45/B10				Screw, countersunk head, 4 B.A.	4	Brass	C.	5
	4660	Std.1606/45/B14				Screw, countersunk head, 4 B.A.	1	Brass	C.	5
10	5CW/4400332	Dowty				Switch, undercarriage, push button	1	—	A.	
		C.5182Y Mk.3D								
10	5CW/4680628	Dowty				Switch, flap lever (Mod. 1352)	1	—	A.	
		C.1223Y Mk.27								
	5CW/1047697	—				Switch, D.P. changeover, no centre position	1	—	C.	
	10893	Std.1509/12/050				Tube, distance	1	T.4	C.	4
	—	B.326071				PANEL, STARBOARD, ASSEMBLY	—	—	—	
						(Mod. 1383, 1387)				
	6A/4333072	—				Altimeter, cabin, Mk. 18	1	—	A.	
	—	C.206172				Cable, F.11, group (See Cable Chart)	1	—	LM	
						(Mod. 1383, 1387)				
10	5CX/4330149	Std.1512/29				Disc, warning lamp	1	—	C.	4
	5L/9951273	—				Filament, 28V., 3.5W	2	—	C.	
10	10Q/4280389	—				Indication, Tacan, type 9547	1	—	A.	
10	5CX/1085815	—				Lamp, warning, type A (without night screen)	1	—	C.	
						(Mod. 519)				
	1940	Std.1231/1				Lug, locking	1	—	C.	4
		C.253351				Panel (Mod. 1009)	1	DTD.610		FC.1
	3858	Std.1606/45/B8				Screw, countersunk head, 4 B.A.	4	Brass	C.	5
	4661	Std.1606/45/B12				Screw, countersunk head, 4 B.A.	1	Brass	C.	5
	3861	Std.1606/45/B24				Screw, countersunk 4 B.A.	4	Brass	C.	5
	5CW/1047692	—				Switch, S.P. "ON-OFF"	1	—	C.	
	5CW/1047690	—				Switch, S.P. "ON-OFF" (Upright "OFF")	1	—	C.	
	6A/4333344	—				Thermometer, exhaust gas (Mod. 1383, 1387)	1	—	A.	
	5CW/4405563	—				Transfer, "OUT"	1	—	C.	
	5CW/4405561	—				Transfer, "BRIGHT"	1	—	C.	
	5CW/4405560	—				Transfer, "DIM"	1	—	C.	
	5CW/1055545	—				Transfer, "OFF" (Mod. 715)	1	—	C.	
	3970	Std.1509/12/020				Tube, distance	2	T.4	C.	4

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	B.2277339	Panel, R.P. selector (Mod. 1291)					1	L.72		
5246	Std.1606/44/A12	Screw, roundhead, 6 B.A. (Mod. 229)					4	Brass	C.	5
3837	Std.1606/44/B10	Screw, roundhead, 4 B.A. (Mod. 229)					2	Brass	C.	5
1178	Std.1606/44/B12	Screw, roundhead, 4 B.A. (Mod. 229)					4	Brass	C.	5
1637	Std.1606/44/B14	Screw, roundhead, 4 B.A. (Mod. 229)					4	Brass	C.	5
1720	Std.1606/44/B24	Screw, roundhead, 4 B.A. (Mod. 229)					3	Brass	C.	5
5D/4341029	—	Switch, R.P. selector (Mod. 229) (Pre Mod. 1391) ...					1	—	A.	
5CW/1102662	—	Switch (Mod. 229) (Pre Mod. 1391)					1	—	C.	
0 5CW/1982564	Honeywell 1TL1—3D	Switch, S.P. (Mod. 1291)					1	—	B.	
0 5CW/4408140	Honeywell 2TL1—10A	Switch, S.P. (Mod. 1291) (Pre Mod. 1391)					1	—	B.	
10930	Std.1509/3/026	Tube, distance, at port and starboard panel					6	T.4	C.	4
		mountings								
	Std.1509/3/076	Tube, distance, at port and starboard panel					6	T.4		4
		mountings								
9777	F.231121	Washer, at port and starboard panel mountings ...					6	DTD.5509 C. or D.	C.	
921	Std.915/B12	Washer (Mod. 229)					2	DTD.610	C.	4

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rftm
Please see site for usage terms,
and more aircraft documents.

