


EQUIPMENT AIRCRAFT—G.M. COMPASS INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	E.200068	G.M. COMPASS INSTALLATION, ASSEMBLY					—	—		
		(Pre Mod. 256)								
10	6B/4343646	—	Amplifier, precession				1	—	A.	
10	6B/4343683	—	Box, connector control				1	—	A.	
	6960	B.200069	Cable, GC:4, group (See Cable Chart)				1	—	MR/B	
	Std.850/32		Clip, detector unit cable attachment at outer wing				1	DTD.610		4
			and rib							
	F.193236		Plate, for panel mounting plug				1	DTD.610		
	5F/9454141	NY.18007A	Strapping, 1/2" wide				QR	—	C.	
10	5F/4349858	AS.4528	Strapping, 5/16" wide				QR	—	C.	
	5F/9138822	NY.3342	Stud				QR	—	C.	
10	6B/4343608	—	Tray, mounting for amplifier				1	—	A.	
10	6B/4343681	—	Unit, detector, type "A"				1	—	A.	
	10H/0970050	—	Washer, panel mounting				2	—	C.	
	G.212370	G.M. COMPASS INSTALLATION, ASSEMBLY (Mod. 256)					—	—		
10	6B/4343646	—	Amplifier, precession				1	—	A.	
10	6B/4343683	—	Box, connector, control				1	—	A.	
	—	B.192767	Cable, GC:1, group (See Cable Chart)				1	—	LM	
	—	B.192768	Cable, GC:2, group (See Cable Chart)				1	—	LM	
	—	B.208590	Cable, GC:3, group (See Cable Chart)				1	—	LM	
	—	B.208588	Cable, GC:4, group (See Cable Chart)				1	—	LM	
	—	B.192771	Cable, GC:5, group (See Cable Chart)				1	—	LM	
	—	B.192772	Cable, GC:6, group (See Cable Chart)				1	—	LM	
	—	B.192773	Cable, GC:7, group (See Cable Chart)				1	—	LM	
	—	B.192774	Cable, GC:8, group (See Cable Chart)				1	—	LM	
	—	B.208589	Cable, GC:9, group (See Cable Chart)				1	—	LM	
	7846	F.207421	Clip, securing cable				9	L.72	C.	
	7847	F.210058	Clip, securing coupler plug				1	L.72	C.	
	9493	F.222036	Clip, special, securing cables (Mod. 629)				6	—	C.	
	9489	F.199302	Clip, securing cable at fin former (AS.840/69)				1	DTD.610	C.	
	3741	Std.840/20	Clip, securing cable at frame 18				9	DTD.610	C.	4
	3951	Std.840/26	Clip, 7/16" wide x 22 S.W.G. x 2.6" long				1	DTD.610	MR/C	4
	3740	Std.840/33	Clip, 7/16" wide x 22 S.W.G. x 3.3" long				1	DTD.610	MR/C	4
		Std.841/27	Clip, 7/16" wide x 22 S.W.G. x 2.7" long				1	DTD.610		4
	3766	Std.850/27	Clip, 7/16" wide x 22 S.W.G. x 2.7" long				1	DTD.610	MR/C	4
	9664	Std.2045/22/24	Clip, securing				1	—	C.	
	11795	Std.2046/22/24	Clip, securing				1	—	C.	
		F.208641	Cover, forward of frame 18				1	L.72		
	8277	F.213231	Fairlead, at frame 52				1	LFS.21	MR/C	
	12108	F.213415	Hook, at frame 52				2	L.72	C.	
		F.210974	Plate, adaptor				1	L.72		
		F.193236	Plate, plug				1	—		
		F.213232	Strip, rubbing, at frame 52				1	DTD.171		
	5F/9454141	NY.18007A	Strapping, 1/2" wide				QR	—	C.	
	5F/9138822	NY.3342	Stud				QR	—	C.	
	—	Std.1509/23/090	Tube, distance, 5/16" o/d x 17 S.W.G. x .9" long				9	T.4	—	4
10	5X/9010788	Plessey Z.54079	Tag				24	—	C.	
10	5X/9010787	Plessey Z.54066	Thimble				24	—	C.	
10	6B/4343608	—	Tray, mounting, for amplifier				1	—	A.	
10	6B/4343681	—	Unit, detector, type "A" (Alt. to 6B/4343314)				1	—	A.	
10	6B/4343314	—	Unit, detector, type "B" (Alt. to 6B/4343681)				1	—	A.	
	10H/0970050	—	Washer, panel mounting				2	—	C.	



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

