

PR. MK. 11 INTRODUCED

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.262062	CAMERA HEATING INSTALLATION, ASSEMBLY					—	—		
10358	W.AWE.111-12-1	Bi-metal unit (Type AWE.111/12) (Group)					1	—	B.	HF.1
		Consisting of:—								
	W.AWE.111-2-28	Adjuster					1	S.80 or 110		
	W.AWE.111-12-6	Base, plate					1	—		
	W.AWE.111-9-31	Beam					1	S.510 or 511		
10455	W.AWE.111-10-24	Bi-metals, group					1	—	C.	HF.1
	W.AWE.111-10-13	Collar, spacing					2	B.11 or BSS.25		
	W.AWE.111-10-20	Erd, cover					2	L.59		
	W.AWE.111-10-14	Jet					1	B.11 or BSS.25		
	W.AWE.111-10-19	Mesh, cover					1	Alum.		
	W.AWE.111-10-12	Pip, hinge					1	S.1 or 92		
	W.AWE.111-2-27	Plunger					1	S.80 or 110		
10456	W.AWE.111-10-18	Spring, torsion					1	DTD.215	C.	
	W.AWE.111-2-6	Washer, sealing					1	L.17		HF.1
10349	A.235802	Bracket, supporting pipe at frame 5					1	S.510	C.	HF.1
	A.262347	Bracket, support, for heating pipe between frames 18 and 19					1	L.72		
1136	A.186450	Clamp, pipe connection, group					1	—	B.	HF.1
2723	F.184931	Bolt, eye					1	S.94.8	MR/C	HF.1
6526	F.213079	Nut, special					1	S.95	C.	HF.1
2724	F.185592	Washer					1	DTD.364	MR/C	HF.1
10351	F.233387	Clamp, for pipe					2	LFS.26	C.	HF.1
10356	King Aircraft C.4205/1H	Clamp, for pipe, Mk. 3 (Alt. to C.4205/1H)					2	—	C.	HF.1
	King Aircraft C.4205/1H	Clamp, for pipe (Alt. to C.4205/1E)					2	—		
10350	F.233743	Cleat, for pipe					1	LFS.21	C.	HF.1
	F.262349	Clip, special at accumulator support mounting					1	L.72		
	Std.841/48	Clip, securing pipe					1	L.72		4
	Std.851/55	Clip, securing pipe					1	L.72		4
1336	Std.1682/8	Clip, securing pipe					6	S.3	C.	5
1366	Std.1682/10	Clip, securing pipe					2	S.3	C.	5
	Std.2046/18/20	Clip, securing pipe					4	S.510 or 511		6
	Std.2046/55/10	Clip, securing pipe					2	S.510 or 511		6
10334	B.232997	Cone, at frame 3					1	L.59	C.	HF.1
	F.264177	Fairlead, at frame 6					1	LFS.21		HF.1
10354	F.233866	Fairlead, at frame 6					1	LFS.21	C.	HF.1
10355	F.233867	Fairlead, at frame 6					1	LFS.21	C.	HF.1
9786	B.230598	Hose, flexible, metallic					2	—	C.	HF.1
3922	Dunlop ACM.17024	Hose, group (Alternative to B.216495)					2	—	C.	
4971	Dunlop ACO.20664	Washer					1	—	C.	
7971	B.216495	Hose, group (Alternative to ACM.17024)					2	—	C.	HF.1
4971	Dunlop ACO.20664	Washer					1	—	C.	
	D.264184	Pipes, camera heating in centre fuselage, assembly					—	—		
3921	F.196290	Block, support					1	LFS.23	C.	HF.1
4041	F.196289	Clip, half, for support block					1	DTD.610	MR/C	HF.1
	Std.841/47	Clip, securing pipe					2	DTD.610		4
4038	Std.851/47	Clip, securing pipe					8	DTD.610	MR/C	4
3954	Std.851/51	Clip, securing pipe					7	DTD.610	C.	4
1366	Std.1682/10	Clip, pipe joint, securing					16	S.3	C.	5

PR. MK. 11 INTRODUCED

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	1654	B.192093/2	Pipe (lagged), 1st connection to 2nd connection				1	—	B.	HF.1
	8039	B.206114	Pipe (lagged), 2nd connection to 3rd connection				1	—	B.	HF.1
	8041	B.192093/12	Pipe (lagged), 3rd connection to 4th connection				1	—	B.	HF.1
	8040	B.192093/13	Pipe (lagged), 4th connection to 5th connection				1	—	B.	HF.1
	1657	B.192093/5	Pipe (lagged), 5th connection to 6th connection				1	—	B.	HF.1
	3925	B.192093/6	Pipe (lagged), 6th connection to 7th connection				1	—	B.	HF.1
	3924	B.192093/7	Pipe (lagged), 7th connection to 8th connection				1	—	B.	HF.1
	3923	B.192093/8	Pipe (lagged), 8th connection to flexible pipe				1	—	B.	HF.1
	1659	Std.1744/10	Sleeve				14	Rubber	C.	5
	4042	Std.1509/23/030	Tube, distance				1	T.4	C.	4
	3960	Std.1547/42/12	Washer, packing				2	L.72	MR/C	4
	20464	B.261567/1	Pipe, joint, at frame 11 to flexible pipe (No lagging required)				1	L.54	C.	HF.1
	20465	B.261567/3	Pipe, joint, at flexible pipe to frame 19 (C/W lagging) . . .				1	L.54	C.	HF.1
	10335	B.233539/1	Pipe, thermostat to hot air valve				1	DTD.253	C.	HF.1
	10336	B.233539/4	Pipe, joint, frame 6, to elbow under cabin floor				1	L.54	C.	HF.1
	10790	B.252129/3	Pipe, cone, at frame 3 to hot air control valve,				1	DTD.253	C.	HF.1
	10791	A.252130	complete with lagging							
	1658	F.192798	Pipe, hot air valve to frame 6 complete with lagging				1	—	C.	HF.1
			Ring, sealing				1	Silicone Rubber	C.	
10	28F/4051831	AS.5401	Ring, sealing				2	—	C.	
	1659	Std.1744/10	Sleeve, at pipe connections				3	Silicone Rubber	C.	5
		Std.1509-23-060	Tube, distance				1	T.4		4
10	27F/4526907	Y.AWE.110-6-1	Valve, air shut off (Type AWE.110/6) (For spares see AP.1086, Book 11)				1	—	B.	HF.1
		E.264194	CAMERA INSTALLATION ASSEMBLY				—	—	—	
		C.260400	Box, camera control group				—	—	—	
		C.260398	Box, detail				1	L.59		
10	5E/9467424	—	Cable, uninyvin 20				QR	2E-21	C.	
	5E/9100179	—	Cable, equipment, type 2, 14/0076				QR	DEF.12A	C.	
		C.260629	Diagram, wiring				1	Photo		
	5L/9951273	—	Filament, 28V., 3.5W				3	—	C.	
10	14A/1013929	—	Indicator, remote, film				3	—	A.	
10AK/0970179	—	—	Knob, finger				2	—	C.	
10	5CX/4330257	Rotax H.2803	Lamp, warning, iris type, green				3	—	B.	
	20466	B.260399	Lid, for box				1	L.72	C.	
	10H/0560200	Plessey	Plug, fixed				1	—	C.	
		CZ.49061								
	10H/0560203	Plessey	Plug, fixed				1	—	C.	
		CZ.49061/3								
	4179	Std.1606/44/B20	Screw, round head				8	Brass	C.	5
		Std.1606/45/A10	Screw, round head				12	Brass		5
	4661	Std.1606/45/B12	Screw, round head				8	Brass	C.	5
	5K/	Hellermann	Sleeve, Helsyn HT.15 x 1/2"				41	—	C.	
	5K/	Hellermann	Sleeve, Helsyn HT.20 x 1/2"				9	—	C.	
10	5CW/1047696	—	Switch, D.P. c/o centre off				1	—	B.	
10	5CW/1047694	—	Switch, S.P. c/o centre off				2	—	B.	
	20480	A.264233	Switch, O.A.K. type				1	—	C.	
	20481	A.264234	Switch, O.A.K. type				1	—	C.	
	5K/	R.C.59	Tag, 8 E.A.				6	—	C.	

PR. MK. 11 INTRODUCED

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	D.260444	Box, junction, group					1	—		
	D.260630	Diagram, wiring					1	Photo		
20467	A.262685	Label, for fuse					1	Photo	C.	
	B.260531	Lid, group					1	L.59		
	—	Strip, 1/2" x 1/16" rubber					QR	Rubber		
	—	Strip, K.1471, 10.30" x 1.0" x 1/8"					1	Rubbazote		
	D.260578	Platform, relay mounting					1	—		
8012	F.208578	Adapter, 6—12 amp.					3	—	C.	
8670	F.220761	Bush					1	—	C.	
10	5E/9467424	Cable, uninyvin 20					QR	—2E—21	C.	
10	5E/9012998	Cable, uninyvin 16					QR	2E—21	C.	
10	5E/9012567	Cable, unipren 24					QR	2E—21	C.	
	5E/9100179	Cable, wire equipment, type 2, 14/0076					QR	DEF.12A	C.	
	Std.2049/5	Ferrule					2	—		
	Std.2049/7	Ferrule					1	—		
10	5X/4500017	Plessey Z.1381/2					2	—	C.	
	5K/	Plessey 3Z.86146					1	—	C.	
10	5X/8964	Plessey Z.2260/2					2	—	C.	
	5X/	Plessey Z.23241/2					1	—	C.	
10H/0590110	Belling Lee	Fuse, 2 amp.					1	—	C.	
	L.693—2									
10H/0590112	Belling Lee	Fuse, 5 amp.					1	—	C.	
	L.693—5									
10H/0590113	Belling Lee	Fuse, 7 amp.					3	—	C.	
	L.693—7									
10H/0119925	Belling Lee	Fuse, 10 amp.					3	—	C.	
	L.693—10									
10H/0590231	Belling Lee	Fuse, holder					8	—	C.	
	L.1382									
10H/0970060	Plessey Z.60669	Gasket, outlet					4	—	C.	
10H/0970059	Plessey Z.60668	Gasket, outlet					1	—	C.	
10H/0970108	Plessey Z.62235	Gasket, union					1	—	C.	
10H/0970112	Plessey Z.62238	Gasket, union					4	—	C.	
	5K/	Hellermann					10	—	C.	
	HV.2156	Grommet								
10AD/3079	S.T.C. LP.736720	Holder, fuse					5	—	C.	
20468	F.235160	Link					2	—	C.	
10H/0970066	Plessey CZ.50783	Outlet, straight					1	—	C.	
10H/9114134	Plessey CZ.49184	Outlet, straight					1	—	C.	
10H/0970073	Plessey CZ.50784	Outlet, angle					3	—	C.	
	B.260697	Panel, fuse					1	L.72		
10AS/1002528	S.T.C. LP.733615	Plate					5	—	C.	
	C.260503	Platform, relay, mounting					1	L.72		
	A.260575	Platform, resistor, group					1	—		
20469	A.260576	Plate, insulating					1	—	C.	
	A.260504	Platform, resistor, group					1	—		
	A.260504/1	Platform					1	BS.2966 Type 3A		
	5K/	Eyelet, tag					9	—	C.	
20470	F.236210	Spacer					7	—	C.	
10	5CY/4376039	Plug					2	—	C.	
	10H/0560130	Plug, fixed					1	—	C.	
10CV/	Ferranti ZS.78	Rectifier					3	—	B.	
10CV/0004073	BTH.GJ6M	Rectifier					6	—	B.	

PR. MK. 11 INTRODUCED

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
11	5CW/8979	—				Relay, type 20B, No. 1 (Alt. to 5CW/9499152)	2	—	A.	
11	5CW/9499152	—				Relay, type 10B, No. 14 (Alt. to 5CW/8979)	3	—	A.	
	5CW/	Hendrey (D.4600)				Relay, type 20B, No. 2	3	—	A.	
	10W/0113471	—				Resistor, 220 ohm, style RWV4—K	3	—	C.	
	5K/	Hellermann				Sleeve, Helsyn HT.20 x 3/4"	35	—	C.	
	5K/	Hellermann				Sleeve, Helsyn HT.30 x 3/4"	4	—	C.	
	5K/	Hellermann				Sleeve, Helsyn HT.20 x 1/2"	21	—	C.	
	5K/	Hellermann				Sleeve, Helsyn HT.15 x 1/2"	80	—	C.	
	10H/0560220	Plessey CZ.49070				Socket	2	—	C.	
	10H/0560223	Plessey				Socket	1	—	C.	
		CZ.49070/3								
	10H/0560873	Plessey				Socket, fixed	1	—	C.	
		CZ.56746/3								
	10H/0560850	Plessey				Socket, fixed	1	—	C.	
		CZ.56745								
	10AS/1002129	S.T.C. LP733614				Spring, retaining	5	—	C.	
	20471	F.236209				Tag, rectifier	2	—	C.	
	5K/	Hellermann				Tag, ring tongue, 24 amp.	4	—	C.	
		HC.316A								
	5K/	Hellermann				Tag, ring tongue 14/0076	22	—	C.	
		HC.296C								
	5X/9462745	Hellermann				Tag, ring tongue 6—12 amp.	6	—	C.	
		HC.304								
	5K/	Hellermann				Tag, ring tongue 14/0076	9	—	C.	
		HC.294D								
	5X/1930219	Hellermann				Tag, ring tongue, 24 amp.	2	—	C.	
		HC.314A								
	5K/	R.C. No. 01				Tag	2	—	C.	
	8673	F.220762				Washer	1	—	C.	
	10F/0530473	—				Relay, type 5, M.5A—M4	1	—	C.	
		D.260443				Shell, box	1	—		
		Std.1509/2/150				Tube, distance	2	T.4		4
		C.260532				Bracket, mounting for central box	1	L.72		
		F.262402				Bracket, fire warning switch	1	L.72		
	20482	B.260783				Cable, FR.3, group (See Cable Chart)	1	—	B.	
	20483	B.260784				Cable, FR.5, group (See Cable Chart)	1	—	B.	
	20484	B.260785				Cable, FR.7, group (See Cable Chart)	1	—	B.	
	20485	B.260786				Cable, FR.8, group (See Cable Chart)	1	—	B.	
	—	B.260787				Cable, FR.9, group (See Cable Chart)	1	—	—	
	—	D.259648				CAMERA, ASSEMBLY	—	—		
	14A/1038274	—				Camera, F.95, 4" lens (Alt. to 14A/5990)	3	—	A.	
	14A/6258344	—				Camera, F.95, 12" lens (Alt. to 14A/5886)	2	—	A.	
	14A/5887	—				Intervalometer, type 95	5	—	A.	
		D.231470				Mountings, camera, on frame 3, assembly	—	—		
		A.230918				Bracket, retaining, starboard camera	3	S.510		
		A.230920				Bracket, retaining, port camera	2	S.510		
	462	F.17412				Link, locking	1	DTD.610	C	
	10590	F.246606				Lock for port and starboard camera	4	—	C.	
		A.232052				Mounting, for bi-metal control unit	1	L.72		
		F.262047				Packing, at intervalometer mounting plate	1	L.72		
		F.261569				Plate, adaptor	2	L.72		
		B.260125				Plate, mounting for intervalometer	1	L.72		
		B.231007				Plate, mounting for port F.95 camera	1	S.510		
		B.231008				Plate, mounting for starboard F.95 camera	1	S.510		
		B.231049				Plate, mounting for G.90 camera	1	S.510		
	10330	A.231004				Plate, wedge, for camera	2	S.510 or S.1.B	C.	
	5X/	Cannon				Stowage	2	—	C.	
		CA.2182-18								

PR. MK. 11 INTRODUCED

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	3996	Std.1547/20/16			Washer, packing		1	—	MR/C	4
	5641	Std.1547/24/10			Washer, packing		2	—	MR/C	4
	673	Std.1547/28/10			Washer, packing		7	—	C.	4
	20472	A.261852			Nut, knurled for camera attachment		2	S.95.B	C.	
	10581	B.211878			Plate, attachment, group		1	—	C.	
		F.211824			Spigot		1	S.95.B		
		F.211825			Spigot		1	S.95.B		
	10332	B.235589			Plate, wedge for cameras		2	L.65.C	C.	
	3741	Std.840/20			Clip, securing cables		2	—	C.	4
	4670	Std.840/23			Clip, securing cables		2	—	C.	4
	3743	Std.840/25			Clip, securing cables		2	—	MR/C	4
	26VA/6045561	Std.2046/19/22			Clip, securing cables		1	—	C.	6
	26VA/6042337	Std.2046/29/22			Clip, securing cables		1	—	C.	6
	20238	Std.2046/30/22			Clip, securing cables		1	—	C.	6
	4211	Std.1687/2			Saddle		2	—	C.	5
		Std.1606/43/B16			Screw		1	Brass		5
	2596	Std.1606/44/C16			Screw		3	Brass	C.	5
	10H/4709550	Plessey			Socket, plug		1	—	C.	
		CZ.61889								
	10H/20414	CZ.61889/3			Socket, plug		1	—	C.	
	5F/9454141	NY.18007A			Strapping		QR	P.V.C.	C.	
	5F/9138822	NY.3342			Stud		QR	P.V.C.	C.	
	—	E.264206			ELECTRICAL equipment, front fuselage, assembly		—	—	—	
					(for further spares see E.251862)					
		A.323969			Angle, mtg., top, circuit breaker (Mod. 1319)		1	—		
	4760	Std.841/32			Clip		1	DTD.610	MR/C	4
11	—	D.206612			Cockpit, lighting equipment (For further spares		—	—	—	
					see D.206612)					
11	8233	B.214483			Screen, cockpit, port (Mod. 1429)		1	—		
	—	B.262499			Screen, cockpit, starboard (Make from 26FX/5896)		1	—		
11	4617	Std.1606/44/C14			Screw (Mod. 1429)		2	—	C.	5
	—	D.264207			Panel, supply, assembly (For further spares see		—	—	—	
					D.250637)					
	—	A.264178			Additional items to Cable form E.199830)		—	—	—	
	5K/	Hellermann			Sleeve, Helsyn 150 HT.30 x 1"		2	—	C.	
		Std.2136/11			Sleeve, marker		2	—		
		Std.2136/21			Sleeve, marker		1	—		
	5CZ/4350503	Purcell			Terminal, lug, No. 25		1	—	C.	
	5X/4900391	ERMA.12111			Terminal, ring tongue		2	—	C.	
11		C.332554			Diagram, wiring (Mod. 1441, Mod. 229)		1	—		
11		C.334175/1			Diagram, wiring (Mod. 1443)		1	Photo		
	5CW/4400018	Waymouth Q.2			Relay, magnetic, S.P. changeover		2	—	A.	
	—	E.261834			FRONT FUSELAGE, STRUCTURE ASSEMBLY		—	—	—	
					(For further spares see E.251672)					
	—	F.290267			Panel, access (26FX/20369 modified) (Mod. 1211)		1	—	—	
					(For further spares see D.272678)					
	4094	Dunlop ACO.9023			Adaptor		1	L.72	C.	
		A.261571			Bracket, pipe attachment		1	L.72		
	26VA/6042386	Std.2046/55/20			Clip, sleeved		2	—	C.	6
	1366	Std.1682/10			Clip		4	—	C.	5
	20432	B.261567/2			Pipe, camera heating		1	L.54	C.	HF.1
	1659	Std.1744/10			Sleeve		2	—	C.	5
		F.262422			Washer, sealing		2	Klingerite		
		F.262423			Washer, sealing		2	Klingerite		
	—	D.261833			Structure, frames 3 to 6, assembly		—	—	—	
	—	C.264789			Beams and Mountings, assembly		—	—	—	
	20433	B.264179			Beam, mounting, port		1	DTD.610	C.	
	20434	B.264180			Beam, mounting, starboard		1	DTD.610	C.	

PR. MK. 11 INTRODUCED


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
20435	F.262174					Bolt, special	4	S.94B	C.	
20436	F.262175					Bolt, special	4	S.94B	C.	
20437	A.261835					Weight, ballast	3	M.S.	C.	
20438	B.262181					Weight, ballast	1	M.S.	C.	
20439	B.262488					Weight, ballast	1	M.S.	C.	
	D.264081					Frame, No. 3, group (B.251758 Modified)	1	—		
	F.233845					Block, locating for spigot	4	S.62		
	A.231383					Bracket, mounting for control switch	1	L.72		
	F.261040					Bracket, mounting	1	L.72		
20440	F.232058					Label	1	L.59	C.	
20441	A.231402					Label	1	L.59	C.	
4224	Std. 1590C					Packing, reduced	2	DTD.610	C.	5
	F.261788					Plate, adaptor	1	L.72		
	A.232045					Plate, blanking	1	L.72		
	F.261755					Plate, blanking	1	L.72		
	B.261756					Plate, reinforcing	1	L.72		
8432	Chekaleke No. 6					Plug	9	—	C.	
9528	Chekaleke No. 10					Plug	1	—	C.	
	B.264175					Frame No. 4 (Modified to B.264173 and A.233148) (For further spares see D.176890)	1	—		
	A.233149					Frame No. 5 (For further spares see D.176891)	1	—		
	B.264176					Frame No. 6 (For further spares see E.251712)	1	—		
20442	A.234247					Landing (A.214466 modified)	1	—	C.	
—	B.262378					Hydraulic Installation, front fuselage assembly	—	—	—	
						(For further spares see E.222095)				
	C.187921/194					Pipe, pressure, union to union	1	DTD.323		
	C.187921/195					Pipe, u/cup, union to union	1	DTD.323		
	C.187921/204					Pipe, pressure, union to restrictor	1	DTD.323		
	C.187921/260					Pipe, u/cup, union to union	1	DTD.323		
	—					I.F.F./S.S.R. 1520. INSTALLATION ASSEMBLY	—	—	—	
						(For further spares see E.325633)				
11	11227	Std. 2045/21/24				Clip, for SSR.6 cable (Mod. 1429)	2	—	C.	6
20446	E.259647					NOSE, PIECE, GROUP	1	—	A.	HF.2
20447	F.231029					Bracket, actuator attachment	1	DTD.166	C.	
923	A.183705					Bracket, mounting ram air pipe	1	S.3	C.	HF.2
20448	F.262709					Bracket, stowage	1	—	C.	HF.2
	C.259836					Butt-strap, bottom, aft	1	L.72		
	B.231776					Butt-strap, bottom, forward	1	L.72		
	B.231775					Butt-strap, top	1	L.72		
20479	C.259644					Cable, FR.1, group (See Cable Chart)	1	—	B.	
10H/0970057	Plessey					Cap, protective	1	—	C.	
	508/1/41037									
	A.231023					Channel, at actuator attachment	1	—		
924	Std. 1682/12					Clip, coupling, air ram pipe	2	S.3, T.26	C.	HF.2
3776	Std. 1306/J20					Coupling, flexible, drain pipe to air ram pipe	1	DTD.625A or F.67 Type 3	MR/C	4
						(Make from 32C/1275062)				
752	Std. 1166/8					Clip, half, ram air pipe, mounting bracket	1	S.3, T.26	C.	4
11303	Std. 2046/17/26					Clip, securing air ram pipe drain to frame 2	1	—	C.	6
26VA/6041264	Std. 2046/20/24					Clip, securing cable to frame 2	4	—	C.	6
11795	Std. 2046/22/24					Clip, securing cable to frame 2	1	—	C.	6
26VA/6041266	Std. 2046/24/24					Clip, securing cable to frame 2A	2	—	C.	6
	B.230968					Diaphragm, between frames 2 and 3	1	L.72		


PR. MK. 11 INTRODUCED

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
10	5W/4511896	C.231544	EYE-LID, ACTUATING MECHANISM ASSEMBLY . . .					—	—		
		Plessey CZ.72257	Actuator, "Jaguar"					1	—	A.	
	10286	F.217295	Bearing, for actuator eye-end					1	BSS.369	C.	HF.2
	10465	F.243133	Bush, eye-lid					2	BSS.369	C.	HF.2
	10284	F.217304	Eye-end, for actuator					1	S.95	C.	HF.2
	10283	C.231292	Eye-lid, lower					1	—	B.	HF.2
	10282	C.231291	Eye-lid, upper					1	—	B.	HF.2
		A.217296	Housing, bearing					1	L.65		
	10285	F.217303	Link					2	S.95	C.	HF.2
	10287	F.218017	Washer, seating at bearing					1	—	C.	HF.2
	5785	Std.915/C16	Washer, special					1	—	C.	4
		C.230934	Frame, No. 1					1	—		
		C.230935	Frame, No. 2					1	—		
		B.230967	Frame, No. 2A					1	—		
	12969	C.230912	Frame, No. 3A group (C.174088 Modified)					1	—	B.	
	926	F.166291	Fork, attachment, lower, port					1	S.1	C.	HF.2
	10813	F.166292	Fork, attachment, lower, starboard					1	S.1	C.	HF.2
	925	F.166143	Fork, attachment, upper					2	S.1	C.	HF.2
	929	F.178677	Seating, for fork attachment					2	Rubber	C.	HF.2
	10298	F.233844	Spigot					4	S.510 S.21	C.	HF.2
		Std.1507/2/028	Tube, distance					4	—		4
	20449	C.231212	Frame, for port window					1	—	C.	HF.2
	20450	C.230970	Frame, for starboard window					1	—	C.	HF.2
	20451	F.227862	Housing, window					1	L.65C	C.	HF.2
	10290	F.236750	Lead, extension					1	—	B.	HF.2
	20452	C.259844	Mounting, for window					1	L.72	C.	HF.2
		D.230985	NOSE SKIN ASSEMBLY					—	—		
	20453	D.230985/1	Skin					1	L.72	B.	HF.2
		C.259646	PIPES, CAMERA HEATING ASSEMBLY					—	—		
	10311	B.233331	Channel, mounting for branch pipe support					1	—	C.	HF.2
	10312	F.233293	Clip, branch pipe support					1	—	C.	HF.2
		Std.2090/36	Clip, securing pipe at frame 2					1	—		
	10310	B.232386	Pipe, branch, 3-way					1	—	C.	HF.2
	20454	A.260178	Pipe, branch to joint					1	L.54	C.	HF.2
	20455	A.262710	Pipe, branch to port spray pipe					1	L.54	C.	HF.2
	10308	A.232288/3	Pipe, branch to starboard spray pipe					1	L.54	C.	HF.2
	20456	B.260124	Pipe, joint to forward spray					1	L.54	C.	HF.2
	10305	A.232437	Pipe, spray, straight					2	DTD.253	C.	HF.2
									DTD.253		
	10313	F.233546	Restrictor					1	L.65	C.	HF.2
		Std.1509/24/075	Tube, distance, for pipe clip at frame 2					1	T.4		4
	10300	F.231576	Pipe, drain, for ram air pipe					1	L.54 L.16	C.	HF.2
	10299	A.231577	Pipe, ram air					1	—	C.	HF.2
	20457	C.259645	Plate, mounting camera					1	S.510	C.	
	10301	B.230971	Plate, back, c/w sealing strip for window					2	—	C.	HF.2
		A.231692	Plate, mounting					1	L.72		
		C.231213	Plate, reinforcing for port window					1	L.72		
		C.230939	Plate, reinforcing for starboard window					1	L.72		
	9892	F.233545	Restrictor, for ram air pipe					1	—	C.	HF.2
	9621	F.227305	Ring, sealing					1	Rubber	C.	HF.2
	9622	F.227306	Ring, sealing					1	Rubber	C.	HF.2

PR. MK. 11 INTRODUCED

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
20458	A.212296	Ring, attachment					1	L.65C & Rubber	C.	HF.2
20459	A.212297	Ring, attachment					1	L.72 & Rubber	C.	HF.2
10302	A.231773	Sealing, for windows					2	Rubber	C.	HF.2
20460	E.259647/1	Skin, aft of frame 1, port					1	L.72	B.	HF.2
20461	E.259647/2	Skin, aft of frame 1, starboard					1	L.72	B.	HF.2
	D.231661	SKIN, NOSE INNER, ASSEMBLY					—	—		
	D.231661/13	Flange					2	S.511		
	D.231661/14	Flange					2	S.511		
	D.231661/9	Piece, centre, port					1	L.72		
	D.231661/10	Piece, centre, starboard					1	L.72		
	D.231661/3	Piece, front					1	L.72		
	D.231661/4	Piece, rear					1	L.72		
10295	B.232272	Pipe, spray					1	—	C.	HF.2
10296	A.231658	Pivot, for eye-lid					2	S.510	C.	HF.2
10294	A.231740	Sealing, rubber, for windows					1	Black Comm.	C.	HF.2
10292	B.231659	Sealing, window					1	S.510	C.	HF.2
10293	B.231660	Ring, retaining, for windows					1	L.72	C.	HF.2
	D.231661/1	Skin, main					1	L.72		
	D.231661/5	Skin, side, port					1	L.72		
	or D.231661/7									
	D.231661/6	Skin, side, starboard					1	L.72		
	or D.231661/8									
10297	A.211888	Window					1	PH.221	C.	HF.2
	B.231214	Stiffener, between frames 2 and 3					3	L.72		
	B.230990	Stiffener, between frames 1 and 2					1	L.72		
20478	F.262708	Stowage, for camera cables					1	—	C.	
10288	A.238213	Strap, aft					2	—	C.	HF.2
10289	A.238212	Strap, forward					2	—	C.	HF.2
5F/9454141	NY.18007A	Strapping					QR	—	C.	
5F/9138822	NY.3342	Stud					4	—	C.	
1715	Std.1744/12	Sleeve, ram air pipe					1	Rubber	C.	HF.2
3806	Std.1509/23/032	Tube, distance, at drain pipe clip at frame 2					1	T.4	MR/C	4
	Std.1507/23/150	Tube, distance, 7/8" o/d x 17 S.W.G. x 1.5"					4	T.26	—	4
		(Make from 30A/972)								
9620	F.218165	Window, camera					1	PH.221	C.	HF.2
10303	B.231274	Window, port and starboard					2	PH.221	C.	HF.2
20463	A.211892	Window					1	PH.221	C.	HF.2
	—	NOSE WHEEL DOORS, ASSEMBLY					—	—	—	
20445	A.262562	Door, forward, group (For further spares see E.221074)					1	—	A.	
	—	PRESSURISATION, CABIN EQUIPMENT forward of					—	—	—	
		frame 7 (For further spares see E.251727)								
20443	B.231578	Pipe, ram air					1	L.59 & L.54	C.	
20444	F.231628	Ring, feet					1	DTD.590	C.	
11	—	RADIO, V.H.F. INSTALLATION, AD120 (Mod. 1429)					—	—	—	
		(For further spares see E.336379)								
11	D.334126	Radio equipment on access door					1	—	—	
		(For further spares see D.332311)								
11	Std.2046/23/10	Clip					2	—	—	6
11	C.334089	Platform, mounting					1	—	—	
11	C.334089/1	Platform (Make from 30B/9611218)					1	—	LM	
11	3797	Tube, distance					4	—	C.	4





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

