

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.252665	CENTRE FUSELAGE STRUCTURE, ASSEMBLY					-	-		
	D.179303	ATTACHMENT OF STRINGERS FROM NOSE					-	-		
		SPAR TO FRAME 20, ASSEMBLY								
960	F.184105	Bolt, special, at stringers "C" and "H"					2	S.95.B	C.	JB.3
	Std.1551/3/125	Bolt, special, at stringers "C" and "H"					8	S.99.B		5
3825	Std.1551/3/105	Bolt, special, at stringers "C" and "H"					4	S.99.B	MR/C	JB.4
	A.178936	Fitting, attachment, at stringers "C" and "H"					4	S.99.B		
963	F.170740	Nut, special, at stringer "H"					4	S.98.B	C.	JB.3
7262	Std.1718/3	Nut, special					12	-	MR/C	5
10607	F.240458	Nut, special, for spigot at stringer "C"					2	S.99	C.	
		(Mod. 1032)								
10606	A.240442	Spigot, for stringer "C" (Mod. 1032)					2	S.99	C.	
962	A.178929	Spigot, at stringer "H"					4	S.98.B	C.	JB.3
10	961	Tab, locking, at stringers "C" and "H"					4	S.510	C.	JB.3
10		Tube, distance, at stringers "C" and "H"					2	L.168		
	7263	Washer, shim, for Std.1551 bolts					QR	Shim Steel	MR/C	4
	D.179304	ATTACHMENT OF STRINGERS AT FRAME 21,					-	-		
		ASSEMBLY								
2418	F.178919	Angle, fitting, at stringer "K"					4	Stamping	MR/C	JB.4
2419	F.178920	Angle, fitting, at stringer "K"					4	Stamping	MR/C	JB.4
3832	Std.1553/E/65	Bolt, special, at stringer "K"					8	S.99.B	MR/C	JB.4
3833	Std.1553/E/55	Bolt, special, at stringer "K"					4	S.99.B	MR/C	JB.4
2420	B.182214	Fitting, for aircraft slinging bolt					2	Stamping	MR/C	JB.2
	D.179305	ATTACHMENT OF STRINGERS AT MAIN					-	-		
		SPAR, ASSEMBLY								
4692	F.195546	Angle, attaching hydraulic pipes at stringer "K",					1	DTD.610	MR/C	
		port								
4693	F.195547	Angle, attaching hydraulic pipes at stringer "K",					1	DTD.610	MR/C	
		starboard								
2421	A.179650	Angle, fitting, at stringer "K"					4	Stamping	MR/C	JB.4
2422	A.178809	Angle, fitting, at stringer "K"					4	Stamping	MR/C	JB.4
4447	Std.1553/J/390	Bolt, at stringer "K"					4	S.99.B	MR/C	JB.4
10	2423	Tube, distance, at stringer "K"					4	L.168	MR/C	
	4691	Washer, profile, at stringer "J"					4	DTD.610	MR/C	
	D.179307	ATTACHMENT OF STRINGERS AT REAR					-	-		
		SPAR, ASSEMBLY								
3834	Std.1553/L/320	Bolt, at stringer "K"					4	S.99.B	MR/C	JB.4
3824	Std.1551/2/85	Bolt, at stringer "K"					8	S.99.B	MR/C	JB.4
3825	Std.1551/3/105	Bolt, at stringer "K"					8	S.99.B	MR/C	JB.4
3835	Std.1553/J/300	Bolt, at stringer "J"					4	S.99.B	MR/C	JB.4
2424	A.178816	Fitting, attachment, at stringer "K"					4	Stamping	MR/C	JB.4
2425	A.168436	Fitting, attachment, at stringer "J"					4	Stamping	MR/C	JB.4
10	2427	Tube, distance, at stringer "K"					4	L.168	MR/C	JB.4
10	2426	Tube, distance, at stringer "J"					4	L.168	MR/C	JB.4
	4691	Washer, profile, at stringer "H"					6	DTD.610	MR/C	4
	D.183494	ATTACHMENT OF STRINGERS, FRAME 33					-	-		
		AND 36, ASSEMBLY								
5721	F.197126	Stud, earthing, at stringer "K" frame 35					2	S.94.B	MR/C	
4619	Std.1335/E/18	Washer					2	L.4	C.	4
	A.232340	BLOCK, BLANKING (Alt. to F.231220 Blanking					1	-		
		plate, for use when type 91 aerals not								
		required)								
	D.184380	BRACKET, FOR AILERON CONTROL, REAR					-	-		
		SPAR TO FRAME 33, ASSEMBLY								
	B.184389	Bracket, mounting, for air supply valve					1	-		

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	D.184139	BRACKET, FOR FLYING CONTROLS, FRAMES 27 TO 28, ASSEMBLY					—	—		
	B.184140	Bracket, port, group					1	DTD.610		
	B.184141	Bracket, starboard, group					1	DTD.610		
2428	F.184144	Plate, nut, port					1	DTD.610	MR/C	
2429	F.184145	Plate, nut, starboard					1	DTD.610	MR/C	
2430	F.184005	Plate, nut					2	DTD.610	MR/C	
	D.184002	BRACKET, FOR FLYING CONTROLS, FRAMES 23 TO 24, ASSEMBLY					—	—		
	B.184003	Bracket, port					1	DTD.610		
	B.184004	Bracket, starboard					1	DTD.610		
2430	F.184005	Plate, nut					2	DTD.610	MR/C	
2431	C.176110	Channel, mounting, for engine, port, group					1	—	MR/B	JB.6
2432	C.176111	Channel, mounting, for engine, starboard, group					1	—	MR/B	JB.6
985	F.176114	Block					2	S.97	C.	JB.6
4025	F.195141	Clamp, half, for wiring ducts					4	LFS.21	MR/C	
	D.184861	DOORS, AND ACCESS PANELS, ASSEMBLY					—	—		
4633	F.197909	Bolt, for access panels					74	S.95	C.	
7835	Std.1700/4/E	Bolt, attaching fuel system access panel					12	—	C.	5
3	D.177203	Door, access, for gear box, group					1	—	A.	JB.1
966	A.188142	Hinge					1	DTD.166	C.	
965	King Aircraft Corp. C.3099	Toggle, housing					2	—	C.	JB.5
20150	D.252052	Door, access, to engine starter, group					1	—	A.	JB.5
10H/113616	—	Adaptor, bulkhead					1	—	C.	
4844	F.203030	Angle, for spring clip					1	L.A.	MR/C	JB.5
	F.201721	Channel					1	L.72		
10 3750	Std.842/10	Clip, cable					4	S.510	MR/C	4
10 5995-99-4699933	E.227265/36	Connector, aerial					1	—	B.	
981	A.188500	Hinge					1	DTD.166	C.	JB.5
5854	C.202812	Insulator, aerial					1	DTD.797	C.	JB.5
4153	C.199786	Lid, aerial box, and stowage for engine starter cartridges, group					1	—	B.	JB.5
4252	C.199786/1	Clip					2	DTD.610	C.	JB.5
4253	C.199786/2	Clip					4	DTD.610	C.	JB.5
4599	A.201719	Stay, support					1	L.72	C.	JB.5
5853	F.202811	Strap, aerial					1	DTD.797	C.	JB.5
980	A.188515	Strip, aerial					1	L.16	C.	JB.5
965	K.A.C. C.3099	Toggle, housing					2	—	C.	JB.5
28FP/9424333	Oddie No. 219	Washer					2	—	C.	

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
6743	C.208737 or C.208939					Duct, engine bleed valve, port, group (Mod. 391)	1	—	B.	JB.1
6744	C.208738 or C.208940					Duct, engine bleed valve, starboard, group (Mod. 391)	1	—	B.	JB.1
5206	C.206629					Panel, access to cold air unit, port (For A/C fitted with 113 engine)	1	—	B.	
20166	C.252877					Panel, access to cold air unit, port (For A/C fitted with 122 engine)	1	—	B.	JB.1
1874	C.194852					Panel, access to cold air unit, starboard	1	—	B.	
4241	A.199308					Panel, access, to engine oil filter	1	—	C.	JB.5
1	C.177201					Panel, access, for fuel pump	1	DTD.610	B.	JB.1
	C.296936					Panel, access, for fuel system, group (Mod. 1319)	1	DTD.610		JB.1
4448	F.199061					Cover, for pitot drain valve	2	—	MR/C	JB.1
964	C.179793					Panel, access, for services	1	DTD.610	C.	JB.1
967	B.179781					Panel, access to front engine mounting, port	1	DTD.610	C.	JB.1
968	B.179782					Panel, access to front engine mounting, starboard	1	DTD.610	C.	JB.1
969	B.179779					Panel, access to fuel vent connections	1	DTD.610	C.	JB.1
970	B.179777					Panel, access to fuel level switches	2	DTD.610	C.	JB.1
974	B.186939					Panel, access to igniter plug, port	1	DTD.610	C.	JB.1
975	B.186940					Panel, access to igniter plug, starboard	1	DTD.610	C.	JB.1
976	A.186941					Panel, access to hydraulic filter, port	1	DTD.610	C.	JB.1
977	F.187455					Panel, access to suction relief valve	2	DTD.546	C.	JB.1
11 762344	C.333960					Panel, access to engine, group (Mod. 1443)	1	—	A.	JB.5
10H/113616	—					Adaptor, bulkhead	1	—	C.	
10712	F.219432					Clamp, cable, group	1	—	C.	
	F.219447					Block, clamp	2	LFS.21		
	F.219433					Stud, anchor	1	—		
28E/4061985	Terry 80 x 2					Clip, for handle stowage (Alt to 28E/4061984)	2	—	C.	
28E/4061984	AS.2295/5					Clip (Alt. to 28E/4061985)	2	—	—	
5720	Std.842/11					Clip, cable	3	S.510.	MR/C	4
5995-99-4096328	E.227265/37					Connector, aerial	1	—	B.	
984	B.188540					Hook, securing panel to fuselage	2	Stamping	C.	JB.5
11 7623448	C.333961					Plate assembly, adaptor (Mod. 1443)	1	—	C.	JB.5
11	C.333961/1					Plate, back	1			
11	C.333961/2					Plate, filler	1			
4737	F.197737					Plate, retaining "Terry" clips	2	DTD.610	C.	JB.5
10795	F.210552					Seal (Mod. 250)	1	Neoprene	C.	
5853	F.202811					Strap, aerial	1	DTD.2578	C.	
980	A.188515					Strip, aerial	1	L.16	C.	JB.5
965	K.A.C. C.3099					Toggle, housing	2	—	C.	JB.5
4026	Std.1507/23/080					Tube, distance, 5/16" o/d. x 17 S.W.G. x 8" long (Make from 30A/975)	4	T.26	MR/C	4
4027	Std.1507/23/060					Tube, distance, 5/16" o/d. x 17 S.W.G. x 6" long (Make from 30A/9610299)	2	T.26	MR/C	4
5269	Fairey FS.553					Ring, retaining screws	40	—	C.	
	D.184913					SPINE: SUB-ASSEMBLY	—	—	—	
2434	C.184973					Landing, forward, port	1	DTD.610	C.	JB.2
2435	C.184974					Landing, forward, starboard	1	DTD.610	C.	JB.2
2436	C.184975					Landing, centre, port (Pre Mod. 629)	1	DTD.610	MR/C	
	C.225950					Landing, centre, port (Mod. 629)	1	—		JB.2
2437	C.184976					Landing, centre, starboard	1	DTD.610	MR/C	JB.2
2438	B.184977					Landing, rear, port, group	1	DTD.610	MR/C	JB.2
2439	B.184978					Landing, rear, starboard, group	1	DTD.610	MR/C	JB.2
28FP/4062482	Ozus S5/325					Spring	3	—	C.	

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
1754	B.193293					Panel, access, for flying controls	1	DTD.610	C.	JB.1
5269	Fairey FS.553					Ring, retaining screw	2	—	C.	
11	D.177331					Spine, forward portion (Pre Mod. 346)	1	DTD.610	B.	
6195	D.211692					Spine, forward portion (Mod. 346) (Pre Mod. 629)	1	—	B.	
10277	D.226452					Spine, forward position (Mod. 629)	1	—	B.	JB.1
12	C.177332					Spine, 1st intermediate (Pre Mod. 346)	1	DTD.610	B.	
6196	C.211693					Spine, 1st intermediate (Mod. 346)	1	L.72	B.	JB.1
13	C.177333					Spine, 2nd intermediate (Pre Mod. 346)	1	DTD.610	B.	
6197	C.211694					Spine, 2nd intermediate (Mod. 346)	1	L.72	B.	JB.1
7845±	C.213452					Spine, 3rd intermediate portion, group (0.10" trimming allowance) (Mod. 256)	1	DTD.610	B.	JB.1
10	28FP/4062655					Dzus EF5/45B	12	—	C	
	C.188170					DUCTS, FOR ENGINE CONTROLS, ASSEMBLY	—	—		
3741	Std.840/20					Clip, securing, 7/16" wide strip x 22 S.W.G. x 2" long	21	DTD.610	C.	4
2440	C.188170/1					Duct, forward, 1/2" o/d. x 22 S.W.G. x 31.8" long	3	T.4	MR/C	JB.3
2441	C.188170/2					Duct, centre, 1/2" o/d. x 22 S.W.G. x 6" long	3	T.4	MR/C	
2442	C.188170/3					Duct, aft, 1/2" o/d. x 22 S.W.G. x 12" long	3	T.4	MR/C	
	D.203139					DUCTS, SERVICE, BETWEEN FRAMES 37-40, ASSEMBLY	—	—		
1755	B.191117					Duct, for electric cables, port	1	T.26	C.	JB.4
1756	B.191118					Duct, for electric cables, starboard	1	T.26	C.	JB.4
1757	A.191119					Duct, for electric cables	4	T.26	C.	JB.4
1758	B.191592					Duct, for electric cables, port	1	T.26	C.	JB.4
1759	B.191593					Duct, for electric cables, starboard	1	T.26	C.	JB.4
	B.195155-6					DUCT, FOR FUEL LEVEL SWITCH CABLE, ASSEMBLY	—	—		
	F.195157					Duct	2	T.9		
4028	B.195153					Duct, for rear fuel tank gauge wiring, port, group (F.194034 Socket to be supplied loose)	1	L.54	MR/C	JB.3
4029	B.195154					Duct, for rear fuel tank gauge wiring, starboard, group (F.194035 Socket to be supplied loose)	1	L.54	MR/C	JB.3
	C.204438					FIRE PROTECTION AT FRAME 37, ASSEMBLY (Mod. 118)	—	—		
8238	F.204565					Plate, blanking	1	L.72	MR/C	
	D.202335					Plate, centre	1	DTD.171		
10	D.202338					Plate, patch, lower, port	1	S.510		
10	D.202339					Plate, patch, lower, starboard	1	S.510		
	D.202340					Plate, side, port	1	DTD.171		
	D.202341					Plate, side, starboard	1	DTD.171		
4460	F.189597					Sealing, at stringer "A"	1	Plastic	MR/C	
4461	F.189598					Sealing, at stringer "B"	1	Plastic	MR/C	
4459	F.199789					Sealing, at stringer "H", starboard	2	Plastic	MR/C	
10	7100					Washer, packing	9	L.168	MR/C	
10	5785					Washer, packing	2	L.168	C.	
10	3764					Washer, packing	2	L.168	C.	

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.248996					Frame 188, top portion (Mod. 1014)	1	DTD.364		
	D.176274					Frame 188, top portion (Pre Mod. 1014)	1	DTD.364		
2443	D.176275					Frame 188, lower portion, port	1	DTD.364	C.	JB.3
2444	D.176276					Frame 188, lower portion, starboard	1	DTD.364	C.	JB.3
	E.179358					Frame 19, nose spar, group	1	—		
2446	A.181165					Angle, support, at bottom diaphragm, port	1	DTD.610	MR/C	JB.7
2445	A.181166					Angle, support, at bottom diaphragm, starboard	1	DTD.610	MR/C	JB.7
7289	A.202682					Angle, support for junction box, group	1	—	MR/C	JB.7
	A.181153					Angle, bottom, for skin attachment, port	1	DTD.610		
	A.181154					Angle, bottom, for skin attachment, starboard	1	DTD.610		
4694	A.195545					Angle, support, at bottom diaphragm	1	DTD.610	MR/C	JB.7
	B.181157					Angle, front, at bottom boom attachment, port	1	DTD.610		
	B.181158					Angle, front, at bottom boom attachment, starboard	1	DTD.610		
2447	C.181163					Angle, lower, for tank skin attachment, port	1	DTD.610	MR/C	JB.7
2448	C.181164					Angle, lower, for tank skin attachment, starboard	1	DTD.610	MR/C	JB.7
2449	F.182169					Angle, for stringer attachment, port	3	DTD.610	MR/C	JB.7
2450	F.182170					Angle, for stringer attachment, starboard	3	DTD.610	MR/C	JB.7
4695	F.197436					Angle, bracket, securing gun heating pipe	1	DTD.610	MR/C	JB.7
2451	F.182166					Bolt, at bottom boom joint	10	S.2	MR/C	JB.3
2452	F.187392					Bracket, at bottom diaphragm	1	DTD.610	MR/C	JB.3
2453	F.187393					Bracket, at bottom diaphragm	1	DTD.610	MR/C	JB.3
2454	F.187395					Bracket, at bottom stiffener	1	DTD.610	MR/C	JB.3
2455	F.187397					Bracket, at bottom diaphragm	1	DTD.610	MR/C	JB.3
	F.226076					Bracket, switch	1	L.72		
2456	F.187396					Channel, at bottom stiffener	1	DTD.610	MR/C	
2457	A.181119					Channel, at bottom diaphragm	1	DTD.610	MR/C	JB.7
2459	A.181145					Channel, reinforcing, bottom, port	1	DTD.610	MR/C	JB.7
2460	A.181146					Channel, reinforcing, bottom, starboard	1	DTD.610	MR/C	JB.7
2461	B.181112					Channel, cross, at bottom diaphragm	1	DTD.610	MR/C	JB.7
2462	A.181120					Channel, at bottom diaphragm	1	DTD.610	MR/C	JB.7
2463	B.181115					Channel, lower, inner, port	1	DTD.610	MR/C	JB.7
2464	B.181116					Channel, lower, inner, starboard	1	DTD.610	MR/C	JB.7
2458	A.181121					Channel, lower, outer	2	DTD.610	MR/C	JB.7
8230	D.216907					Diaphragm, bottom, front (Mod. 229)	1	DTD.610	MR/C	JB.7
2467	D.181102					Diaphragm, bottom, rear	1	DTD.610	MR/C	JB.7
	A.224939					Extractor, air (Mod. 682)	1	—		
	B.181141					Finisher, bottom, at tank door landing, port	1	DTD.364		
	B.181142					Finisher, bottom, at tank door landing, starboard	1	DTD.364		
2468	B.181167					Landing, for fuel pump access door	1	DTD.610	MR/C	JB.7
	B.181133					Landing, bottom, for tank door	2	DTD.364		
10626	F.181159					Packing	1	DTD.610	MR/C	
	C.181123					Plate, reinforcing, front, at lower boom joint, port	1	DTD.166		
	C.181124					Plate, reinforcing, front at lower boom joint,	1	DTD.166		
						starboard				
	C.181125					Plate, reinforcing, rear, at lower boom joint, port	1	DTD.166		
	C.181126					Plate, reinforcing, rear, at lower boom joint,	1	DTD.166		
						starboard				
2469	B.181106					Stiffener, bottom	1	DTD.610	MR/C	JB.7
	C.181198					Spigot, fitting, port (Pre Mod. 1327)	1	Stamping		
6098224	C.289511					Spigot, fitting, port (Mod. 1327)	1	—	C.	
	C.181199					Spigot, fitting, starboard (Pre Mod. 1327)	1	Stamping		
6098225	C.289512					Spigot, fitting, starboard (Mod. 1327)	1	—	C.	
2470	F.178982					Stud, for fairlead	4	S.1 & S.3	MR/C	JB.7
2471	A.182167					Strip, fairing, at bottom boom attachment, port	1	DTD.264	MR/C	JB.7
2472	A.182168					Strip, fairing, at bottom boom attachment,	1	DTD.364	MR/C	JB.7
						starboard				

RESTRICTED

Page JB.6

Hunter GA. Mk. 11

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
2473	B.181160	Strap, at bottom diaphragm					1	DTD.610	MR/C	J8.7
	Std.1509/24/098	Tube, distance, 3/8" x 17 S.W.G. x .98" long					2	T.4		4
		(Make up from 308/557)								
	Std.1509/24/104	Tube, distance, 3/8" x 17 S.W.G. x 1.04" long					1	T.4		4
		(Make up from 308/557)								
	Std.1549/28/10	Washer, packing					2	DTD.610		4
	D.178147	Frame 20, group					1	-		
	A.177464	Angle, port					2	DTD.364		
	A.177465	Angle, starboard					2	DTD.364		
2474	F.177466	Block, distance					2	L.F.S.	MR/C	J8.7
2475	D.178147/4	Bottom, portion					1	DTD.610	MR/C	J8.7
2476	D.178147/5	Bottom, portion					1	DTD.610	MR/C	J8.7
2477	D.178147/6	Channel					2	DTD.610	MR/C	J8.7
2478	D.178147/7	Plate, doubling					2	DTD.610	MR/C	J8.7
8216	D.215747	Frame 21, group					1	-	MR/B	J8.7
-	D.215747/4	Angle, port (use 26FX/2479)					1	DTD.610	-	J8.7
-	D.215747/5	Angle, starboard (use 26FX/2480)					1	DTD.610	-	J8.7
-	D.215747/7	Angle, bottom (use 26FX/2481)					1	DTD.610	-	J8.7
-	D.215747/8	Angle (use 26FX/2482)					2	DTD.610	-	J8.7
-	D.215747/2	Diaphragm, bottom, port (use 26FX/2484)					1	DTD.610	-	J8.7
-	D.215747/3	Diaphragm, bottom, starboard (use 26FX/2485)					1	DTD.610	-	J8.7
4696	C.186837	Plate, reinforcing					1	DTD.610	MR/C	J8.7
2486	B.178914	Stiffener, port					1	DTD.610	MR/C	J8.7
2487	B.178915	Stiffener, starboard					1	DTD.610	MR/C	J8.7
	E.177458	Frame 22, group					1	-		
4699	F.195550	Angle, for attaching hydraulic pipes					1	DTD.610	MR/C	J8.7
4695	F.197436	Bracket, for attaching gun heating pipes					1	DTD.610	MR/C	
4901	B.177902	Channel					2	DTD.610	MR/C	J8.7
	F.206125	Channel (Mod. 138)					1	L.72		
8219	E.177458/9	Diaphragm, bottom portion					1	DTD.610	MR/C	J8.7
	F.206122	Packing (Mod. 138)					1	L.72		
	B.206108	Piece, bridge, aft (Mod. 138)					1	DTD.166		
	B.209407	Piece, bridge, forward (Mod. 138)					1	-		
2489	A.178505	Piece, distance					2	L.F.S.	MR/C	J8.7
8223	C.215748	Plate, reinforcing (Mod. 138)					1	DTD.610	MR/C	J8.7
	E.177459	Frame 23, group					1	-		
4700	F.195241	Angle, for attaching hydraulic pipes					1	DTD.610	MR/C	J8.7
	F.206123	Bracket					1	L.65.C		
2491	B.177903	Channel					2	DTD.610	MR/C	J8.7
8220	E.177459/9	Diaphragm, bottom portion					1	DTD.610	MR/C	J8.7
2493	A.178546	Piece, distance					2	L.F.S.	MR/C	J8.7
8222	C.215749	Plate, reinforcing					1	DTD.610	MR/C	J8.7
	E.177460	Frame 24, group					1	-		
2495	E.177460/4	Diaphragm, bottom portion, port					1	DTD.610	MR/C	J8.7
2496	E.177460/5	Diaphragm, bottom portion, starboard					1	DTD.610	MR/C	J8.7
	D.177175	Frame 25, main spar, group					1	-		
2497	D.177970	Angle, for tank support skin, port					1	DTD.610	MR/C	J8.8
2498	D.177971	Angle, for tank support skin, starboard					1	DTD.610	MR/C	J8.8
	D.177968	Angle, for tank support skin, port					1	DTD.610		
	D.177969	Angle, for tank support skin, starboard					1	DTD.610		

RESTRICTED

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	2499 D.177961					Angle, bottom, for tank support skin	1	DTD.610	MR/C	JB.8
	2500 D.177959					Angle, centre, for tank support skin, port	1	DTD.610	MR/C	JB.8
	5722 B.177827					Angle, at bottom portion of frame	1	DTD.610	MR/C	
	2501 D.177960					Angle, centre, for tank support skin, starboard	1	DTD.610	MR/C	JB.8
10	4703 F.195554					Angle, at bottom portion of frame	1	DTD.610	MR/C	
	2502 D.177182					Boom, bottom, front	1	L.168	MR/C	JB.8
10	2503 D.177188					Boom, bottom, rear	1	L.168	MR/C	
	3826 Std.1551/8/315					Bolt, fork fitting	4	S.99.B	MR/C	5
	7300 Std.1551/8/310					Bolt, fork fitting	8	S.99.B	MR/C	5
10	1762 F.190266					Bolt, special, for fire extinguisher mounting	2	S.95, S.154	C.	JB.8
	3842 Std.1639/7.N					Bolt, for fork fitting	8	S.2 or S.11	MR/C	5
10	1764 B.190273					Bracket, locating, for fire extinguisher mounting	1	S.510, T.26	C.	
	4697 A.197977					Bracket, mounting, for relay on lower portion of frame	1	DTD.610	MR/C	JB.8
	4698 A.196361					Bracket, mounting, for relays at lower portion of frame	1	DTD.610	MR/C	JB.8
	5723 F.177893					Bracket, for attaching stringers	4	DTD.610	MR/C	
	5724 F.177894					Bracket, for attaching stringers	4	DTD.610	MR/C	
	2504 A.177433					Channel, centre, at lower portion of frame	2	DTD.610	MR/C	
	4704 F.193326					Channel, mounting, for J.B.1	1	DTD.610	MR/C	JB.8
	2505 A.177432					Channel, outer, at lower portion of frame	2	DTD.610	MR/C	
	4705 F.193327					Channel, mounting, for J.B.1	1	DTD.610	MR/C	JB.8
	2506 A.177434					Channel, inner, at lower portion of frame	2	DTD.610	MR/C	
	2507 B.177191					Channel, at bottom centre of frame	2	DTD.610	MR/C	JB.8
10	28E/4061985 Terry 80x/2					Clip, centre position of frame	2	-	C.	
	28E/9138369 Terry 80/4					Clip, at centre at upper portion of frame (alternative to AS.2295/8)	3	-	C.	
10	28E/1006928 Terry 80/5					Clip, centre portion of frame (alternative to AS.2295/9)	1	-	C.	
	28E/9424956 Terry 80/000					Clip, upper portion of frame (alternative to AS.2295/1)	3	-	C.	
	D.177178					Fork, fitting, top port, bottom starboard	2	Stamping		
	D.177179					Fork, fitting, top starboard, bottom port	2	Stamping		
	E.177177					Member, cross, for hinge fitting attachment	2	Stamping		
	7302 Std.1718/8					Nut, for fork fitting	12	S.1	MR/C	5
	4706 F.193436					Packing, at mounting channel, for J.B.1	1	DTD.610	MR/C	
	A.177710					Piece, packing, at lower portion of frame	2	DTD.610		
	4436 B.198017					Plate, reinforcing, at bottom rear of frame	1	DTD.610	MR/C	
	4437 B.198018					Plate, reinforcing, at bottom rear of frame	1	DTD.610	MR/C	
	4033 B.177184					Plate, reinforcing, at bottom forward of frame, starboard	1	DTD.546	MR/C	JB.8
	2509 B.177185					Plate, reinforcing, at bottom forward of frame, port	1	DTD.546	MR/C	JB.8
	4211 Std.1687/2					Saddle	1	-	C.	5
	4707 Std.915/A/14					Washer, for relay mounting bracket	4	DTD.610	MR/C	5
	Std.1208/125/52/20					Washer, shim, for bolts, Std.1551	QR	Shim Steel		4
	2510 D.177180					Web, forward	1	DTD.610	MR/C	JB.8
	2511 D.177186					Web, rear	1	DTD.610	MR/C	
	E.178765					Frame 26, group	1	-		
	4702 F.195553					Angle, at starboard side of frame, for attaching hydraulic pipes	1	DTD.610	MR/C	

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
2512	B.178772					Angle, at bottom diaphragm	1	DTD.610	MR/C	JB.8
	C.178766					Angle, for air intake, port	1	DTD.610		
	C.178767					Angle, for air intake starboard	1	DTD.610		
2513	E.178765/2					Diaphragm, bottom	1	DTD.610	MR/C	JB.8
2514	A.178778					Stiffener, at bottom diaphragm, port	1	DTD.610	MR/C	JB.8
2515	A.178779					Stiffener, at bottom diaphragm, starboard	1	DTD.610	MR/C	JB.8
2470	F.178982					Stud, for fairlead	4	S.1 & S.3	MR/C	
	E.179520					Frame 27, group	1	—		
2516	B.179527					Angle, for tank support skin, port	1	DTD.610	MR/C	JB.8
2517	B.179528					Angle, for tank support skin, starboard	1	DTD.610	MR/C	JB.8
2518	A.179531					Angle, for tank support skin, port	1	DTD.610	MR/C	
2519	A.179532					Angle, for tank support skin, starboard	1	DTD.610	MR/C	
4708	F.194971					Angle, for clipping hydraulic pipes	1	DTD.610	MR/C	
4709	F.194972					Angle, for clipping hydraulic pipes	1	DTD.610	MR/C	
2520	C.179525					Channel, centre, port	1	DTD.610	MR/C	JB.8
2521	C.179526					Channel, centre, starboard	1	DTD.610	MR/C	JB.8
	C.179522					Channel, outer, port	1	DTD.610		
	C.179523					Channel, outer, starboard	1	DTD.610		
2522	E.179520/4					Diaphragm, bottom, port	1	DTD.610	MR/C	JB.8
2523	E.179520/5					Diaphragm, bottom, starboard	1	DTD.610	MR/C	JB.8
	C.179521					Diaphragm, centre	1	DTD.610		
2524	F.179541					Plate, joint	1	DTD.610	MR/C	JB.8
2525	F.179543					Spigot, locating air intake and centre tank supporting skin	2	S.3, S.21	MR/C	JB.8
2526	F.179544					Spigot, locating air intake and centre tank supporting skin	2	S.3, S.21	MR/C	JB.8
2527	F.179546					Spigot, locating air intake and centre tank supporting skin	2	S.3, S.21	MR/C	JB.8
2528	A.179533					Stiffener, at bottom diaphragm, port	1	DTD.610	MR/C	JB.8
2529	A.179534					Stiffener, at bottom diaphragm, starboard	1	DTD.610	MR/C	JB.8
	D.200960					Frame 28, group	1	—		
2530	A.177853					Angle	2	DTD.610	MR/C	JB.8
6040	A.201621					Angle, joint, port	1	L.72	MR/C	
6041	A.201620					Angle, joint, starboard	1	L.72	MR/C	
6042	A.200873					Angle, joint, port	1	L.72	MR/C	
6043	A.200872					Angle, joint, starboard	1	L.72	MR/C	
2532	D.177850/4					Bottom portion	1	DTD.610	MR/C	JB.8
2533	B.177852					Channel, reinforcing	1	DTD.610	MR/C	JB.8
	D.200961					Frame 29, forward portion, group	1	—		
2534	D.177532/4					Bottom portion of frame	1	DTD.610	MR/C	JB.8
	D.177533					Frame 29, rear portion, group	1	—		
2535	D.177533/4					Bottom portion of frame	1	DTD.610	MR/C	JB.8
2536	B.177537					Stiffener, bottom	1	DTD.610	MR/C	JB.8
2537	B.177536					Stiffener, bottom	1	DTD.610	MR/C	JB.8
	D.177531					Frame 30, group	1	—		
2538	D.177531/4					Bottom portion	1	DTD.610	MR/C	JB.8
	D.177547					Frame 31, group	1	—		
4710	F.177681					Angle	2	DTD.610	C.	
2539	D.177547/4					Bottom portion	1	DTD.610	MR/C	JB.8
4711	D.177547/5					Stiffener, bottom, port	1	DTD.610	MR/C	
4712	D.177547/6					Stiffener, bottom, starboard	1	DTD.610	MR/C	

RESTRICTED

Hunter G.A. Mk. 11

Page JB.9

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	E.178937	Frame 32, rear spar, group					1	—		
2540	A.178974	Angle, at lower portion of frame					1	DTD.610	MR/C	JB.8
2541	A.178966	Angle, for attaching tank skin, port					2	DTD.610	MR/C	
2542	A.178967	Angle, for attaching tank skin, starboard					1	DTD.610	MR/C	
2543	B.179420	Angle, at lower portion of frame and inner channel					1	DTD.610	MR/C	JB.8
2544	B.178961	Angle, for attaching tank skin, port					1	DTD.610	MR/C	JB.8
2545	A.179456	Angle, at bottom portion of frame (port only)					1	DTD.610	MR/C	
2546	F.178976	Angle, for attaching tank skin, starboard					1	DTD.610	MR/C	JB.8
986	A.180777	Block, for gear box mounting					1	Stamping	C.	JB.8
987	A.179999	Block, for gear box mounting					1	Stamping	C.	JB.8
3827	Std.1551/7/265	Bolt, at top fork fitting					2	S.99.B	MR/C	5
3828	Std.1551/7/270	Bolt, at top fork fitting					1	S.99.B	MR/C	5
84	Std.1551/7/245	Bolt, at top fork fitting					1	S.99.B	C.	5
3829	Std.1551/7/215	Bolt, at top and bottom fork fittings					4	S.99.B	MR/C	5
3830	Std.1551/7/260	Bolt, at top and bottom fork fittings					3	S.99.B	MR/C	5
3831	Std.1551/7/205	Bolt, at top and bottom fork fittings					3	S.99.B	MR/C	5
2547	F.180826	Bolt, special, at bottom fork fitting					2	S.99.B	MR/C	JB.8
2548	B.178955	Boom, forward, bottom outer					1	DTD.364	MR/C	JB.8
2549	B.178956	Boom, rear, bottom, outer					1	DTD.364	MR/C	JB.8
2550	D.178943	Boom, rear outer, port					1	DTD.364	MR/C	JB.8
2551	D.178944	Boom, rear outer, starboard					1	DTD.364	MR/C	JB.8
2552	D.178945	Boom, forward, outer, port					1	DTD.364	MR/C	JB.8
2553	D.178946	Boom, forward, outer, starboard					1	DTD.364	MR/C	JB.8
	C.178949	Boom, forward, inner, port					1	DTD.364		
	C.178950	Boom, rear, inner, port					1	DTD.364		
	B.178951	Boom, forward, inner, starboard					1	DTD.364		
	B.178952	Boom, rear, inner, starboard					1	DTD.364		
388	A.180990	Bracket, steady, for gear box					1	Stamping	C.	JB.8
2554	A.179994	Channel, at lower portion of frame					1	DTD.610	MR/C	JB.8
2555	A.179370	Channel, at lower portion of frame, port					1	DTD.610	MR/C	
2556	A.179373	Channel, at lower portion of frame, starboard					1	DTD.610	MR/C	
2557	A.179374	Channel, at lower portion of frame					1	DTD.610	MR/C	
2558	A.179993	Channel, at lower portion of frame					1	DTD.610	MR/C	
2559	A.179990	Channel, at lower portion of frame					1	DTD.610	MR/C	JB.8
2560	A.179451	Channel, at lower portion of frame					1	DTD.610	MR/C	
2561	A.179991	Channel, at lower portion of frame					1	DTD.610	MR/C	JB.8
	B.178958	Channel, bottom, inner					1	DTD.364		
2562	A.179376	Channel, below bottom fork fitting					1	DTD.610	MR/C	JB.8
2563	A.179995	Channel, for gear box mounting					1	S.3	MR/C	JB.8
2564	A.179996	Channel, for gear box mounting					1	S.3	MR/C	JB.8
	A.179997	Channel, for gear box mounting					1	S.3	MR/C	JB.8
4206	B.183479	Channel, for gear box mounting					1	S.3	MR/C	JB.8
4713	A.196973	Channel, blanking, for sealing at lower portion of frame					1	DTD.610	MR/C	
4714	A.196974	Channel, blanking, for sealing at lower portion of frame					1	DTD.610	MR/C	
	A.180534	Cover, for bolts, upper, port					1	DTD.610		
	A.180535	Cover, for bolts, upper, starboard					1	DTD.610		
	A.180536	Cover, for bolts, lower port					1	DTD.610		
	A.180537	Cover, for bolts, lower, starboard					1	DTD.610		

RESTRICTED

RESTRICTED

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	C.180497					Fork fitting, lower, port	1	Stamping		
	C.180498					Fork fitting, lower, starboard	1	Stamping		
	C.180495					Fork fitting, top, port	1	Stamping		
	C.180496					Fork fitting, top, starboard	1	Stamping		
2566	F.180092					Packing, at bottom joint plates, port only	2	DTD.610	MR/C	JB.8
2567	A.178971					Plate, joint, at lower portion of frame, port	2	DTD.166	MR/C	JB.8
2568	A.178972					Plate, joint, at lower portion of frame, starboard	2	DTD.166	MR/C	JB.8
2569	A.178973					Plate, joint, at lower portion of frame	4	DTD.166	MR/C	
2570	C.180089					Plate, reinforcing, bottom, forward	1	DTD.166	MR/C	JB.8
2571	C.180090					Plate, reinforcing, bottom, aft	1	DTD.166	MR/C	JB.8
2572	F.178981					Plate, nut	2	S.3	MR/C	JB.8
	C.197248					SEALING, AT REAR SPAR, ASSEMBLY	-	-		
4634	F.197153					Cleat	1	LFS.21	C.	
4635	F.197154					Cleat	1	LFS.21	C.	
	F.251209					Cleat	1	LFS.21	-	
4638	F.197157					Cleat	1	LFS.21	C.	
4639	F.197158					Cleat	1	LFS.21	C.	
4640	F.197159					Cleat	1	LFS.21	C.	
4641	F.197160					Cleat	1	LFS.21	C.	
4642	F.197161					Cleat	1	LFS.21	C.	
4643	F.197162					Cleat	2	LFS.21	C.	
4644	F.196784					Plate, clamping	6	DTD.610	C.	
4645	F.197058					Plate, clamping	2	DTD.610	C.	
990	F.180319					Shim, for gear box mounting block	QR	Laminated Sheet	C.	
2470	F.178982					Stud, for fairlead	3	S.1 & S.3	MR/C	
989	F.180664					Washer, special, for gear box steady bracket	1	DTD.364	C.	JB.8
2573	D.178939					Web, forward, port	1	DTD.610	MR/C	JB.8
2574	D.178940					Web, forward, starboard	1	DTD.610	MR/C	
2575	D.178941					Web, rear, port	1	DTD.610	MR/C	JB.8
2576	D.178942					Web, rear, starboard	1	DTD.610	MR/C	JB.8
	B.205513					Frame 33, group	1	-		
4874	F.195549					Angle, supporting hydraulic pipe clipping	4	DTD.610	MR/C	JB.9
	F.196959					Bracket, for electric cables	1	DTD.610	MR/C	
2577	D.176661/2					Diaphragm, port	1	DTD.610	MR/C	JB.9
2578	D.176661/3					Diaphragm, starboard	1	DTD.610	MR/C	JB.9
2579	F.176665					Plate, reinforcing	2	DTD.510	MR/C	JB.9
4211	Std.1687/2					Saddle, securing flame switch cable	2	DTD.610	C.	5
	D.177095					Frame 34, group	1	-		
2589	F.190388					Angle, mounting, port	1	DTD.610	MR/C	JB.9
2590	F.190389					Angle, mounting, starboard	1	DTD.610	MR/C	JB.9
2591	A.190334					Angle, mounting, port	1	DTD.610	MR/C	JB.9
2592	A.190335					Angle, mounting, starboard	1	DTD.610	MR/C	JB.9
4030	A.196370					Bracket, support, for by-pass valve	1	DTD.610	MR/C	
4785	A.196959					Bracket, for attaching electrical cables	1	DTD.610	MR/C	
8227	B.214195					Bracket, mounting, for external supply valves	1	-	MR/C	JB.9
4715	B.197167					Bracket, attaching suppressor cables	1	S.3	MR/C	
2582	A.177104					Butt-strap, outer	2	DTD.546	MR/C	JB.9
2581	A.177105					Butt-strap, inner	2	DTD.546	MR/C	
2583	D.177095/6					Channel, bottom	1	DTD.364	MR/C	JB.9

RESTRICTED

Hunter G.A. Mk. 11

Page JB.11

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
2584	D.177095/1	Diaphragm, forward, port					1	DTD.610	MR/C	JB.9
2585	D.177095/2	Diaphragm, forward, starboard					1	DTD.610	MR/C	JB.9
2586	D.177095/3	Diaphragm, aft, port					1	DTD.610	MR/C	JB.9
2587	D.177095/4	Diaphragm, aft, starboard					1	DTD.610	MR/C	JB.9
2588	F.177101	Ferrule, at bearing plate					4	S.96.8	MR/C	
2593	A.179364	Guide, at bottom frame joint					1	S.3	MR/C	
993	F.177106	Nut, at lower portion of frame, for screw jack adjusting detachable engine rail					1	S.3	C.	JB.9
2594	C.177096	Plate, reinforcing, forward port, aft starboard					2	DTD.610	MR/C	JB.9
2595	C.177097	Plate, reinforcing, forward port, aft starboard					2	DTD.610	MR/C	JB.9
2596	A.177100	Plate, joint, at bottom frame joint					2	DTD.610	MR/C	JB.9
2597	F.177108	Plate, bearing, for engine mounting attachments					4	DTD.610	MR/C	JB.9
	F.196368	Plate, locating frame switch cable					2	DTD.610		
	Std.1509/23/084	Tube, distance, 5/16" o/d. x 17 S.W.G. x .84" long (Make from 308/556)					4	T.4		4
4035	Std.1509/23/112	Tube, distance, 5/16" o/d. x 17 S.W.G. x 1.12" long (Make from 308/556)					1	T.4	MR/C	4
3729	Std.184/11B	Washer, at bearing plate					4	S.2	MR/C	4
	D.178028	Frame 35, group					1	—		
2598	D.178028/4	Bottom portion of frame, port					1	DTD.610	MR/C	JB.9
2599	D.178028/5	Bottom portion of frame, starboard					1	DTD.610	MR/C	JB.9
	F.219862	Boss, mounting, lower, for hydraulic reservoir (Mod. 344)					1	MS		
	F.219865	Boss, mounting, upper, for hydraulic reservoir (Mod. 344)					1	MS		
	F.219861	Plate, nut, upper, for hydraulic reservoir (Mod. 344)					1	—		JB.9
	F.219860	Plate, nut, lower, for hydraulic reservoir (Mod. 344)					1	—		JB.9
	D.178029	Frame 36, group					1	—		
2600	D.178029/4	Bottom portion of frame, port					1	DTD.610	MR/C	JB.9
2601	D.178029/5	Bottom portion of frame, starboard					1	DTD.610	MR/C	JB.9
	F.219864	Boss, mounting, upper, for hydraulic reservoir (Mod. 344)					1	S.3 & S.21		JB.9
	F.219863	Boss, mounting, lower, for hydraulic reservoir (Mod. 344)					1	S.3 & S.21		JB.9
4297	Std.843/11	Clip, securing fuel contents cables					1	DTD.610	MR/C	4
	F.219861	Plate, nut, upper, for hydraulic reservoir (Mod. 344)					1	—		JB.9
	F.219860	Plate, nut, lower, for hydraulic reservoir (Mod. 344)					1	—		JB.9
2795	F.190690	Strip, rubbing					1	Durestos	MR/C	4
4211	Std.1687/2	Saddle					1	DTD.610	C.	5
	D.175981	Frame 37, group					1	—		
2796	D.175981/4	Angle, stiffener, port					1	DTD.610	MR/C	JB.9
2797	D.175981/5	Angle, stiffener, starboard					1	DTD.610	MR/C	JB.9
2798	A.175984	Angle, at bottom of frame					1	DTD.610	MR/C	JB.9
	A.220498	Bracket, support, for hydraulic oil filter (Mod. 344)					1	L.72		JB.9
6044	A.199625	Bracket, for flame switch (Pre-Mod. 118)					1	DTD.610	MR/C	
8237	A.204563	Bracket, for flame switch (Mod. 118)					1	L.72	MR/C	JB.9
	B.191742	Bracket, stiffening					1	DTD.610		
6045	B.203505	Bracket, stiffening					1	S.3	MR/C	

RESTRICTED

RESTRICTED

Hunter G.A. Mk. 11

FUSELAGE-CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
2800	D.175981/3					Diaphragm, bottom	1	DTD.610	MR/C	JB.9
2801	F.175986					Plate, joint	2	DTD.610	MR/C	JB.9
2802	A.175983					Plate, reinforcing, at bottom of frame	1	DTD.166	MR/C	JB.9
2803	C.175982					Plate, reinforcing, at lower portion of frame	1	DTD.166	MR/C	JB.9
	F.196368					Plate, locating flame switch cable (Pre-Mod. 118)	1	DTD.610		
	F.204568					Plate, reinforcing (Mod. 118)	1	L.72		
4211	Std.1687/2					Saddle, securing cables	1	DTD.610	C.	5
	D.176012					Frame 38, group	1	—		
2804	D.176012/5					Angle, lower, centre	1	DTD.610	MR/C	JB.9
2805	D.176012/9					Angle, lower, port	1	DTD.610	MR/C	JB.9
4036	D.176012/10					Angle, lower, starboard	1	DTD.610	MR/C	JB.9
4008	F.195286					Angle, port	1	DTD.610	MR/C	JB.9
4009	F.195287					Angle, starboard	1	DTD.610	MR/C	JB.9
2806	D.176012/4					Bottom, portion	1	DTD.610	MR/C	JB.9
	D.176255					Frame 39, top portion	1	DTD.610		
	D.176256					Frame 39, bottom portion, group	1	—		
2807	D.176256/2					Angle, lower, port	1	DTD.610	MR/C	JB.9
2808	D.176256/3					Angle, lower, starboard	1	DTD.610	MR/C	JB.9
2809	D.176256/1					Diaphragm, lower	1	DTD.610	MR/C	JB.9
2810	B.176254					Plate, reinforcing	1	DTD.610	MR/C	JB.9
	F.196368					Plate, locating flame switch cable	1	DTD.610		
4211	Std.1687/2					Saddle, securing cables	9	DTD.610	C.	5
	E.175941					Frame 40A, group	1			
	A.175938					Angle, attachment, at engine mounting fitting, port	2	DTD.364		
	A.175939					Angle, attachment, at engine mounting fittings, starboard	2	DTD.364		
1264±	F.163972					Angle, at transport joint fittings	8	DTD.364	C.	
1765	F.191864					Angle, at transport joint fittings	22	DTD.364	C.	JB.3
4716	A.196782					Channel, sealing, at bottom portion of frame, port	1	DTD.610	MR/C	
4717	A.196783					Channel, sealing, at bottom portion of frame, starboard	1	DTD.610	MR/C	
2811	E.175941/3					Diaphragm, forward, starboard	1	DTD.610	MR/C	JB.9
2812	E.175941/4					Diaphragm, rear, starboard	1	DTD.610	MR/C	JB.9
2813	E.175941/5					Diaphragm, forward, port	1	DTD.610	MR/C	JB.9
2814	E.175941/6					Diaphragm, rear, port	1	DTD.610	MR/C	JB.9
1003	B.177308					Fitting, for rear transport joint	4	Stamping	C.	JB.9
1004±	B.177306					Fitting, for rear transport joint	7	Stamping	C.	JB.3
1005±	B.177307					Fitting, for rear transport joint	4	Stamping	C.	JB.9
	B.166524					Fitting, for engine mounting, at centre of frame	2	Stamping		
2815	B.177323					Lug, for engine rail	1	Stamping	MR/C	JB.6
2816	F.175844					Plate, nut, at bottom ventre of frame	1	—	MR/C	JB.9
2817	E.175941/9					Strap	1	DTD.610	MR/C	JB.9
	Std.1509/24/150					Tube, distance, 3/8" o/d x 17 s.w.g. x 1.5" long	60	T.4		4
	B.196633-4					MOUNTING, FOR SUPPRESSOR, ASSEMBLY	—	—		
4010	F.196834					Angle, support, at stringer "K", port	2	DTD.364	MR/C	JB.3
4011	F.196835					Angle, support, at stringer "K", starboard	2	DTD.364	MR/C	JB.3
4012	F.196644					Angle, support, at stringer "J"	4	DTD.364	MR/C	JB.3
4013	B.196636					Rail, assembly, port, group	1	—	MR/C	JB.3
4014	B.196637					Rail, assembly, starboard, group	1	—	MR/C	JB.3
—	Aerolex F48/7/508					Pin, quick release (Use 28FP/15)	1	—	—	

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
—	C.188601	MOUNTING FOR COLD AIR UNIT, ASSEMBLY					—	—	—	
2822	F.188604	Angle					2	DTD.610	MR/C	
2823	F.188605	Angle					2	DTD.610	MR/C	
2824	B.188602	Channel, inboard					1	DTD.610	MR/C	JB.3
2825	B.188603	Channel, outboard					1	DTD.610	MR/C	JB.3
—	C.192896	MOUNTING FOR HIGH ENERGY IGNITION UNITS, ASSEMBLY					—	—	—	
5812	A.197467	Angle, support, lower					1	DTD.610	C.	
5813	A.197466	Angle, support, upper					1	DTD.610	C.	
2827	F.192898	Bracket, support, at upper mounting					2	DTD.610	MR/C	
2829	A.192897	Bracket, support, at upper mounting					1	DTD.610	MR/C	JB.3
	D.191929	Outlet, for starter exhaust					—	—		
10	1766	Bracket, attachment					1	S.510	C.	JB.5
10	—	Pin, quick release (Use 28FP/9713920)					1	—	—	
	F48/7/411									
10	2736	Plate, sealing					1	S.510	C.	JB.5
	2734	Sleeve, flexible, for sealing starter exhaust					1	Moulded Silicone	C.	JB.5
10	2735	Strip, retaining					1	S.510	MR/C	JB.5
	1768	Tube, exhaust					1	—	B.	JB.5
	E.201817	Panel, support, for centre tank, group					1	—		
996	F.182738	Bolt, special					48	S.95	C.	JB.6
8468	E.220789	Panel, support, detachable, for centre tank, port, group (Mod. 345)					1	—	A.	JB.6
994	B.184014	Panel, side, port, group					1	DTD.610	C.	JB.6
28FP/9144248	Dzus A4/25	Fastener					4	—	C.	
	F.182656	Plate, joint, top					1	DTD.610		
	F.182657	Plate, joint, centre					1	DTD.610		
	F.182658	Plate, joint, centre					1	DTD.610		
	F.182659	Plate, joint, centre					2	DTD.610		
28FP/9430916	Dzus S4/200	Spring					10	—	C.	
8469	E.220790	Panel, support, detachable, for centre tank, starboard, group (Mod. 345)					1	—	A.	JB.6
995	B.184015	Panel, side, starboard, group					1	DTD.610	C.	JB.6
28FP/9488815	Dzus A4/30	Fastener					2	—	C.	
28FP/1013258	Dzus A4/35	Fastener					2	—	C.	
	F.182657	Plate, joint, centre					1	DTD.610		
	F.182658	Plate, joint, centre					1	DTD.610		
	F.182659	Plate, joint, centre					2	DTD.610		
28FP/9430916	Dzus S4/200	Spring					8	—	C.	
8470	C.220791	Panel, for centre tank detachable support panels (Mod. 345)					1	—	B.	JB.6
28FP/9488815	Dzus A43/30	Fastener					4	—	C.	
28FP/9430916	Dzus S4/200	Spring					3	—	C.	

FUSELAGE—CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
1000	A.183303					Panel, top, group	1	DTD.610	C.	JB.6
28FP/9144248	Dzus A4/25					Fastener	4	—	C.	
997	F.183770					Plate, nut, port	1	S.510	C.	
998	F.183771					Plate, nut, starboard	1	S.510	C.	
1001	C.183768					Ring, sealing, at forward end, port, group	1	DTD.610	C.	JB.6
1002	C.183769					Ring, sealing, at forward end, starboard, group	1	DTD.610	C.	JB.6
28FP/9488815	Dzus A4/30					Fastener	21	—	C.	
9894	D.233397					Panel, access, for main fuel tank, port, group	1	—	A.	JB.1
						(Mod. 1319)				
1506490	C.296751					Panel, access, for main fuel tank, starboard, group	1	—	A.	JB.1
						(Mod. 1319)				
	F.200150					Bracket, support, for strap (Mod. H229)	4	L.72		
	F.207759					Guard, cable, port	1	—		
	A.290459					Plate, mounting for IFF/SSR JB (Mod. 1319)	1	—		
	A.200153					Strap	2	DTD.5506		
6046	F.203116					Plate, blanking, port, at frame 37	2	S.510	MR/C	
—	F.219953					Plate, blanking, starboard, at frame 37 (Mod. 252)	1	S.510	—	
						(Make from 30A/9610250 3-1/2" x 3")				
	A.210681-2					Plate, blanking, for V.H.F. aerial tap positions, port and starboard (See B.252085)	2	L.72 and L.65.C		
	F.231220					Plate, blanking, for D.M.E. aerial positions	2	L.72		
						(See B.251683)				
						(alternative to F.232340, blanking block)				
	A.230955-6					Plate, blanking, for D.M.E., aerial positions,	2	L.72		
						Stubwing, P & S 45				
						(See B.251683)				
	C.333963					Plate, mounting, for strobe lamp (Mod. 1443)	1			
9909	F.231539					Plug, at slinging points on frames 25 and 32	4	L.65.C	C	
—	B.176816					RAIL, FOR ENGINE, ASSEMBLY	—	—	—	
2737	B.166532					Mounting, for engine rail	1	Stamping	MR/C	JB.4
2738	B.176175					Rail	1	L.168	MR/C	JB.6
	Std.1509/23/034					Tube, distance	4	T.4		4
3811	Std.1547/32/12					Washer, for rear end joint	2	DTD.610	MR/C	4
2739	A.176169					Web, forward, port	1	DTD.610	MR/C	JB.6
2740	A.176170					Web, forward, starboard	1	DTD.610	MR/C	JB.6
2741	A.176171					Web, centre, port	1	DTD.610	MR/C	JB.6
2742	A.176172					Web, centre, starboard	1	DTD.610	MR/C	JB.6
2743	A.176173					Web, aft, port	1	DTD.610	MR/C	JB.6
2744	A.176174					Web, aft, starboard	1	DTD.610	MR/C	JB.6
—	C.189596					SEALING, PLATE, FOR STRINGERS AT	—	—	—	
						FRAMES 37, ASSEMBLY				
4460	F.189597					Sealing, at stringer "A"	1	Plastic	MR/C	
4461	F.189598					Sealing, at stringer "B"	2	Plastic	MR/C	
4462	F.189599					Sealing, at stringer "C"	2	Plastic	MR/C	JB.9
4466	F.189684					Sealing, at stringer "D"	2	Plastic	MR/C	JB.9
4465	F.189602					Sealing, at stringer "E"	2	Plastic	MR/C	JB.9
4463	F.189600					Sealing, at stringer "F"	2	Plastic	MR/C	JB.9
4464	F.189601					Sealing, at stringer "F"	2	Plastic	MR/C	JB.9
4455	F.189603					Sealing, at stringer "G"	2	Plastic	MR/C	JB.9
4456	F.189604					Sealing, at stringer "H", port	1	Plastic	MR/C	JB.9
4459	F.199789					Sealing, at stringer "H", starboard	1	Plastic	MR/C	
4457	F.189605					Sealing, at stringer "J"	2	Plastic	MR/C	
4458	F.189606					Sealing, at stringer "K"	2	Plastic	MR/C	
4015	F.195812					Shim, at engine mounting channel, frame 40A	2	Brass	C.	

FUSELAGE – CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	E.200955	SKIN, COVERING, ASSEMBLY					—	—		
4718	A.196875	Bracket, mounting, for engine pump non-return valve between frames 33 and 34					1	DTD.610	MR/C	
6047	A.201094	Bracket, mounting, at frame 31					3	L.72	MR/C	
4648	F.192047	Clip, securing hydraulic pipes, between frames 36 and 37					1	S.84	C.	
4649	F.193862	Clip, securing hydraulic pipes, between frames 33 and 34					2	S.84	C.	
	D.179787	DUCT, COOLER EXIT, PORT, SUB-ASSEMBLY					—	—		
	D.179788	DUCT, COOLER EXIT, STARBOARD, SUB-ASSEMBLY					—	—		
	B.180907	Duct, fixed, port					1	L.16		
	B.180908	Duct, fixed, starboard					1	L.14		
	A.180727	Landing, for panel, port					1	DTD.610		
	A.180728	Landing, for panel, starboard					1	DTD.610		
1010	B.180863	Panel, port					1	DTD.610	C.	JB.6
1011	B.180864	Panel, starboard					1	DTD.610	C.	JB.6
1012	C.189378	Panel, louvred, for cooler duct exit					2	S.3 & DTD.610	B.	JB.6
	C.187577	Intake, for cooling air, bottom port group					1	—		
	C.187578	Intake, for cooling air, bottom starboard group					1	—		
1007	C.188060	Duct					2	S.3	C.	JB.1
2745	C.180542	Landing, for front engine mountings access panel, port					1	DTD.610	MR/C	JB.2
2746	C.180543	Landing, for front engine mounting access panel, starboard					1	DTD.160	MR/C	JB.2
2747	C.186937/1	Landing, for igniter plugs access panel, port (Known as C.186937/A)					1	DTD.510	MR/C	JB.2
6048	C.186937/2	Landing, for hydraulic filter access panel, port (Known as C.186937/B)					1	DTD.610	MR/C	JB.2
2748	C.186938/1	Landing, for igniter plugs access panel, starboard (Known as C.186938/A)					1	DTD.610	MR/C	JB.2
	B.204979	LEVELLING, POINTS SUB-ASSEMBLY					—	—		
11381	F.184598	Bearing, aft, levelling point					2	Stamping	C.	
	A.184835	Bracket, bearing, forward levelling point, port					1	S.3 & S.21		
	A.184836	Bracket, bearing, forward levelling point, starboard					1	S.3 & S.21		
2749	A.186459	Mounting, for suction relief valve					2	—	MR/C	JB.3
6049	FI197018	Mounting, for terminal blocks					2	DTD.610	MR/C	
1023	F.173505	Nut, retaining, for fuel tank					16	S.3 & S.21	C.	JB.2
2750	A.187454	Plate, reinforcing, for suction relief valve access door					2	DTD.546	MR/C	JB.2
2751	C.184586	Plate, reinforcing, port					1	DTD.546 & DTD.610	MR/C	JB.2
2752	C.184587	Plate, reinforcing, starboard					1	DTD.546 & DTD.610	MR/C	JB.2
	C.199414	PLATE, REINFORCING, FOR OIL FILLER ACCESS DOOR, ASSEMBLY					—	—		
6050	C.199414/2	Angle					1	DTD.166	MR/C	
4242	Std.1231/7	Lug					1	S.3	C.	4
6051	C.199414/3	Packing					1	L.72	MR/C	
6052	C.199414/1	Plate, reinforcing					1	L.72	MR/C	JB.5
5711	A.197762	Plate, reinforcing, for relief valve support tube					4	DTD.610	MR/C	

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	F.216515					Platform, mounting, for TB (Mod. 452)	1	-		
1009	F.184599					Ring, reinforcing	1	DTD.610	C.	JB.2
4211	Std.1687/2					Saddle, for clipping fuel contents cable	4	DTD.610	C.	5
1025	King Aircraft Corp. D3060/2					Screw, locking	6	-	C.	JB.5
9402	A.221538					Sealing, for hydraulic reservoir access (Mod. 344)	1	Rubber	C.	JB.2
	E.183424					SKIN COVERING, TOP PORTION, SUB-ASSEMBLY	-	-		
2756	A.192906					Bracket, mounting, for tank pressurising connection	1	DTD.610	MR/C	JB.2
2757	B.193594					Bracket, mounting, between frames 39 and 40A	1	DTD.610	MR/C	JB.2
11867	A.254790					Bracket, mounting, for cable joint (Mod. 1148)	1	L.72	C.	
	C.188312-3					LANDING, FOR BLEED VALVE EX-HAUST ASSEMBLY	-	-		
2753	B.188314					Landing, port	1	DTD.610	MR/C	JB.2
2754	B.188315					Landing, starboard	1	DTD.610	MR/C	JB.2
2755	C.181728					Landing, for fuel level switch access panel, port	2	DTD.610	MR/C	JB.2
	F.205515					Sealing, at transport joint frame 18 (Make from 32C/4382984)	2	Rubber	-	
	E.183421					SKIN COVERING, BOTTOM PORTION, SUB-ASSEMBLY	-	-		
6053	A.204966					Angle, stiffening	1	L.72	MR/C	
	A.215063					Bracket, mounting, for fuel filter de-icing solenoid	1	-		
4719	A.197061					Bracket, for cable C3 and C4, also TS.3 and TS.4	1	DTD.610	MR/C	
4600	F.201722					Catch, for starter access door stay	1	L.72	C.	
2758	F.189545					Connection, for centre fuel tank drain pipes	1	L.16 & L.54	MR/C	JB.5
1773	A.192320					Connection, end, for overboard drain and starter exhaust outlet	1	T.35	C.	JB.5
8513	F.216608					Drain, extension aft of frame 37, 38, and 39 (Mod. 543)	6	L.65.C	C.	
8523	F.216520					Drain, extension aft of frame 30 (Mod. 543)	1	-		
3370	F.184563					Landing, for fuel pump access panel, port	1	DTD.610	MR/C	JB.5
3371	F.184564					Landing, for fuel pump access panel, starboard	1	DTD.610	MR/C	JB.5
	A.182100					Landing, at stringer "M"	1	DTD.610		
	A.183429					Landing, for gearbox access door	1	DTD.610		
	A.183430					Landing, for gearbox access door	1	DTD.610		
2759	A.183418					Landing, for engine access door, frame 34 starboard	1	L.72	MR/C	JB.5
2760	A.183419					Landing, for engine access door, frame 34, port	1	L.72	MR/C	JB.5
2761	A.183428					Landing, for engine access door, frame 37	1	L.72	MR/C	JB.5
4275	B.183416					Landing, for engine access door, frame 34 and 37, port	1	DTD.610	MR/C	JB.5
2762	B.183417					Landing, for engine access door, frame 34 and 37, starboard	1	DTD.610	MR/C	JB.5
2763	B.183431					Landing, for engine starter access door	1	DTD.610	MR/C	
1774	B.188562/A					Pipe, drain, for combustion chamber and turbine, group	1	-	C.	JB.6
						Consisting of: -				
	B.188562/2					Bracket, support	8	DTD.283 or DTD.265		
	B.188562/1					Pipe	1	DTD.253		
	B.188562/3					Ring	1	DTD.283 or DTD.265		

RESTRICTED

Hunter GA. Mk. 11

Page JB.17

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	B.192037					PLATFORM, FOR STARTER EXHAUST, OUTLET, SUB-ASSEMBLY	—	—		
1775	B.191931					Platform	1	S.3	C.	JB.5
1776	A.192788					Ring, guide	1	DTD.571	C.	JB.5
2764	C.182823					Plate, reinforcing, at frames 22 and 24, port	1	DTD.610	MR/C	JB.5
2156	C.182824					Plate, reinforcing, at frames 22 and 24, starboard	1	DTD.610	MR/C	JB.5
2157	C.182692					Plate, reinforcing, at frames 37 and 40, port	1	DTD.546	MR/C	JB.5
2158	C.182693					Plate, reinforcing, at frames 37 and 40, starboard	1	DTD.546	MR/C	JB.5
2765	F.194029					Plate, nut, at main spar	2	S.3	MR/C	
2159	C.183432					Plate, joint, for bottom main skin to rear spar, port	1	DTD.610	MR/C	
2160	C.183433					Plate, joint, for bottom main skin to rear spar, starboard	1	DTD.610	MR/C	
	A.182101					Plate, gusset, at frame 31	1	DTD.610		
2161	F.189753					Ring, reinforcing, between frames 27 and 28	1	DTD.610	MR/C	
1833+	E.183421/1					Skin, bottom, between frames 27 and rear spar	1	DTD.610	C.	JB.1
1834+	E.183421/2					Skin, bottom, between frames 37 and 40A	1	DTD.610	B.	JB.1
2162	E.183421/3					Skin, bottom, at main spar	1	DTD.610	C.	JB.1
2163	E.183421/4					Skin, bottom, at frame 34	1	DTD.610	C.	JB.1
2164	B.184367					Stringer, "L", aft of frame 29, port	1	DTD.610	MR/C	JB.4
2165	B.184368					Stringer "L", aft of frame 29, starboard	1	DTD.610	MR/C	JB.4
2166	B.184366					Stringer "M", frame 29 to rear spar	1	DTD.610	MR/C	JB.4
	F.184369					Stringers, for bottom skin, between frames 27 and 28	3	DTD.610		
	F.184370					Stringers, for bottom skin, between frames 28 and 29	3	DTD.610		
	D.186527					TOGGLE, ATTACHMENTS AT DOOR OPENINGS, SUB-ASSEMBLY	—	—		
5855	A.205075					Cable, retaining engine access panel	1	—	C.	JB.5
3843	K.A.C. C3903/1					Fitting, attachment	3	—	C.	JB.5
3844	K.A.C. C3903/2					Fitting, attachment	1	—	C.	JB.5
3845	K.A.C. C3903/3					Fitting, attachment	1	—	C.	JB.5
	K.A.C. D4483					Fitting, attachment	1	—		
2167	A.188887					Fitting, hinge, for engine access door	1	Stamping	MR/C	
2168	A.188888					Fitting, hinge, for engine access door	1	Stamping	MR/C	
1024	K.A.C. C3100/H					Lever, and catch pin	6	—	C.	JB.5
2171	A.189447					Stiffener, for gearbox access door	1	L.72	MR/C	
2172	A.189446					Stiffener, for engine starter access door	1	L.72	MR/C	
2147	Std.915/C/20					Washer, at "King Aircraft" attachment fittings	6	DTD.610	C.	4
2173	E.183420/1					Skin, top, nose spar to main spar, port (Identical to 26FX/7558, D.203702/1)	1	DTD.546	MR/B	JB.2
2174	E.183420/2					Skin, top, nose spar to main spar, starboard (Identical to 26FX/7559, D.203702/2)	1	DTD.546	MR/B	JB.2
1825	E.183420/3					Skin, side, nose spar to frame 21, port (Identical to 26FX/7560, D.203702/3)	1	DTD.546	C.	JB.2
1826	E.183420/4					Skin, side, nose spar to frame 21, starboard (Identical to 26FX/7561, D.203702/4)	1	DTD.546	C.	JB.2
1827	E.183420/5					Skin, side, frame 21 to main spar, port (Identical to 26FX/7562, D.203702/5)	1	DTD.546	C.	JB.2
1828	E.183420/6					Skin, side, frame 21 to main spar, starboard	1	DTD.546	C.	JB.2

RESTRICTED

RESTRICTED

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4529	E.200955/1					Skin, top, main spar to rear spar, port	1	DTD.546	B.	JB.2
4530	E.200955/2					Skin, top, main spar to rear spar, starboard	1	DTD.546	B.	JB.2
4531	E.200955/3					Skin, side, main spar to rear spar, port	1	DTD.546	B.	JB.2
4532	E.200955/4					Skin, side, main spar to rear spar, starboard	1	DTD.546	B.	JB.2
2177	E.183420/13					Skin, top, rear spar to frame 40A, port	1	DTD.610	MR/B	JB.2
						(Identical to 26FX/7541, E.201049/1)				
2178	E.183420/14					Skin, top, rear spar to frame 40A, starboard	1	DTD.610	MR/B	JB.2
						(Identical to 26FX/7542, E.201049/2)				
1831	E.183420/15					Skin, side, rear spar to frame 40A, port	—	OTD.610	B.	JB.2
						(Identical to 26FX/7543, E.201049/3)				
1832	E.183420/16					Skin, side, rear spar to frame 40A, starboard	1	DTD.610	B.	JB.2
						(Identical to 26FX/7544, E.201049/4)				
9401	F.221636					Socket, for engine oil filler drain pipe (Mod. 344) ...	1	S.3 & T.26	C.	
	C.205785-6					STOP, FOR UNDERCARRIAGE FAIRING	—	—		
						DOOR AND SEQUENCE VALVE MOUNTING, SUB-ASSEMBLY				
5177	B.201691					Bracket, forward, port	1	L.72	C.	JB.2
						(8 morse No. 21 holes omitted)				
5178	B.201692					Bracket, forward, starboard	1	L.72	C.	JB.2
						(8 morse No. 21 holes omitted)				
5179	B.201693					Bracket, aft, port	1	L.72	C.	JB.2
						(8 morse No. 21 holes omitted)				
5180	B.201694					Bracket, aft, starboard	1	L.72	C.	JB.2
						(8 morse No. 21 holes omitted)				
5815	A.189625					Bracket, mounting, for sequence valve, port	1	OTD.610	C.	JB.2
5816	A.189626					Bracket, mounting, for sequence valve, starboard ..	1	OTD.610	C.	JB.2
5732	A.201677					Bracket, reinforcing, port	1	S.3	MR/C	JB.2
5733	A.201678					Bracket, reinforcing, starboard	1	S.3	MR/C	JB.2
5734	C.201673					Bracket, lower, forward, port	1	L.72	MR/C	JB.2
5735	C.201674					Bracket, lower, forward, starboard	1	L.72	MR/C	JB.2
5736	C.201675					Bracket, lower, aft, port	1	L.72	MR/C	JB.2
5737	C.201676					Bracket, lower, aft, starboard	1	L.72	MR/C	JB.2
5738	A.202891					Bracket, guide, port	1	OTD.364 & St. St.	MR/C	JB.2
5739	A.202892					Bracket, guide, starboard	1	OTD.364 & St. St.	MR/C	JB.2
8402	F.209988					Bush, for operating lever (Mod. 314)	2	BSS.369	C.	
7855	A.209986					Lever, operating sequence valve, port	1	Casting	C.	JB.2
						(Mod. 314)				
7856	A.209987					Lever, operating sequence valve, starboard	1	Casting	C.	
						(Mod. 314)				
1014	F.189628					Rod, operating	2	S.95.8	C.	JB.2
1013	F.189627					Screw, special	2	S.95.8	C.	JB.2
4650	F.198997					Screw, special, for stop adjustment	2	S.95.8	C.	JB.2
1015	F.189629					Stop, at top of operating rod	2	S.95.8	C.	JB.2
4651	F.196854					Stud, special	2	S.3 & S.21	C.	JB.2
1016	F.187086					Trunnion	2	S.94.8	C.	JB.2
	C.205785/1					Tube, distance	2	T.26		
						(may be made from Std.1567/23/060)				
2179	E.183420/18					Strap, bottom, at frame 34	1	OTD.610	MR/C	JB.4
2180	D.182826					Strap, reinforcing, at frame 21, bottom portion	1	DTD.546	MR/C	JB.4
2183	C.182636					Strap, reinforcing, at rear spar, bottom portion	1	DTD.546	MR/C	JB.4
2181	C.182631					Strap, reinforcing, at main spar, bottom portion, ...	1	DTD.546	MR/C	JB.4
						port				
2182	C.182632					Strap, reinforcing, at main spar, bottom portion, ...	1	DTD.546	MR/C	JB.4
						starboard				

RESTRICTED

Hunter GA Mk. 11

Page JB.19

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	C.197867					TRAY, DRIP, FOR HYDRAULIC RESERVOIR, ... ASSEMBLY	—	—		
	F.197869					Socket	1	S.3 & T.26		
	B.197868					Tray, drip	1	L.59 & L.54		
	B.199734					Vent pipe, case breather, group	1	—		
5817	A.193564					Sleeve	1	T.45 & S.3	C.	
1753	A.192205					Spring	1	Sp. St.	C.	
1752	A.192204					Vent pipe	1	S.3	C.	
	E.182426					SKIN, SUPPORTING, FOR AIR INTAKE AND CENTRE FUEL TANK ASSEMBLY	—	—		
4720	F.194933					Angle, for attaching hydraulic pipes	1	DTD.610	MR/C	
	E.180947					BREECHES-PIECE, ASSEMBLY	—	—		
2184	B.189308					Ring, retaining sealing rubber at frame 29, aft	1	DTD.610	MR/C	JB.6
6758	B.213115					Ring, sealing, at frame 28, aft	1	Rubber	C.	JB.6
10925	B.181795					Trailing edge, top	1	—	MR/C	
10926	B.181796					Trailing edge, bottom	1	—	MR/C	
2185	C.178230					Diaphragm, at frame 28, group	1	—	MR/B	
	B.178235					Angle, port	1	DTD.546		
	B.178236					Angle, starboard	1	DTD.546		
	B.178231					Diaphragm	1	DTD.610		
	B.186121					Ring, supporting, port	1	DTD.610		
	B.186122					Ring, supporting, starboard	1	DTD.610		
2186	B.177538					Member, bottom, for frame 29, forward	1	DTD.166	MR/C	
2187	B.177539					Member, bottom, for frame 29, aft	1	DTD.166	MR/C	
6054	A.204325					Packing, at frame 29	1	L.72	MR/C	
2188	B.182435					Stiffener, bottom, for frame 30	1	DTD.610	MR/C	
2189	C.182434					Stiffener, bottom, for frame 31	1	DTD.610	MR/C	
	E.200962					SKINS, FOR CENTRE FUEL TANK, SUB-ASSEMBLY	—	—		
4533	E.200962/3					Skin, forward bottom, port	1	L.72	C.	JB.3
4534	E.200962/4					Skin, forward, bottom, starboard	1	L.72	C.	JB.3
2605	E.182428/7					Skin, aft bottom, port	1	L.72	MR/B	JB.3
2606	E.182428/8					Skin, aft bottom, starboard	1	L.72	MR/B	JB.3
	D.182430-1					SKINS, LOWER, FOR CENTRE FUEL TANK AND PILOTS' FLOOR, SUB-ASSEMBLY	—	—		
2607	B.182441					Angle, between frames 28 and 32	1	DTD.610	MR/C	
7086	B.182443					Angle, between frames 28 and 32	1	DTD.610	MR/C	
2608	B.182437					Ceiling, between frames 27 and 28, port	1	DTD.610	MR/C	
2609	B.182438					Ceiling, between frames 27 and 28, starboard	1	DTD.610	MR/C	
2610	D.182430/1					Diaphragm, forward, port	1	DTD.610	MR/C	
2611	D.182430/2					Diaphragm, aft, port	1	DTD.610	MR/C	
7084	D.182431/1					Diaphragm, forward, starboard	1	DTD.610	MR/C	
7085	D.182431/2					Diaphragm, aft, starboard	1	DTD.610	MR/C	
2612	D.182430/3					Floor, forward	1	DTD.610	MR/C	
2613	D.182430/4					Floor, aft	1	DTD.610	MR/C	
2614	B.182439					Trough, port	1	DTD.610	MR/C	
2615	B.182440					Trough, starboard	1	DTD.610	MR/C	
	D.180824-5					SKIN, SUPPORTING, FORWARD FUEL TANK, ASSEMBLY	—	—		
	D.180829					Skin, supporting centre wall, for front fuel tank, port, group	1	—		

RESTRICTED

RESTRICTED

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	D.180830					Skin, supporting centre wall, for front fuel tank,	1	-		
						starboard, group				
4721	F.195551					Angle, attaching hydraulic pipes	1	DTD.610	MR/C	
2616	D.180829/8					Angle, for diaphragm, port	1	DTD.610	MR/C	
2617	D.180830/8					Angle, for diaphragm, starboard	1	DTD.610	MR/C	
4722	F.197468					Bracket, mounting, for transfer pressure switch, . . .	1	-	MR/C	
						balance pipes				
2618	A.180855					Channel, supporting diaphragm	1	Rolled Section	MR/C	
2619	B.180845					Diaphragm, bottom, aft	1	DTD.610	MR/C	
8221	B.215750					Diaphragm, bottom forward, port (Mod. 138)	1	DTD.610	MR/C	
2621	B.180844					Diaphragm, bottom forward, starboard	1	DTD.610	MR/C	
2622	F.182567					Plate, reinforcing, bottom portion	2	DTD.610	MR/C	
2623	A.193269					Plate, reinforcing, bottom portion	1	DTD.610	MR/C	
2624	F.192312					Plate, reinforcing, bottom portion, port	1	DTD.610	MR/C	
2625	F.192313					Plate, reinforcing, bottom portions, starboard	1	DTD.610	MR/C	
4211	Std.1687/2					Saddle, attaching electrical cables (Port only)	3	DTD.610	C.	5
2626	B.178521					Stringer "J", nose spar to frame 21, port	1	DTD.364	MR/C	J8.4
2627	B.178522					Stringer "J", nose spar to frame 21, starboard	1	DTD.364	MR/C	J8.4
2628	C.178523					Stringer "J", frame 21 to main spar, port	1	DTD.364	MR/C	J8.4
2629	C.178524					Stringer "J", frame 21 to main spar, starboard	1	DTD.364	MR/C	J8.4
2630	C.178641					Stringer "J", main spar to rear spar, port	1	DTD.364	MR/C	J8.4
2631	C.178642					Stringer "J", main spar to rear spar, starboard	1	DTD.364	MR/C	J8.4
2632	D.179961					Stringer "J", rear spar to frame 40, port	2	DTD.364	MR/C	J8.4
2634	D.179963					Stringer "K", between rear spar and frame 40A, port	1	DTD.364	MR/C	J8.4
2635	D.179964					Stringer "K", between rear spar and frame 40A,	1	DTD.364	MR/C	J8.4
						starboard				
2636	B.178525					Stringer "K", between nose spar and frame 21, port	1	DTD.364	MR/C	J8.4
2637	B.178526					Stringer "K", between nose spar and frame 21,	1	DTD.364	MR/C	J8.4
						starboard				
2638	C.178527-8					Stringer "K", between frame 21 and main spar, port	2 prs.	DTD.364	MR/C	J8.4
2640	C.178643					Stringer "K", main spar to rear spar	2	DTD.364	MR/C	J8.4
2641	D.179965					Stringer "L", between frames 37 and 40A, port	1	DTD.364	MR/C	J8.4
2642	D.179966					Stringer "L", between frames 37 and 40A, starboard	1	DTD.364	MR/C	J8.4
	D.180831					STRUCTURE, SUPPORTING, FOR FUEL	-	-		
						TANKS, ASSEMBLY				
4675	F.180854					Bracket	2	DTD.364	MR/C	J8.10
4676	C.180832					Channel	1	DTD.610	MR/C	J8.10
4677	C.180833					Channel	1	DTD.610	MR/C	J8.10
4678	C.180834					Channel	1	DTD.610	MR/C	J8.10
4679	C.180835					Channel	1	DTD.610	MR/C	J8.10
4680	B.180846					Member, inter-costal, port	1	-	MR/C	J8.10
4681	B.180847					Member, inter-costal, starboard	1	-	MR/C	J8.10
4682	A.180848					Member, inter-costal, frames 21-22, port	1	DTD.610	MR/C	J8.10
4683	A.180849					Member, inter-costal, frames 21-22, starboard	1	DTD.610	MR/C	J8.10
4684	A.180850					Member, inter-costal, frames 22-23, port	1	DTD.610	MR/C	J8.10
4685	A.180851					Member, inter-costal, frames 22-23, starboard	1	DTD.610	MR/C	J8.10

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
4686	B.180852					Member, intercostal, frames 23-25, port	1	DTD.610	MR/C	JB.10
4687	B.180853					Member, intercostal, frames 23-25, starboard	1	DTD.610	MR/C	JB.10
4688	C.180840					Plate, fuel pump mounting	2	DTD.610	MR/C	JB.10
4689	C.180841					Plate, recuperator mounting, port	1	DTD.610	MR/C	JB.10
4690	C.180842					Plate, recuperator mounting, starboard	1	DTD.610	MR/C	JB.10
8431	Chekaleke					PLug	16	-	C.	
or	No. 5 or									
8432	No.6									
11	Std.1299/3					Stud, securing guard and clips (Mod. 1429)	22	S.95.8	C.	4
	E.200963-4					STUB-WING, ASSEMBLY	-	-		
	D.182684-5					BOUNDARY LAYER DUCT, SUB-ASSEMBLY	-	-		
2643	B.183782					Leading edge section, forward of nose spar, port	1	L.168	MR/C	JB.4
2644	B.183783					Leading edge section, forward of nose spar, starboard	1	L.168	MR/C	JB.4
5712	A.183784					Spacer, at forward end of duct	4	L.168	MR/C	JB.4
10744	D.200976/A					DIAPHRAGM "E", STARBOARD	1	-	C.	
	C.222754-5					DUCT, ASSEMBLY (Mod. 535)	-	-		
	F.216328					Angle, port	1	L.72		
	F.216329					Angle, starboard	1	L.72		
	A.216330					Bracket, port	1	L.72		
	A.216331					Bracket, starboard	1	L.72		
	Std.841/39					Clip, securing duct	2	DTD.610		4
	Std.1188/1					Clip, securing duct	2	DTD.610		
	F.216332					Duct	2	L.67		
	D.179488					Fillet, for wing aft of rear spar, port group	1	-		
	D.179489					Fillet, for wing aft of rear spar, starboard group	1	-		
2645	B.181497					Angle, for seal retaining, top port	1	DTD.610	MR/C	JB.2
2646	B.181498					Angle, for seal retaining, top starboard	1	DTD.610	MR/C	JB.2
2647	B.181499					Angle, for seal retaining, bottom port	1	DTD.610	MR/C	JB.2
2648	B.181500					Angle, for seal retaining, bottom starboard	1	DTD.610	MR/C	JB.2
2649	A.188212					Angle, for seal retaining, top forward, port	1	DTD.610	MR/C	JB.2
2650	A.188213					Angle, for seal retaining, top forward, starboard	1	DTD.610	MR/C	JB.2
2651	A.188214					Angle, for seal retaining, bottom forward, port	1	DTD.610	MR/C	JB.2
2652	A.188215					Angle, for seal retaining, bottom forward, starboard	1	DTD.610	MR/C	JB.2
1027	D.179488/A					Fillet, top, removable, port	1	DTD.610	B.	JB.1
1028	D.179488/B					Fillet, bottom, forward, removable, port	1	DTD.610	B.	JB.1
1029	D.179488/C					Fillet, bottom, aft, removable, port	1	DTD.610	B.	JB.1
1030	D.179489/A					Fillet, top, removable, starboard	1	DTD.610	B.	JB.1
1031	D.179489/B					Fillet, bottom, forward, starboard	1	DTD.610	B.	JB.1
1032	D.179489/C					Fillet, bottom, aft, removable, starboard	1	DTD.610	B.	JB.1
	C.190330					PANEL, ACCESS FOR HYDRAULIC RESERVOIR, SUB-ASSEMBLY	-	-		
	B.190332					Landing, group	1	DTD.610		
28FP/4062482	Dzus S5/325					Spring	1	-	C.	
3762	Std.915/A/18					Washer	1	DTD.610	MR/C	4
1033	B.190331					Panel, group	1	DTD.610	C.	JB.1
28FP/4062655	Dzus EF5/45B					Fastener	3	-	C.	

FUSELAGE - CENTRE PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10	2653	F.181992				Plate, nut, at rear spar	2	S.510	MR/C	
		C.181538				Plate, for rubber seal retaining, port	1	DTD.610		
		C.181539				Plate, for rubber seal retaining, starboard	1	DTD.610		
	1706	Std.1703/6C				Screw	130	S.95.8	C.	5
	6752	Std.1703/9C				Screw	2	S.95.8	C.	5
	2654	A.182036				Trailing edge	2	L.33, L.51 or L.1	MR/C	JB.1
	2655	C.180004				Member, top, at leading edge, port	1	DTD.610	MR/C	JB.2
	2656	C.180005				Member, top, at leading edge, starboard	1	DTD.610	MR/C	JB.2
	2657	C.180006				Member, bottom, at leading edge, port	1	DTD.610	MR/C	JB.2
	2658	C.180007				Member, bottom, at leading edge, starboard	1	DTD.610	MR/C	JB.2
	2659	C.178820				Mounting, for undercarriage wheel door hinge,	1	-	MR/C	JB.2
						port				
	10578	F.173639				Bracket, frame 28, port	1	DTD.610	MR/C	
	2660	C.178821				Mounting, for undercarriage wheel door hinge,	1	-	MR/C	JB.2
						starboard				
	10579	F.173640				Bracket, frame 28, starboard	1	DTD.610	MR/C	
	2661	C.180008				Rib, No. 1, at leading edge, top, port	1	DTD.610	MR/C	JB.2
	2662	C.180009				Rib, No. 1, at leading edge, top, starboard	1	DTD.610	MR/B	JB.2
	2663	B.180010				Rib, No. 2, at leading edge, top, port	1	DTD.610	MR/B	
						(Pre-Mod. 535)				
		B.222750				Rib, No. 2, at leading edge, top, port (Mod. 535)	1	DTD.610		JB.2
	2664	B.180011				Rib, No. 2, at leading edge, top, starboard	1	DTD.610	MR/B	
						(Pre-Mod. 535)				
	12826	B.222751				Rib, No. 2, at leading edge, top, starboard	1	DTD.610	B.	JB.2
						(Mod. 535)				
	2665	B.180012				Rib, No. 3, at leading edge, top, port	1	DTD.610	MR/B	JB.2
	2666	B.180013				Rib, No. 3, at leading edge, top, starboard	1	DTD.610	MR/B	JB.2
	2667	B.180014				Rib, No. 1, at leading edge, bottom, port	1	DTD.610	MR/B	JB.2
	2668	B.180015				Rib, No. 1, at leading edge, bottom, starboard	1	DTD.610	MR/B	JB.2
	2669	B.180016				Rib, No. 2, at leading edge, bottom, port	1	DTD.610	MR/B	JB.2
	2670	B.180017				Rib, No. 2, at leading edge, bottom, starboard	1	DTD.610	MR/B	JB.2
	2671	B.180018				Rib, No. 3, at leading edge, bottom, port	1	DTD.610	MR/B	
	2672	B.180019				Rib, No. 3, at leading edge, bottom, starboard	1	DTD.610	MR/B	
	2673	B.180020				Rib, outboard, at leading edge	1	DTD.610	MR/B	JB.2
	2674	B.180021				Rib, outboard, at leading edge	1	DTD.610	MR/B	JB.2
		D.196440-1				SEALING, BETWEEN STUB-WING AND WING	-	-		
						SUB-ASSEMBLY				
	3847	A.196439				Pad, sealing, at trailing edge	2	Volcrepe T.L.S.	C.	JB.2
	3848	A.196438				Strip, sealing, at leading edge	2	Volcrepe T.L.S.	C.	JB.2
	-	-				Strip, sealing, 1" wide x 3/16" thick	30'	Volcrepe	-	
10						(D.196440/1 to /5, and D.196441/1)				
						(Make from 32C/4658784)				
	4023	Std.1509/12/018				Tube, distance, 1/4" o/d x 20 s.w.g. x 0.18"	6	T.4	MR/C	4
						long (Make from 30B/619)				
		D.200965-6				SKIN, COVERING, ASSEMBLY	-	-		
	3852	A.195904				Door, access, to hydraulic connections	2	DTD.610	C.	JB.1
	7875±	C.216760				Fairing, outboard, port (undrilled)	1	DTD.610	B.	JB.1
	7876±	C.216761				Fairing, outboard, starboard (undrilled)	1	DTD.610	B.	JB.1
	2676	B.192636				Landing, forward, for stub-wing access panel,	1	DTD.610	MR/C	JB.4
						port				
	2677	B.192637				Landing, forward, for stub-wing access panel	1	DTD.610	MR/C	JB.4
						starboard				
	2678	B.192640				Landing, aft, for stub-wing access panel, port	1	DTD.610	MR/C	JB.4
	2679	B.192641				Landing, aft, for stub-wing access panel,	1	DTD.610	MR/C	JB.4
						starboard				
	2680	B.192638				Landing, inboard, for stub-wing access panel,	1	DTD.610	MR/C	JB.4
						port				
	2681	B.192639				Landing, inboard, for stub-wing access panel,	1	DTD.610	MR/C	JB.4
						starboard				

FUSELAGE - CENTRE PORTION


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4016	A.195903					Landing, for hydraulic connection access door	2	DTD.610	MR/C	JB.4
1821	C.182596					Nosing, top, port	1	—	B.	JB.1
1822	C.182597					Nosing, top, starboard	1	—	B.	JB.1
1823	C.182598					Nosing, bottom, port	1	—	B.	JB.1
1824	C.182599					Nosing, bottom, starboard	1	—	B.	JB.1
1038	D.188722					Panel, access, for pin joint at main spar, top,	1	DTD.610	B.	JB.1
						port				
1039	D.188723					Panel, access, for pin joint at main spar, top,	1	DTD.610	B.	JB.1
						starboard				
5818	C.200861					Panel, access to pressure relief valve, port	1	L.72	C.	
5819	C.200862					Panel, access to pressure relief valve, starboard	1	L.72	C.	
4723	F.199630					Panel, access to undercarriage hydraulic connection	2	—	MR/C	
1040	D.188724					Panel, access, for pin joint at main spar, bottom,	1	DTD.610	B.	JB.1
						port				
1041	D.188725					Panel, access, for pin joint at main spar, bottom	1	DTD.610	B.	JB.1
						starboard				
7839	D.211964					Panel, access, on underside of stub-wing, port,	1	DTD.610	B.	JB.1
						group (Mod. 229)				
7988	B.211962					Door, access to armament safety plug,	1	—	C.	JB.1
						group				
	Fairey FS430/E					Fastener, type 3	1	—		
	F.211961					Packing	2	L.72		
	C.222752-3					PANEL, ACCESS TO STUB-WING, ASSEMBLY	—	—		
						(Mod. 535)				
9418	B.216139					Panel, access, port	1	—	C.	JB.1
9419	B.216140					Panel, access, starboard	1	—	C.	JB.1
1781	D.192980					Panel, access, on underside of stub-wing,	1	DTD.610	B.	JB.5
						starboard, group				
4724	A.199629					Plate, reinforcing, for undercarriage hydraulic	2	DTD.610	MR/C	
						connections				
4725	F.196550					Retainer, for sealing, port	1	DTD.610	MR/C	
4726	F.196551					Retainer, for sealing, starboard	2	DTD.610	MR/C	
1807	D.182688/1					Skin, top, nose spar to main spar, inboard, port	1	DTD.610	B.	JB.1
						(supplied flat)				
1808‡	D.182688/2					Skin, top, nose spar to main spar, outboard,	1	DTD.610	B.	
						port (Pre Mod. 508)				
	D.182688/22					Skin, top, nose spar to main spar, outboard,	1	DTD.610		JB.1
						port (Mod. 508)				
1809	D.182688/3					Skin, forward, of nose spar, top, port	1	DTD.610	C.	JB.1
1810	D.182688/4					Skin, forward of nose spar, top, port	1	DTD.610	C.	
						(Pre Mod. 535)				
11136	D.200965/2					Skin, top, port (Mod. 535)	1	L.72	B.	JB.1
1811	D.182688/5					Skin, forward of nose spar, top, port	1	DTD.610	C.	JB.1
1812‡	D.182688/6					Skin, top, aft of main spar, port	1	DTD.610	B.	JB.1
2682	D.182688/9					Skin, forward of nose spar, bottom port	1	DTD.610	MR/C	JB.1
2683	D.182688/10					Skin, forward of nose spar, bottom port	1	DTD.610	MR/C	JB.1
2684	D.182688/11					Skin, forward of nose spar, bottom port	1	DTD.610	MR/C	JB.1
1813‡	D.182688/15					Skin, bottom, inboard of wheel door, port	1	DTD.610	C.	JB.1
	D.182688/23					Skin, bottom, outboard, rear of nose spar,	1	DTD.610		
						port (Mod. 508)				
—	D.182689/1					Skin, top, nose spar to main spar, inboard,	1	DTD.610	—	JB.1
						starboard (Use 26FX/1807)				

RESTRICTED


FUSELAGE - CENTRE PORTION


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
1815	D.182689/2				Skin	top, nose spar to main spar, outboard,	1	DTD.610	B.	
						starboard (Pre Mod. 508)				
	D.182689/22				Skin	top, nose spar to main spar (Mod. 508)	1	DTD.610		JB.1
1816	D.182689/3				Skin	forward of nose spar, top, starboard	1	DTD.610	C.	JB.1
1817	D.182689/4				Skin	forward of nose spar, top, starboard	1	DTD.610	C.	
						(Pre Mod. 535)				
	D.200966/2				Skin	top, starboard (Mod. 535)	1	L.72		JB.1
1818	D.182689/5				Skin	forward of nose spar, top, starboard	1	DTD.610	C.	JB.1
1819	D.182689/6				Skin	top, aft of main spar, starboard	1	DTD.610	B.	
2685	D.182689/9				Skin	forward of nose spar, bottom, starboard	1	DTD.610	MR/B	JB.1
2686	D.182689/10				Skin	forward of nose spar, bottom, starboard	1	DTD.610	MR/C	JB.1
2687	D.182689/11				Skin	forward of nose spar, bottom, starboard	1	DTD.610	MR/C	JB.1
1820	D.182689/15				Skin	bottom, inboard of wheel door, starboard	1	DTD.610	C.	JB.1
	D.182689/23				Skin	bottom, outboard, rear of nose spar,	1	DTD.610		
						starboard (Mod. 508)				
	D.185971-2				SLOTS, FOR AIR INTAKE AT NOSE SPAR,		-	-		
						PORT, SUB-ASSEMBLY				
						(Pre Mod. 508)				
1034	C.187061				Door, top, group (Pre Mod. 508)		2	DTD.610	C.	JB.1
	-				Pin, for hinge (AS.1880)		1	-		
1035	A.187071				Spring		2	Sp. St.	C.	
1036	C.187063				Door, bottom, port, group (Pre Mod. 508)		1	DTD.610	C.	JB.1
	-				Pin, for hinge (AS.1880)		1	-		
1035	A.187071				Spring		2	Sp. St.	C.	
1037	C.187064				Door, bottom, starboard, group		1	DTD.610	C.	JB.1
						(Pre Mod. 508)				
-					Pin, for hinge (AS.1880)		1	-		
1035	A.187071				Spring		2	Sp. St.	C.	
	E.182686-7				SKIN, COVERING, AIR INTAKE ASSEMBLY		-	-		
	C.222756-7				MOUNTING, FOR DME AERIAL, ASSEMBLY		-	-		
						(Mod. 535)				
	F.216141				Bracket, for eye bolt		4	S.968		
	F.217474				Bracket		2	L.72		


PRE-MOD. 508




CENTRE FUSELAGE














CENTRE FUSELAGE











This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

