

FUSELAGE—HOOD JETTISON GEAR

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
		1 2 3 4 5				
10	5275	HOOD JETTISON GEAR, ASSEMBLY (Mod. 1082)	—	—	C.	5
		Adaptor, for bell crank lever lubricator	1	L.65.C		
		Adaptor, at "T" barrel	2	S.154		
10	D.254201 C.200897 A.216373	ADDITIONAL DETAILS, ASSEMBLY	—	—	JE.1	
		Bracket, mounting	1	S.510		
		Bracket, pivot	1	—		
10	875 A.189300	Cable, emergency release, group	1	—	B.	JE.1
		Consisting of:—				
		Cable, 5cwt	QR	W.11		
10	28X/9511235 29H/4186	Nipple	1	—	C.	
		Ring, split key, 1.50" i/d	1	Steel		
		Screw, Duratube, yellow, 5 mm. i/d x .45mm thick x 4.75" long	1	—		
10	30B/9611042	Wire, 26 S.W.G.	QR	Copper	C.	
10	9048 F.218222 6740 F.210559	Cable, hood jettison	1	—	C.	JE.1
		Cap	1	S.154		
		Disc, at hood cylinder	2	L.72		
10	9766 F.231429 12782 B.228487 9047 F.218197	Duct	1	—	C.	
		Eye-end, for hood jettison cable (Mod. 281)	1	S.154		
		Fork-end	1	S.94.B		
10	4882 F.200921 B.254573	Guard, pulley	1	L.72	MR/C	JE.1
		Handle (Mod. 1127)	1	Stamping		
		Buffer	1	Neoprene		
10	9767 F.229452 F.254517	Sleeve	1	T.58	C.	JE.1
		Latch	1	DTD.610		
		Latch	1	L.72		
10	9034 A.214841 A.217885	Lever (Alternative to A.217885)	1	BS.1648	C.	JE.1
		Lever (Alternative to A.214841)	1	S.94.B		
		Lever	1	S.510 & S.92		
10	9041 F.216316	Lever	1	S.80	C.	JE.1
10	881 A.189124	Lever	1	—	C.	JE.1
10	9046 F.218221 F.218196	Lever, group (Alternative to A.218271)	1	—	C.	JE.1
		Bracket	1	DTD.171		
		Lever	1	S.95.B		
10	F.216326 4042 Std.1509/23/030	Tube, distance, 5/16" i/d x 17 S.W.G. x 0.30" long	1	T.4	MR/C	4
10	9033 A.218271 F.214646	Lever, group (Alternative to F.218221)	1	—	C.	JE.1
		Link	1	DTD.166		
		Nut, strip (Alternative to A.217433)	2	—		
10	A.211755 A.217433	Nut, strip (Alternative to A.211755) (For use when tooling hole is in top longeron)	2	—	C.	
		Packing (Alternative to F.217432)	2	L.72		
		Packing (Alternative to F.211757) (For use when tooling hole is in top longeron)	2	L.72		
10	F.211757 F.217432	Pin	1	S.95.B or S.154	C.	JE.1
		Pin	1	S.1		
		Pivot	1	S.154		
10	6739 A.209223 AS.104	Pulley, catch	1	DTD.166	C.	JE.1
		Pulley,	1	—		
		Pulley, for jettison cable	1	—		
10	F.228481 9035 F.211758	Seal, at hood cylinder	2	Rubber	C.	JE.1
		Shackle	1	S.1		
		Shaft, cable anchorage	1	L.65.C		
10	893 F.189299 A.228722				C.	JE.1

FUSELAGE—HOOD JETTISON GEAR






Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
9042	A.216324					Spindle	1	S.95.8	C.	JE.1
4559	F.199942					Spring	1	Steel	C.	JE.1
	Std.1507/26/044					Tube, distance, 1/2" o/d x 17 S.W.G. x 0.44"	1	T.26		4
						long				
	Std.1509/23/148					Tube, distance, 5/16" o/d x 17 S.W.G. x 1.48"	2	T.4		4
						long				
10	3763	Std.915/B/24				Washer, special, 4 B.A.	4	L.168	C.	4
10	3764	Std.915/C/24				Washer, special, 2 B.A.	4	L.168	C.	4
10	6098176	Std.915/E/6				Washer, special	1	L.168	C.	4
		Std.915/U/12				Washer, special	1	L.168		4
	5274	F.205020				Bolt, greaser, for bell crank lever	2	S.95.8	C.	JE.1
	873	F.189282				Bush, spherical	4	S.95.8	C.	JE.1
	1935	F.196363				Bush, for emergency release cable	1	Rubber	C.	JE.1
	874	A.189119				Cable, de-seal valve control, group	1	—	B.	JE.1
						Consisting of:—				
10		Std.1920/1				Adjuster	1	L.168		5
		Std.1920				Adjuster, complete with sleeve and nut	1	—		5
10	28X/9511235	Bowden				Cable, 5 cwt	QR	W.11	C.	
	29H/	Bowden T.3				Conduit, Bowdenex T.3	QR	—	C.	
10	28U/1204114	SP.38A				Fork-end	2	—	C.	
10	29H/1250113	Bowden PN.23				Nut	1	—	C.	
		Std.1920/2				Sleeve	1	L.168		5
	29H/	Bowden PN.999				Stop	1	—	C.	
	9043	A.216335				Cable, ejection, group	1	—	B.	JE.1
		Std.1920				Adjuster	2	—		
		A.216335/1				Cable, 5 cwt	1	W.11		
		A.216335/2				Conduit, Bowdenex T.3 B.W.C.	1	—		
		A.224509				Fork-end	2	S.18		
	29H/	Bowden PN.999				Stop	1	—	C.	
		A.230905				Cable, jettison handle to lever, group	1	—		JE.1
		Std.1920				Adjuster	2	—		5
10	28X/9511235	—				Cable, 5 cwt	1	W.11	C.	
	29H/	—				Conduit, Bowdenex T.3 B.W.C.	1	—	C.	
10	28DU/7135303	SP.37A				Eye-end	1	—	C.	
	29H/	Bowden PN.999				Stop	1	—	C.	
	28DU/	SP.36-C5				Tapped-end	1	—	B.	
	877	A.189120				Cable, jettison control to release unit, group	1	—	B.	JE.1
						Consisting of:—				
10		Std.1920/1				Adjuster, stop	1	L.168	—	5
		Std.1920				Adjuster, complete with sleeve and nut	1	—		5
10	28X/9511235	Bowden				Cable, 5 cwt	QR	W.11	C.	
	29H/	Bowden T.3				Conduit, Bowdenex T.3	QR	—	C.	
10	28DU/7135303	SP.37A				Eye-end	2	—	C.	
10	29H/1250113	Bowden PN.23				Nut	1	—	C.	
		Std.1920/2				Sleeve	1	—		5
	29H/	Bowden PN.999				Stop	1	—	C.	

FUSELAGE - HOOD JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	Std.2045/16/26	Clip, sleeved					2	S.510 or S.511		6
9664	Std.2045/22/24	Clip, sleeved					2	S.510 or D.511	C.	6
3745	Std.841/17	Clip, support					1	DTD.610	C.	4
	F.231116	Clip, securing cable					1	L.72		
10 4883	F.201442	Cover, for jettison switch					1	S.510	MR/C	JE.1
11194	B.231232	Cover, for levers					1	Plastic	C.	JE.1
27L/5019	Martin Baker M.B.C.J.36	Cylinder, hood, port					1	-	B.	
27L/5020	Martin Baker M.B.C.J.37	Cylinder, hood, starboard					1	-	B.	
	A.189296	Duct					1	T.26		JE.1
10 27L/4541128	Martin Baker M.B.C.J.159	Gun, hood, group (With Martin Baker Mod. MB.CJ/62 embodied)					1	-	A.	
12K/1261	Martin Baker M.B.C.J.130	Cartridge, No. 2 Mk. 1					1	-	C.	
10473	F.234618	Label, indicator, port (Mod. 846)					1	L.72	C.	
10474	F.234619	Label, indicator, starboard (Mod. 846)					1	L.72	C.	
6083	F.192126	Lever					2	S.80	C.	JE.1
883	F.189280	Link					1	S.95.B	C.	JE.1
28FP/9469298	Aviation Dev. A.407	Pin, pip					1	-	C.	
100227	F.234620	Pin, special (Mod. 846)					2	S.95.B	C.	JE.1
1714	F.193684	Pin, special (Mod. 846)					2	S.95.B	C.	JE.1
10 27L/4541129	Martin Baker M.B.C.J.310	Pipe, tee-piece to gun					1	-	C.	
10 27L/4541130	Martin Baker M.B.C.J.311	Pipe, cylinder to tee-piece, port					1	-	C.	
10 27L/4541131	Martin Baker M.B.C.J.312	Pipe, cylinder to tee-piece, starboard					1	-	C.	
10 886	F.189342/1	Plate, sealing					1	S.510	C.	JE.1
	F.214716	Plate, stop					1	DTD.124		
887	A.189278	Rod, connecting					1	-	C.	JE.1
10224	A.235733	Rod, connecting, telescopic, group (Mod. 846)					2	-	B.	JE.1
10	F.214530	Cap					1	S.154		
	F.189276	Eye-end					1	S.95.B		
10225	F.235735	Spring (Mod. 846)					1	Spr. Steel	C.	
10	A.235734	Sliding, fitting (Mod. 846)					1	S.154		
10226	A.234637	Rod, connecting, group (Mod. 846)					2	-	B.	JE.1
	F.234613	Eye-end (Mod. 846)					1	S.95.B		
6632	A.213160	Rod, connecting, group					1	-	B.	JE.1
6210	F.212690	Bellows					1	Rubber	C.	JE.1
10 892	F.189342	Support					1	T.26 or S.510	C.	JE.1
10223	A.234652	Rod, connecting, group (Mod. 846)					2	-	B.	JE.1
	A.234611	Fork-end (Mod. 846)					1	S.95.B		
895	F.189297	Spring					1	-	C.	JE.1
10 27L/4541124	Martin Baker T.476.S	Tee-piece					1	-	C.	

FUSELAGE - HOOD JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
9031	B.215644					Unit, release, group	1	-	B.	JE.1
2A/9500491	B.S.I.SFE.3/8"					Bearing	1	-	B.	
897	F.189118					Bolt, special	3	S.95.8	C.	JE.1
10	F.211177					Bolt, special	1	S.154		
898	A.127278					Bolt, special	4	S.1	C.	JE.1
10	899					Bolt	2	S.1	C.	JE.1
								S.95.8 or S.154		
	A.189071					Casing	1	-		
10	900					Coupling	2	S.95.8 or S.154	C.	JE.1
10	901					Eye-end	2	S.95.8 or S.154	C.	JE.1
9032	F.214647					Lever	1	BSI.648	C.	JE.1
903	F.189077					Lever	1	S.80	C.	JE.1
904	A.126610					Nut, special	1	S.20	C.	JE.1
	A.127030					Packing	1	L.1		
	905					Plug	1	S.1	C.	JE.1
10	906					Plug	1	L.168	C.	JE.1
10	907					Plunger	1	L.168	C.	JE.1
10	8182					Rod	1	S.95.8 or S.154	C.	JE.1
	909					Sleeve	2	S.1	C.	JE.1
	A.126828					Spring	1	DTD.239		JE.1
	910					Washer	2	Rubber	C.	JE.1
10	26FX/6098176					Washer	1	DTD.610	C.	4
	911					Washer, sealing	1	Rubber	C.	JE.1
10	1570					Washer, special, 4 B.A.	1	S.1 or S.510	C.	4
10	2147					Washer, special	4	L.168	C.	4
	912					Window	1	Perspex	C.	JE.1





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.