


FUSELAGE - PITOT INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.187563	PITOT INSTALLATION IN FRONT FUSELAGE					-	-		
		ASSEMBLY								
	F.220412	Clamp, port side frame 16 (Mod. 417)					1	LFS.21		
2690	F.195016	Cleat, top					6	LFS.21	C.	JJ.1
2691	F.195017	Cleat, bottom					1	LFS.21	C.	JJ.1
3734	Std.840/14	Clip, earthing connection					22	DTD.610	MR/C	4
2149	F.133671	Pipe, drain					2	T.9	C.	JJ.1
†	B.187565/5	Pipe, pressure, joint to joint					1	L.54		JJ.1
†	B.187565/6	Pipe, static, joint to joint					1	L.54		JJ.1
†	B.187565/7	Pipe, pressure, joint to bulkhead connection					1	L.54		JJ.1
†	B.187565/8	Pipe, static, joint to tee-piece					1	L.54		JJ.1
†	B.187565/9	Pipe, static, tee-piece to elbow union					1	L.54		JJ.1
†	B.187565/10	Pipe, static, tee-piece to bulkhead connection					1	L.54		JJ.1
†	B.187565/11	Pipe, pressure, bulkhead connection to joint					1	L.54		JJ.1
		(Pre Mod. 417)								
†	B.187565/12	Pipe, static, bulkhead connection to joint					1	L.54		JJ.1
		(Pre Mod. 417)								
†	B.187565/13	Pipe, pressure, tee-piece to joint					1	L.54		JJ.1
†	B.187565/14	Pipe, static, tee-piece to joint					1	L.54		JJ.1
†	B.187565/15	Pipe, pressure, flexible pipe to tee-piece					1	L.54		JJ.1
†	B.187565/16	Pipe, static, flexible pipe to tee-piece					1	L.54		JJ.1
†	B.187565/17	Pipe, pressure, bulkhead connection to tee-piece					1	L.54		
		(Mod. 417)								
†	B.187565/18	Pipe, static, bulkhead connection to tee-piece					1	L.54		
		(Mod. 417)								
†	B.187565/19	Pipe, pressure, tee-piece to union (Mod. 417)					1	L.54		
†	B.187565/20	Pipe, static, tee-piece to union (Mod. 417)					1	L.54		
†	B.187565/21	Pipe, pressure, tee-piece to union (Mod. 417)					1	L.54		
†	B.187565/22	Pipe, static, tee-piece to union (Mod. 417)					1	L.54		
†	B.187565/25	Pipe, pressure, union to rubber tubing (Mod. 417)					1	L.54		
†	B.187565/26	Pipe, static, union to rubber tubing (Mod. 417)					1	L.54		
5767	Std.1509/12/030	Tube, distance, 1/4" o/d x 22 s.w.g. x 3" long					1	T.4	MR/C	4
10	32C/1050	Tubing, flexible, 1/2" o/d					QR	-	C.	
		(Maricon type 'H')								
		(For manufacture of C.187563)								
		† For details see Piping Chart								



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

