


POWER INSTALLATION—GEARBOX AND ACCESSORIES

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.187592	ACCESSORY DRIVE FOR GEARBOX AND EQUIPMENT, ASSEMBLY					—	—		
412	F.187588	Block, clamp (in halves)					1	DTD.364	C.	LB.1
414	F.187781	Bolt, special, for securing hydraulic pump					4	S.94.B	C.	LB.1
415	F.187782	Bolt, special					2	S.94.B	C.	LB.1
420	F.188684	Bolt, "U", supporting drive shaft at frame 34					1	S.1	C.	LB.1
6395	F.188685	Channel, stop					1	DTD.610	C.	LB.1
11 37L/306	Dowty-Rotol GD9/107	Drive shaft and engine coupling, paired units (Mod. 1445)					1		A.	
416	A.187589	Eye-end, supporting generators					1	Stamping	C.	LB.1
417	A.187590	Fork-end at stringer "K", supporting generators					1	S.95.B	C.	LB.1
37L/4521650	Rotol TG5/8	Gearbox, accessories drive (Mod. 160)					1	—	A.	
5UA/4357526	—	Generator, type 515A					2	—	A.	
418	F.188834	Nut, lock for generator support, stringer "K"					1	S.1	C.	LB.1
6104	F.209992	Piece, distance, between gearbox and spar (Mod. 357)					1	DTD.610	C.	LB.1
37J/4602111	Dowty A8003.Y/R.H./3000	Pump, hydraulic					1	—	A.	
1877	B.193774	Spout, air, for generator (Pre Mod. 250)					2	—	C.	LB.1
3807	Std.1509/23/075	Tube, distance, 5/16" x 17 s.w.g. x 0.75" long					2	T.4	MR/C	4
5781	Std.915/E/20	Washer					2	DTD.610	C.	4
3953	Std.915/E/22	Washer, shim					1	DTD.610	MR/C	4
	Std.914/J/14	Washer, at generator lug					1	S.1		4



This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm
Please see site for usage terms,
and more aircraft documents.

