

SERVICES - FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
		1 2 3 4 5				
	E.200270	FUEL SYSTEM IN CENTRE FUSELAGE, ASSEMBLY	—	—		
6520	A.202469	Adaptor (Mod. 138)	1	L.65.C	C.	NB.3
8036	A.206119	Adaptor (Mod. 138)	2	L.65.C	B.	NB.1
10 27FS/3042043	Saunders	Aerocock, defuelling S.P. type 42	1	—	A.	
	42.A.10					
10 27FS/4524136	Saunders	Aerocock, low pressure S.P. Mk. 2	1	—	A.	
	L51.B12					
1060	F.189375	Block, clamp, half, for refuelling pipe	1	LFS.21	C.	NB.1
2122	F.196104	Block, clamp (Mod. 374)	2	LFS.21	C.	
2123	F.196105	Block, clamp (Mod. 374)	2	LFS.21	C.	
8286	A.211648	Block, saddle (Mod. 374)	2	LFS.21	MR/C	NB.2
1088	A.189332	Bolt, banjo	2	S.95	C.	NB.1
10696	F.250214	Bolt, special for refuelling cock latch (Mod. 1031)	1	S.95	C.	
10 4055	F.196287	Bracket, support, for engine supply pipe	1	S.510	C.	
	B.203777	Bracket, mounting for pressure relief valve assembly	—	—		
10 5391	A.203759	Bracket, mounting for pressure relief valve, port	1	S.510	MR/C	NB.3
10 5392	A.203760	Bracket, mounting for pressure relief valve, starboard	1	S.510	MR/C	NB.3
10 5057	F.203591	Cap, for pressure relief valve mounting bracket	2	S.510	C.	NB.3
8287	A.211719	Bracket, mounting (Mod. 374)	1	L.72	MR/C	NB.2
9715	F.215817	Bracket, mounting for clamp blocks (Mod. 374)	1	L.72	C.	
10 A.218113		Bracket, mounting for pressure reducing valve, port (Mod. 591)	1	S.510		
10 A.218114		Bracket, mounting, for pressure reducing valve, starboard (Mod. 591)	1	S.510		
1087	F.185874	Circlip	2	DTD.215	C.	NB.1
421	A.185593	Clamp, pipe connection, group	2	—	B.	NB.1
2723	F.184931	Bolt, eye	1	S.94.8	C.	NB.1
6526	F.213079	Nut, special	1	S.95	C.	NB.1
2724	F.185592	Washer	1	DTD.364	C.	NB.1
1085	A.185870	Clamp, pipe connection, group	2	—	B.	NB.1
2723	F.184931	Bolt, eye	1	S.94.8	MR/C	NB.1
6526	F.213079	Nut, special	1	S.95	C.	NB.1
10 2724	F.185592	Washer	1	L.168	C.	NB.1
1136	A.186450	Clamp, pipe connection, group	1	—	B.	NB.1
2723	F.184931	Bolt, eye	1	S.94.8	C.	NB.1
6526	F.213079	Nut, special	1	S.95	C.	NB.1
10 2724	F.185592	Washer	1	L.168	C.	NB.1
6525	A.201803	Clamp, pipe connection, group (Mod. 138)	1	—	B.	
2723	F.184931	Bolt, eye	1	S.94.8	C.	NB.1
6526	F.213079	Nut, special	1	S.95	C.	NB.1
10 2724	F.185592	Washer	1	L.168	C.	NB.1
8288	F.211598	Cleat (Mod. 374)	1	LFS.21	MR/C	
8289	F.211594	Cleat (Mod. 374)	1	LFS.21	MR/C	
11227	Std.2045/21/24	Cap, sleeved	1	DTD.610	C	6
3747	Std.841/28	Cap, 7/16" wide x 22 s.w.g. x 2.8" long	4	DTD.610	MR/C	4
	Std.2045/38/22	Cap, sleeved	1	DTD.610		6
3749	Std.841/38	Cap, 7/16" wide x 22 s.w.g. x 3.8" long	2	DTD.610	C.	4
11405	Std.2046/59/20	Cap, sleeved	2	DTD.610	C.	6
	Std.2045/17/26	Cap, sleeved	4	—		6
3756	Std.850/27	Cap, 7/16" wide x 22 s.w.g. x 2.7" long	1	DTD.610	MR/C	4
4739	Std.850/37	Cap, 7/16" wide x 22 s.w.g. x 3.7" long	2	DTD.610	MR/C	4
4164	Std.850/50	Cap, 7/16" wide x 22 s.w.g. x 5.0" long	2	DTD.610	MR/C	4
4050	Std.851/53	Cap, 7/16" wide x 22 s.w.g. x 5.3" long	1	DTD.610	MR/C	4
5412	Std.853/30	Cap, 7/16" wide x 22 s.w.g. x 3.0" long	1	S.3	MR/C	4

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
10	5413	Std.853/36	Clip, 7/16" wide x 22 S.W.G. x 3.6" long				1	S.2	MR/C	4
	2151	Std.1166/6	Clip, half for clamp				1	S.510 & T.26	C.	4
	8552	F.218115	Clip, for pressure reducing valve mounting bracket (Mod. 591)				2	—	C.	
	8285	A.211647	Clip, at fuel pressure switch mounting (Mod. 384)				2	DTD.166	MR/C	NB.2
	1086	F.185873	Collar, half				4	DTD.354	C.	NB.1
	1729	A.192904	Connection, tank pressurising, group				1	—	B.	NB.2
10	1730	A.193370	Cap, blanking				1	DTD.364 or STD.17	C.	NB.2
10		A.192905	Connection				1	L.168 or 3L.65		
10		A.184691	Guide, valve				1	L.168 or 3L.65		
	1731	F.193381	Ring, sealing for blanking cap				1	Rubber	C.	NB.2
	3976	F.197676	Ring, retaining for blanking cap				1	—	C.	NB.2
10	5330-99-	Dowty	Seal, bonded				1	—	C.	
	8050580	GD.1307H								
	1732	F.184693	Spring				1	DTD.215	C.	NB.2
10	1733	F.184692	Valve				1	L.168	C.	NB.2
10	27FR/1056586	Flight Refuelling F.R.S.110J	Connector, pipe, 1-1/4" B.S.P.				1	—	B.	
10	27FR/1057698	Flight Refuelling F.R.S. 110K	Connecting, pipe, 1-1/2" B.S.P.				4	—	B.	
10	3776	Std.1306/J20	Coupling, flexible (Make from 32C/1275062)				4	DTD.625 or F.67	MR/C	4
	1120	K.A.C.C.3829/S	Coupling, flexible, 1-1/4" B.S.P. (Alternative to C.6397)				1	—	B.	
	6970	K.A.C.C.6397	Coupling, flexible, 1-1/4" B.S.P. (Alternative to C.3829/S)				1	—	B.	
	3898	K.A.C.C.4460/S	Coupling, flexible, 1-1/4" B.S.P. (Alternative to C.6395)				1	—	B.	
	6972	K.A.C.C.6395	Coupling, flexible, 1-1/4" B.S.P. (Alternative to 4460/S)				1	—	B.	
10	27F/	Flight Refuelling C.0724000/1	Coupling, refuelling (Alternative to FC.110 Mk.2)				1	—	A.	
10	27F/4677550	—	Coupling, refuelling (Alternative to C.0724000/1 and FC.110 Mk. 2)				1	—	A.	
10	27FR/6457327	Avery Hardoll FC.110 Mk.2	Coupling, refuelling (Alternative to C.0724000/1)				1	—	A.	
	5061	F.201433	Fairlead, half				4	LFS.21	C.	NB.3
	5062	F.201193	Fairlead, half				1	Ferobestos	C.	NB.3
	5063	F.201194	Fairlead, half				1	—	C.	NB.3
	5064	F.204252	Fairlead, half				1	—	C.	NB.1
	5065	F.204253	Fairlead, half				1	—	C.	NB.1
10	27VC/6477426	Palmer D.10721	Filter, air (Mod. 1057)				1	—	A.	NB.1
10	27F/4526697	Rotol FFP.2/2	Flow, proportioner (Mod. 138)				1	—	A.	
10	27FS/9128855	Saunders A.102/3	Handle, for defuelling cock				1	—	C.	
	4093	B.199331	Hose, flexible metallic (For use with E.C.U.11301)				1	—	C.	NB.1
	8384	B.213266	Hose, metallic (Alternative to B.230427)				1	—	C.	
			(For use with E.C.U.12201)							
	9700	B.230427	Hose, metallic (Alternative to B.213266)				1	—	C.	
	2852	F.189214	Label, instruction for fuelling cock				1	DTD.610	MR/C	
		F.210884	Label, instruction for LP. cock				1	—		
	10697	A.250121	Latch, for defuelling cock (Mod. 1031)				1	Nylon	C.	
10	1940	Std.1231/1	Lug, locking, at washer/sediment drain				2	S.510	C.	4
		B.190411	MOUNTING FOR REFUELLING COUPLING,				—	—		
			ASSEMBLY							
	1061	C.189254	Mounting, group				1	—	C.	NB.1
		Std.1922/2E	Bolt				4	S.21.B		

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	1135 C.188535/A	Mounting, for L.P., cock					1	—	B.	NB.2
		Consisting of:—								
	A.188539	Angle					1	DTD.610		
	B.188537	Bracket, top					1	DTD.610		
	A.188784	Member, side, forward					1	DTD.610		
	B.188536	Member, side rear					1	DTD.610		
	A.188538	Stiffener					1	DTD.610		
	28D/1011028 A25.34C	Bolt, 2 B.A.					2	—	C.	
10	5305-99-1212404 A25.35C	Bolt, 2 B.A.					2	—	C.	
10	28M/9433473 AGS.2002.C1	Nut, 2 B.A.					4	—	C.	
10	28Q/9455169 —	Rivet					12	—	C.	
	28W/9419475 SP.15C	Washer, 2 B.A.					4	—	C.	
	C.206107	MOUNTING FOR FLOW PROPORTIONER					—	—		
		ASSEMBLY (Mod. 138)								
	6533 F.205949	Bolt					1	—	C.	NB.3
	8035 A.206118	Bracket, support					1	MS	B.	NB.3
	8034 F.202967	Link					2	L.72	B.	NB.3
	5066 F.200156	Nipple					1	S.1	C.	
	F.200157	Nipple					1	S.1		
	4127 F.198948	Nipple					2	S.1	C.	
	1082 F.188057	Nipple					2	S.1	C.	
	3897 F.195770	Nipple					1	S.1	C.	
10	5067 F.190837	Nut, retaining at vapour release connection on					2	L.168	C.	NB.3
		forward tanks								
	5068 B.207420	Pipe, refuelling, coupling to fuselage connection					1	DTD.253	C.	NB.1
	8033 B.206113	Pipe, refuelling, front tanks branch (Mod. 138)					1	DTD.253	B.	NB.1
	8032 C.206105	Pipe, to port front tank valve (Mod. 138)					1	DTD.253	B.	NC.1
	1109 C.187805	Pipe, refuelling branch to starboard front tank valve					1	DTD.253	C.	NB.1
	8030 B.206111	Pipe, port pump to flow proportioner (Mod. 138)					1	DTD.253	B.	
	8031 B.206112	Pipe, starboard pump to flow proportioner (Mod. 138)					1	DTD.253	B.	
	8038 C.210872	Pipe, delivery from flow proportioner (Mod. 138)					1	DTD.253	B.	NB.1
		(Pre Mod. 252)								
	9023 C.215987	Pipe, delivery from flow proportioner (Mod. 252)					1	DTD.253	B.	
	1137 A.189114	Pipe, L.P. cock to flexible coupling (Pre Mod. 252)					1	DTD.253	C.	NB.1
	9022 A.212114	Pipe, L.P. cock to flexible coupling (Mod. 252)					1	DTD.253	C.	
	1140 C.186618	Pipe, refuelling, rear tank valve, port					1	DTD.253	C.	
	1141 C.186668	Pipe, refuelling, rear tank valve, starboard					1	DTD.253	C.	
	1146 C.187697	Pipe, refuelling gallery					1	DTD.253	C.	
	5069 B.201185	Pipe, vent, front tank branch					1	DTD.253	C.	NB.1
	6174 B.210520	Pipe, vent, connection to branch pipe (Mod. 352)					1	DTD.253	C.	NB.1
	5071 B.204146	Pipe, branch from vapour release valve					1	DTD.253	C.	NB.1
	5072 B.201082	Pipe, pressure, branch, relief and non-return valves to connection, port					1	DTD.253	C.	NB.1
	5073 B.201083	Pipe, pressure, branch, relief and non-return valves to connection, starboard					1	DTD.253	C.	NB.1
	11074 B.251080	Pipe, air, frame 33 to frame 26 (Mod. 1057)					1	DTD.253	C.	NB.1
	11075 A.251082	Pipe, link (Mod. 1057)					2	—	C.	NB.1
	5075 B.200688	Pipe, pressure, branch					1	DTD.253	C.	NB.1
	5076 C.201107	Pipe, vent, branch to connection at atmosphere					1	DTD.253	B.	
	5087 C.200374	Pipe, fuel transfer, connector to rear tank, port					1	DTD.253	B.	NB.1
	5088 C.200375	Pipe, fuel transfer, connector to rear tank, starboard					1	DTD.253	B.	NB.1
	8549 B.218179	Pipe, pressure (B.201109), lagged, branch from					1	—	B.	NB.1
		filter (Mod. 591)								
	5092 D.201248	Pipe, fuel transfer N.R. valve to front tank, port					1	DTD.253	B.	NB.1
	5093 D.201249	Pipe, fuel transfer, non-return valve to front tank,					1	DTD.253	B.	NB.1
		starboard								

SERVICES - FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
8551	B.218191	Pipe	pressure (B.201042/7 lagged), filter to pressure	...	reducing valve, port (Mod. 591)		1	-	B.	
8550	B.218190	Pipe	pressure (B.201042/8 lagged), filter to pressure	...	reducing valve, starboard (Mod. 591)		1	-	B.	NB.1
5098	C.201151	Pipe	refuelling, branch	...			1	DTD.253	B.	NB.1
8522	F.216519	Pipe	vent extension (Mod. 543)	...			1	-	C.	
8387	B.213220	Pipe	metallic hose to connection	...	(For use with ECU.12201)		1	DTD.253	C.	
1103	C.188051/5	Pipe	transfer, rear tank to non-return valve, port	...			1	DTD.253	C.	NB.1
1104	C.188051/6	Pipe	transfer, rear tank to non-return valve, starboard	...			1	DTD.253	C.	NB.1
1108	C.188051/10	Pipe	engine supply, flexible connection to flexible	...	connection		1	DTD.253	C.	NB.1
1112	C.188051/13	Pipe	engine supply rear spar to L.H. fuel cock	...			1	DTD.253	C.	NB.1
4959	C.188051/18	Pipe	engine supply, connection to rear spar	...			1	DTD.253	C.	NB.1
1114	B.188908/1	Pipe	drain, tank pump to drain valve, port	...			1	DTD.253	C.	NB.1
1116	B.188908/3	Pipe	drain, transfer pipe to drain valve, port	...			1	DTD.253	C.	NB.1
1117	B.188908/4	Pipe	drain transfer pipe to drain valve, starboard	...			1	DTD.253	C.	NB.1
8143	B.188908/5	Pipe	drain, rear tank, port	...			1	T.9	C.	
8144	B.188908/6	Pipe	drain, rear tank, starboard	...			1	T.9	C.	
1118	B.188908/7	Pipe	drain, for tank pump, port	...			1	T.9	C.	NB.1
1119	B.188908/8	Pipe	drain, for tank pump, starboard	...			1	T.9	C.	NB.1
†	B.188908/10	Pipe	pressure switch balance port	...			1	DTD.253		NB.1
†	B.188908/11	Pipe	pressure, switch balance, starboard	...			1	DTD.253		NB.1
6089	B.188908/12	Pipe	drain, tank pump to drain, valve, starboard	...			1	DTD.253	C.	NB.1
†	B.188908/15	Pipe	pressure, switch balance (Mod. 252)	...			1	DTD.253		
5086	B.200361/12	Pipe	pressure, relief valve to branch, starboard	...			1	DTD.253	C.	
5085	B.200361/15	Pipe	pressure, relief valve to branch, port	...			1	DTD.253	C.	NB.1
5094	B.201042/1	Pipe	pressure, connection to branch	...			1	DTD.253	C.	NB.1
11076	A.251081	Pipe	branch to filter (Mod. 1057)	...			1	-	C.	NB.1
6176	B.201042/9	Pipe	fuel, reducing valve non-return valve, port	...	(Mod. 352)		1	DTD.253	C.	
6177	B.201042/10	Pipe	fuel reducing valve to non-return valve, starboard	...	(Mod. 352)		1	DTD.253	C.	
6180	B.201042/11	Pipe	balance pressure reducing valve to tee-piece, port	...	(Mod. 352)		1	DTD.253	C.	
6181	B.201042/12	Pipe	balance pressure reducing valve to tee-piece,	...	starboard (Mod. 352)		1	DTD.253	C.	
6182	B.201042/13	Pipe	drain tee-piece to boss (Mod. 352)	...			1	DTD.253	C.	
†	B.201059/1	Pipe	balance, tee-piece to pressure relief valve, port	...			1	DTD.253		NB.1
†	B.201059/2	Pipe	balance tee-piece to pressure relief valve,	...	starboard		1	DTD.253		NB.1
†	B.201059/3	Pipe	balance tee-piece to refuelling branch pipe	...			1	DTD.253		NB.1
8119	A.212212/1	Pipe	connection to union (Mod. 374)	...			1	DTD.253	C.	NB.1
8120	A.212212/2	Pipe	union to pressure switch (Mod. 347)	...			1	DTD.253	C.	NB.1
8121	A.212212/3	Pipe	connection to union (Mod. 374)	...			1	DTD.253	C.	NB.1
8122	A.212212/4	Pipe	union to pressure switch (Mod. 374)	...			1	DTD.253	C.	NB.1
1089	A.186267	Plate	cover, transfer pipe connection	...			2	DTD.610	C.	NB.3
10	5UE/4412534	SPE.1007 Mk. 3	Pump, fuel booster (Mod. 1103)	...			2	-	A.	
10	5UE/4412534	SPE.1007 Mk. 2	Pump, fuel booster (Mod. SPE.123) (Pre Mod. 1103)	...			2	-	A.	
	5099	F.192028	Ring; sealing at vapour release connection	...			2	Rubber	C.	
10	27QA/4534526	Dowty	Ring; sealing "O" type	...			5	-	C.	NB.1
	GD.1308/1									
10	27QA/4534527	Dowty	Ring; sealing "O" type	...			2	-	C.	
	GD.1308/2									
10	27QA/4534547	Dowty	Ring; sealing "O" type	...			1	-	C.	
	GD.1309/25									
10	27QA/4534548	Dowty	Ring; sealing at engine fuel inlet	...			1	-	C.	
	GD.1309/26									
10	27QA/4534549	Dowty	Ring; sealing	...			5	-	C.	NB.1
	GD.1309/27									

† For details see Piping Chart

SERVICES—FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
10	1132	F.173506	Screw, sealing, for tank retaining nuts	16	L.168	C.
10	27QA/8013728	Dowty	Seal, bonded:	12	—	C.
		GD.1307/3				
10	27QA/8814514	Dowty	Seal, bonded:	4	—	C.
		GD.1307/BB				
10	27QA/8817064	Dowty	Seal, bonded:	2	—	C.
		GD.1307/J				NB.1
	8037	A.206121	Sleeve (Mod. 138)	2	L.65.C	B.
10	27FR/4692803	Flight Refuelling	Sleeve, screwed	4	—	C.
		A.1111080				
10	6A/4332846	—	Switch, pressure Mk. 1E* (Mod. 252)	1	—	B.
10	5CW/4405069	Thermal Control	Switch, pressure (Mod. 374)	2	—	A.
		TP.5266/1				
		D.201703	TANKS, FORWARD INSTALLATION, ASSEMBLY	—	—	
10	6A/4337724	Smiths J.U.7	Box, terminal, contents gauge (Mod. 238)	2	—	B.
10	5101	B.190833	Connection, vapour release	2	L.168	C.
10	1186	B.181004	Connection, vent	2	L.168	C.
10	2144	Std.1231/3	Lug, locking	1	S.610	C.
	1127	F.181002	Plate, locking	4	DTD.610	C.
	1124	A.169270	Plate, mounting, refuelling valve	2	DTD.610	C.
10	1125	F.170684	Piece, distance	8	L.168	C.
	5CW/4642	Smiths 1696FG	Switch, fuel level	2	—	A.
	—	—	Tanks (See section "Q")	—	—	—
10	9647	F.226366	Washer, sealing	2	22L.72/33/ 2/HG.34.H	C.
10	9648	F.226367	Washer, sealing	2	22L.72/33/ 2/HG.34.H	C.
	1126	F.170685	Washer	8	DTD.610	C.
		D.200071	TANKS, CENTRE INSTALLATION, ASSEMBLY	—	—	
10	6A/4337724	Smiths J.U.7	Box, terminal, contents gauge (Mod. 238)	2	—	B.
	3756	Std.850/27	Clip, 7/16" wide x 22 S.W.G. x 2.7" long	2	DTD.610	MR/C
10	2144	Std.1231/3	Lug, locking	4	S.510	C.
	5389	F.200072	Plate, blanking	2	L.72	C.
	—	—	Tanks (See section "O")	—	—	—
	8189	A.217428	Valve, suction relief group (Mod. 566)	2	—	C.
10	6200	F.209640	Collar	1	L.168	C.
	1882	F.195019	Plug	1	—	C.
10	27QA/4534422	Dowty	Seal	1	—	C.
		GD.1307/6				
	6199	F.209155	Spring	1	—	C.
10	7050	F.215727	Valve	1	L.168	C.

SERVICES - FUEL SYSTEM CENTRE FUSELAGE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
	9853	F.233349				Washer, sealing at transfer head	2	DTD.1177 & L.72	C.	NB.3
	9854	F.233350				Washer, sealing outer for suction relief valve	2	DTD.1177 & L.72	C.	NB.2
10	11067	Std.1509/12/040				Tube, distance, 1/4" o/d x 20 S.W.G. x 0.40" long	4	T.4		4
		Std.1509/23/020				Tube, distance, 5/16" o/d x 17 S.W.G. x 0.20"	1	T.4		4
		Std.1509/23/050				Tube	4	T.4	C.	4
		Std.1509/24/022				Tube, distance, 3/8" o/d x 17 S.W.G. x 0.22" long	1	T.4		4
	1090	F.173383				Union, reducing	2	L.168	C.	NB.3
10	5UE/6408297	SPE/BP.26				Valve, inverted flight Mk. 2	2	-	A.	
10	5UE/4407065	Self Priming Pump SPE.11645				Gasket, base plate to pump	1	-	C.	
10	5UE/4407053	Self Priming Pump SPE.10306				Gasket, pump to inverted flight valve	1		C.	
10	1071	A.186567				Valve, non-return, group	2	-	B.	NB.2
	2144	Std.1231/3				Lug, locking	1	S.510	C.	4
	1072	F.185048				Pin	1	L.168	C.	NB.2
	1076	F.186616				Screw	10	-	C.	NB.2
	1073	F.171937				Spring	1	-	C.	NB.2
	1074	A.186567/A				Valve, hinge group, consisting of	1	-	C.	NB.2
10		F.185046				Hinge	1	DTD.610		
		F.185047				Valve	1	L.168		
		F.186594				Washer	1	DTD.610		
	1075	F.185049				Washer, sealing	1	Klingerit	C.	NB.2
10	27FS/1455562	Saunders 708AA/258				Valve, non-return (Mod. 1325)	3	-	A.	
	5103	B.199535*				Valve, pressure relief (Pre Mod. 471)	2	-	A.	
	6981	B.214443*				Valve, pressure relief (Mod. 471) (Pre Mod. 694)	2	-	A.	NB.3
	9713	B.225865				Valve, pressure relief (Mod. 694)	2	-	A.	
		C.190832				Valve, vapour release, group	2	-		
	11832	C.266331				Valve, vapour release, group (Mod. 1263)	2	-	A.	NB.3
		A.190835				Float, group	1	-		
	5406	F.190839				Float	1	Cork	MR/C	NB.3
		Std.914/T10				Washer	1	DTD.610		4
		F.190841				Pin	1	S.80.8		
	5408	F.191984				Seal	1	Rubber	MR/C	NB.3
	5409	F.204291				Spring	1	-	MR/C	NB.3
	7973	F.215242				Valve	1	-	MR/C	NB.3
	27F/2366	Flight Refuelling C.1112000/3				Valve, refuelling, Mk. 12	4	-	A.	
	8583	B.218149				Valve, pressure reducing (Hymatic CS.51642 lagged) (Mod. 591)	2	-	A.	NB.1


SERVICES — FUEL SYSTEM CENTRE FUSELAGE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	8137 B.217334	Valve, suction and pressure relief group (Mod. 465)					2	—	A.	NB.2
10	428 F.184477	Adjuster, valve					1	L.168	C.	NB.2
10	429 A.184476	Cap, valve					1	L.168	C.	NB.2
10	430 F.184480	Collar					1	L.168	C.	NB.2
10	6200 F.209640	Collar					1	L.168	C.	NB.2
10	1882 F.195019	Plug					2	L.168	C.	NB.2
10	431 A.184478	Ring, cap					1	L.168	C.	NB.2
10	27QA/4534417 Dowty	Ring, sealing					1	—	C.	
	GD.1288									
10	27QA/4534531 Dowty	Ring, sealing, "O" type					1	—	C.	
	GD.1308/8									
	432 F.184482	Screw					6	—	C.	NB.2
10	27QA/4534422 Dowty	Seal, bonded					2	—	C.	
	GD.1307/6									
10	27QA/4534424 Dowty	Seal, bonded					1	—	C.	NB.2
	GD.1307/23									
10	434 F.184473	Seat, valve					1	L.168	C.	NB.2
	1068 F.185613	Spring					1	DTD.239	C.	NB.2
	6199 F.209155	Spring					1	—	C.	NB.2
10	441 A.184484	Valve					1	L.168	C.	NB.2
	7050 F.215727	Valve					1	L.168	C.	NB.2
	4666 F.201931	Washer					1	DTD.610	C.	NB.2
	9656 A.226376	Washer, sealing, at refuelling valve					4	DTD.117 & L.72	C.	NB.2
	9649 F.226368	Washer, sealing, transfer pipe to tank					2	DTD.1177 & L.72	C.	NB.3
	Std.1547/26/16	Washer, profile					2	DTD.610		4
	9658 A.226378	Washer, sealing, at cover plate					2	DTD.1177 & L.72	C.	NB.3
10	10144 F.234309	Washer, at refuelling valve					4	E.75 or DTD.000	C.	NB.2
	446 F.186084	Washer, sealing, for vent pipe outlet					2	Klingerit	C.	NB.3
	9852 F.233348	Washer, sealing, for transfer pipe					2	DTD.1177 & L.72	C.	NB.3
	9853 F.233349	Washer, sealing, for transfer pipe					2	DTD.1177 & L.72	C.	NB.3

SERVICES - FUEL SYSTEM CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	8.208248	WING FUSELAGE CONNECTIONS, ASSEMBLY					—	—		
8131	F.207610	Bolt, special, for branch pipes					12	—	C.	
421	A.185593	Clamp, pipe connection, group					2	—	B.	NB.1
2723	F.184931	Bolt, eye					1	S.94.B	C.	NB.1
6526	F.213079	Nut, special					1	S.95	C.	NB.1
2724	F.185592	Washer					1	DTD.364	C.	NB.1
5059	A.186451	Clamp, pipe connection, group					2	—	B.	
2723	F.184931	Bolt, eye					1	S.94.B	C.	NB.1
6526	F.213079	Nut, special					1	S.95	C.	NB.1
2724	F.185592	Washer					1	DTD.364	C.	NB.1
10 27FR/1056586	Flight Refuelling FRS.110J	Connector, pipe 1-1/4" B.S.P.					2	—	B.	
10 27FR/1056588	Flight Refuelling FRS.110L	Connector, pipe 1-3/4" B.S.P.					4	—	B.	
5089	B.200335	Pipe, fuel, transfer, branch port (Pre Mod. 329)					1	DTD.253	C.	
5090	B.200336	Pipe, fuel, transfer, branch starboard (Pre Mod. 329)					1	DTD.253	C.	
6162	B.209227	Pipe, fuel, transfer, branch port (Mod. 329)					1	DTD.253	C.	NB.1
6163	B.209228	Pipe, fuel, transfer, branch starboard (Mod. 329)					1	DTD.253	C.	NB.1
6094	A.208096	Pipe, stub, port and starboard (Mod. 329)					2	—		NB.1
5077	B.200361/1	Pipe, fuel transfer, port					1	DTD.253	C.	NB.1
5078	B.200361/2	Pipe, fuel transfer, starboard					1	DTD.253	C.	
5079	B.200361/3	Pipe, fuel transfer, branch to R.V., port					1	DTD.253	C.	
		(Pre Mod. 329)								
5080	B.200361/4	Pipe, fuel transfer, branch to R.V., starboard					1	DTD.253	C.	
		(Pre Mod. 329)								
5083	B.200361/9	Pipe, pressure, connection to connection, port					1	DTD.253	C.	NB.1
5084	B.200361/10	Pipe, pressure, connection to connection, starboard					1	DTD.253	C.	
6164	B.200361/16	Pipe, branch to relief valve, starboard (Mod. 329)					1	DTD.253	C.	
6165	B.200361/17	Pipe, branch to relief valve, port (Mod. 329)					1	DTD.253	C.	NB.1
10 27QA/4534527	Dowty GD.1308/2	Ring, sealing					4	—	C.	
10 27QA/4534545	Dowty GD.1309/21	Ring, sealing					2	—	C.	
1706	Std.1703/6/C	Screw					8	S.95.B	C.	5
5105	B.199293	Valve, refuelling, pressure relief group (Pre Mod. 557)					2	—	B.	
5411	F.199356	Spring					1	Steel	MR/C	
	F.199296	Valve, assembly					1	—		
10 20278	F.199297	Washer					1	L.168	C.	
8129	B.211551	Valve, refuelling pressure relief group (Mod. 557)					2	—	B.	
8186	F.209643	Spring					1	DTD.239	C.	
	F.199296	Valve, assembly					1	—		
10 20278	F.199297	Washer					1	L.168	C.	









This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

R-Type Mk2
pressure breathing
mask

R-Type mask
used on Dominie
by RAF until 2011
© 2011 Scott Bouch