

RESTRICTED

Hunter GA. Mk. 11

Page PB.1

TAIL UNIT - FIN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
67	D.183036	FIN GROUP					1	—	A.	PB.1
		(Complementary parts, e.g., inter component attachments are listed on Page PE.1 and will not be supplied with the assembly spare)								
	F.202220	Angle, for spring anchorage					1	L.72		
2945	F.193205	Angle					2	DTD.610	MR/C	PB.1
2930	A.185164	Angle, skin support, at lower diaphragm, port					1	DTD.610	MR/C	PB.2
2931	A.185165	Angle, skin support, at lower diaphragm, starboard					1	DTD.610	MR/C	PB.2
2932	F.183048	Angle, shroud attachment to rib "G"					1	DTD.610	MR/C	PB.1
2933	F.183050	Angle, shroud attachment to rib "H"					1	DTD.610	MR/C	PB.1
2934	B.186835	Angle, support, at detachable tip, port					1	DTD.610	MR/C	PB.2
2935	B.186836	Angle, support, at detachable tip, starboard					1	DTD.610	MR/C	PB.2
2A/9500442	BAM.1/2	Bearing, lower hinge					1	—	C.	
2A/9500466	BAA.5/16.B	Bearing, upper hinge					1	—	C.	
1602	F.192389	Bolt, lower hinge bearing					1	S.94.B	C.	PB.1
2946	F.193206	Bracket, mounting					1	DTD.610	MR/C	PB.1
	A.184161	BRACKET, RUDDER CONTROL, UPPER,					—	—		
		ASSEMBLY								
2936	B.184158	Bracket, starboard					1	DTD.610	MR/C	PB.2
2937	B.184159	Bracket, port					1	DTD.610	MR/C	PB.2
2938	F.184160	Stiffener					1	DTD.610	MR/C	PB.2
2939	A.183547	Bracket, rudder control, lower port					1	S.3	MR/C	PB.2
2940	A.183548	Bracket, rudder control, lower starboard					1	S.3	MR/C	PB.2
3741	Std.840/20	Clip, duct attachment, 7/16" wide x 22 s.w.g. x 2" long					1	DTD.610	C.	4
3738	Std.840/29	Clip, for duct, upper, 7/16" wide x 22 s.w.g. x 2.9" long					1	DTD.610	MR/C	4
3742	Std.840/37	Clip, for duct, lower, 7/16" wide x 22 s.w.g. x 3.7" long					1	DTD.610	MR/C	4
—	C.171698	CONTROLS, FLYING (See Section "D")					—	—	—	
	A.185944	Duct, electrical cable					1	L.54		
	F.193403	Duct, for aerial connection, upper					1	L.54		
	A.193404	Duct, for aerial connection, lower					1	L.54		
2941	A.185201	Diaphragm, at tail rib "D"					1	DTD.610	MR/C	PB.2

RESTRICTED

RESTRICTED

TAIL UNIT - FIN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
2942	A.188102	Diaphragm, at detachable portion					1	DTD.610	MR/C	PB.2
2943	B.186111	Diaphragm, at rear access panel					1	DTD.610	MR/C	PB.2
-	D.195638	ELECTRICAL INSTALLATION					-	-	-	-
		(For details, see section E)								
	A.184946	Diaphragm, lower					1	DTD.610		
2944	A.186895	End, tip					1	L.53	MR/C	PB.2
	B.183103	Extension, rear spar					1	DTD.610		
193	C.186356	Fin, detachable portion					1	DTD.610	B.	PB.1
	C.172170	Former, front					1	DTD.610		
	F.183345	HINGE, TOP, ASSEMBLY					-	-		
2948	B.183142	Bracket, upper					1	DTD.610	MR/C	PB.2
2949	B.183143	Bracket, lower					1	DTD.610	MR/C	PB.2
2950	A.177845	Hinge					1	-	MR/C	PB.1
	F.183358	HINGE, BOTTOM, ASSEMBLY					-	-		
2951	F.182991	Angle, bottom					1	DTD.610	MR/C	PB.1
2952	A.172196	Fitting, hinge					1	-	MR/C	PB.1
2953	F.182992	Stop					1	LFS.21	MR/C	PB.1
2954	B.182990	Rib, tail "D.1"					1	DTD.610	MR/C	PB.2
2955	B.183260	Rib, tail "E"					1	DTD.610	MR/C	PB.2
4035	Std.1509/23/112	Tube, distance, 5/16" o/d x 17 s.w.g. x 1.12" long ...					7	T.4	MR/C	4
3815	Std.1547/20/14	Washer, profile					2	DTD.610	MR/C	4
	B.184334	PANEL, ACCESS, ASSEMBLY					-	-		
1603	Std.1700/1C	Bolt					10	S.95.8	C.	5
2956	B.184094	Landing, port					1	DTD.610	MR/C	PB.1
2957	B.184095	Landing, starboard					1	DTD.610	MR/C	PB.1
191	B.183993	Panel, access to rudder controls, port					1	DTD.610	C.	PB.1
192	B.183994	Panel, access to rudder control, starboard					1	DTD.610	C.	PB.1
	C.186441	PANEL, REAR ACCESS, ASSEMBLY					-	-		
1603	Std.1700/1C	Bolt					15	S.95.8	C.	5
2958	C.186293	Landing					1	DTD.610	MR/C	PB.1
190	B.186322	Panel, access					1	DTD.610	C.	PB.1
2959	A.183897	Plate, cover, rib "A"					1	DTD.610	MR/C	PB.2
2947	F.193204	Plate, stud					1	S.3	MR/C	PB.1
2960	D.184098	Rib, interspar, "A", group					1	-	MR/B	PB.2
	F.183929	Angle, forward and intermediate					1	DTD.364		
	F.183930	Angle, rear					2	DTD.364		
	D.184098/3	Boom, port					1	DTD.364		
	D.184098/2	Boom, starboard					1	DTD.364		
	B.172194	Fitting, attachment, rear, port					1	Stamping		
	B.172195	Fitting, attachment, rear, starboard					1	Stamping		
	B.172193	Fitting, attachment, forward					2	Stamping		
	A.172211	Fitting, tie, aft					1	DTD.364		
	A.172208	Fitting, tie, forward					1	DTD.364		

RESTRICTED

RESTRICTED

Hunter GA. Mk. 11
Issued with A/L No. 7

Page PB.3

TAIL UNIT - FIN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
2961	B.183362	Rib, interspar "B"					1	DTD.610	MR/C	PB.2
2962	B.183363	Rib, interspar "C"					1	DTD.610	MR/C	PB.2
2963	B.183364	Rib, interspar "D"					1	DTD.610	MR/C	PB.2
2964	B.183365	Rib, interspar "D1"					1	DTD.610	MR/C	PB.2
2965	B.183366	Rib, interspar "E"					1	DTD.610	MR/C	PB.2
2966	B.184543	Rib, interspar "E1"					1	-	MR/C	PB.2
2967	B.183368	Rib, interspar "F"					1	DTD.610	MR/C	PB.2
2968	B.183369	Rib, interspar "G"					1	DTD.610	MR/C	PB.2
2969	B.183370	Rib, interspar "H"					1	DTD.610	MR/C	PB.2
2970	B.183035	Rib, top interspar					1	DTD.610	MR/C	PB.2
2971	B.183579	Rib, nose "B"					1	DTD.610	MR/C	PB.2
2972	B.183580	Rib, nose "C"					1	DTD.610	MR/C	PB.2
2973	B.183581	Rib, nose "D"					1	DTD.610	MR/C	PB.2
2974	B.183582	Rib, nose "E"					1	DTD.610	MR/C	PB.2
2975	B.183583	Rib, nose "F"					1	DTD.610	MR/C	PB.2
2976	B.183584	Rib, nose "G"					1	DTD.610	MR/C	PB.2
2977	B.183148	Rib, nose "H"					1	-	MR/C	PB.2
2978	C.183034	Rib, top, at detachable tip					1	DTD.610	MR/C	PB.2
2979	C.185845	Rib, bottom					1	DTD.610	MR/C	PB.2
2980	B.182978	Rib, tail "D"					1	DTD.610	MR/C	PB.2
2981	B.183283	Rib, tail "E1"					1	DTD.610	MR/C	PB.2
2982	B.182995	Rib, tail "F"					1	DTD.610	MR/C	PB.2
2983	B.182998	Rib, tail "G"					1	DTD.610	MR/C	PB.2
2984	B.182999	Rib, tail "H"					1	DTD.610	MR/C	PB.2
2985	A.183037	Rib, tail "J"					1	DTD.610	MR/C	PB.2
2986	B.185416	Rib, lower, between rear spar and diaphragm					1	DTD.610	MR/C	PB.2
3779	Std.1356/15	Shim, lower hinge bearing					2	Lam. Al.	MR/C	4
3778	Std.1356/13	Shim, upper hinge bearing					2	Lam. Al.	MR/C	4
2987	B.183216	Shroud, below rib "D"					1	DTD.610	MR/C	PB.2
2988	B.183040	Shroud, between tail ribs "D" and "D1"					1	DTD.610	MR/C	PB.2
2989	B.183042	Shroud, between tail ribs "F" and "G"					1	DTD.610	MR/C	PB.2
2990	B.183043	Shroud, between tail ribs "G" and "H"					1	DTD.610	MR/C	PB.2
2991	B.183044	Shroud, between tail ribs "H" and top rib					1	DTD.610	MR/C	PB.2
2992	B.183045	Shroud, between top rib and tail rib "J"					1	DTD.610	MR/C	PB.2
2993	B.183229	Shroud, top					1	DTD.610	MR/C	PB.2
	D.323428	Spar, front					1	DTD.610		
	D.323429	Spar, rear					1	DTD.610		
2994	F.183820	Stiffener, between tail ribs "D" and "D1"					1	DTD.610	MR/C	PB.2
2995	A.183822	Stiffener, starboard					1	DTD.364	MR/C	PB.2
2996	A.183823	Stiffener, port					1	DTD.364	MR/C	PB.2
2997	F.183835	Stiffener					1	DTD.364	MR/C	PB.2
2998	F.183821	Stiffener, skin, tip portion					1	DTD.364	MR/C	PB.2
2999	D.183036/2	Skin, main, port					1	DTD.610	MR/B	PB.1
3000	D.183036/3	Skin, main, starboard					1	DTD.610	MR/B	PB.1
1865	D.183036/1	Skin, nose					1	DTD.610	B.	PB.1

7
7

RESTRICTED

RESTRICTED

Page PB.4

Hunter GA. Mk. 11

TAIL UNIT - FIN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
3001	D.183036/4	Skin tip, port					1	DTD.610	C.	PB.1
3002	D.183036/5	Skin tip, starboard					1	DTD.610	C.	PB.1
	B.186606	SLINGING, ATTACHMENT, ASSEMBLY					-	-		
	A.186592	Tube, slinging					1	-		
4892	D.204063	Tip, detachable (Mod. 158)					1	Lam. Paper	B.	PB.1
1506460	F.195139	Washer, special, lower hinge bearing					2	S.1 or S.3	C.	
3769	Std.915/G12	Washer, upper hinge bearing					2	DTD.610	MR/C	4

RESTRICTED


Hunter GA. Mk. 11


Page PB.5

TAIL UNIT - FIN

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
28D/1010658	A.25.1.B	Bolt	4	B.A.			-	-	-	
28D/9436920	A.25.1.C	Bolt	2	B.A.			-	-	-	
28D/9133011	A.25.2.C	Bolt	2	B.A.			-	-	-	
28D/12533	A.25.5.C	Bolt	2	B.A.			-	-	-	
28D/1011021	A.25.16.C	Bolt	2	B.A.			-	-	-	
28D/1011242	A.25.7.E	Bolt	1/4"	B.S.F.			-	-	-	
28D/1010031	A.25.8.E	Bolt	1/4"	B.S.F.			-	-	-	
28D/1011260	A.30.12.G	Bolt	5/16"	B.S.F.			-	-	-	
28D/1007975	AS.1242/1C	Bolt	2	B.A.			-	-	-	
28M/10327	AGS.2002/B1	Nut	4	B.A.			-	-	-	
28M/10328	AGS.2002/C1	Nut	2	B.A.			-	-	-	
28M/9435067	AGS.2008/C1	Nut	2	B.A.			-	-	-	
28M/753	A.16Y/CT	Nut	2	B.A.			-	-	-	
28M/776	A.16Y/ET	Nut	1/4"	B.S.F.			-	-	-	
28M/9403520	A.27.CP	Nut	2	B.A.			-	-	-	
28M/13122	A.27.GS	Nut	5/16"	B.S.F.			-	-	-	
28M/7727	AGS.572/E	Nut	1/4"	B.S.F.			-	-	-	
28S/9135205	A.33.C.28	Screw	2	B.A.			-	-	-	
28W/9419474	SP.15B	Washer	4	B.A.			-	-	-	
28W/9419475	SP.15C	Washer	2	B.A.			-	-	-	
28W/9419476	SP.15G	Washer	5/16"	B.S.F.			-	-	-	
28W/9419477	SP.15J	Washer	3/8"	B.S.F.			-	-	-	
28W/9419404	SP.16C	Washer	2	B.A.			-	-	-	
28W/9419487	SP.16E	Washer	1/4"	B.S.F.			-	-	-	

RESTRICTED





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

