


TAIL UNIT - COMPLEMENTARY PARTS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	D.186469	TAIL UNIT ASSEMBLY					-	-		
		ELEVATOR ATTACHMENT								
	598 F.186639	Bolt, special, interconnection					1	S.99.8	C.	PE.1
	3833 Std.1553/E55	Bolt, for lever, flying tail linkage (Mod. 390)					2	S.99.8	MR/C	PE.1
	9133 Std.1553/E135	Bolt, for lever, flying tail linkage (Mod. 390)					1	S.99.8	C.	PE.1
	7933 B.211413	Lever, flying tail linkage (Mod. 390)					1	-	B.	PE.1
	28M/1011467 A.27.E.S.	Nut					15	-	C.	
10	28M/5808571 A.27.G.S.	Nut					4	-	C.	
10	28P/9527619 SP.90.C.7	Split pin					16	-	C.	
	F.212045	Spacer, for lever, flying tail linkage (Mod. 390)					2	L.65.C		PE.1
	28W/9418920 SP.10.E	Washer					4	-	C.	
	28W/9419405 SP.15.E	Washer					12	-	C.	
	28W/9419476 SP.15.G	Washer					4	-	C.	
	28W/9419487 SP.16.E	Washer					3	-	C.	
		FIN ATTACHMENT								
	601 F.186235	Bolt, special, front					2	S.97	C.	PE.1
	602 F.186236	Bolt, special, rear					2	S.97	C.	PE.1
	28M/9129449 A.27.L.S	Nut					4	-	C.	
	28W/9419478 SP.15.L	Washer					4	-	C.	
	28P/9429652 SP.9.E.10	Split pin					4	-	C.	
		RUDDER ATTACHMENT								
	28P/9130722 SP.4.Y.B.2	Pin					1	-	C.	
	4868 F.203094	Shackle					1	S.3 & T.26	C.	PE.1
	4499 F.202221	Spring					1	HTS Wire	C.	PE.1
10	28P/9527619 SP.90.C.7	Split pin					4	-	C.	
	28P/19225 SP.90.C.3	Split pin					1	-	C.	
	28W/9419475 SP.15/C	Washer					1	-	C.	
		TAIL PLANE ATTACHMENT								
	605‡ C.186046/1	Fairing, top portion, port (with trimming allowance) ...					1	DTD.610	C.	PE.1
	606‡ C.186047/1	Fairing, top portion, starboard (with trimming allowance)					1	DTD.610	C.	PE.1
	3957‡ C.186046/2*	Fairing, bottom portion, port (with trimming allowance) (Pre AS.900/20)					1	DTD.610	C.	
	3958‡ C.186047/2*	Fairing, bottom portion, starboard (with trimming allowance) (Pre AS.900/20)					1	DTD.610	C.	
	10162‡ C.186046/3	Fairing, bottom portion, port (with trimming allowance) (AS.900/20)					1	DTD.610	C.	PE.1
	10163‡ C.186047/3	Fairing, bottom portion, starboard (with trimming allowance) (AS.900/20)					1	DTD.610	C.	PE.1
	28D/1007975 AS.1242/1C	Bolt					88	-	C.	
	28D/1013284 AS.1248.2C	Bolt					2	-	C.	
	10033‡ D.234927	Fairing, bullet, aft of fin (with trimming allowance) (Mod. 841)					1	DTD.610	B.	PE.1
	B.197910	LIGHT, TAIL, NAVIGATION, ASSEMBLY					-	-		
	-	Cable, assembly (See Cable Chart)					-	-		
	1746 A.192785	Fairing, tail light					1	DTD.339B	C.	PE.1
	5A/3107 -	Holder, lamp, batten type (Alt. to F.310740)					1	-	B.	
	F.310740	Holder, lamp (Alt. to 5A/3107)					1	-		
	1747 B.188346	Panel, access to flying controls and tail plane lever					1	DTD.510	C.	PE.1
	10029‡ A.234813	Panel, access, for tail plane and elevator removal, port (with trimming allowance) (Mod. 841)					1	DTD.610	C.	PE.1
	10030‡ A.234814	Panel, access, for tail plane and elevator removal, starboard (with trimming allowance) (Mod. 841)					1	DTD.610	C.	PE.1
	1706 Std.1703/6C	Screw					36	S.95.8	C.	PE.1





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.