

SERVICES

HYDRAULICS, BRAKE SYSTEM

Issued with A.L. No. 8

G.A. OF HYDRAULICS (1873/1A and 1873/1A/UN)		—	—	—	—
Spares for :—					
BRAKE SYSTEM ASSY, MAXARET (1873/2035A and 2035A/UN)		—	—	—	—
Spares for :—					
BRAKE SYSTEM ASSY, COCKPIT (1873/2037A and 2037A/UN)		—	—	—	—
Spares for :—					
8007	1873 3129A	CABLE assy, parking brake (Mod. 131)	...	1	— MR/C PB.1
7296	1881,1661A	CLEAT assy	...	1	— MR/C PB.1
7295	1881/1661A/UN	CLEAT assy	...	1	— MR/C —
Spares for :—					
6860	FOS.8/8	CLEAT	...	1	— MR/C —
28M/13774	AGS.2019-B1	NUT, anchor	...	1	— C —
28M/9438470	A.158-B	NUT, anchor	...	1	— C —
3761	1873/2943A	FAIRLEAD assy	...	1	— MR/C PB.1
Attachment parts for 1873,2043A :—					
28D/7002428	A.25-6C	Bolt	...	2	— C —
28DU/9419568	A.102-6D	Bolt	...	2	— C —
28M/10328	AGS.2002-C1	Nut	...	2	— C —
6956	FOS.40/4	Nut	...	2	— MR/C —
28W/9419404	SP.16-C	Washer	...	2	— C —
28W/17551	SP.125-D	Washer	...	2	— C —
5K/9453964	SP.40-A.22	GROMMET	...	2	— C —
6271	1873 2379	GUARD, cable	...	1	— MR/C PB.1
6268	1873 2367	GUARD, cable, parking brake	...	1	— MR/C PB.1
Attachment parts for 1873,2367 :—					
6878	FOS.18/3	Bolt	...	1	— MR/C —
6988	FOS.53/2	Bolt	...	1	— MR/C —
—	AS.2810/4/025	Piece, distance	...	1	— MR/LM —
28W/9419474	SP.15-B	Washer	...	1	— C —
28W/17542	SP.124-B	Washer	...	1	— C —
4098	1873 2345A	MOUNTING, pulley and grease body assy	...	1	— MR/C PB.1
6269	1873 2345A/UN	MOUNTING, pulley and grease body assy	...	1	— MR/C —
Spares for :—					
4099	1873 2349A	BODY assy, grease	...	1	— MR/C PB.1
6270	1873 2349A/UN	BODY assy, grease	...	1	— MR/C —
Spares for :—					
28N/9156370	SP.21	NIPPLE, lubricating	...	1	— C —
28N/9432345	SP.115	NIPPLE, lubricating	...	1	— C —
—	1873,2355A	END assy, fairlead	...	2	— MR PB.1
—	1873,2357	GASKET	...	1	— MR PB.1
—	1873,2351	NUT	...	1	— MR PB.1
2041	1516,497A	PULLEY assy	...	1	— MR/B PB.1
Spares for :—					
2A/9500409	SKF.CBS.0	BEARING, ball	...	1	— C PB.1
Attachment parts for 1516,497A :—					
28DU/7002428	A.25-6C	Bolt	...	1	— C —
28DU/9419568	A.102-6D	Bolt	...	1	— C —
28M/13121	A.27-CS	Nut	...	1	— C —
28M/9419539	A.103-DS	Nut	...	1	— C —
—	AS.2810/4/0125	Piece, distance	...	2	— MR/LM —

SERVICES

HYDRAULICS, BRAKE SYSTEM

Issued with A.L. No. 8

28P/1007741	SP.9-C8	Pin, split	...	...	...	...	1	—	C	—
28W/9419475	SP.15-C	Washer	...	...	...	...	2	—	C	—
28W/17544	SP.124-D	Washer	...	...	...	...	2	—	C	—
—	1873/2359	SPACER	...	...	...	...	1	—	MR	PB.1
4100	1873/2353	WASHER, felt, split	...	...	...	...	8	—	MR/C	PB.1
28F/1013599	AGS.1142A	NIPPLE, adapter	...	...	...	...	2	—	C	—
28F/14528	AGS.1170A	NIPPLE, pipe coupling	...	...	...	...	12	—	C	—
4095	1387/1861A	PIPE assy, from front rudder bar, swivel coupling, starboard brake, to joint, frame 6	...	...	...	...	1	—	MR/C	PB.1
3766	1873 1879A	PIPE assy, from front rudder bar, swivel coupling, starboard brake, to joint, aft, frame 6	...	...	...	...	1	—	MR/C	PB.1
Attachment parts for 1873/1861A and 1873/1879A :—										
28D/9133011	A.25-2C	Bolt	...	...	...	...	1	—	C	—
28DU/9419967	A.102-2D	Bolt	...	...	...	...	1	—	C	—
28D/9133012	A.25-3C	Bolt	...	...	...	...	2	—	C	—
28DU/9419566	A.102-3D	Bolt	...	...	...	...	2	—	C	—
28D/12533	A.25-5C	Bolt	...	...	...	...	1	—	C	—
28DU/9419968	A.102-5D	Bolt	...	...	...	...	1	—	C	—
28E/16949	AGS.2080-3	Clip, pipe	...	...	...	...	4	—	C	—
28E/18410	AGS.2081-3	Clip, pipe	...	...	...	...	4	—	C	—
28M/10328	AGS.2002-C1	Nut	...	...	...	...	4	—	C	—
6956	FOS.40/4	Nut	...	...	...	...	4	—	MR/C	—
—	AS.2811-5-025	Tube, distance	...	...	...	...	1	—	MR/LM	—
28W/9419475	SP.15-C	Washer	...	...	...	...	4	—	C	—
28W/9457834	SP.124-D	Washer	...	...	...	...	4	—	C	—
28W/9419404	SP.16-C	Washer	...	...	...	...	1	—	C	—
28W/17551	SP.125-D	Washer	...	...	...	...	1	—	C	—
4874	1873/2241A	PIPE assy, from joint at frame 9 to swivel coupling, rear rudder bar, starboard brake	...	...	...	...	1	—	MR/C	PB.1
Attachment parts for 1873/2241A :—										
28D/9436920	A.25-1C	Bolt	...	...	...	...	2	—	C	—
28DU/9419565	A.102-1D	Bolt	...	...	...	...	2	—	C	—
28E/16949	AGS.2080-3	Clip, pipe	...	...	...	...	2	—	C	—
28M/10328	AGS.2002/C1	Nut	...	...	...	...	2	—	C	—
6956	FOS.40/4	Nut	...	...	...	...	2	—	MR/C	—
28W/9419475	SP.15-C	Washer	...	...	...	...	2	—	C	—
28W/9457834	SP.124-D	Washer	...	...	...	...	2	—	C	—
4646	1873/2295A	PIPE assy, from frame 12 to joint at seat beam brake	...	...	...	...	1	—	MR/C	PB.1
Attachment parts for 1873/2295A :—										
28D/9436920	A.25-1C	Bolt	...	...	...	...	1	—	C	—
28DU/9419565	A.102-1D	Bolt	...	...	...	...	1	—	C	—
28E/16949	AGS.2080-3	Clip, pipe	...	...	...	...	1	—	C	—
28W/9419475	SP.15-C	Washer	...	...	...	...	1	—	C	—
28W/9457834	SP.124-D	Washer	...	...	...	...	1	—	C	—

HYDRAULICS, BRAKE SYSTEM

Issued with A.L.No. 4

4647	1873/2297 A	PIPE assembly, from joint at seat beam to bulkhead swivel unit, rear port brake ..	1	-	MR/C	PB 1
Attachment parts for 1873/2297 A:-						
28D/9436920	A.25-1C	Bolt	1	-	C	-
28DU/9419565	A.102-1D	Bolt	1	-	C	-
28D/9133011	A.25-2C	Bolt	1	-	C	-
28DU/9419967	A.102-2D	Bolt	1	-	C	-
28E/16949	AGS.2080-3	Clip, pipe	1	-	C	-
28E/18410	AGS.2081-3	Clip, pipe	1	-	C	-
28E/1012876	AS.3181-4C	Clip, 'P'	1	-	C	-
28M/10328	AGS.2002-C1	Nut	1	-	C	-
6956	FOS.40/4	Nut	1	-	MR/C	-
28W/9419475	SP.15-C	Washer	1	-	C	-
28W/17544	SP.124-D	Washer	1	-	C	-
28W/9419404	SP.16-C	Washer	1	-	C	-
28W/17551	SP.125-D	Washer	1	-	C	-
4648	1873/2637 A	PIPE assembly, from joint forward, frame 9C to joint aft, frame 7, port brake ..	1	-	MR/C	PB 1
4649	1873/2639 A	PIPE assembly, from joint forward, frame 9C, to joint aft, frame 7, starboard brake ..	1	-	MR/C	PB 1
Attachment parts for 1873/2637 A and 1873/2639 A:-						
28D/9133011	A.25-2C	Bolt	3	-	C	-
28DU/9419967	A.102-2D	Bolt	3	-	C	-
28D/12533	A.25-5C	Bolt	1	-	C	-
28DU/9419968	A.102-5D	Bolt	1	-	C	-
28E/16949	AGS.2080-3	Clip, pipe	6	-	C	-
28E/18410	AGS.2081-3	Clip, pipe	2	-	C	-
28M/10328	AGS.2002-C1	Nut	1	-	C	-
6956	FOS.40/4	Nut	1	-	MR/C	-
-	AS.2811-5-025	Tube, distance	1	-	MR/LM	-
28W/9419475	SP.15-C	Washer	4	-	C	-
28W/17544	SP.124-D	Washer	4	-	C	-
4666	1873/2641 A	PIPE assembly, from joint aft, seat beam, to joint forward frame 9C, port brake ..	1	-	MR/C	PB 1
4650	1873/2643 A	PIPE assembly, from joint aft, seat beam, to joint forward frame 9C, starboard brake ..	1	-	MR/C	PB 1
Attachment parts for 1873/2641 A and 1873/2643 A:-						
28D/9436920	A.25-1C	Bolt	1	-	C	-
28DU/9419565	A.102-1D	Bolt	1	-	C	-
28D/9133011	A.25-2C	Bolt	1	-	C	-
28DU/9419967	A.102-2D	Bolt	1	-	C	-
3040	1873/1277A	Centre assembly, pipe clip	1	-	MR/C	PB 1
28E/18410	AGS.2081-3	Clip, pipe	2	-	C	-
28E/17142	AS.3181-11C	Clip, 'P'	1	-	C	-
28M/10328	AGS.2002-C1	Nut	2	-	C	-
6956	FOS.40/4	Nut	2	-	MR/C	-
-	AS.2811-3-040	Tube, distance	1	-	MR/LM	-
28W/9419475	SP.15-C	Washer	2	-	C	-
28W/17544	SP.124-D	Washer	2	-	C	-

HYDRAULICS, BRAKE SYSTEM

Issued with A.L.No. 4

4764	1873/2645 A	PIPE assembly, from joint on frame 12 to joint aft, seat beam, port rear brake ..	1	-	MR/C	PB 1
4667	1873/2647 A	PIPE assembly, from joint aft of seat beam to joint aft, frame 9, port rear brake ..	1	-	MR/C	PB 1
		Attachment parts for 1873/2647 A :-				
28D/9133011	A.25-2C	Bolt	2	-	C	-
28DU/9419967	A.102-2D	Bolt	2	-	C	-
28E/16949	AGS.2080-3	Clip, pipe	1	-	C	-
28E/18410	AGS.2081-3	Clip, pipe	1	-	C	-
28M/10328	AGS.2002-C1	Nut	1	-	C	-
6956	FOS.40/4	Nut	1	-	MR/C	-
28W/9419475	SP.15-C	Washer	2	-	C	-
28W/17544	SP.124-D	Washer	2	-	C	-
4882	1873/2649 A	PIPE assembly, from joint on frame 12 to joint aft of seat beam, port brake ..	1	-	MR/C	PB 1
4883	1873/2651 A	PIPE assembly, from joint on frame 12 to joint aft of seat beam, starboard brake ..	1	-	MR/C	PB 1
4884	1873/2697 A	PIPE assembly, from joint aft, frame 7, to joint aft, frame 6, starboard brake ..	1	-	MR/C	PB 1
4885	1873/2699 A	PIPE assembly, from joint aft, frame 7, to joint aft, frame 6, port brake ..	1	-	MR/C	PB 1
		Attachment parts for 1873/2697 A and 1873/2699 A :-				
28D/9133011	A.25-2C	Bolt	1	-	C	-
28DU/9419967	A.102-2D	Bolt	1	-	C	-
28E/16949	AGS.2080-3	Clip, pipe	2	-	C	-
28M/10328	AGS.2002-C1	Nut	1	-	C	-
6956	FOS.40/4	Nut	1	-	MR/C	-
28W/9419475	SP.15-C	Washer	1	-	C	-
28W/17544	SP.124-D	Washer	1	-	C	-
4875	1873/2701 A	PIPE assembly, from joint aft, frame 9, to swivel coupling, rear rudder bar, port brake..	1	-	MR/C	PB 1
		Attachment parts for 1873/2701 A :-				
28D/9436920	A.25-1C	Bolt	2	-	C	-
28DU/9419565	A.102-1D	Bolt	2	-	C	-
28D/12629	A.25-8C	Bolt	1	-	C	-
28DU/9419569	A.102-8D	Bolt	1	-	C	-
3040	1873/1277A	Centre assembly, pipe clip	2	-	MR/C	PB 1
28E/17142	AS.3181-11C	Clip, 'P'	2	-	C	-
5390	1873/2823 A	Fairlead assembly	1	-	MR/C	PB 1
28M/10328	AGS.2002-C1	Nut	1	-	C	-
6956	FOS.40/4	Nut	1	-	MR/C	-
28W/9419475	SP.15-C	Washer	3	-	C	-
28W/17544	SP.124-D	Washer	3	-	C	-

SERVICES

HYDRAULICS, BRAKE SYSTEM

Issued with A.L. No. 8

2041	1516/497A	PULLEY assy	...	...	...	...	3	—	MR/B	PB.1
		Spares for :—								
2A/9500409	SKF.CBS.O	BEARING, ball	...	...	...	...	1	—	C	—
		Attachment parts for 1516/497A :—								
28D/8344	AS.1248-5C	Bolt	...	...	...	...	1	—	C	—
28DU/9419640	A.113-5D	Bolt	...	...	...	...	1	—	C	—
4097	FOS.18/8	Bolt	...	...	...	...	1	—	MR/C	—
6994	FOS.53/10	Bolt	...	...	...	...	1	—	MR/C	—
28M/13121	A.27-CS	Nut	...	...	...	...	1	—	C	—
28M/9419539	A.103-DS	Nut	...	...	...	...	1	—	C	—
28M/9480974	A.105-DS	Nut	...	...	...	...	1	—	C	—
28P/1007741	SP.9-C8	Pin, split	...	...	...	...	2	—	C	—
28W/9419475	SP.15-C	Washer	...	...	...	...	3	—	C	—
28W/9457834	SP.124-D	Washer	...	...	...	...	3	—	C	—
28W/9410404	SP.16-C	Washer	...	...	...	...	1	—	C	—
28W/17551	SP.125-D	Washer	...	...	...	...	1	—	C	—
4096	1873/2065A	PULLEY assy	...	...	...	...	1	—	MR/B	PB.1
		Spares for :—								
2A/9500409	SKF.CBS.O	BEARING, ball	...	...	...	...	1	—	C	—
		Attachment parts for 1873/2065A :—								
4097	FOS.18/8	Bolt	...	...	...	...	1	—	MR/C	—
6994	FOS.53/10	Bolt	...	...	...	...	1	—	MR/C	—
28W/9419475	SP.15-C	Washer	...	...	...	...	1	—	C	—
28W/9457834	SP.124-D	Washer	...	...	...	...	1	—	C	—
		PUMP assy, foot brake and flexible pipe, port (1873/2039A and 2039A/UN)								
		PUMP assy, foot brake and flexible pipe, starboard (1873/2040A and 2040A/UN)								
		Spares for :—								
27VA/	Dunlop	HOSE, flexible	...	...	...	...	1	—	C	—
27VA/6062	2/1212A/700/8/8/13-5 Dunlop ACM.21790	PUMP, foot	...	...	...	...	1	—	—	PB.1
		(For spares see AP.4515C, Vol. 3, Pt. 1)								
27M/11566	Lockheed AIR.44720	UNIT, swivel, bulkhead	...	...	...	...	1	—	—	PB.1
		(For spares see AP.4515F, Vol. 3, Pt. 1)								
		Attachment parts for 27M/11566 :—								
28D/9133011	A.25-2C	Bolt	...	...	...	...	2	—	C	—
28DU/9419967	A.102-2D	Bolt	...	...	...	...	2	—	C	—
28M/10328	AGS.2002-C1	Nut	...	...	...	...	2	—	C	—
6956	FOS.40/4	Nut	...	...	...	...	2	—	MR/C	—
28W/9419475	SP.15-C	Washer	...	...	...	...	2	—	C	—
28W/9457834	SP.124-D	Washer	...	...	...	...	2	—	C	—
27M/11569	Lockheed AIR.44722	UNIT, swivel, pump	...	...	...	...	1	—	—	PB.1
		(For spares see AP.4515F, Vol. 3, Pt. 1)								
		Attachment parts for 27M/11569 :—								
4484	1873/2041	Bolt, banjo	...	...	...	...	1	—	MR/C	PB.1
28F/9428452	AGS.1186-A	Washer	...	...	...	...	2	—	C	—

SERVICES

HYDRAULICS, BRAKE SYSTEM

Issued with A.L. No. 8

		Attachment parts for 1873/2039-40A and 2039-40A/UN (1845/2613A and 2613A/UN) :—						
28P/18891	SP.113-G11	Pin, shear	...	...	...	1	—	C —
28P/16859	SP.113-G16	Pin, shear	...	...	...	1	—	C —
28P/1202461	SP.9-E8	Pin, split	...	...	...	2	—	C —
28W/9419488	SP.16-G	Washer	...	...	...	2	—	C —
28W/17552	SP.125-G	Washer	...	...	...	2	—	C —
4101	1873/2067	ROLLER, parking brake control	...	...	...	1	—	MR/C P.B1
		Attachment parts for 1873/2067 :—						
28D/1200119	A.25-4C	Bolt	...	...	...	1	—	C —
28DU/9419567	A.102-4D	Bolt	...	...	...	1	—	C —
28M/13121	A.27-CS	Nut	...	...	...	1	—	C —
28M/9419539	A.103-DS	Nut	...	...	...	1	—	C —
28P/1007741	SP.9-C8	Pin, split	...	...	...	1	—	C —
—	AS.2809-4-040	Tube, distance	...	...	...	1	—	MR/LM —
28W/9419475	SP.15-C	Washer	...	...	...	1	—	C —
28W/9457834	SP.124-D	Washer	...	...	...	1	—	C —
		BRAKE SYSTEM ASSY, ON MAIN UNDER-CARRIAGE LEG, PORT (1873/2027A and 2027A/UN)						
		BRAKE SYSTEM ASSY, ON MAIN UNDER-CARRIAGE LEG, STARBOARD (1873/2028A and 2028A/UN)						
		Spares for :—						
8290	1873/1341	ADAPTER (Mod. 199)	...	...	...	1	—	C PB.4
8292	1873/2453	ADAPTER (Mod. 199)	...	...	...	1	—	C PB.2
4408	1873/2499	ADAPTER, air charging connection	...	...	...	1	—	MR/C PB.2
		Attachment parts for 1873/2499 :—						
28D/9436920	A.25-1C	Bolt	...	...	...	2	—	C —
28DU/9419565	A.102-1D	Bolt	...	...	...	2	—	C —
28M/10328	AGS.2002-C1	Nut	...	...	...	2	—	C —
6956	FOS.40/4	Nut	...	...	...	2	—	MR/C —
28W/9419475	SP.15-C	Washer	...	...	...	2	—	C —
28W/9457834	SP.124-D	Washer	...	...	...	2	—	C —
28F/18893	AGS.3016-A	ADAPTER, cone	...	...	...	2	—	C —
7684	1873-3139	ADAPTER, union, speical (Mod. 167)	...	...	...	1	—	C PB.2
27M/11546	Lockheed AIR.44538	COUPLING, swivel, port	...	...	...	1	—	— PB.2
27M/11557	Lockheed AIR.44539	COUPLING, swivel, starboard	...	...	...	1	—	— PB.2
		Attachment parts for 27M/11546 and 27M/11557 :—						
28D/12536	A.25-13C	Bolt	...	...	...	2	—	C —
28DU/9419570	A.102-13D	Bolt	...	...	...	2	—	C —
7637	FOS.18/113	Bolt	...	...	...	2	—	MR/C —
28M/10328	AGS.2002-C1	Nut	...	...	...	2	—	C —
6956	FOS.40/4	Nut	...	...	...	2	—	MR/C —
28W/9419475	SP.15-C	Washer	...	...	...	6	—	C —
28W/9457834	SP.124-D	Washer	...	...	...	6	—	C —

SERVICES

HYDRAULICS, BRAKE SYSTEM

Issued with A. L. No. 18

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
27M/11561	Lockheed AIR.44588	COUPLING, swivel (For spares see AP.4515F, Vol. 3, Pt. 1) Attachment parts for 27M/11561:—	1	—	—	PB.2
28M/13121	A.27-CS	Nut	2	—	C	
28M/9419539	A.103-DS	Nut	2	—	C	
28P/1007741	SP.9-C8 Unbrako	Pin, split	2	—	C	
3745	C.2BA-1.25	Screw, cap, socket	2	—	MR/C	
6276	Unbrako 10-32-1.25	Screw, cap, socket	2	—	MR/C	
28W/9419475	SP.15-C	Washer	2	—	C	
28W/9457834	SP.124-D	Washer	2	—	C	
18 27VA/6115680	Dunlop ACM.28022	FILTER assy, port (Mod. 735) (Pre-mod. 743) ...	1	—	—	PB.2
18 27VA/6115681	Dunlop ACM.28024	FILTER assy, starboard (Mod. 735) (Pre-mod. 743)	1	—	—	PB.2
27VA/6401	Dunlop 2/1212A/700/9/ 44/7.6"	HOSE assy, flexible (Mod. 167)	1	—	C	PB.2
1498076	Dunlop 2/1212A/700/8/8/ 6.9"	HOSE assy, flexible (Mod. 735)	1	—	B	PB.2
6277	1873/2517	PLATE, base, port	1	—	MR/C	PB.2
6278	1873/2518	PLATE, base, starboard	1	—	MR/C	PB.2
8281	1873/2961A	PIPE assy, from swivel coupling on undercarriage .. forging to charging valve, port, Maxaret brake system, pressure (Mod. 199)	1	—	MR/C	PB.2
8282	1873/2963A	PIPE assy, from swivel coupling on undercarriage .. forging to charging valve, starboard, Maxaret brake system, pressure (Mod. 199)	1	—	MR/C	PB.2
3753	1873/1867A	PIPE assy, from swivel coupling on undercarriage .. forging to swivel coupling on axle link, port, Maxaret brake system return	1	—	MR/C	PB.2
3754	1873/1869A	PIPE assy, from swivel coupling on undercarriage .. forging to swivel coupling on axle link, starboard, Maxaret brake system return Attachment parts for 1873/2961A, 2963A, 1867A and 1869A:—	1	—	MR/C	
28D/9133012	A.25-3C	Bolt	1	—	C	
28DU/9419566	A.102-3D	Bolt	1	—	C	
28D/11971	AS.1246-4C	Bolt	1	—	C	
28DU/9480237	A.116-4D	Bolt	1	—	C	
7652	1873/2029A/1	Clip assy (Mod. 241)	1	—	MR/C	PB.2
7653	1873/2029E	Spares for:— Washer, special	1	—	MR/C	PB.2
28E/16949	AGS.2080-3	Clip, pipe	2	—	C	
28M/10328	AGS.2002-C1	Nut	2	—	C	
6956	FOS.40/4	Nut	2	—	MR/C	
28W/9419475	SP.15-C	Washer	2	—	C	
28W/9457834	SP.124-D	Washer	2	—	C	
28W/9419404	SP.16-C	Washer	1	—	C	
28W/17551	SP.125-D	Washer	1	—	C	
8283	1873/2953A	PIPE assy, from response valve on u/c, to swivel .. coupling, Maxaret brake system, port (Mod. 199)	1	—	C	PB.4

RESTRICTED

SERVICES

HYDRAULICS, BRAKE SYSTEM

Issued with A.L. No. 18

REF. No.	PART NUMBER	DESCRIPTION					No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
		1	2	3	4	5			M.R. L.M.	
8284	1873/2955A					PIPE assy, from response valve on u/c, to swivel ... coupling, Maxaret brake system, starboard (Mod. 199)	1	—	C	PB.4
8285	1873/2957A					PIPE assy, from test point on u/c, to response valve, Maxaret brake system, port (Mod. 199)	1	—	C	PB.4
8286	1873/2959A					PIPE assy, from test point on u/c, to response valve, Maxaret brake system, starboard (Mod. 199)	1	—	C	PB.4
28F/9428453	AGS.1186-B					SEAL, bonded	1	—	C	
27QA/886	Dowty GD.1373-3					SEAL, "O" ring	3	—	C	PB.2
8291	1873/1339					SLEEVE, outer, special (Mod. 199)	1	—	C	
6850	FOS.6-1/8					TAG, wire locking	1	—	MR/C	PB.4
	AS.2811-5-04					TUBE, distance	3	—	MR/LM	
28Y/15486	AGS.2096					VALVE, charging	1	—	B	
	Dunlop									
27VA/6324	ACM.22354					VALVE, response (Mod. 199) (Pre-mod. 595)	1	—	A	
	Dunlop									
27VA/1450619	ACM.26488					VALVE, response (Mod. 668) (Pre-mod. 740) (For spares see AP.4515C, Vol. 3, Pt. 2)	1	—	A	
	Dunlop									
27VA/6115600	ACM.27678					VALVE, response (Mod. 740)	1	—	A	PB.4
						Attachment parts for 27VA/6115600:—				
8288	1873/3153					Bolt, special	4	—	C	PB.4
8287	1873/3151					Guard, stone	1	—	C	PB.4
8289	1873/3155					Trunnion	4	—	C	PB.4
						VALVE ASSY, BRAKE CONTROL, UNDER TANK FLOOR (1873/2031A and 2031A/UN)				
						Spares for:—				
27VA/6047	Dunlop AC.14092					ACCUMULATOR (For spares see AP.4515C, Vol. 3, Pt. 1)	1	—	—	PB.3
						Attachment parts for 27VA/6074:—				
3795	FOS.18/12					Bolt	2	—	MR/C	
6998	FOS.53/14					Bolt	2	—	MR/C	
28P/820	SP.4-A.10					Pin	4	—	C	
28P/1202460	SP.9-C4					Pin, split	4	—	C	
7188	1873/3067A					Strap assy	2	—	MR/C	PB.3
7189	1873/3069A					Strap assy	2	—	MR/C	PB.3
3796	1873/2325					Trunnion, plain	2	—	MR/C	PB.3
3797	1873/2327					Trunnion, threaded	2	—	MR/C	PB.3
6274	1873/2327/UN					Trunnion, threaded	2	—	MR/C	
28W/9419402	SP.13-C					Washer	2	—	C	
28W/1010519	SP.122-D					Washer	2	—	C	
6872	FOS.16					CLEAT	2	—	MR/C	
3762	1873/2309A					FAIRLEAD	1	—	MR/C	PB.3
						Attachment parts for 1873/2309A:—				
28D/1008149	A.25-2B					Bolt	4	—	C	
28DU/9419561	A.102-2B					Bolt	4	—	C	
28M/1086618	AGS.2002-B1					Nut	4	—	C	
6954	FOS.40/2					Nut	4	—	MR/C	
28W/9419465	SP.13-B					Washer	4	—	C	
28W/9429655	SP.122-B					Washer	4	—	C	
4871	1873/2805					FORK	1	—	MR/C	PB.3
						Attachment parts for 1873/2805:—				
28M/9419542	A.103-BP					Nut	5	—	C	
28P/829	SP.4-B3					Pin	1	—	C	
28P/1202460	SP.9-C4					Pin, split	1	—	C	
5612	1873/3053					Trunnion	1	—	MR/C	PB.3

RESTRICTED

SERVICES

HYDRAULICS, BRAKE SYSTEM

Issued with A.L. No. 8

6275	1873/3085A	LEVER assy 1	—	MR/C	PB.3
		Spares for :—			
—	1873/3085C	BUSH 1	—	MR	PB.3
		Attachment parts for 1873/3085A :—			
28M/9419539	A.103-DS	Nut 1	—	C	—
28P/1202460	SP.9-C4	Pin, split 1	—	C	—
28W/1010519	SP.122-D	Washer 1	—	C	—
3778	1873/1903A	PIPE assy, from brake control valve to bulkhead union, frame 12, starboard 1	—	MR/C	PB.3
3779	1873/1905A	PIPE assy, from brake control valve to bulkhead union, frame 12, starboard 1	—	MR/C	PB.3
3781	1873/1909A	PIPE assy, from tee-piece to pressure reducing valve 1	—	MR/C	PB.3
3782	1873/1911A	PIPE assy, from tee-piece to accumulator ... 1	—	MR/C	PB.3
3783	1873/1913A	PIPE assy, from pressure reducing valve to brake control valve 1	—	MR/C	PB.3

HYDRAULICS, BRAKE SYSTEM

Issued with A.L.No. 7

3784	1873/1915A	PIPE assembly, from pressure reducing valve to tee-piece, exhaust line	1	-	MR/C	PB3
3785	1873/1917A	PIPE assembly, from brake control valve to tee-piece, exhaust line	1	-	MR/C	PB3
4475	1873/2239A	PIPE assembly, from brake control valve to reducing union, frame 16	1	-	MR/C	PB3
4737	1873/2555A	PIPE assembly, from brake control valve to bulk-head union, frame 12, port	1	-	MR/C	PB3
4738	1873/2557A	PIPE assembly, from brake control valve to bulk-head union, frame 12, port	1	-	MR/C	PB3
4739	1873/2559A	PIPE assembly, from non-return valve to tee-piece, supply line	1	-	MR/C	PB3
Attachment parts for 1873/2559A :-						
28D/9436920	A.25-1C	Bolt	1	-	C	-
28DU/9419565	A.102-1D	Bolt	1	-	C	-
28E/18410	AGS.2081-3	Clip, pipe	2	-	C	-
28M/10328	AGS.2002-C1	Nut	1	-	C	-
6956	FOS.40/4	Nut	1	-	MR/C	-
28W/9419475	SP.15-C	Washer	1	-	C	-
28W/17551	SP.124-D	Washer	1	-	C	-
4651	1873/2561A	PIPE assembly, from tee-piece forward distribution block, to tee-piece, forward frame 14, exhaust line	1	-	MR/C	PB3
4740	1873/2563A	PIPE assembly, brake control valve to reducing union, frame 16	1	-	MR/C	PB3
Attachment parts for 1873/2561A and 1873/2563A :-						
28D/12513	A.25-2C	Bolt	2	-	C	-
28DU/9419967	A.102-2D	Bolt	2	-	C	-
28D/1011019	A25-8C	Bolt	1	-	C	-
28DU/9419569	A102-8D	Bolt	1	-	C	-
28E/18233	AGS.2081-4	Clip, pipe	4	-	C	-
28E/18410	AGS.2081-3	CLIP, pipe	2	-	C	-
28M/10328	AGS.2002-C1	Nut	2	-	C	-
6956	FOS.40/4	Nut	2	-	MR/C	-
-	AS.2811-5-040	TUBE, distance	1	-	MR/LM	-
28W/9419475	SP.15-C	Washer	2	-	C	-
28W/17544	SP.124-D	Washer	2	-	C	-
4652	1873/2565A	PIPE assembly, distribution block to non-return valve	1	-	MR/C	PB3
Attachment parts for 1873/2565A :-						
28E/18233	AGS.2081-4	Clip, pipe	1	-	C	-
-	AS.2811-6-025	Tube, distance	1	-	MR/LM	-

HYDRAULICS, BRAKE SYSTEM

Issued with A.L.No. 7

4741	1873/2567 A	PIPE assembly, accumulator to gauge, starboard, undercarriage bay	1	-	MR/C	PB 3
		Attachment parts for 1873/2567 A:-				
28D/9436920	A.25-1C	Bolt	1	-	C	-
28DU/9419565	A.102-1D	Bolt	1	-	C	-
28E/18410	AGS.2081-3	Clip, pipe	1	-	C	-
28E/18410	AGS.2081-3	Clip, pipe (1873/2059 A and 2059 A/UN) ..	1	-	C	-
28M/10328	AGS.2002 - C1	Nut	1	-	C	-
6956	FOS.40/4	Nut	1	-	MR/C	-
28W/9419475	SP.15-C	Washer	1	-	C	-
28W/17544	SP.124-D	Washer	1	-	C	-
4906	1873/2767	SPIGOT	4	-	MR/C	PB 3
3792	1873/2319	SPRING	1	-	MR/C	PB 3
		Attachment parts for 1873/2319:-				
28P/819	SP.4-A9	Pin	1	-	C	-
28P/9143877	SP.9-C4	Pin, split	1	-	C	-
6272	1873/2361	Spacer	2	-	MR/C	PB 3
28F/10610	AGS.1118-B	TEE, cone	1	-	C	-
28F/10020	AGS.1120-1	TEE, cone	1	-	C	-
27G/3122	Dunlop AC 60666	VALVE, brake control	1	-	-	PB 3
		(for spares see AP.4515C, Vol.3, Pt.1)				
		Attachment parts for 27G/3048:-				
28D/12568	A.25-22C	Bolt	2	-	C	-
28DU/9480161	A.102-22D	Bolt	2	-	C	-
6273	1873/2765 A	Saddle assembly	1	-	MR/C	-
28W/9419404	SP.16-C	Washer	2	-	C	-
28W/17551	SP.125-D	Washer	2	-	C	-
27M/11754	Lockheed AIR 44260	VALVE, non-return	1	-	-	PB 3
		(for spares see AP.4515F, Vol.3, Pt.1)				
27VA/6064	Dunlop AC.14586	VALVE, pressure reducing	1	-	-	PB 3
		(for spares see AP.4515C, Vol.3, Pt.1)				
		Attachment parts for 27VA/6064:-				
28D/15658	AS.4597-12C	Bolt	4	-	C	-
28DU/18401	A.116-12D	Bolt	4	-	C	-
3791	1873/2305 A	Saddle assembly	2	-	MR/C	PB 3

RESTRICTED

A/C SERIAL NOS.

SERVICES

ADDENDUM PAGE PB. 1

XM 704-709 ONLY

HYDRAULICS-BRAKE SYSTEM

Issued with A.L. No. 6


REF. No.	PART NUMBER	DESCRIPTION					No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
									M.R. L.M.	
		1	2	3	4	5				
		G.A. OF HYDRAULICS (1873/1A)								
		Spares for:-								
		BRAKE system assy, maxaret (1873/2035A)								
		Spares for:-								
		BRAKE system assy, main U/C leg (1873/2027-8A)								
		Spares for:-								
3755	1873/2033A	PLATE assy, adaptor, port					1	-	C	PB. 2
3756	1873/2034A	PLATE assy, adaptor, starboard ..					1	-	C	PB. 2

RESTRICTED

Issued with AL.No. 7



RESTRICTED




Gnat T. Mk.I.

RESTRICTED

Plate PB.3
Issued with AL No 11

VALVES, ASSY
UNDER TANK FLOOR
(REF DRG 1873/2031A)




PB.3

HYDRAULICS

RESTRICTED

PB.3



BRAKE. SYSTEM MAXARET.
REF. DRG No 1873/2027-8

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

