

SERVICES

HYDRAULICS, ENGINE BAY

Issued with A.L. No. 19

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5 6				
		G.A. OF HYDRAULICS (1873/1A and 1A/UN)				
		Spares for:—				
		HYDRAULICS assy, engine bay (1873/29A and 29A/UN)	—	—	—	—
		Spares for:—				
3388	1873/1387	COUPLING, Avery, special	1	—	MR/C	PC.1
6266	1873/1387/UN	COUPLING, Avery, special	1	—	MR/C	—
		Attachment parts for 1873/1387A and 1387A/UN:—				
28D/9128773	AS.3294-1B	Bolt	4	—	C	—
28DU/9480268	A.173-1C	Bolt	4	—	C	—
28M/10327	AGS.2002-B1	Nut	4	—	C	—
6954	FOS.40/2	Nut	4	—	MR/C	—
28W/9419474	SP.15-B	Washer	4	—	C	—
28W/17542	SP.124-B	Washer	4	—	C	—
3883	1873/2387A	FAIRLEAD assy	1	—	MR/C	PC.1
		Attachment parts for 1873/2387A:—				
28D/9133011	A.25-2C	Bolt	4	—	C	—
28DU/9419967	A.102-2D	Bolt	4	—	C	—
28M/10328	AGS.2002-C1	Nut	4	—	C	—
6956	FOS.40/4	Nut	4	—	MR/C	—
28W/9419475	SP.15-C	Washer	4	—	C	—
28W/9457834	SP.124-D	Washer	4	—	C	—
3884	1873/2389A	FAIRLEAD assy	1	—	MR/C	PC.1
		Attachment parts for 1873/2389A:—				
28D/12533	A.25-5C	Bolt	1	—	C	—
28DU/9419567	A.102-4D	Bolt	1	—	C	—
28D/9133011	A.25-2C	Bolt	3	—	C	—
28DU/9419967	A.102-2D	Bolt	3	—	C	—
28M/10328	AGS.2002-C1	Nut	4	—	C	—
6956	FOS.40/4	Nut	4	—	MR/C	—
28W/9419475	SP.15-C	Washer	4	—	C	—
28W/9457834	SP.124-D	Washer	4	—	C	—
8297	1873/3177	GASKET (Mod. 262)	1	—	C	PC.1
8298	1873/3179	GASKET (Mod. 262)	1	—	C	PC.1
		HYDRAULICS assy, port shearwall (1873/1287A and 1287A/UN)	—	—	—	—
		Spares for:—				
19 27VA/	Dunlop AC.66688	ACCUMULATOR (AS.670/16) (For spares see AP.4515C, Volume 3, Part 1)	1	—	A	PC.1
		Attachment parts for AC.66688				
28D/9435710	A.25-11C	Bolt	2	—	C	—
28DU/9419972	A.102-11D	Bolt	2	—	C	—
28D/12088	AS.1246-7C	Bolt	1	—	C	—
28DU/9434460	A.116-7D	Bolt	1	—	C	—
28N/17203	SP.121-C	Collar	1	—	C	—
28M/10328	AGS.2002-C1	Nut	3	—	C	—
6956	FOS.40/4	Nut	3	—	MR/C	—
3083	1873/693	Piece, distance	2	—	MR/C	PC.1
28P/840	SP.4-B14	Pin, shear	1	—	C	—
28P/1007741	SP.9-C8	Pin, split	1	—	C	—

RESTRICTED

RESTRICTED
SERVICES

HYDRAULICS, ENGINE BAY

Issued with A.L. No. 9

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
28S/9436921	A.31-C.28	Screw	1	—	C	—
28S/9157958	A.205-D.28	Screw	1	—	C	—
3079	1873/681A	Strap assy	2	—	MR/C	PC.1
3401	1873/1389A	Strap assy	1	—	MR/C	PC.1
2571	1873/687	Trunnion	2	—	MR/C	PC.1
3080	1873/685	Washer, throat	1	—	MR/C	PC.1
28W/9419454	SP.10-C	Washer	2	—	C	—
28W/9157972	SP.126-D	Washer	2	—	C	—
28W/9419475	SP.15-C	Washer	4	—	C	—
28W/9457834	SP.124-D	Washer	4	—	C	—
4084	1873/2061	ADAPTER, cone	1	—	MR/C	PC.1
28F/1014970	AGS.1104-A	ADAPTER, cone	1	—	C	—
28F/18894	AGS.3016-C	ADAPTER, cone, union	3	—	C	—
4087	1873/2411	ADAPTER, union	1	—	MR/C	PC.1
—	1873/3141A	BLOCK assy, junction	1	—	MR	PC.1
		Spares for:—				
28F/18894	AGS.3016-C	ADAPTER, cone, union	2	—	C	—
28F/17488	AGS.3016-D	ADAPTER, cone, union	1	—	C	—
27QA/740	Dowty GD.1373-6	SEAL, "O" ring	2	—	C	PC.1
27QA/546	Dowty GD.1373-8	SEAL, "O" ring	1	—	C	PC.1
3084	1873/695	BODY, banjo	1	—	MR/C	PC.1
28F/9140973	AGS.1129-C	BODY, banjo	1	—	C	—
3085	1273/303	BOLT, banjo	1	—	MR/C	PC.1
3086	1373/1939	BOLT, banjo	1	—	MR/C	PC.1
3521	1873/2063	BOLT, banjo	1	—	MR/C	PC.1
28F/9140977	AGS.1213-C	BOLT, banjo	1	—	C	—
28F/12505	AGS.1213-D	BOLT, banjo	1	—	C	—
		COUPLING assy, hydraulic ground test rig (1873/679A and 679A/UN)				
		Spares for:—				
2914	1873/709	ADAPTER	1	—	MR/C	PC.1
8597	1873/3281	ADAPTER (Mod. 488)	1	—	MR/C	PC.1
	Lockheed					
27BA/8901	AVA.64-7D	CAP, blanking	1	—	C	PC.1
	Lockheed					
27BA/8777	AVA.64-7F	CAP, blanking	1	—	C	PC.1
27BA/8752	Lockheed AVA.55-F	COUPLING, half, flanged	1	—	B	PC.1
		OR				
27BA/11483	Lockheed AVA.1152-F	COUPLING, half, flanged	1	—	B	PC.1
		Attachment parts for 27BA/8752 or 27BA/11483:—				
28D/11937	AS.1246-1B	Bolt	6	—	C	—
28DU/9480226	A.116-1B	Bolt	6	—	C	—
8777	1873/679B	COUPLING (Mod. 488)	1	—	B	PC.1
		Attachment parts for 1873/679B:—				
28D/1007979	AS.1246-1B	Bolt	4	—	C	—
28DU/9480226	A.116-1B	Bolt	4	—	C	—
28F/9428455	AGS.1186-D	SEAL, bonded	1	—	C	—
28F/9428456	AGS.1186-F	SEAL, bonded	1	—	C	—
3388	1873/1387	COUPLING, Avery, special	1	—	MR/C	PC.1
6266	1873/1387/UN	COUPLING, Avery, special	1	—	MR/C	—

RESTRICTED

SERVICES

HYDRAULICS, ENGINE BAY

Issued with A. L. No. 12

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
		Attachment parts for 1873/1387 and 1387/UN:—				
28D/9128773	AS.3294-1B	Bolt	4	—	C	—
28DU/9480268	A.173-1C	Bolt	4	—	C	—
28M/10327	AGS.2002-B1	Nut	4	—	C	—
6954	FQS.40/2	Nut	4	—	MR/C	—
28W/9419474	SP 15-B	Washer	4	—	C	—
28W/17542	SP 124-B	Washer	4	—	C	—
27BA/8751	Lockheed	COUPLING, half, flanged	1	—	B	PC.1
	AVA 55-E	OR				
27BA/11418	Lockheed	COUPLING, half, flanged	1	—	B	PC.1
	AVA.1152-E					
		Attachment parts for 27BA/8751 OR 27BA/11418:—				
28D/1010658	A.25-1B	Bolt	5	—	C	—
28DU/9419560	A.102-1B	Bolt	5	—	C	—
28M/10327	AGS.2002-B1	Nut	5	—	C	—
6954	FQS.40/2	Nut	5	—	MR/C	—
28W/9419474	SP.15-B	Washer	5	—	C	—
28W/17542	SP 124-B	Washer	5	—	C	—
27BA/8762	Lockheed	COUPLING, half, flanged	1	—	B	PC.1
	AVA 58-C	OR				
27BA/11415	Lockheed	COUPLING, half, flanged	1	—	B	PC.1
	AVA.1150-C					
		Attachment parts for 27BA/8762 OR 27BA/11415:—				
28D/1010658	A.25-1B	Bolt	4	—	C	—
28DU/9419560	A.102-1B	Bolt	4	—	C	—
28M/10327	AGS.2002-B1	Nut	4	—	C	—
6954	FQS.40/2	Nut	4	—	MR/C	—
28W/9419474	SP 15-B	Washer	4	—	C	—
28W/17542	SP.124-B	Washer	4	—	C	—
27BA/8744	Lockheed	COUPLING, union	1	—	B	PC.1
	AVA.54-E					
27BA/8760	Lockheed	COUPLING, union	1	—	B	PC.1
	AVA 57-C					
7954	1873-3169	FAIRLEAD (Mod. 51)	1	—	MR/C	PC.1
		Attachment parts for 1873/3169:—				
28D/9133011	A25-2C	Bolt	2	—	C	—
28DU/9419566	A.102-2D	Bolt	2	—	C	—
28W/9419475	SP 15 C	Washer	2	—	C	—
28W/17544	SP 124-D	Washer	2	—	C	—
27M/881	Lockheed	FILTER (Mod. 179)	1	—	—	—
	MFHA.30201					
27M/1039	Lockheed	FILTER (Mod. 482)	1	—	—	PC.1
	MFHA.30202	(For spares see AP.4515F, Vol. 3, Pt. 1)				
		Attachment parts for 27M/881 and 27M/1039:—				
28D/7002428	A.25-6C	Bolt	4	—	C	—
28DU/9419568	A.102-6D	Bolt	4	—	C	—
28D/12088	AS.1246-7C	Bolt	2	—	C	—
28DU/9434460	A.116-7D	Bolt	2	—	C	—
28M/10328	AGS.2002-C1	Nut	6	—	C	—
6956	FQS 40/4	Nut	6	—	MR/C	—

RESTRICTED

GNATT. Mk. 1

SERVICES

HYDRAULICS, ENGINE BAY

Issued with A.L. No. 12

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
—	AS.2811-5-052	Piece, distance	4	—	MR/LM	—
3402	1873/1295A	Strap assy	2	—	MR/C	PC.1
8178	1873/3123A	Strap assy (Mod. 179)	2	—	MR/C	PC.1
2571	1873/687	Trunnion	4	—	MR/C	PC.1
28W/9419475	SP.15-C	Washer	8	—	C	—
28W/9457834	SP.124-D	Washer	8	—	C	—
6267	1873/2046	NIPPLE, adapter	3	—	MR/C	PC.1
28F/1013599	AGS.1142-A	NIPPLE, adapter	1	—	C	—
28F/8011896	AGS.1142-C	NIPPLE, adapter	3	—	C	—
28F/9439897	AGS.1142-E	NIPPLE, adapter	1	—	C	—
28F/14528	AGS.1170-A	NIPPLE, pipe coupling	1	—	C	—
28F/14529	AGS.1170-C	NIPPLE, pipe coupling (Mod. 51)	1	—	C	—
27BA/8767	Lockheed	NUT, union	1	—	C	PC.1
	AVA.62-C					
27BA/8769	Lockheed	NUT, union	1	—	C	PC.1
	AVA.62-E					
7943	1873/2967A	PIPE assy, from reservoir to ground test Avery	1	—	MR/C	PC.1
		couplings, suction (Mod. 51)				
7946	1873/2945A	PIPE assy, from engine pump coupling to tee-	1	—	MR/C	PC.1
		piece, pressure (Mod. 51)				
7947	1873/2947A	PIPE assy, from hand pump tee-piece to ground ...	1	—	MR/C	PC.1
		rig tee-piece, pressure (Mod. 51)				
		Attachment parts for 1873/2947A:—				
28D/9436920	A.25/1C	Bolt	1	—	C	—
28DU/9419565	A.102-1D	Bolt	1	—	C	—
28E/17185	AGS.2081-6	Clip, pipe	1	—	C	—
28M/10328	AGS.2002-C1	Nut	1	—	C	—
6956	FOS.40/4	Nut	1	—	MR/C	—
28W/9419475	SP.15-C	Washer	1	—	C	—
28W/9457834	SP.124-D	Washer	1	—	C	—
7944	1873/2937A	PIPE assy, from tee-piece to ground test Avery	1	—	MR/C	PC.1
		coupling, pressure (Mod. 51)				
		Attachment parts for 1873/2937A:—				
28D/9140202	AS.1246/1C	Bolt	1	—	C	—
28DU/9480234	A.116-1D	Bolt	1	—	C	—
28E/17130	AGS.2080-6	Clip, pipe	1	—	C	—
28E/17185	AGS.2081-6	Clip, pipe	1	—	C	—
28W/9419475	SP.15-C	Washer	1	—	C	—
28W/9457834	SP.124-D	Washer	1	—	C	—
7945	1873/2965A	PIPE assy, from ground rig tee-piece to filter	1	—	MR/C	PC.1
		inlet pressure (Mod. 51)				
		Attachment parts for 1873/2965A:—				
28D/9140202	AS.1246-1C	Bolt	1	—	C	—
28DU/9480234	A.116-1D	Bolt	1	—	C	—
28E/17185	AGS.2081/6	Clip, pipe	1	—	C	—
28M/10328	AGS.2002-C1	Nut	1	—	C	—
6956	FOS.40/4	Nut	1	—	MR/C	—
28W/9419475	SP.15-C	Washer	1	—	C	—
28W/9457834	SP.124-D	Washer	1	—	C	—

RESTRICTED

SERVICES

HYDRAULICS, ENGINE BAY

Issued with A.L. No. 10

3395	1873/927A	PIPE assy, filter to cut-out valve, pressure ...	1	—	MR/C	PC.1
3399	1873/935A	PIPE assy, air pipe from Dunlop accumulator to pipe coupling, frame 19	1	—	MR/C	PC.1
Attachment parts for 1873/935 :—						
28D/9140202	AS.1246-1C	Bolt ...	2	—	C	—
28DU/9480234	A.116-1D	Bolt ...	2	—	C	—
28E/16949	AGS.2080-3	Clip, pipe ...	1	—	C	—
28E/18410	AGS.2081-3	Clip, pipe ...	1	—	C	—
28M/10328	AGS.2002-C1	Nut ...	1	—	C	—
6956	FOS.40/4	Nut ...	1	—	MR/C	—
28W/9419475	SP.15-C	Washer ...	2	—	C	—
28W/9457834	SP.124-D	Washer ...	2	—	C	—
3767	1873/1881	PIPE assy, cut-out valve to accumulator, pressure	1	—	MR/C	PC.1
4674	1873/2101A	PIPE assy, transport joint coupling to junction block, return	1	—	MR/C	PC.1
Attachment parts for 1873/2101A :—						
28D/9140202	AS.1246-1C	Bolt ...	1	—	C	—
28DU/9480234	A.116-1D	Bolt ...	1	—	C	—
28E/17185	AGS.2081-6	Clip, pipe ...	1	—	C	—
28M/10328	AGS.2002-C1	Nut ...	1	—	C	—
6956	FOS.40/4	Nut ...	1	—	MR/C	—
28W/9419475	SP.15-C	Washer ...	1	—	C	—
28W/9457834	SP.124-D	Washer ...	1	—	C	—

SERVICES

HYDRAULICS, ENGINE BAY

Issued with A.L. No. 10

4675	1873/2103A	PIPE assy, junction block to distribution block, return	1	—	MR/C	PC.1
Attachment parts for 1873/2103A :—						
28D/9133011	A25-2C	Bolt	1	—	C	—
28DU/9419967	A.102-2D	Bolt	1	—	C	—
28E/17130	AGS.2080-6	Clip, pipe	2	—	C	—
28M/10328	AGS.2002-C1	Nut	1	—	C	—
6956	FOS.40/4	Nut	1	—	MR/C	—
28W/9419475	SP.15-C	Washer	2	—	C	—
28W/9457834	SP.124-D	Washer	2	—	C	—
4880	1873/2105A	PIPE assy, from cut-out valve drain to junction block	1	—	MR/C	PC.1
7611	1873/2975A	PIPE assy, from tee-piece at frame 17 under tank floor to cut-off valve (Mod. 241)	1	—	MR/C	PC.1
5393	1873/2735A	PIPE assy, from reservoir to engine change Avery couplings, suction	1	—	MR/C	PC.1
Attachment parts for 1873/2735A :—						
28D/9140203	AS.1246-2C	Bolt	1	—	C	—
28DU/9480236	A.116-3D	Bolt	1	—	C	—
28E/16948	AGS.2080-10	Clip, pipe	1	—	C	—
28M/10328	AGS.2002-C1	Nut	1	—	C	—
6956	FOS.40/4	Nut	1	—	MR/C	—
28W/9419475	SP.15-C	Washer	2	—	C	—
28W/9457834	SP.124-D	Washer	2	—	C	—
4706	1873/2737A	PIPE assy, junction block to reservoir, return	1	—	MR/C	PC.1
Attachment parts for 1873/2737A :—						
28D/9140202	AS.1246-1C	Bolt	1	—	C	—
28DU/9480234	A.116-1D	Bolt	1	—	C	—
28E/18892	AGS.2081-8	Clip, pipe	1	—	C	—
28M/10328	AGS.2002-C1	Nut	1	—	C	—
6956	FOS.40/4	Nut	1	—	MR/C	—
28W/9419475	SP.15-C	Washer	2	—	C	—
28W/9457834	SP.124-D	Washer	2	—	C	—
3051	1873/1271A	PIPE assy, flexible (Pre-mod. 231)	1	—	MR/C	PC.1
7686	AVICA CE.15931	PIPE assy, flexible (Mod. 231)	1	—	MR/C	PC.1
3052	1873/1273A	PIPE assy, flexible (Pre-mod. 631)	1	—	MR/C	PC.1
1443654	1873/3307	PIPE assy, flexible (Mod. 631)	1	—	MR/C	PC.1
7948	1873/2939A	PIPE assy, from pipe joint frame 20 to pipe joint frame 21, suction (Mod. 51)	1	—	MR/C	PC.1
Attachment parts for 1873/2939A :—						
28D/9436920	A25-1C	Bolt	2	—	C	—
28DU/9419565	A102-1D	Bolt	2	—	C	—
28E/17185	AGS.2081-6	Clip, pipe	2	—	C	—
28M/10328	AGS.2002-C1	Nut	2	—	C	—
6956	FOS.40/4	Nut	2	—	MR/C	—
28W/9419475	SP.15-C	Washer	2	—	C	—
28W/9457834	SP.124-D	Washer	2	—	C	—

HYDRAULICS, ENGINE BAY

Issued with A.L.No. 7

7951	1873/2943A	PIPE assy, from pipe to pipe joint, fr. 21, to hand pump (Mod. 51)	1	-	MR/C	PC 1
7950	1873/2941A	PIPE assy, from hand pump to N.R.V. (Mod. 51)	1	-	MR/C	PC 1
		Attachment parts for 1873/2941A:-				
28D/11564	AS.1246-1C	Bolt	1	-	C	-
28DU/9480234	A.116-1D	Bolt	1	-	C	-
28E/18233	AGS.2081-4	Clip, pipe	1	-	C	-
28W/9419475	SP.15-C	Washer	1	-	C	-
28W/17544	SP.124-D	Washer	1	-	C	-
7949	1873/2989A	PIPE assy from N.R.V. to tee-piece port shear-wall, pressure (Mod. 51)	1	-	MR/C	PC 1
		Attachment parts for 1873/2989A:-				
28F/9439533	AGS.1129-B	Body, banjo	1	-	C	-
28D/11564	AS.1246-1C	Bolt	1	-	C	-
28DU/9480234	A116-1D	Bolt	1	-	C	-
28F/12503	AGS.1213-B	Bolt, banjo	1	-	C	-
28E/16949	AGS.2081-3	Clip, pipe	1	-	C	-
28M/10328	AGS.2002-C1	Nut	1	-	C	-
6956	FOS.40/4	Nut	1	-	MR/C	-
28F/9428453	AGS.1186-B	Seal, bonded	2	-	C	-
28W/9419475	SP.15-C	Washer	1	-	C	-
28W/17544	SP.124-D	Washer	1	-	C	-
	Lockheed					
27M/12282	AIR 45088	PUMP, hydraulic hand (Mod. 51)	1	-	A	-
		(For spares see AP.4515F. Vol. 3, Part 1)				
		Attachment parts for 27M/12282:-				
7953	1873/3167	Adaptor, special (Mod. 51)	1	-	MR/C	PC 1
28D/13046	A25-19E	Bolt	3	-	C	-
28DU/9414358	A102-19E	Bolt	3	-	C	-
28F/9429532	AGS.1186-C	Seal, bonded	1	-	C	-
28W/9419405	SP.15-E	Washer	3	-	C	-
28W/17427	SP.124-E	Washer	3	-	C	-
		RESERVOIR assembly, hydraulic, installation (1873/1685A and 1685A/UN)	-	-		
		Spares for:-				
3041	1873/1319A	ADAPTER assembly	1	-	MR/C	PC 2
6262	1873/1319A/UN	ADAPTER assembly	1	-	MR/C	PC 2
		Spares for:-				
28M/10212	AGS.2008-C3	NUT, anchor	2	-	C	-
28M/9438461	A.141-D	NUT, anchor	2	-	C	-
6850	FOS.6 1/8	TAG, wire locking	1	-	MR/C	-
		Attachment parts for 1873/1319A and 1319A/UN:-				
28D/18890	AS.4597-2C	Bolt	2	-	C	-
28DU/9480235	A.116-2D	Bolt	2	-	C	-
28W/9419475	SP.15-C	Washer	2	-	C	-
28W/17544	SP.124-D	Washer	2	-	C	-

HYDRAULICS, ENGINE BAY

Issued with A.L.No. 4

4861	1873/2539	BODY, banjo	1	-	MR/C	PC2
4860	1873/2537	BOLT, banjo	1	-	MR/C	PC2
5K/3389	AS.3360 - C.4C	BONDING, flexible	1	-	C	-
Attachment parts for 5K/3389:-						
28D/9436920	A.25-1C	Bolt	1	-	C	-
28DU/9419565	A.102-1D	Bolt	1	-	C	-
28E/1012877	AS.3181-5C	Clip, 'P'	1	-	C	-
28M/10288	AGS.2001-C1	Nut	1	-	C	-
6956	FOS.40/4	Nut	1	-	MR/C	-
28W/9419475	SP.15-C	Washer	1	-	C	-
28W/17544	SP.124-D	Washer	1	-	C	-
28F/12078	AGS.1159-C	CAP, cone	1	-	C	-
6263	1873/1333	CLEAT	1	-	MR/C	PC2
4863	1873/2541	ELBOW	1	-	MR/C	PC2
2572	1873/1007A	FAIRLEAD assembly	1	-	MR/C	PC2
Attachment parts for 1873/1007A:-						
28D/1010658	A.25-1B	Bolt	4	-	C	-
28DU/9419560	A.102-1B	Bolt	4	-	C	-
2573	1873/1009A	FAIRLEAD assembly	1	-	MR/C	PC2
Attachment parts for 1873/1009A:-						
28D/1010658	A.25-1B	Bolt	4	-	C	-
28DU/9419560	A.102-1B	Bolt	4	-	C	-
5K/	SP.48-B44	GROMMET	1	-	C	-
-	1873/1685B	PAD, 'Langite', 2 in. x 1 in. x 1/16 in. ..	1	-	MR/LM	PC2
-	1873/1685C	PAD, 'Langite', 2 in. x 7/8 in. x 1/16 in. ..	1	-	MR/LM	PC2
-	1873/1685D	PAD, 'Langite', 5 in. x 1-5 in. x 1/16 in. ..	1	-	MR/LM	PC2
-	1873/1685E	PAD, 'Langite', 1 in. x 1 in. x 1/16 in. ..	1	-	MR/LM	PC2
-	1873/1685F	PAD, 'Langite', 1 in. x 1 in. x 1/8 in. ..	1	-	MR/LM	PC2
-	1873/1685G	PAD, 'Langite', 1 in. x 1 in. x 3/16 in. ..	1	-	MR/LM	PC2
28P/1006943	SP.9-C6	PIN, split	1	-	C	-
4014	1873/2129A	PIPE assembly, from reservoir to relief valve	1	-	MR/C	PC2
5392	1873/2299A	PIPE assembly, from joint, frame 18 to special elbow at frame 19	1	-	MR/C	PC2
Attachment parts for 1873/2299A:-						
28D/9436920	A.25-1C	Bolt	1	-	C	-
28DU/9419565	A.102-1D	Bolt	1	-	C	-
28E/14200	AS.3181-6C	Clip	1	-	C	-
28W/9419475	SP.15-C	Washer	1	-	C	-
28W/17544	SP.124-D	Washer	1	-	C	-
4710	1873/2829A	PIPE assembly, stub	1	-	MR/C	PC2
6264	1873/2829A/UN	PIPE assembly, stub	1	-	MR/C	-
Attachment parts for 1873/2829A and 2829A/UN:-						
28D/9436920	A.25-1C	Bolt	1	-	C	-
28DU/9419565	A.102-1D	Bolt	1	-	C	-
28D/15856	AS.4597-1C	Bolt	2	-	C	-
28DU/9480234	A.116-1D	Bolt	2	-	C	-

SERVICES

HYDRAULICS, ENGINE BAY

Issued with A.L. No. 19

REF. No.	PART NUMBER	DESCRIPTION					No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
		1	2	3	4	5			M.R. L.M.	
	28E/3222	AGS.606-E				Clip, hose	2	—	C	—
	28E/1012877	AS.3181-5C				Clip, pipe	1	—	C	—
	6265	1873/1317ND				Gasket	1	—	MR/C	PC.2
	2793	FOS.11/BB6				Hose	1	—	MR/C	—
	28M/10288	AGS.2001-C1				Nut	1	—	C	—
	6956	FOS.40/4				Nut	1	—	MR/C	—
	28W/9419475	SP.15-C				Washer	1	—	C	—
	28W/9457834	SP.124-D				Washer	1	—	C	—
						RESERVOIR assy, hydraulic (1873/1683A) (Pre Mod. 196)	1	—	MR/B	PC.2
19	9146	1873/1683A/1				RESERVOIR assy, hydraulic	1	—	MR/A	—
19	8186	1873/1683A/UN/1				RESERVOIR assy, hydraulic (Mod. 196)	1	—	MR/A	—
						Spares for:—				
	6261	1873/85				BRACKET, mounting	1	—	MR/C	PC.2
	8187	1873/3161A				CAP assy, filler (Mod. 196)	1	—	MR/B	PC.2
						Spares for:—				
	1769	1873/91				CATCH	2	—	MR/C	PC.2
	8188	1873/3159				DIPSTICK (Mod. 196)	1	—	MR/C	PC.2
	1770	1873/93				SPRING	2	—	MR/C	PC.2
	—	1873/97				TUBE, distance	2	—	MR	PC.2
	3131	1873/1279				CONNECTION, suction	1	—	MR/C	PC.2
						Attachment parts for 1873/1279:—				
	28D/9133011	A.25-2C				Bolt	3	—	C	—
	28DU/9419967	A.102-2D				Bolt	3	—	C	—
	28M/10328	AGS.2002-C1				Nut	3	—	C	—
	6956	FOS.40/4				Nut	3	—	MR/C	—
	28W/9419475	SP.15-C				Washer	3	—	C	—
	28W/9457834	SP.124-D				Washer	3	—	C	—
	1772	1873/81				NECK, filler	1	—	MR/C	PC.2
						Attachment parts for 1873/81:—				
	28D/12513	A.25-2C				Bolt	3	—	C	—
	28DU/9419967	A.102-2D				Bolt	3	—	C	—
	28M/10288	AGS.2001-C1				Nut	3	—	C	—
	6956	FOS.40/4				Nut	3	—	MR/C	—
	28W/9419475	SP.15-C				Washer	3	—	C	—
	28W/9457834	SP.124-D				Washer	3	—	C	—
	1773	1873/549A				PIPE assy, suction	1	—	MR/B	PC.2
						Spares for:—				
	27QA/248	Dowty SP.900-19				SEAL, "O" ring	2	—	C	PC.2
	27QA/890	Dowty SP.900-C15				SEAL, "O" ring	1	—	C	PC.2
	—	1873/45A				RESERVOIR sub-assy	1	—	MR	PC.2
	27QA/253	Dowty SP.900-24				SEAL, "O" ring	2	—	C	PC.2
	27QA/891	Dowty SP.900-C.28				SEAL, "O" ring	1	—	C	PC.2
	1774	1873/83A				STRAINER assy	1	—	MR/C	PC.2
						Attachment parts for 1873/1683A/1 and 1683A/UN:—				
	28D/9436920	A.25-1C				Bolt	4	—	C	—
	28DU/9419565	A.102-1D				Bolt	4	—	C	—
	28M/10288	AGS.2001-C1				Nut	4	—	C	—
	6956	FOS.40/4				Nut	4	—	MR/C	—
	28W/9419475	SP.15-C				Washer	4	—	C	—
	28W/9457834	SP.124-D				Washer	4	—	C	—

RESTRICTED
SERVICES
HYDRAULICS, ENGINE BAY

GNAT T. Mk. 1

Issued with A.L. No. 8

REF. No.	PART NUMBER	DESCRIPTION	No. OFF	MATL. SPEC.	CL. OF ST.	PLATE No.
					M.R. L.M.	
		1 2 3 4 5				
28E/9429532	AGS.1186-C	SEAL, bonded	1	—	C	—
28F/9429526	AGS.1886-6	SEAL, bonded	1	—	C	—
28F/9140970	AGS.904-C	SLEEVE, outer	1	—	C	—
27M/11742	Lockheed AIR.44266	VALVE, collapse	1	—	—	PC.2
27M/11769	Lockheed AIR.4481B	VALVE, relief	1	—	—	PC.2
		(For spares see AP.4515F, Volume 3, Part 1)				
28F/9128952	AGS.1174	SCREW, bleed	1	—	C	—
28F/9428452	AGS.1186-A	SEAL, bonded	2	—	C	—
28F/9429532	AGS.1186-C	SEAL, bonded	2	—	C	—
28F/9428454	AGS.1186-CC	SEAL, bonded	2	—	C	—
28F/9428455	AGS.1186-D	SEAL, bonded	4	—	C	—
28F/9429637	AGS.1186-10	SEAL, bonded	2	—	C	—
27QA/740	Dowty GD.1373-6	SEAL, "O" ring	4	—	C	PC.1
27QA/741	Dowty GD.1373-10	SEAL, "O" ring	1	—	C	PC.1
7952	1873/3203	SEAL, rudder (Mod. 51)	1	—	MR/C	PC.1
28F/9716	AGS.1118-C	TEE, cone	1	—	C	—
28F/13290	AGS.1120-11	TEE, cone (Mod. 51)	1	—	C	—
27M/891	Lockheed AIR.44350	VALVE, cut-out	1	—	—	PC.1
		(For spares see AP.4515F, Volume 3, Pt. 1)				
		Attachment parts for 27M/891:—				
28D/18889	AS.3294-27C	Bolt	2	—	C	—
28DU/18888	A.173-27D	Bolt	2	—	C	—
28M/10328	AGS.2002-C1	Nut	2	—	C	—
6956	FOS.40/4	Nut	2	—	MR/C	—
28W/9419475	SP.15-C	Washer	2	—	C	—
28W/9457834	SP.124-D	Washer	2	—	C	—
27M/11754	Lockheed AIR.44260	VALVE, non-return (Mod. 51)	1	—	A	PC.1
		(For spares see AP.4515F, Volume 3, Pt. 1)				
28F/8011896	AGS.1142-C	NIPPLE, adapter	1	—	C	—
28F/14529	AGS.1170-C	NIPPLE, adapter	1	—	C	—
3426	1873/1589A	PIPE assy, from 4-way selector to joint, frame 18A	1	—	MR/C	PC.1
4212	1873/2195A	PIPE assy, from joint, frame 18A to Avery coupling, frame 22	1	—	MR/C	PC.1
		Attachment parts for 1873/2195A:—				
28D/9436920	A.25-1C	Bolt	1	—	C	—
28DU/9419565	A.102-2D	Bolt	1	—	C	—
28D/9133011	A.25-2C	Bolt	2	—	C	—
28DU/9419967	A.102-2D	Bolt	2	—	C	—
28E/17130	AGS.2080-6	Clip, pipe	2	—	C	—
28E/17185	AGS.2081-6	Clip, pipe	1	—	C	—
28M/10328	AGS.2002-C1	Nut	3	—	C	—
6956	FOS.40/4	Nut	3	—	MR/C	—
28W/9419475	SP.15-C	Washer	3	—	C	—
28W/9457834	SP.124-D	Washer	3	—	C	—
5394	1873/2839	PLATE, extension	1	—	MR/C	PC.1


RESTRICTED

Plate PCI

[illegible]

PCI

RESTRICTED



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

